

C Premium Topsoil Borrow

Premium topsoil borrow for use as a plant growing medium in critical areas and top dressing erosion stabilization mats shall be screened and pulverized and meet the requirements of Table 3877-3:

Table 3877-3		
Premium Topsoil Borrow Requirement		
	Minimum	Maximum
Material Passing 2.0 mm (#10) Sieve	95%	--
Clay	10%	25%
Silt	25%	60%
Sand & Gravel	25%	60%
Organic Matter	5%	15%
pH	6.0	7.1
Soluble Salts	--	0.15 siemens/m 1.5 mmho/cm