

Status: Quote

LEAGUE CITY OUTDOOR POWER EQUIPMENT

Quote #: 136697

Invoice Date:

211 LEAGUE CITY PARKWAY

Print Date: 9/30/2024

LEAGUE CITY, TX 77573

TEL: 281-316-6900

BILLING ADDRESS
CITY OF TEXAS CITY City of Texas City 1801 9th Avenue North Texas City, Texas 77590 United States (409) 643-5980

SHIP ADDRESS
CITY OF TEXAS CITY City of Texas City 1801 9th Avenue North Texas City, Texas 77590 United States (409) 643-5980

Sales Rep	Terms	Tax Code	Customer PO	Sales Type	Ship Date
2 - Parts Manager	NET30	NT		Regular or Over the Counter	9/30/2024

Req	Fill	OEM Code	Item No.	Item Description	Bin Location	Your Price	Amount
1.00	1.00			LZS86TDYM12RW0 - Lazer Z Diesel 43.5 HP** Yanmar 3TNV86CT Diesel w/144 UltraCut RD Deck, Deluxe Susp Seat & 15 Semi-Pneumatic ***(ETA per Tim @ TOPE in Georgetown, Texas - 1 available)***		66,794.00	66,794.00
1.00	1.00			Omnia Partners #20469 is the contract number for the quote		0.00	0.00

Tax Authority Code

NT	0.0000
----	--------

Total Invoice

Subtotal:	66,794.00
Ship by Will Call	0.00
Sales Tax:	0.00
Total Invoice:	66,794.00
Total Paid:	0.00
Balance Due:	66,794.00

Tracking No.

Invoice Payments

Type	Amount	Date

THANK YOU FOR YOUR BUSINESS

All returns are subject to a 20% restock fee.

No returns without receipt.

No returns on electrical items and equipment.

No returns after 14 days.

No returns on special orders or close out items.

Delivery days can vary.

Signature

X_____

**Exmark Lazer Z® Diesel Turf Equipment
Limited Warranty - 5 Years or 1,500 Hours (with No Hour Limit the First 2 Years)**



General Warranty Conditions and Products Covered

Exmark Mfg. Co. Inc. warrants on the terms and conditions herein that it will repair, replace or adjust any part on these products found (in the exercise of our reasonable discretion) to be defective in materials or workmanship.

This warranty may only be assigned or transferred to a second (or third) owner by an authorized Exmark dealer. The warranty period commences upon the date of the original retail purchase.

Warranty Conditions

This warranty applies to Exmark Lazer Z Diesel turf equipment sold in the U.S. or Canada for a period of five years or 1,500 hours of operation (whichever occurs first), with no hour limit for the first two years.

This warranty only includes the cost of parts and labor. For the first warrantable service repair on units used exclusively for personal use, Exmark will cover up to \$70 for associated pick-up and delivery charges to and from any authorized Exmark service dealer. Additional transportation charges may apply; contact your dealer for details.

Warranty Exceptions

Warranty Exceptions

- Belts and Tires
- Battery
- Engine

Warranty Period

- 250 hours
- 1 Year - \$110 Reimbursement
- 3 Years or 2000 Hours
(No limit first two years)

Items and Conditions Not Covered

This warranty does not cover the following:

- Any damage or deterioration due to normal use, wear and tear, or exposure.
- Cost of regular maintenance service or parts, such as filters, fuel, lubricants, tune-up parts, and adjustments.
- Any product or part which has been altered or misused or required replacement or repair due to normal wear, accidents, or lack of proper maintenance as set forth in the maintenance section of the operator's manual.
- Any repairs necessary due to use of parts, accessories or supplies, including gasoline/diesel, oil or lubricants, incompatible with the turf equipment or other than as recommended in the operator's manual or other operational instructions provided by Exmark.

There are no other express warranties except for engine and special emission system coverage.

All warranty work must be performed by an authorized Exmark Service Dealer using Exmark approved replacement parts.

Instructions for Obtaining Warranty Service

The product must be registered with original proof of purchase by an Exmark Service Dealer before obtaining any warranty service.

Contact any Exmark Service Dealer to arrange service at their dealership. To locate a dealer convenient to you, access our website at www.Exmark.com U.S. or Canada customers may also call 402-223-6375.

If for any reason you are dissatisfied with the Service Dealer's analysis or with the assistance provided, contact us at:

Exmark Customer Service Department
415 Industrial Row
Beatrice, NE 68310
402-223-6375
service@exmark.com

Owner's Responsibilities

If your product requires warranty service it must be returned to an authorized Exmark service dealer within the warranty period. This warranty extends only to turf equipment operated under normal conditions. Read the operator's manual for important information on the care and operation of your Exmark product. It is your responsibility to service and maintain your Exmark product as described in the operator's manual. Such routine maintenance, whether performed by a dealer or by you, is at your expense.

General Conditions

The sole liability of Exmark with respect to this warranty shall be repair or replacement of defective components as set forth herein. **Exmark is not liable for any incidental or consequential loss or damage.** Such damages include but are not limited to:

- Expenses related to gasoline/diesel, oil or lubricants.
- Travel time, overtime, after hours time or other extraordinary repair charges or charges relating to repairs or replacements outside of normal business hours at the place of business of the authorized Exmark Service Dealer.
- Rental of like or similar replacement equipment during the period of any warranty, repair or replacement work.
- Any telephone charges or travel charges.
- Loss or damage to person or property other than that covered by the terms of this warranty.
- Any claims for lost revenue, lost profit or additional cost as a result of a claim of breach of warranty.
- Attorney's fees.

No claim of breach of warranty shall be cause for cancellation or rescission of the contract of sale of any Exmark mower.

All implied warranties of merchantability (that the product is fit for ordinary use) and fitness for use (that the product is fit for a particular purpose) are limited to the duration of the express warranty.

Some states do not allow exclusions of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

BID SPECIFICATIONS

Zero-Turn
Lazer Z Diesel
LZS86TDYM12RW0

SPECIFICATIONS

Engine – Yanmar 3TNV86CT TNV, governed to 3,000 RPM

Carb Compliant – Yes

Air Filter – Heavy-duty canister air filtration system with electronic vacuum sensor

Drive System – Kanzaki KPS-18T Transmission, 14-quart oil capacity, spin-on filter. 18 cc shoe type pumps and 1.83/1.09 cubic inch 2 speed Danfoss axial piston motors plus Omni planetary gear reduction, hydraulic oil cooler.

Ground Speed – Infinitely variable speed selection from 0–10 mph (16 kmph) in low speed forward, 0-6mph (10 kmph) reverse and 0-17 mph (27 kmph) in high speed forward, 0–10 mph (16 kmph) reverse.

Hydro Fluid – Exmark Ruby Tran

Cutting Deck – Full-floating UltraCut Rear Discharge Deck. Rear-discharge standard with finish cut baffles included.

Cutting Height – 1.0" (2.5 cm) to 5.5" (11.8 cm) in 0.25" (0.64 cm) increments.

Deck Lift Assist – Hydraulic

Drive Tires – 26x12-12, 6ply

Front Caster Tires – 15 x 6.0-6, smooth-tread, semi-pneumatic.

Steering and Motion Control – Hydraulically dampened twin levers, adjust fore and aft., also adjustable to 2 height positions. Adjustable dampeners (3 positions) to customize drive responsiveness.

Curb Weight – 3250 lbs.

Dimensions:

Deck Size - 144"

Width.....144.9 in. (368cm), 84 in. (213cm) @ 3 in. HOC when folded

Length.....101.3 in. (257.3 cm)

Height.....72.6 in. (184.3 cm)

Blades – 6 Blades at 24.50" Length

Blade-Tip Speed – Approximately 18,500 fpm

Blade Spindles – No maintenance, sealed and non-greasable spindles; 7.75"-diameter cutter housing with 25mm (.98") diameter spindle shaft, double row bearings, top and bottom, and splined blade driver.

Tractor Frame – Welded, heavy-duty 1.5" x 3" x 3/16" tubular steel.

Turning Radius – True zero-turn

Drive-Wheel Release – Allows unit movement without engine running.
Parking Brake – Spring applied, hydraulic release internal wet disc brake.

**Lazer Z Diesel
LZS86TDYM12RW0**

Seat - Deluxe, two-tone, bolstered 4" travel suspension seat with Elastomeric Vibration Control material. Mounted on innovative Seat Isolation System that provides operator isolation in all three planes of motion as well as fore-aft slide and seat flip-up.

Fuel Capacity – 12-gallon (45.4-L), side fuel tanks

Electrical – 12-volt battery with 175-amp alternator.

PTO Engagement – Integrated wet clutch system in transmission, connected to right angle gearbox on deck via drive shaft

Standard Features – 12-volt plug-in, engine hour meter and cup holder

Safety Package – Operator Presence Controls (OPC) and drive system interlock, with safety interlock system indicators.

Onboard Intelligence - RED Technology

Available Accessories and Attachments

Finish Cut Baffles	142-2744
Flasher Light Kit	135-2892
Hydro Maintenance Kit	126-8103
Jack	127-6666
Jack Mount Receiver	135-1768
LED Light Kit	135-7076
Slow Moving Vehicle Sign Kit	135-2891
Sun Shade	126-8077



SO





LAZER Z DIESEL

For a variety of reasons, the diesel-powered Lazer Z mowers may be the right choice for your cutting needs. They make quick work of the largest, toughest jobs and raise the bar for cut quality, operator comfort, fuel efficiency and ease of handling. Our large 144-inch flex wing deck is capable of mowing more than 11.5-acres per hour, making it the most productive mower Exmark has ever built.

**PREMIUM DIESEL PERFORMANCE.
LEGENDARY DURABILITY.
MAXIMUM COMFORT & PRODUCTIVITY.**

FEATURES

UltraCut Deck Technology

Side Discharge: 60 | 72

Rear Discharge: 72 | 96 | 144

Commercial-Grade Engines


Yanmar®

Hydraulic Deck Lift

Provides for easy cutting height adjustment and quick transport

Reduced Maintenance

With an efficient and robust powertrain system, these machines have less maintenance and longer service intervals. The tool-less belt access and removable floor pan makes servicing easy



BUILT FOR LARGE PROPERTIES
The robust engine power and large deck sizes make these mowers Exmark's most productive diesel machines ever. They are a great solution for universities, municipalities, and other sizeable properties yet nimble enough to maneuver smaller landscapes.




ENHANCED OPERATOR COMFORT
Operator comfort is critical to productivity. That's why we've worked so hard to reduce noise and vibration, and placed the operator seat in full suspension on ISO mounts, so you can go for hours.

TOP ACCESSORIES

- LED Light Kit
- Micro-Mulch System
- Operator Controlled Discharge
- Sun Shade
- Trash Container
- Leaf Stopping Kit
- UltraVac Collection System

See your dealer for more information on these accessories. Some accessories may require additional equipment. ©2014 Exmark. All rights reserved.

BUILT FOR PERFORMANCE



Product	Engine	Deck Size	Deck	Fuel Capacity	Fertilizer
QUEST E-SERIES	22 HP ¹ Kohler 7000 Series ¹ KT725	42"	Series 2 Fabricated	3.0 Gallons	ZT-2100
	24.5 HP ¹ Exmark 708 V-Twin	50"			ZT-2200
QUEST S-SERIES	24 HP ¹ Kohler 7000 Series KT735	54"	UltraCut Series 3	7.0 Gallons	ZT-2200
	24.5 HP ¹ Exmark 708 V-Twin	52"			ZT-3100
RADIUS E-SERIES	20.5 HP ¹ Kawasaki FX651V V-Twin	48"	UltraCut Rear Discharge	7.0 Gallons	ZT-3100
	22 HP ¹ Kawasaki FX691V V-Twin	52"			ZT-3400
RADIUS S-SERIES	23.5 HP ¹ Kawasaki FX730V V-Twin	60"	UltraCut™ Series 4	7.0 Gallons	ZT-3100
	31 HP ¹ Kawasaki FX921V V-Twin	60"			ZT-3400
RADIUS X-SERIES	31 HP ¹ Kawasaki FX921V V-Twin	60"	UltraCut™ Series 4	7.0 Gallons	ZT-3400
LAZER Z E-SERIES	20.5 HP ¹ Kawasaki FX651V V-Twin	48"	UltraCut™ Series 4	8.0 Gallons	12cc
	24.5 HP ¹ Kawasaki FX751V V-Twin	52"			
	25 HP ¹ Kohler CV742 Command PRO	60"			
	25.5 HP ¹ Kawasaki FX801V V-Twin				
	26 HP ¹ Vanguard V-Twin	72"			
25.5 HP ¹ Kawasaki FX801V V-Twin	72"				
LAZER Z S-SERIES	25.5 HP ¹ Kawasaki FX801V V-Twin	52"	UltraCut Rear Discharge Deck	12.0 Gallons	16cc
	26.5 HP ¹ Kohler ECV749 Command PRO EFI	60"			
	26.5 HP ¹ Kohler ECV749 Command PRO EFI	72"			
LAZER Z X-SERIES	25.5 HP ¹ Kawasaki FX801V V-Twin	60"	UltraCut Series 6	12.0 Gallons	16cc
	31 HP ¹ Kawasaki FX921V V-Twin	72"			
	37 HP ¹ Vanguard Big Block™ V-Twin EFI with Oil Guard™ System				
	38 HP ¹ Kohler ECV980 Command PRO EFI with RED Technology	96"			
	38 HP ¹ Kohler ECV980 Command PRO EFI with RED Technology	96"			
LAZER Z DIESEL	25 HP ¹ Yanmar 3TNV80FT 1.3-Liter Turbo with RED Technology	60"	UltraCut Series 4	7.5 Gallons	Kanzaki KPS-18T
	37 HP ¹ Yanmar 3TNV88C 1.6-Liter Common Rail with RED Technology	72"			
	37 HP ¹ Yanmar 3TNV88C 1.6-Liter Common Rail with RED Technology	72"	UltraCut Rear Discharge Deck		
	43.5 HP ¹ Yanmar 3TNV86CT 1.6L Common Rail Turbocharged Diesel with RED Technology	96"	UltraCut Rear Discharge w/ Flex Wings		
		144"	UltraCut Rear Discharge w/ Flex Wings		
NAVIGATOR	23 HP ¹ Kohler CH730 Command PRO EFI	42"	Full-Floating Fabricated	7.5 Gallons	12cc
	25 HP ¹ Kohler CH740 Command PRO	48"			

Ground Speed	Acres per Hour	Cutting Height	Seat	Front Casters	Drive Tires	Man-Powered	Powered	UltraVac 2 Beam	UltraVac 3 Beam	UltraVac 400S	Warranty	
Up to 7.0 mph	2.37	1.5" to 4.5" 0.5" increments	Foam-Padded High Back, Optional Armrests	11 x 4 Smooth Pneumatic	18 x 7.5-8	*					30-Day Commercial, Limited 3-Year Consumer, Limited ¹	
	2.82			11 x 6 Smooth Pneumatic	18 x 9.5-8	*						
	3.05			Two-Toned, Foam-Padded High Back, with Armrests	13 x 6 Smooth Pneumatic	20 x 10-10	*					
Up to 8.0 mph	3.10	1.5" to 5.0" 0.25" increments	18" Commercial High Back		22 x 9.5-12	*	*				4-Year or 500 Hours, Limited ²	
	3.35				22 x 10.5-12	*	*					
	3.87				23 x 9.5-12	*	*					
Up to 9.0 mph	3.48		20" Premium Full Adjustable Seat Suspension	13 x 6.5-6 Pneumatic	23 x 9.5-12	*	*				4-Year or 750 Hours, Limited ³	
	3.77				23 x 10.5-12	*	*					
Up to 10.0 mph	4.35				24 x 12-12	*	*				4-Year or 1,000 Hours, Limited ⁴	
Up to 8.0 mph	3.10		Deluxe Adjustable Suspension	13 x 5.0-6 Semi-Pneumatic	23 x 9.5-12		*	*	*		5-Year or 1,250 Hours, Limited No Hour Limit First Two Years ⁵	
	3.35			13 x 6.5-6 Semi-Pneumatic	24 x 12-12		*	*	*			
Up to 10.0 mph	4.84	1.0" to 5.5" in 0.25" increments	Deluxe Adjustable Suspension with Seat Isolation System	13 x 6.5-6 Pneumatic (A3 Models)	23 x 9.5-12		*	*	*		5-Year or 1,500 Hours, Limited No Hour Limit First Two Years ⁶	
	5.80			13 x 5.0-6 Semi-Pneumatic	24 x 12-12		*	*	*			
	4.19							*	*	*		
	4.84							*	*	*		
	5.80								*	*		*
Up to 11.5 mph	1.84		Premium Suspension w/ Seat Isolation System	13 x 6.5-6 Semi-Pneumatic	24 x 12-12		*	*	*		5-Year or 1,500 Hours, Limited No Hour Limit First Two Years ⁷	
	5.80							*	*	*		
Up to 10.5 mph	6.68			15 x 6.0-6 Semi-Pneumatic	25 x 12-12						5-Year or 1,500 Hours, Limited No Hour Limit First Two Years ⁸	
	8.13											
Up to 11.0 mph	5.32											
	6.39											
Up to 12.5 mph	9.68											
Up to 10 mph	11.61											
Up to 7.0 mph	2.37	1.0" to 4.0" in 0.25" increments	Commercial High Back	8 x 3.0-4 Semi-Pneumatic	18 x 10.5-10						2-Year Limited ⁹	
	2.71											

