

146 Sign Company, LLC

Estimate

24095 Interstate 10
Wallisville, TX 77597

Date	Estimate #
1/24/2025	5

Name / Address
Lercys Mark Cooper

Project

Description	Qty	Rate	Total
Wall Mounted Stand Off Cigar Shape 6"x18' Double Sided LED Lit & Installed - Tied Into Existing Electricity ***Please Note This Quote Does Not Include Survey & Permits if Needed***	2	3,500.00	7,000.00T
Permit Cost with Engineering is Normally Around \$600-\$800	1	800.00	800.00T
Sales Tax		8.25%	643.50
Total			\$8,443.50



corona roofing CO.

8526 cayton st houston tx 77061

7132984475

omarcorona7oc@gmail.com

ESTIMATE

EST0100

DATE

08/12/2024

TOTAL

USD \$58,050.00

TO

Nedel Visekruna

513 6th St N, Texas City, TX 77590

☎ +1 713-478-7722

seamencenter.tc@gmail.com

DESCRIPTION	RATE	QTY	AMOUNT
For install new white GTA torch down and we install all the metal edge and metal cap of stainless steel material This price include labor and material for area Captain's Table building \$35,000.00 deposit for material \$23,050.00 when is done and complete	\$645.00	90	\$58,050.00

SUBTOTAL \$58,050.00

TAX (0%) \$0.00

TOTAL USD \$58,050.00

DATE SIGNED

12/10/2024

Thanks for your business!

Please Make a cheke
To:Omar Corona



Thanks for your business!



Thanks for your business!



Quote

01/23/2025

:
Mark Cooper (Hood Quote)

:
Wholesale Restaurant Supply
Terri Villarreal
6955 West 43rd Street
Houston, TX 77092
713-465-8455
(713)465-8455 (Contact)

Item	Qty	Description	Sell	Sell Total
1	1 ea	HOOD Accurex Model No. HOOD KH-1 1 Exhaust Only Wall Canopy Hood w/ ASP XBEW-144.00-S KH-1 FIRE 1 Fire Suppression System FSSK - 14 - 2 KH-1 FIRE, Gas Valve 1 Gas Valve GAS VALVE KH-1 FIRE, Field Hook-up 1 Fire Field Hook-up FIELD HOOK-UP KH-1 EF 1 Exhaust Fan XCUE-160-VG KH-1 EF, Roof Curb 1 Roof Curb GPFV-26-G24 KH-1 MUA 1 Fan XKID-15-M2-VG KH-1 MUA, Roof Curb 1 Roof Curb GPF-22-G16 KH-1 CONTROLS 1 Accurex Kitchen Controls - Constant Volume XKC-CV-S-11-1-1-0 Mark: KH-1 Model: XBEW-144.00-S Item: Exhaust Only Wall Canopy Hood Quantity: 1 Performance: Section 1: Exhaust (CFM): MUA (CFM): 2,523 2,018 Dimensions: Hood: Supply Plenum (Front): Supply Plenum (Front): Collar(s): Exhaust: MUA (Front): MUA (Front): 144" L x 54" W x 24" H 78" L x 14" W x 4" H 78" L x 14" W x 4" H (1) 10" W x 24" L (2) 12" W x 26" L (2) 12" W x 26" L Configuration: Performance Enhancing Lip (P.E.L.) for up to 31% Lower Exhaust Rates Sloped Grease Trough with Enclosed Grease Cups per NFPA 96 Requirements Material - 430 SS Where Exposed UL 710 Listed w/ out Exhaust Fire Damper Filter - Baffle - Stainless Steel Lights - Globe Light Fixtures (bulbs not included) (6) Factory Mounted Exhaust Collar(s) Factory Mounted Supply Collar(s) Factory Mounted 3" Back Airspace Utility / Fire Cabinet Mounted on Right Accessories: Air Curtain Supply (ASP) Front with Dampers Mark: KH-1 FIRE Model: FSSK - 14 - 2	\$21,461.77	\$21,461.77

Item	Qty	Description	Sell	Sell Total
		<p>Item: Fire Suppression System Quantity: 1</p> <p>Scope:</p> <p>Pre-Pipe With Parts and Factory Coordinated Installation</p> <p>Hood Fire Suppression System</p> <p>Detection Type Mechanical</p> <p>Coverage Appliance Specific</p> <p>Hood Mark(s) Connected KH-1</p> <p>Mounting Location Utility cabinet on hood (see hood submittal for more visual detail)</p> <p>System Size 7.5 Gallon</p> <p>Flow Points Maximum of 22 and 14 are utilized.</p> <p>Options and Accessories for Hood Fire System Provided from Factory</p> <p>Mechanical Release Module QTY of 1</p> <p>3.75 Gallon Agent Cylinder</p> <p>Assembly</p> <p>QTY of 2</p> <p>Gas Valve 2", mechanical</p> <p>Manual Pull Stations QTY of 1</p> <p>Hood Microswitch QTY of 1</p> <p>Alarm Initiating Switch QTY of 0</p> <p>Metal Blow Off Caps Included</p> <p>Important Notes</p> <ul style="list-style-type: none"> • The manner in which the parts included in the scope of this fire system are supplied may vary. They could be shipped from the fire suppression manufacturer, shipped loose with the hood, connected directly to the hood, or supplied directly to the installing distributor. • Systems are pre-piped for a specific appliance line-up. If appliance types and sizes differ from what is shown on the hood submittal, this may result in a field re-pipe which is outside the scope defined here. • If the collars on the hood are shipped loose, the detection line will not be installed on the hood and the parts will ship loose <p>Mark: KH-1 FIRE, Gas Valve Model: GAS VALVE</p> <p>Item: Gas Valve Quantity: 1 Mark: KH-1 FIRE, Field Hook-up Model: FIELD HOOK-UP</p> <p>Item: Field Hook-up Quantity: 1</p> <p>Labor Information:</p> <p>Hook-up of detection line and supply line is included.</p> <p>Surface mounting of the manual pull station in a pre-determined location is included.</p> <p>Charging and arming of the system is included.</p> <p>Permit included</p> <p>Hood Puff Test Fee Included</p> <p>Items which may be supplied by the factory, but are not installed or hooked-up by the factory OR the installing distributor:</p> <p>Gas valve (not applicable for PCU)</p> <p>Microswitch(es)</p> <p>Remote mounted cabinets, enclosures, or tank brackets</p> <p>Not included unless explicitly stated elsewhere in the quote as included:</p> <p>Special, signed, or sealed drawings required to satisfy a state or local code</p> <p>Parts or labor required to correct piping due to cooking equipment changes or deviation from approved drawings</p> <p>More than two trips to the jobsite, special transportation, or overnight lodging requirement in remote areas.</p> <p>Typical travel distance is defined as the first 50 miles from the distributor's office.</p> <p>A shut-off device (e.g. shunt-trip breaker) for electric cooking equipment</p> <p>All electrical connections required to shut down fan(s), electric cooking equipment, activate an alarm system, etc. aside from what is explicitly stated as "factory-wired" in the Accurex control's scope (if provided)</p> <p>Installation of the gas shut-off valve</p> <p>Pre-test</p> <p>Full dump test or any other system test requirement outside of a standard puff test</p> <p>Special classes or additional labor for access to security sensitive areas</p> <p>Union labor, government labor, or prevailing wages required for field hook-up</p> <p>Any dismantling or reassembly required where access to the fire suppression piping has been blocked</p> <p>Plan examination fees</p> <p>Rough-in conduit for remote pull station (for flush mounted pull station) or gas valve</p> <p>Additional remote pull stations beyond the quantity specified in the submittals</p> <p>Mark: KH-1 EF Model: XCUE-160-VG</p> <p>Item: Exhaust Fan Quantity: 1</p> <p>Performance:</p> <p>Volume (CFM):</p>		

Item	Qty	Description	Sell	Sell Total
		<p>SP (in. wg):</p> <p>FRPM (RPM):</p> <p>Motor Power (hp):</p> <p>Operating Power (hp):</p> <p>Voltage:</p> <p>Phase:</p> <p>Hertz:</p> <p>2,523</p> <p>0.8</p> <p>1195</p> <p>3/4</p> <p>0.63</p> <p>115</p> <p>1</p> <p>60 Cycle</p> <p>Configuration:</p> <p>Direct Drive Fan</p> <p>Motor - High Efficiency Brushless DC - 3/4 hp , ODP, 115/60/1, 1200 rpm - Factory Mounted</p> <p>Motor VFD Rated without Shaft Grounding Protection</p> <p>Motor - Vari-Green EC motor</p> <p>Control – 0-10VDC Input, (no control provided, signal supplied by others)</p> <p>UL/cUL 705 Listed - Supplement SC - "Power Ventilators for Restaurant Exh. Appliances" (Formerly UL 762)</p> <p>Switch, NEMA-3R, Toggle,</p> <p>Junction Box Mounted & Wired</p> <p>High Wind Rated (+/-150 PSF Rating)</p> <p>Florida Product Approval #FL13225.1 & Miami-Dade NOA #24-0919.01</p> <p>Hinge, Factory Installed</p> <p>Grease Trap (PN 475538)</p> <p>Unit Warranty: 1 Yr (Standard)</p> <p>Accessories:</p> <p>High Temp Curb Seal Rated for Continuous Duty at 1500 F (Factory Attached)</p> <p>Mark: KH-1 MUA Model: XKID-15-M2-VG</p> <p>Item: Exhaust Fan Quantity: 1</p> <p>Performance:</p> <p>Volume (CFM):</p> <p>SP (in. wg):</p> <p>FRPM (RPM):</p> <p>Motor Power (hp):</p> <p>Operating Power (hp):</p> <p>Voltage:</p> <p>Phase:</p> <p>Hertz:</p> <p>2,018</p> <p>0.4</p> <p>1156</p> <p>1</p> <p>0.34</p> <p>115</p> <p>1</p> <p>60 Cycle</p> <p>Configuration:</p> <p>Direct Drive Fan</p> <p>Motor - High Efficiency Brushless DC - 1 hp , TENV, 115/60/1, 1550 rpm - Factory Mounted</p> <p>Motor - Vari-Green EC motor</p> <p>Control – 0-10VDC Input, (no control provided, signal supplied by others)</p> <p>UL/cUL 705 Listed - "Power Ventilators"</p> <p>Switch, NEMA-3R, Toggle, Shipped Separate</p> <p>High Wind Rated</p> <p>Florida Product Approval # Upon Request</p> <p>Aluminum Mixed Flow Wheel</p> <p>Unit Warranty: 1 Yr (Standard)</p> <p>Mark: KH-1 MUA, Roof Curb Model: GPF-22-G16</p> <p>Item: Roof Curb Quantity: 1</p> <p>Dimension:</p> <p>Tag Quantity Width Length Height</p> <p>KH-1 MUA, Roof Curb 1 22 24.25 16</p> <p>Configuration:</p> <p>Flat Roofs, Welded with Insulation</p>		

Item	Qty	Description	Sell	Sell Total
		Material - Galvanized Nominal Curb Size Mark: KH-1 CONTROLS Model: XKC-CV-S-11-1-1-0 Item: Accurex Kitchen Controls - Constant Volume Quantity: 1 Performance: Exhaust Fan(s): 1 Supply Fan(s): 1 Dimension: Mounting Location: Mark: Touchscreen Mounting: Mark: Utility Cabinet on Hood - Right KH-1 Utility Cabinet - Right End of Hood KH-1 Configuration: UL/ULC Listed Material - 300 SS Enclosure Capture tank mounted temperature sensors with up to 5 times faster response Full Color Touchscreen Control Interface Exhaust Max During Fire Power For Shunt Trip Temperature Interlock - Automatically starts fans when cooking occurs in compliance with IMC Temperature Sensors Installed (1) Lights Off During Fire Hood Light Control VFD for Balancing - Allows fan balancing from the control package Accessories: Touchscreen Cable (7 ft) Accessories: Damper Shipped Loose, WD-410-PB-17.25X19.5, Gravity Operated, Not Coated		
			ITEM TOTAL:	\$21,461.77
2	1 ea	LABOR Wholesale Restaurant Supply Model No. LABOR Labor to hang hood only, Permit is an additional charge Roof Jacks by others, Electrical by others	\$1,750.00	\$1,750.00
			ITEM TOTAL:	\$1,750.00
3	1 ea	INSTALLATION Wholesale Restaurant Supply Model No. INSTALLATION Installation Estimate , can only give estimate without seeing job site	\$17,000.00	\$17,000.00
			ITEM TOTAL:	\$17,000.00
			Subtotal	\$40,211.77
			Total	\$40,211.77

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$40,211.77



Quote

01/10/2025

:
Mark Cooper (Walk - In)

:
Wholesale Restaurant Supply
Terri Villarreal
6955 West 43rd Street
Houston, TX 77092
713-465-8455
(713)465-8455 (Contact)

Item	Qty	Description	Sell	Sell Total
1	1 ea	WALK-IN COMBO COOLER/FREEZER Kolpak Model No. WALK-IN Outdoor Stand-Alone Combo (NSF) Overall Dimensions: 20'-0" (Hold-To) x 10'-0" (Hold-To) x 8'-6 1/4" Outdoor Stand-Alone Combo Compartments: Freezer (Outdoor) Interior Dimensions: 9'-6" x 9'-4" x 7'-10 5/8" Walls: 4" Class 1 - Foamed in place Urethane Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Ceiling: 4" Class 1 - Foamed in place Urethane Type: Standard Attachment: Lock Down Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Floor Application: 4" Class 1 - Foamed in place Urethane Type: Standard 1000# ERA Finish: Aluminum - Smooth Aluminum .100 Compartment Accessories: Qty UoM Description 1 ea Light - LED 48IN 120/230V 50/60HZ 1 ea KPC249LZOP-2E PC249LZOP-2E, 208-230/60/1, 2-1/2HP, R404A, Pre-Charged, AirCooled, Scroll Low Temp Standard Compressor Unit, Amps: 19.1, Ambient Temperature: 110 Includes Fan Cycle Controls, Amps: 19.1, Ambient Temperature: 110 1 ea KEL26-090-2EC-PR-4 EL26-090-2EC-PR-4, 208-230/60/1, R404A, Low Temp, Electric Defrost, Standard Unit Cooler, Amps: 9.8 One year parts and labor included Doors/Openings: Door: 36" x 78" Left Swing Out Recessed 0" with 0" Leveling Sand and 0" Tile & Grout. Frame: Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Plug: Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Door/Opening Accessories: Qty UoM Description 1 ea Door Closer - Kason 1094 (STD) 1 ea Handle - Kason 28 with Locking Assembly (STD) 1 ea Heater Wire, 5 Watt / FT 2 ea Hinge - Kason 1346 Brushed Chrome Adjustable / Spring Assisted (STD) 1 ea Light Fixture - Kason 1803 LED w/Bulb, Globe & Nightlight 120V 50/60Hz (STD) 1 ea Switch - Weatherproof Press 120/230V 50/60Hz	\$59,150.19	\$59,150.19

Item	Qty	Description	Sell	Sell Total
		1 ea Thermometer - 2 inch Dial Weatherproof 3 lf Threshold, FRP 1 ea Vent - Pressure Relief, Heated 120V 50/60Hz 4/5/6" Thick (STD) Cooler (Outdoor) Interior Dimensions: 9'-6" x 9'-4" x 8'-2 1/4" Walls: 4" Class 1 - Foamed in place Urethane Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Ceiling: 4" Class 1 - Foamed in place Urethane Type: Standard Attachment: Lock Down Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Floor Application: Screed, Metal 4" High Compartment Accessories: Qty UoM Description 25 lf Cove Base, Galvalume Embossed 26 ga 1.25 x 4.25 1 ea Light - LED 48IN 120/230V 50/60HZ 60 ft Locks 11.5" Spacing 21 EA Racking Clip 1 EA Roof Cap - HIGH WIND Sloped Membrane Free Standing (slope 1/4" per foot) 120 ea Tapcon Fasteners 12 ea Tie Down Angle - 1-1/2" x 1-1/2" x 96" (Int Wall to CL incl Partitions) 8 ea Tie Down Angle - 1-3/4" x 6" x 96" (W-In FL to Foundation) with Hilti Bolts 1 ea KPC69MZOP-2E PC69MZOP-2E, 208-230/60/1, 3/4HP, R404A, Pre-Charged, Air-Cooled, Scroll Medium Temp Standard Compressor Unit, Amps: 7, Ambient Temperature: 110 Includes Fan Cycle Controls, Amps: 7, Ambient Temperature: 110 1 ea KAM26-094-1EC-PR-4 AM26-094-1EC-PR-4, 115/60/1, R404A, Medium Temp, Air Defrost, Standard Unit Cooler, Amps: 1.6 One year parts and labor included Door: 36" x 78" Left Swing Out Recessed 0" with 0" Leveling Sand and 0" Tile & Grout. Frame: Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Plug: Exterior: Galvalume - Embossed 26 Ga Interior: Galvalume - Embossed 26 Ga Door/Opening Accessories: Qty UoM Description 1 ea Door Closer - Kason 1094 (STD) 1 ea Handle - Kason 28 with Locking Assembly (STD) 2 ea Hinge - Kason 1346 Brushed Chrome Adjustable / Spring Assisted (STD) 1 ea Light Fixture - Kason 1803 LED w/Bulb, Globe & Nightlight 120V 50/60Hz (STD) 1 ea Rainhood 1 ea Switch - Weatherproof Press 120/230V 50/60Hz 1 ea Thermometer - 2 inch Dial Weatherproof		
			ITEM TOTAL:	\$59,150.19
2	1 ea	DELIVERY Wholesale Restaurant Supply Model No. DELIVERY Delivery and Erection (Electrical by others) Trim not included	\$2,400.00	\$2,400.00
			ITEM TOTAL:	\$2,400.00
3	1 ea	HVAC Wholesale Restaurant Supply Model No. HVAC HVAC Permit Additional, Estimate only, Roof Penetrations by others	\$4,800.00	\$4,800.00
			ITEM TOTAL:	\$4,800.00
			Merchandise	\$66,350.19
			Subtotal	\$66,350.19
			Tax 8.25%	\$5,473.89
			Total	\$71,824.08

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$71,824.08