

PREPARED FOR



PREPARED BY

KIG Vehicle Concepts LLC
14650 SW 93rd Court, Miami, FL 33176
CAGE: 6CRF1
SAM UEI: LGKMVUF53PG3

CITY VEHICLES

2024 Ford Transit 3.5L V6 RWD Gasoline 10-Speed Automatic Transmission 15 Passenger Van



Engine	
Type	3.5L
Horsepower (SAE net @ RPM)	275 @ 6,250
Torque (lb.-ft. @ RPM)	260 @ 4,000
Compression ratio	11.8:1
Bore x stroke (in.)	3.64 x 3.41
Valvetrain	DOHC, 4 valve per cylinder
Fuel delivery	Sequential multiport electronic
Transmission type	10-speed automatic Selectshift® with overdrive
Chassis	
Front suspension	Independent MacPherson-strut
Rear suspension	Leaf springs
Shock absorbers	Heavy-duty gas
Brakes	4-wheel anti-lock disc brakes
Steering	Electric Power Steering (EPS)
Exterior Features	
Audio, Antenna - Fender Mounted	Rear Recovery Tow Hook
Body Side Moldings – Carbon Black	Honeycomb Mesh Grille with Carbon Black Surround
50/50 Hinged Rear Door, 180-degree Opening	Halogen Headlamps with Autolamp
Sliding Passenger-Side Door	Windows – All-Around, Fixed
Front License Plate Bracket	Windows - Tinted Glass
Auto High-Beam Headlamps	Windows - Rear Window
Mirrors – Short-Arm — Power-Adjusting, Manual-Folding	Tinted Windshield
Interior Features	
Air Conditioning	Two Auxiliary 12-Volt Powerpoints
Front/Rear Aux A/C and Heater (Driver controlled)	PowerPoint, 12V - One located in the rear of vehicle
Horn - Single-Note Electric	USB Ports – 5 Amps
Inside Rearview Mirror	Sun Visors - with Illuminated Vanity Mirror (Driver and Passenger)

Headliner – Cloth Full length	Automatic Rain-Sensing Windshield Wipers
Medium Center Console	B-Pillar Assist Handle (Passenger-side)
Post-Collision Braking & Assist With Automatic Emergency Braking (AEB)	Forward Collision Warning
Lane-Keeping System	Rearview Mirror (When Equipped with Rear Glass)
Floor Covering, Vinyl, Front & Rear	Headlamp Courtesy Delay
Glove Box (Locking)	Telematics Essentials
Instrumentation – Tachometer, Fuel Level and Coolant Temperature	Full Rear Compartment Lighting
Interior Lighting	Cruise Control. Includes Adjustable Speed Limiting Device (ASLD)
Lighting, Front Dome Lamp with Map Lights and Theater-Dimming	AM/FM Stereo with 4" Display, Bluetooth, and Dual USB Ports
A-Pillar Assist Handles	15-Passenger Seating. 1st row: 2 seats, 2nd row: 3 seats, 3rd row: 3 seats, 4th row: 3 seats, 5th row: 4 seats. Standard with Extended Length Passenger Van
Power and Handling	
Steering - Power Rack and Pinion	Side-Wind Stabilization
Electric Power-Assisted Steering (EPAS)	Hill Start Assist
Tilt/Telescoping Steering Wheel	Alternator – 250 amp (3.5L PFDi V6 and 3.5L EcoBoost® V6 engines)
Parking Brake - Mechanical (9,950lb GVWR DRW configurations only)	Auxiliary Fuel Port
Suspension, Front - Independent MacPherson-Strut, Stabilizer Bar	3.5L V6
Suspension, Rear - Leaf Springs, Heavy-Duty Gas Shock Absorbers	10-Speed Automatic Transmission
AdvanceTrac® With Roll Stability Control™ (RSC®)	Fuel Tank – Capless Fuel Fill, 25 Gallons (Midship)
Safety	
Tire Pressure Monitoring System (TPMS)	SOS Post-Crash Alert System™ (distress call w/airbag deployment when ordered with SYNC®)
Airbags – Driver and Passenger	Door Locks, Auto-locking Drive Away with Crash Unlocking
Brakes - 4 Brakes – 4-wheel Anti-lock Disc Brakes	SecuriLock® Passive Anti-Theft System (PATS) with engine immobilizer
Safety belts - 3-point, all positions	Rear View Camera With Trailer Hitch Assist
Safety Canopy® System with Side-Curtain Airbags	
Exterior Dimensions (Inches)	
Wheelbase	148
Length	237.6

Height	82.4
Width - Excluding Mirrors (SRW/DRW)	81.3
Width - Including Mirrors	97.4
Width - Mirrors Folded	83.2
Front Track	68.2
Rear Track	68.6
Front Overhang	40.3
Rear Overhang	49.7
Load Height (Curb)	28.8
Rear Cargo Door Opening Height	46.9
Rear Cargo Door Opening Width	59.8
Interior Dimensions (Inches)	
Head Room - First Row	40.8
Head Room - Second Row (where applicable)	41.1
Head Room - Third Row (where applicable)	40.6
Head Room - Fourth Row (where applicable)	38.7
Head Room - Fifth Row (where applicable)	38.1
Leg Room - First Row (Max.)	41.3
Leg Room - Second Row (where applicable)	33.7
Leg Room - Third Row (where applicable)	35.6
Leg Room - Fourth Row (where applicable)	35.6
Leg Room - Fifth Row (where applicable)	35.6
Hip Room - First Row	60.7
Hip Room - Second Row (where applicable)	69.6
Hip Room - Third Row (where applicable)	67.3
Hip Room - Fourth Row (where applicable)	68
Hip Room - Fifth Row (where applicable)	68
Shoulder Room - First Row	67.9
Shoulder Room - Second Row (where applicable)	71.4
Shoulder Room - Third Row (where applicable)	67
Shoulder Room - Fourth Row (where applicable)	67.8
Shoulder Room - Fifth Row (where applicable)	67.8
Cargo Length Front (at Floor)	141.7
Cargo Length Front (at Belt)	132.8
Cargo Width Between Wheelhouse (SRW/DRW)	53.7
Cargo Height Maximum	52.8