

Schedule 1 Bid

BILLION DODGE-CHRYSLER JEEP
355 AUTOMOTIVE AVE
BOZEMAN, MT 597187508

Configuration Preview

Date Printed: 2024-08-03 12:54 PM VIN:
Estimated Ship Date: VON:

Quantity: 1
Status: BA - Pending order
FAN 1: 00CJK City of Billings
FAN 2:
Client Code:
Bid Number: TB4075
PO Number:

Sold to:
BILLION DODGE-CHRYSLER JEEP (68141)
355 AUTOMOTIVE AVE
BOZEMAN, MT 597187508

Ship to:
BILLION DODGE-CHRYSLER JEEP (68141)
355 AUTOMOTIVE AVE
BOZEMAN, MT 597187508

Vehicle: 2024 4500 REG CAB CHASSIS 4X4 (144.5 in WB - CA of 60 in) (DP9L63)

	Sales Code	Description	MSRP(USD)
Model:	DP9L63	4500 REG CAB CHASSIS 4X4 (144.5 in WB - CA of 60 in)	55,430
Package:	27A	Customer Preferred Package 27A	0
	ESB	6.4L V8 Heavy Duty HEMI Engine	0
	DF3	6-Spd Auto Aisin AS66RC HD Trans	0
Paint/Seat/Trim:	PW7	Bright White Clear Coat	0
	APA	Monotone Paint	0
	*V9	Cloth 40/20/40 Bench Seat	295
	-X9	Black	0
Options:	AZB	Heavy Duty Front Suspension Group	260
	XAC	ParkView Rear Back-up Camera	495
	NHK	Engine Block Heater	95
	4DH	Prepaid Holdback	0
	YEP	Manuf Statement of Origin	0
	4ES	Delivery Allowance Credit	0
	XHC	Trailer Brake Control	465
	MAF	Fleet Purchase Incentive	0
	A61	Tradesman Level 1 Equipment Group	1,880
	TBB	Full Size Spare Tire	395
	CLY	Mopar Front Rubber Floor Mats	100
	MKM	Mopar Splash Guards/Mud Flaps Front	75
	TSJ	225/70R19.5G Off Road Tires	995
	MDA	Front License Plate Bracket	0
	DK3	Elec Shift-On-The-Fly Transfer Case	295
	Z9B	GVW Rating - 15000#	0
	5N6	Easy Order	0
	4FM	Fleet Option Editor	0
	4FT	Fleet Sales Order	0
	174	Zone 74-Denver	0
	4EA	Sold Vehicle	0
Non Equipment:	4FA	Special Bid-Ineligible For Incentive	0
Bid Number:	TB4075	Government Incentives	0
Destination Fees:			1,995

Total Price: 62,775 .

Order Type: Fleet
Scheduling Priority: 1-Sold Order

PSP Month/Week:
Build Priority: 99

\$60,354

Note: This is not an invoice. The prices and equipment shown on this priced order confirmation are tentative and subject to change or correction without prior notice. No claims against the content listed or prices quoted will be accepted. Refer to the vehicle invoice for final vehicle content and pricing. Orders are accepted only when the vehicle is shipped by the factory.

- d) The quality of performance of previous contracts, agreements and/or performance.
- e) Previous and/or existing compliance by the bidder with laws relating to the contract or services.
- f) Such other information which may be secured having a bearing on the decision to award the contract.

C. Contract Requirements and Specifications

Unit bids shall be manufacturer's current production model with all features offered as standard whether or not called for in the specifications, except where this specification requires a substitution in lieu of the manufacturer's standard equipment.

Schedule 1: Public Works Streets - "1168"

One new current 2025 model "1 1/2" ton 4-wheel drive "dually" regular cab long 8' cab and chassis

Description	Minimum Requirements	Specification Bid
Engine	6.0 liter, 8 cylinder gasoline	6.4L
GVWR	15,000 LBS	15,000
Cab	Regular cab "2 door"	✓
Chassis	Dually, rear wheel drive 60" cab to axle	✓
Drive type	4-wheel drive	✓
Box length	8 foot cab and chassis	✓
Transmission	Heavy duty, 6 speed automatic w/cooler	8 Speed Auto
Brakes	Heavy duty 4-wheel ABS disk brakes	✓
Alternator	155 Amperes	220 AMP
Battery	Heavy duty, 650 CCA	730 AMP
Cooling	Heavy duty radiator w/40 Degree Anti-Freeze	✓
Differential	Limited Slip/Traction Control/Stability Control	ANTI-SPIN
Fuel tanks	30+ gallon min w/skid plates	52 GALLON
Mirrors	Left and right electronic adjusted	✓

Tires/wheels	Five, 10-ply all terrain radials with spare	✓
Floor covering	Heavy duty rubber floor covering w/mats	✓
Shock absorbers	Heavy duty front and rear	✓
Mud flaps	Heavy duty front and rear	✓
Color	White	✓
Other features	<ul style="list-style-type: none"> • 40/20/40 seat with fold down console • Covered with heavy duty cloth • Tinted windshield • Electric power windows and locks • Intermittent window wipers/washers • Air Conditioning • Standard AM-FM Radio • Tow package with hitch • Factory trailer brake controller • USB Charge port • Direct read gauges for oil, water and alternator • Cold climate package/block heater • 4 up fitter switched located in instrument panel • Rear vision camera 	<ul style="list-style-type: none"> ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ <p>→ DEFLECTOR Add on CC</p>

Schedule 2: Public Works Engineering - "1083"

One new current 2025 model 1/2 ton 4-wheel drive extended cab short box

Description	Minimum Requirements	Specification Bid
Engine	3.3 liter, gasoline	3.6 L
GVWR	7,000 LBS	6800
Cab	Extended cab	
Chassis	Standard, rear wheel drive	✓
Drive type	4-wheel drive	✓
Box length	6.5 foot fleet side	6'4"
Transmission	Heavy duty, 6 speed automatic w/cooler	8 speed

Standard Features - DP9L63-4500 REG CAB CHASSIS 4X4 (144.5 in WB - CA of 60 in)

Code	Description
ME6	"RAM" Grille Badge
DJK	10.5" Front Axle
DRY	12.0" Banjo Rear Axle
JCB	120 MPH Primary Speedometer
JJJ	12V Auxiliary Power Outlet
Wp3	19.5X6.0 Steel Wheels
BAJ	220 Amp Alternator
TAJ	225/70R19.5G FT All Pos, RR Traction
RCD	4 Speakers
SCF	4-Spoke Steering Wheel
DMK	4.44 Axle Ratio
RFU	5.0" Touchscreen Display
NAS	50 State Emissions
NFH	52 Gallon Rear Fuel Tank
DF3	6-Spd Auto Aisin AS66RC HD Trans
ESB	6.4L V8 Heavy Duty HEMI Engine
XFK	7 Pin Trailer Wiring Harness
BCN	730 Amp Maintenance Free Battery
JJ6	87 MPH Maximum Speed
RD3	Accent Color Shark Fin Antenna
MDX	Active Grille Shutters
CG3	Advanced Multistage Front Air Bags
HAA	Air Conditioning
DR8	American Axle (AAM) Brand
BRT	Anti-Lock 4-Wheel Disc Brakes
DSA	Anti-Spin Differential Rear Axle
RSU	Audio Jack Input for Mobile Devices
LMG	Automatic Headlamps
LHL	Auxiliary Switches - I/P Mounted
NHB	Auxiliary Transmission Oil Cooler
CTL	Base Door Trim Panel
A6A	Base Equipment Group
CU3	Behind the Seat Storage / Bin
MNA	Black Door Handles
LE4	Black Exterior Mirrors
MB1	Black Front Bumper
MFA	Black Headlamp Bezels
CKJ	Black Vinyl Floor Covering
LB6	Bulb Out Detection Defeat For LED
LNC	Clearance Lamps
JAK	Cluster 3.5" TFT Color Display
DST	Conventional Differential Ft Axle
HGB	Dash Liner Insulation

Standard Features - DP9L63-4500 REG CAB CHASSIS 4X4 (144.5 in WB - CA of 60 in)

Code	Description
BC3	Dash Pass Thru Wire Circuits
LM1	Daytime Running Headlamps, Low Beam
LP8	Delete Cargo Lamp
CJT	Delete Front Center Seat
MD8	Delete Front License Plate Bracket
XBC	Delete Pickup Box
TBF	Delete Spare Tire
CDX	Driver & Passenger Headrest
JVA	Driver Seat - Manual Adjust 4-Way
CSP	Driver/Passenger Assist Handles
JJB	Dual Note Electric Horns
WLA	Dual Rear Wheels
DH4	Electronic Range Select
BNB	Electronic Stability Control
NHN	Electronically Controlled Throttle
HGF	Floor Tunnel Insulation
X9E	For Details, Visit DriveUconnect.com
X9H	For More Info, Call 800-643-2112
MXB	Front Air Dam
SFB	Front Heavy Duty Shock Absorbers
CGD	Front Height Adjust Shoulder Belts
SHA	Front Stabilizer Bar
MHR	Front Wheel Well Liners
JWA	Frt Pass Seat - Manual Adjust 4-Way
RDG	Global Telematics Box Module (TBM)
JLP	GPS Antenna Input
MFF	Grille-Matte Black Mesh
Z9A	GVW Rating - 16500#
*TX	HD Vinyl 40/20/40 Split Bench Seat
LHD	Headlamp Off Time Delay
NMC	Heavy Duty Engine Cooling
JE1	I/P Bezels-Painted
JY1	Instrument Cluster Theme 1 (Base)
XRB	Integrated Voice Command w/Bluetooth
XZG	Job Rated
DK1	Man Shift-On-The-Fly Transfer Case
LF1	Manual Adjust Mirrors
JE8	Manual Door Locks
LF3	Manual Folding Exterior Mirrors
JF8	Manual Telescoping Mirrors
RSF	Manual Windows
GT1	Media Hub-2 USB, Full Funct, Aux
	Mirrors Manual Fold Telescope Black

Standard Features - DP9L63-4500 REG CAB CHASSIS 4X4 (144.5 in WB - CA of 60 in)

Code	Description
APA	Monotone Paint
JMD	N95+Bio HVAC Cabin Filter
XA8	Non Adjustable Pedals
GNM	Passenger Side Sun Visor w/Mirror
JKY	Power Accessory Delay
SBE	Power Steering
GX4	Pushbutton Start
MUP	Ram 4500 Badge
BHD	Ready Alert Braking
GJD	Rear Fixed Window
SGB	Rear Heavy Duty Shock Absorbers
SHD	Rear Heavy Duty Stabilizer Bar
GNA	Rear View Day/Night Mirror
RSX	Remote USB Port
RS3	Remote USB Port - Charge Only
GXX	Sentry Key Theft Deterrent System
RT1	SiriusXM Guardian-Included trial (B)
X9B	SiriusXM Radio Service
NHM	Speed Control
BNF	Stationary Elevated Engine Idle
JFJ	Temperature & Compass Gauge
SUA	Tilt Steering Column
GAC	Tinted Glass Windows
GBB	Tinted Windshield Glass
XBN	Tip Start
XEA	Tow Hooks
UAA	Uconnect 3 with 5" Display
XXS	Uptifter Electronic Module (VSIM)
RF7	USB Host Flip
JHA	Var Intermittent Windshield Wipers
LAZ	Vehicle Information Center



RAM 4500 4X4 REG CAB 60 C/A Trailer Towing Chart - U Market

Engine	Trans.	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR	Max. Trailer Weight
					Total	Front	Rear	Front	Rear		
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.44	16500	9310	7187	4032	3155	6000	12000	26000	18660
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.44	16500	9310	7187	4032	3155	6500	12000	26000	18660
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.89	16500	9310	7187	4032	3155	6000	12000	28500	21160
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.89	16500	9310	7187	4032	3155	6500	12000	28500	21160
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.44	15000	7810	7187	4032	3155	6000	12000	26000	18660
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.44	15000	7810	7187	4032	3155	6500	12000	26000	18660
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.89	15000	7810	7187	4032	3155	6000	12000	28500	21160
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.89	15000	7810	7187	4032	3155	6500	12000	28500	21160
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.44	16000	8810	7187	4032	3155	6000	12000	26000	18660
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.44	16000	8810	7187	4032	3155	6500	12000	26000	18660
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.89	16000	8810	7187	4032	3155	6000	12000	28500	21160
6.4L V8 HEMI MDS	6-SPD AUTO AISIN	4.89	16000	8810	7187	4032	3155	6500	12000	28500	21160
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.10	16500	9330	7167	4012	3155	7000	12000	32000	24680
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.10	16500	9330	7167	4012	3155	7250	12000	32000	24680
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.44	16500	9330	7167	4012	3155	7000	12000	37500	30180
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.44	16500	9330	7167	4012	3155	7250	12000	37500	30180
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.10	15000	7060	7938	4665	3273	7000	12000	32000	23910
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.10	15000	7060	7938	4665	3273	7250	12000	32000	23910
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.44	15000	7060	7938	4665	3273	7000	12000	37500	29410
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.44	15000	7060	7938	4665	3273	7250	12000	37500	29410
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.10	16000	8060	7938	4665	3273	7000	12000	32000	23910
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.10	16000	8060	7938	4665	3273	7250	12000	32000	23910
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.44	16000	8060	7938	4665	3273	7000	12000	37500	29410
6.7L TURBO DIESEL	6-SPD AUTO AISIN HD	4.44	16000	8060	7938	4665	3273	7250	12000	37500	29410

2024 Ram 4500 (DP) Regular Cab Weight and Tow Chart


STELLANTIS N.A. - Body Builder Instruction

05/22/2023

All Rights Reserved

Page 5 of 9

Tradesman Level 1 Equipment Group (A61)



Details:

- Speed Sensitive Power Locks (JPH)
- Mirror Pwr Heat Fold Telescope Black (GT2)
- Ext. Mirrors w/Supplemental Signals (LEB)
- Upgraded Door Trim Panel (CTY)
- Exterior Mirrors Courtesy Lamps (LEC)
- Manual Folding Exterior Mirrors (LFD)
- Exterior Mirrors w/Heating Element (NHJ)
- Pwr Windows, Front 1-Touch Down (JPY)
- Mirror Running Lights (LNY)
- Manual Telescoping Mirrors (LF3)
- Power Adjust Mirrors (LF2)
- Black Exterior Mirrors (LE4)
- Overhead Console (CUN)
- Remote Keyless Entry (GXM)
- Overhead Cupholder Lamp (LBT)
- Convex Aux Mirrors, Power-Adjustable (LFX)

Heavy Duty Front Suspension Group (AZB)




GVW Rating - 15000# (Z9B)



RAM

Elec Shift-On-The-Fly Transfer Case (DK3)



The electronically controlled shift-on-the-fly transfer case, which distributes power from the transmission to the front and rear axles, has an electronic switch so you can shift between two-wheel drive and four-wheel drive while your vehicle is in motion.


225/70R19.5G Off Road Tires (TSJ)

Image not available at this time. Please try again later.

Details:

- Michelin Brand Tires (TZH)

Mopar Front Rubber Floor Mats (CLY)



Mopar Splash Guards/Mud Flaps Front (MKM)



Engine Block Heater (NHK)



Full Size Spare Tire (TBB)

Image not available at this time. Please try again later.

Details:

- 19.5 Steel Spare Wheel (WKG)


ParkView Rear Back-up Camera (XAC)



The ParkView® Rear Back Up Camera[1] displays a video image on the Uconnect® touchscreen (note: on some vehicles the image is displayed on the auto-dimming rear-view mirror) of the area behind your vehicle when the vehicle is shifted into reverse. It helps determine if an obstacle is in the vehicle's path when backing up and is particularly effective in showing objects behind the vehicle that aren't viewable in the exterior mirrors.

1. Always check entire surroundings visually before proceeding.

Trailer Brake Control (XHC)



The trailer brake controller operates the trailer's brakes so it brakes in tandem with the vehicle's brakes. This system is electronic and fully integrated.

Details:

- Trailer Light Check (JJ1)