

To: Billings Logan International AIRPORT
1901 Terminal Circle, Room 216
Billings, MT 59105

Date: July 3, 2025

We hereby propose and agree to furnish, after your acceptance of this proposal and the proper execution by (Burke Lakefront), hereinafter called the Buyer and an officer of (Rosenbauer Minnesota, LLC), hereinafter called the Company, the following apparatus and equipment.

One (1) Rosenbauer Panther HRET 6x6 ARFF Vehicle per Sourcewell contract #113021-RSD \$1,331,130.00

One Million Three Hundred Thirty-One Thousand One Hundred Thirty Dollars*
****DOES NOT INCLUDE TAX, PRICE VALID FOR 90 DAYS FROM DATE OF PROPOSAL****

All of which are to be built in accordance with the specifications, clarifications and exceptions attached, and which are made a part of this agreement and contract.

DELIVERY: 690 days from receipt of order. (major components must arrive within 200 days or delivery may be extended), subject to all causes beyond the Company's control.

"Delivery" means the date company is prepared to make physical possession of vehicle available to the customer.

CONTRACT CHANGES: After execution and acceptance of this Contract, the Buyer may request that the Company incorporate a change to the Products or the Specifications for the Products by delivering a Change Order to the Company; provided, however, that any such Change Order must be in writing and include a description of the proposed change sufficient to permit the Company to evaluate the feasibility of such Change Order. Within seven (7) working days of receipt of a Change Order, the Company will inform the Buyer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or delivery resulting from such Change Order. The Company shall not be liable to the Buyer for any delay in performance or delivery arising from any such Change Order. Purchase Price may be modified only by mutual written agreement of the Parties because of changes to the Apparatus required or requested by the Buyer during the construction process pursuant to Appendix C, Change Order Policy. Any changes in the Purchase Price resulting from changes to the Apparatus required or requested by the Buyer during the construction process shall be stated in the Change Order signed by both parties. Additional Changes: If various state or federal regulatory agencies (e.g. NFPA, DOT, EPA) require changes to the specification and/or the product that result in a cost increase to comply therewith this cost will be added to the Purchase Price to be paid by the customer.

FORCE MAJEURE: The Company shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond the Company's control which make the Company's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

PAYMENT TERMS: Final payment for the apparatus shall be made at time of delivery or pick up of the completed vehicle. It is the responsibility of the Buyer to have full payment ready when the apparatus is complete and ready to deliver. If payment is delayed or delivery is delayed pending payment, a daily finance and storage fee may apply. Upon delivery of the apparatus or upon pickup of the apparatus by the Buyer, the Buyer agrees to provide all liability and physical damage insurance. It is further agreed that if on delivery and testing, any defects should develop, the Company shall be given reasonable time to correct changes. Guarantee of the chassis is subject to the guarantee of the chassis manufacturer. *NOTE: upon final inspection at the factory for pick-up or delivery, the Buyer will need to supply a Certificate of Insurance and full payment prior to release of the vehicle, unless prior arrangements for vehicle's release have been made.

TITLE: The Apparatus shall always be the property of the Company until it is delivered to the Buyer pursuant to the terms of this agreement. The Company shall bear the sole responsibility and risk for destruction, loss or damage to the apparatus, or any portion of the Apparatus, through the date and time it is delivered to the Buyer. The Company shall deliver good and merchantable title to the Apparatus at the time it is delivered to the Buyer. The Buyer shall bear the sole responsibility and risk for destruction, loss or damage to the Apparatus upon the date and time it takes delivery of the Apparatus.

www.rosenbaueramerica.com

info@rosenbaueramerica.com

ROSENBAUER SOUTH DAKOTA, LLC.
100 THIRD STREET
P.O. BOX 57
LYONS, SOUTH DAKOTA 57041
P: 605.543.5591

ROSENBAUER MINNESOTA, LLC.
5181 260TH STREET
P.O. BOX 549
WYOMING, MINNESOTA 55092
P: 651.462.1000

ROSENBAUER MOTORS, LLC.
5190 260TH STREET
P.O. BOX 549
WYOMING, MINNESOTA 55092
P: 651.462.1000

ROSENBAUER AERIALS, LLC.
870 SOUTH BROAD STREET
FREMONT, NEBRASKA 68025
P: 402.721.7622

PIGGY BACK ORDERS: The Company, at its sole discretion, will allow the terms of the contract to be extended to both the Buyer, as well as to other Municipal, State, or Federal agencies for similar unit(s). The Company will allow tag on / additional orders for up to three (3) years from the date of contract execution. To facilitate pricing, the Company will quote the original price plus manufacturer's price increases or Producer's Price Index (PPI) whichever is greater as it applies to either Fire Apparatus and/ or commercial heavy truck industries.

MISCELLANEOUS PROVISIONS: This agreement shall be construed in accordance with the laws of the State of Minnesota. The parties agree that any litigation arising from or in connection with any dispute between the parties under this agreement shall be venue in Minnesota. The parties agree that this agreement bears a rational relationship to the State of Minnesota, and they consent to the personal jurisdiction of such state and further consent and stipulate to venue in the above-described court.

After company receipt of this document signed by the Buyer, the document will be reviewed and upon approval, countersigned by the Company thereby putting the document in force.

ROSENBAUER MINNESOTA, LLC



Title ARFF Sales Manager

07-03-2025 Date

BUYER:

We accept the above proposal and enter into contract with signature below.

_____ Title _____

_____ Date

APPENDIX C CHANGE ORDER POLICY

This change order policy is intended to reflect the increased cost of changes which result in delayed deliveries, confused paperwork, poor production flow and increased potential of trucks being built to incorrect specifications. With your cooperation, changes can be kept to a minimum which means we will be able to reduce lead times, increase production and maintain costs which will benefit all of us.

Our objective is accurate, high quality and on-time deliveries exceeding our customer expectations.

Changes any time after the order is received may delay the quoted delivery date. Significant design or component changes will have the largest impact on the schedule and quoted delivery date. Changes that occur later in the process will also have the largest impact on the schedule and quoted delivery date.

All time fences are reference to contract execution date if not otherwise stated.

Change Window #1

All changes will be priced at standard pricing and specials will be priced through our normal process. Significant changes made to the vehicle during this time period may result in a delivery extension.

RBM Chassis	0-60 days
RBA Aerial	0-60 days
Rosenbauer Body	0-60 days

Change Window #2

All changes are subject to a 25% mark-up, as well as a \$250.00 change order processing fee. All changes are subject to factory review and may be denied due to engineering or lead time issues.

RBM Chassis	61-75 days
RBA Aerial	61-75 days
Rosenbauer Body	61-120 days

Change Window #3

All changes are subject to a 50% mark-up, and 50% restocking fee on deleted items, as well as a \$250.00 change order processing fee. All changes are subject to factory review and may be denied due to engineering or lead time issues. No major components can be changed at this time; major components are considered engine, transmission, axles, suspension, cab, frame (wheelbase), seats, water pump and water tank.

RBM Chassis	76-120 days
RBA Aerial	76-120 days
Rosenbauer Body	121-180 days

Change Window #4

Changes are not recommended at this time. Any changes requested will be priced on a time and material basis, as well as a \$500.00 change order processing fee. Any changes requested, and that are quoted to the customer, must be approved by the customer within three days or they will not be valid.

RBM Chassis	After 120 days
RBA Aerial	After 120 days
Rosenbauer Body	After 180 days

**Note: Any late change orders that are factory driven will be done at cost and no additional mark up or penalties will apply.*

Initials _____

www.rosenbaueramerica.com

info@rosenbaueramerica.com

ROSENBAUER SOUTH DAKOTA, LLC.
100 THIRD STREET
P.O. BOX 57
LYONS, SOUTH DAKOTA 57041
P: 605.543.5591

ROSENBAUER MINNESOTA, LLC.
5181 280TH STREET
P.O. BOX 549
WYOMING, MINNESOTA 55092
P: 651.462.1000

ROSENBAUER MOTORS, LLC.
5190 280TH STREET
P.O. BOX 549
WYOMING, MINNESOTA 55092
P: 651.462.1000

ROSENBAUER AERIALS, LLC.
870 SOUTH BROAD STREET
FREMONT, NEBRASKA 68025
P: 402.721.7622

Shop Order

Rosenbauer Minnesota

Billings, MT Panther 6x6 HRET

Exp. Date: 07/24/2025
 Quote No: 10023-0007
 ARFF: PANTHER Rosenbauer Panther

07/03/2025

Page 1

PART NO	S	DESCRIPTION	QTY	ID
		== Rosenbauer Panther - 0.000 02/11/25 ==		RBM
		Panther 6x6 HRET		RBM
PA-00-8000		-- Standard Parts	1	RBM
PA-01-0000		-- Definitions	1	RBM
PA-01-0003		-- =====Definitions - 6x6 - HRET=====	1	RBM
		Expected Use & Fire Suppression Characteristics		RBM
PA-02-0001		-- Expected Use and Fire Suppression Characteristics	1	RBM
		Technical Information		RBM
PA-03-0001		-- Technical Information/Manuals/ On Board USB Storage	1	RBM
PA-03-0004		-- Technical Information/Manuals - USB and Hard Copy	1	RBM
PA-03-0050		-- Familiarization Guide	1	RBM
PA-03-0200		-- Water Foam Agent Applicators	1	RBM
PA-03-0210		-- Quality Assurance	1	RBM
PA-03-0220		-- Delivery	1	RBM
PA-03-0230		-- Vehicle Familiarization	1	RBM
		Warranties/Inspections		RBM
PA-03-0400		-- Base Vehicle Warranty - One Year	1	RBM
PA-03-0402		-- Engine Warranty - Two Year	1	RBM
PA-03-0406		-- Transmission Warranty - Two Year	1	RBM
PA-03-0410		-- Water Pump Warranty - Five Year	1	RBM
PA-03-0412		-- Water/Foam Tank Warranty - Lifetime	1	RBM
PA-03-0414		-- Paint Warranty - Five Year	1	RBM
PA-03-0251		-- ===== No Pre-Construction Meeting =====	1	RBM
PA-03-0261		-- ===== No Final Inspection Trip =====	1	RBM
PA-03-0265		-- ===== No Mid-Point Inspection Trip =====	1	RBM
PA-03-0271		-- ===== No Factory Service Inspection =====	1	RBM
PA-03-0281		-- ===== No Factory Maintenance Training =====	1	RBM
PA-03-0291		-- ===== No Export Preparation =====	1	RBM
PA-31-1215		-- English Labels	1	RBM
PA-03-0103		-- Rosenbauer Testing and Compliance Per NFPA-414/FAA 5220-10E	1	RBM
		Painting/Undercoating		RBM
PA-04-0004		-- Painting 6x6-HRET	1	RBM
PA-04-0021	< >	-- Exterior Paint - Single Color, Solid (No Gray Lower Sides)	1	RBM
		Cab - PPG 9300 Black "A" pillars		
		Rear engine mod face job color		
		Black gloss front under ride parts textured		
		Interior cab - gray texture		
		Angle of departure to be job color		
		Black frame		

PART NO	S	DESCRIPTION	QTY	ID
PA-04-0025		-- Undercoating (Wheelwells)	1	RBM
PA-04-0100		-- ===== No Interior Compartment Paint =====	1	RBM
PA-04-0154		-- Wheel Paint - Black	1	RBM
		Lettering/Striping		RBM
PA-05-0001	>	-- Lettering/Numbering	1	RBM
PA-05-0005		-- Plate for Roof Number (Unpainted)	1	RBM
PA-05-0006		-- =====No Painted Rear Number Plate=====	1	RBM
PA-06-0000		-- Striping	1	RBM
PA-06-0001	< >	-- 8" Striping	1	RBM
		Install Panther logo on vehicle per rendering.		
PA-06-1012		-- ===== No Rear Chevron =====	1	RBM
PA-06-1015		-- HRET Boom Extension Markings	1	RBM
		Winterization System		RBM
PA-07-0055		-- Webasto Winterization System (6x6)	1	RBM
PA-07-0010		-- ===== No Water Tank Heat Exchanger =====	1	RBM
PA-07-0020		-- ===== No Undertank Heat Exchanger =====	1	RBM
PA-07-0030		-- ===== No Cab Heat Exchanger =====	1	RBM
PA-07-0060		-- Aux. Pump Compartment Heat	1	RBM
		Performance		RBM
PA-08-0003		-- Performance - 6x6 HRET	1	RBM
		Flexibility		RBM
PA-09-0001		-- Flexibility	1	RBM
		Maintainability		RBM
PA-10-0003		-- Maintainability	1	RBM
PA-10-0012		-- Standard Lubrication (No Auto Lube)	1	RBM
PA-10-0020		-- Component Protection	1	RBM
		Balance and Clearance		RBM
PA-11-0001		-- Balance and Clearances	1	RBM
PA-11-0012		-- Frame - 6x6	1	RBM
		Dimensions		RBM
PA-12-0003		-- Dimension - 6x6 - HRET	1	RBM
		Load Rating		RBM
PA-13-0003		-- Load Rating - 6x6 - HRET	1	RBM
		Engine		RBM
PA-14-000G		-- Engine Base Spec (Tier-4)	1	RBM
PA-14-000E		-- Engine Volvo - North America (Tier-4)	1	RBM
PA-14-0010		-- Engine Brake	1	RBM
PA-15-0000		-- Cooling System (Tier-4)	1	RBM
PA-15-0101		-- Cooling Rating (-40F - 110F)	1	RBM
PA-15-0300		-- High Idle Switch	1	RBM
		Fuel System		RBM
PA-16-0001		-- Fuel System (6x6)	1	RBM
PA-16-0005		-- Fuel Re-Prime System	1	RBM
PA-16-0101		-- Fuel Tank 80 Gallon	1	RBM
		Exhaust System (Tier-4)		RBM
PA-17-0010		-- ===== No Exhaust Outlet Adapter =====	1	RBM
PA-17-0013		-- ===== No Diesel Exhaust Purifier/Scrubber =====	1	RBM
		Transmission		RBM
PA-18-0002		-- Transmission Twin Disc	1	RBM
PA-18-0100		-- Transfer Case	1	RBM
		Suspension		RBM
PA-20-0010		-- Suspension	1	RBM
		Wheels and Tire Assembly		RBM
PA-21-0002		-- Wheels and Tire Assembly (Drum Brakes)	1	RBM
PA-21-0015		-- Bridgestone Tires	1	RBM
PA-21-0070	>	-- Bridgestone Spare Wheel and Tire Assembly	1	RBM
PA-21-0060		-- ===== No Bead Locks=====	1	RBM

PART NO	S	DESCRIPTION	QTY	ID
PA-21-0051		-- Mud Flaps	1	RBM
PA-21-0060		-- ===== No Bead Locks=====	1	RBM
PA-21-0202		-- ===== NO Tire Pressure Monitoring System ===== Tow Eyes and Shackles	1	RBM
PA-22-0001		-- Tow Eyes and Shackles	1	RBM
PA-22-0010		-- ===== No Pintle Hitch===== Brake System	1	RBM
PA-23-0002		-- Brake System - 6x6 - ABS - 6 - Channel	1	RBM
PA-23-0011		-- Service Brakes	1	RBM
PA-23-0024		-- Front and Rear Brakes - Wedge-Type	1	RBM
PA-19-0001		-- Front Axle with Drum Brakes	1	RBM
PA-19-0005		-- Intermediate Axle with Drum Brakes	1	RBM
PA-19-0010		-- Rear Axle with Drum Brakes	1	RBM
PA-23-0031		-- Parking Brake	1	RBM
PA-23-0035		-- =====No Roll Stability Control (RSC)===== Steering	1	RBM
PA-24-0001		-- Steering System	1	RBM
PA-24-0010		-- Left Center Steering Position	1	RBM
PA-25-0003		-- Cab Coach Work left Center Steering Position Cab Coach Work	1	RBM
PA-25-0005		-- Additional Cab Parts for In House Production Cab Doors/Windows	1	RBM
PA-26-0001		-- Cab Doors	1	RBM
PA-26-0003		-- =====No RBI Cab Door Arrestor System=====	1	RBM
PA-26-0011		-- Cab Door Electric Windows Bumper/Turret	1	RBM
PA-27-0001		-- Bumper	1	RBM
PA-27-0040		-- Access Covers Roof Access / Emergency Exit Provision	1	RBM
PA-28-0001		-- Roof Access with Interior Ladder/ Emergency Exit Provision Windshield and Windows	1	RBM
PA-29-0001		-- Windshield Wipers	1	RBM
PA-30-0100		-- Cab Glass with Built In Window Tint	1	RBM
PA-30-0101		-- =====No Additional Window Tint=====	1	RBM
PA-30-0001		-- Windshield Deluge System Insulation and Water Proofing	1	RBM
PA-31-0001		-- Insulation and Water Proofing Cab Standards and Options	1	RBM
PA-31-1004		-- Dash Electric (LCS 3.0)	1	RBM
PA-31-1050		-- Automotive System	1	RBM
PA-31-1060		-- Interior Cab Equipment	1	RBM
PA-31-1063		-- ===== No Cup Holders =====	1	RBM
PA-31-1070		-- Sun Visors	1	RBM
PA-31-1066	>	-- USB/USB-C 12 Volt Power Point	1	RBM
PA-31-1068	>	-- 12 Volt Power Point	1	RBM
PA-31-1074		-- Map Lights Gooseneck (One ea. Side of Cab Dash)	1	RBM
PA-31-1075		-- ===== No Cab Mounted Flashlights=====	1	RBM
PA-31-1076		-- Mirrors	1	RBM
PA-31-1100		-- Crew Space	1	RBM
PA-31-1111		-- ===== No AM/FM Radio =====	1	RBM
PA-31-1120		-- Ride Quality	1	RBM
PA-31-1130		-- Controls	1	RBM
PA-31-1138		-- Whelen Siren/Public Address System w/ 1 Speaker	1	RBM
PA-31-1145	<	-- Siren Foot Switch - One (1) Each Side Mount inboard of air horn foot switch.	1	RBM
PA-31-1150		-- Back-Up Alarm	1	RBM
PA-31-1161		-- Hadley Stuttertone Air Horn System	1	RBM
PA-31-1165	<	-- Air Horn Foot Switch - One (1) Each Side Mount outboard of siren foot switch.	1	RBM

PART NO	S	DESCRIPTION	QTY	ID
PA-31-1172		-- Pre-installation of Radio Antenna Taps	1	RBM
PA-31-1171		-- =====No Radio Final Installation =====	1	RBM
PA-31-1180		-- Three (3) 3-30 Amp Circuits with three (3) Antenna Taps with	1	RBM
		Covers		
PA-31-1190		-- ===== No Headset Installation =====	1	RBM
PA-31-1200		-- Instruments and Warning Lights	1	RBM
PA-31-1205		-- ===== No Remote Start =====	1	RBM
PA-31-1210		-- Control Panel for Driving Operation	1	RBM
PA-31-1212		-- Standard Instrumentation	1	RBM
PA-31-1220		-- Information	1	RBM
PA-31-1230		-- Warnings	1	RBM
PA-31-1240		-- Control Panel for Fire Fighting Operation	1	RBM
PA-31-1232		-- Instrumentation Display (Standard)	1	RBM
PA-31-1250		-- Dry Chemical Agent Control Panel	1	RBM
PA-31-1270		-- Interior Cabinets	1	RBM
PA-31-1276		-- NO Rear Wall EMS Cabinet	1	RBM
PA-31-1010		-- Air Conditioning System	1	RBM
PA-31-1024		-- ===== NO Dash Mounted Fans =====	1	RBM
PA-31-1029		-- =====No California Prop 65 Label Required=====	1	RBM
PA-31-1035		-- =====NO CleanAir Cab Scrubber=====	1	RBM
		Seating		RBM
PA-31-2034		-- Seat Driver Manual ABTS	1	RBM
PA-31-2041		-- Seat Officer Manual Load and Lock SCBA ABTS	1	RBM
PA-31-2030		-- Left Seat Crew Flip Up Load and Lock SCBA ABTS	1	RBM
PA-31-2049		-- ===== No Right Side Crew Seat =====	1	RBM
PA-31-2339		-- =====No Seat Belt Warning System=====	1	RBM
PA-31-2401		-- One (1) Wall Mount SCBA Bracket	1	RBM
		Camera System		RBM
PA-32-0006		-- ===== Camera System (FLIR) - Pan & Tilt =====	1	RBM
PA-32-0012		-- Pan and Tilt Flir With Color Palette Roof Mount - Location Left Side	1	RBM
PA-32-0052		-- Flip Monitor Left (Optimo)	1	RBM
PA-32-0021		-- Back-Up Camera	1	RBM
PA-32-0055		-- Flip Monitor Right (Optimo)	1	RBM
PA-32-0100		-- ===== No Front Color Camera =====	1	RBM
PA-32-0110		-- ===== No 360 Degree Perimeter Camera System =====	1	RBM
PA-32-0200		-- ===== No Camera Selection Device =====	1	RBM
PA-32-0300		-- ===== No Digital Video Recorder (DVR) =====	1	RBM
PA-32-0400		-- ===== No Driver's Enhanced Vision System (Connected Command)	1	RBM
		=====		
PA-32-0502	>	-- RBI Connected Command system/ MADAS	1	RBM
PA-32-0510		-- ===== No Broadcast/Transmit (No Subscription Service)=====	1	RBM
PA-33-0001		-- Lateral Acceleration Indicator/DWD	1	RBM
		Compartments		RBM
PA-35-0003		-- Pump Compartment w/ Roll-Up Door (Used With Drum Brakes)	1	RBM
PA-35-0011		-- Compartment Weight Labels - Every Compartment	1	RBM
PA-35-0015		-- ===== No Compartment Storage Inventory Labels =====	1	RBM
PA-35-0032		-- Left Side Undertank Compartment	1	RBM
PA-35-0300		-- =====No Adjustable Shelves =====	1	RBM
PA-35-0310		-- ===== No Roll-Out Tray =====	1	RBM
PA-35-0033		-- Right Side Undertank Compartment	1	RBM
PA-35-0300		-- =====No Adjustable Shelves =====	1	RBM
PA-35-0310		-- ===== No Roll-Out Tray =====	1	RBM
PA-35-0042		-- Non-Locking Roll-Up Compartment Doors	1	RBM
PA-35-0130		-- Roll-Up Compartment Doors - Anodized Aluminum (Un-Painted)	1	RBM
PA-35-0053	>	-- SCBA Compt - Tandem (3 ea. side) 2-SCBA 1- Extinguisher	1	RBM
PA-35-0061		-- Rear Engine Compartment	1	RBM
PA-35-0078		-- Rear Access Ladder (Mtd Offset Right)	1	RBM
PA-35-0072		-- Additional Engine Compartment Parts	1	RBM
PA-35-0190		-- ===== No Vertical Roll-Out Tool Board =====	1	RBM
PA-35-0193		-- Fixed Shelf Ea. Side of Eng. Mod Compartment	1	RBM

PART NO	S	DESCRIPTION	QTY	ID
PA-35-0199		-- Turtle Tile Compartment Floors (Black)	1	RBM
PA-35-0200		-- Open Compartment Door Warning System w/Individual Compartment Indicator	1	RBM
		Ladders, Hard Suction Hose, and Pike Poles		RBM
PA-35-5010		-- ===== No Rear Ladder Mounting =====	1	RBM
PA-35-5030		-- ===== No Top Ladder Mounting =====	1	RBM
PA-35-5050		-- ===== No Top Hard Suction Hose Mounting =====	1	RBM
PA-35-5070		-- ===== No Top Pike Pole Mounting =====	1	RBM
		Handrails		RBM
PA-36-0004		-- Handrails/Guardrail (Standard Height 6x6) Steps, and Walkways	1	RBM
PA-37-0001		-- Steps, and Walkways	1	RBM
		Fire Extinguishing Systems - Water System Plumbing - 6x6 HRET		RBM
PA-38-0010		-- N80 Aluminum Fire Pump	1	RBM
PA-38-0014		-- Galvanized Steel Piping (HRET)	1	RBM
PA-38-001F		-- Stainless Steel Cable for Pump Fittings	1	RBM
PA-38-0021		-- Main Pump 5" Suction Gated Inlet Left with Drain	1	RBM
PA-38-0038		-- Auxiliary 2 1/2" Pump Suction Inlet Left with Drain	1	RBM
PA-38-0045		-- 2.5 NST (F) Swivel with Plug	1	RBM
PA-38-004K		-- 5" Storz w Cap	1	RBM
PA-38-0023		-- ===== No Main Pump 5" Suction Inlet Right =====	1	RBM
PA-38-0027	<	-- 4" Direct Tank Fill Left	1	RBM
		Provide drain		
PA-38-004K		-- 5" Storz w Cap	1	RBM
PA-38-0029		-- No 4" Direct Tank Fill Right	1	RBM
PA-38-0052		-- Left Side 2 1/2" Discharge with Cap NST	1	RBM
PA-38-0076		-- ===== No Additional Left Side 2 1/2" Discharge =====	1	RBM
PA-38-0055		-- Right Side 2 1/2" Discharge with Cap NST	1	RBM
PA-38-0079		-- ===== No Additional Right Side 2 1/2" Discharge =====	1	RBM
PA-38-0072	>	-- Left Side Preconnected 1 1/2" Discharge	1	RBM
PA-38-0085		-- 1 1/2" Water/Foam Nozzle NST	1	RBM
PA-38-0093		-- 200' Hose 1 3/4" Diameter NST (Yellow)	1	RBM
PA-38-0097	>	-- Pre-Connect Mounted on Compartment Floor/Turtle Tile	1	RBM
PA-38-0075		-- Right Side Preconnected 1 1/2" Discharge	1	RBM
PA-38-0085		-- 1 1/2" Water/Foam Nozzle NST	1	RBM
PA-38-0093		-- 200' Hose 1 3/4" Diameter NST (Yellow)	1	RBM
PA-38-0097	>	-- Pre-Connect Mounted on Compartment Floor/Turtle Tile	1	RBM
PA-38-0121		-- Structural Control Panel	1	RBM
PA-38-0130		-- ===== No Left Hose Reels =====	1	RBM
PA-38-0133		-- ===== No Right Hose Reels =====	1	RBM
PA-38-0200		-- PSI Pump Panel Gauges	1	RBM
PA-27-0009	< >	-- Bumper with RM35 Fixed Mount (6x6) (New Bumper Bracket)	1	RBM
		Mount joystick closest to driver on center console. 500/1000 flow rates		
PA-27-0024		-- =====No Dry Chem to Nozzle=====	1	RBM
PA-27-0032		-- Split Bumper	1	RBM
PA-43-0115		-- One (1) LED Turret Light	1	RBM
PA-43-0005		-- Primary Roof Turret 54' HRET	1	RBM
PA-43-0020		-- Stinger Rotation System	1	RBM
PA-43-0021		-- Stinger Pedestal Assembly	1	RBM
PA-43-0024		-- Dry Chemical Tubing	1	RBM
PA-43-0026	<	-- Rosenbauer RM65C	1	RBM
		500/1000		
PA-43-0032		-- ===== No Piercing Tool Cover =====	1	RBM

PART NO	S	DESCRIPTION	QTY	ID
PA-43-0035		-- Piercing Tool Assembly	1	RBM
PA-43-002E		-- No Halotron Plumbing to Piercing Tool	1	RBM
PA-43-0045		-- LED Track Lighting System	1	RBM
PA-43-0039		-- LED Tip Lights	1	RBM
PA-43-0042		-- HRET Pierce-Tip Mounted Color Camera	1	RBM
PA-43-0044		-- Color Camera Wiring	1	RBM
PA-43-0121		-- =====No Piercing Tool Distance Sensor=====	1	RBM
PA-38-0060		-- ===== No Under Truck Nozzles ===== Water Tank, Piping, and Connections	1	RBM
PA-40-0001	<	-- Poly Tank Description Provide 1 1/2" storz fitting for the tank drain. No cap required.	1	RBM
PA-40-0004		-- 3000 Gallons Water/400 Gallons Foam (Tecoplast)	1	RBM
PA-40-0019		-- =====Tank Material=====	1	RBM
PA-40-0104		-- No Exterior LED Water Tank Level Indicator 6x6 Fire Extinguishing System - Foam Concentrate System	1	RBM
PA-41-0001		-- Fire Extinguishing System - Foam Concentrate System	1	RBM
PA-41-0005		-- Foam Concentrate Tank, Piping, and Connections	1	RBM
PA-41-0022		-- Fix-Mix 2.0E with Foam Testing Capability	1	RBM
PA-41-0024		-- Foam Draft Connection Left Side (Storz)	1	RBM
PA-41-0030		-- Direct Foam Tank Fill/Drain Both Sides (Storz) Foam Transfer Pump	1	RBM
PA-42-0001		-- 110 Volt Foam Transfer Pump with Hose (Storz)	1	RBM
PA-42-0004		-- =====No AC Recept. for Foam Transfer Pump=====	1	RBM
PA-42-0011		-- No Exterior LED Foam Tank Level Indicator	1	RBM
PA-42-0021	>	-- Foam Concentrate 3%	1	RBM
PA-42-0068	>	-- 55 Gallon Drum Solberg SFFF	8	RBM
PA-42-0046		-- =====No Additional Foam Required===== Complimentary Agent System(s)	1	RBM
PA-44-0001		-- Complimentary Agent System(s)	1	RBM
PA-44-0012	>	-- 500LB. Dry Chemical Extinguishing System Two Outlets with Funnel	1	RBM
PA-44-0015		-- Primary Nitrogen Cylinder (Full)	1	RBM
PA-44-0221	>	-- Purple K Dry Chemical Agent - 50 lb (22.7 kg) Pails	9	RBM
PA-44-0241		-- Spare Nitrogen Charging Cylinders	1	RBM
PA-44-0020		-- ===== NO Halotron Extinguishing System =====	1	RBM
PA-44-0112		-- ===== No Left Hose Reels =====	1	RBM
PA-44-0117		-- Right Fixed Hose Reel Floor Mtd.	1	RBM
PA-44-0121		-- ===== No Additional Right Hose Reels =====	1	RBM
PA-44-0137		-- Dry Chem and Water/Foam Twin Agent Hose Reel	1	RBM
PA-44-0052		-- 100' Twinned Hose 1" Diameter	1	RBM
PA-44-0100		-- Hydro-Chem Nozzle	1	RBM
PA-44-0462		-- Propellant Cylinder Lifting System Left Side 6x6 HRET (AC)	1	RBM
PA-44-0480		-- =====Non Triple Agent Vehicle===== Chassis Electrical System	1	RBM
PA-45-0002		-- Chassis Electrical System	1	RBM
PA-45-0010		-- Volvo 150 Amp 24 Volt Alternator	1	RBM
PA-45-0101		-- Batteries 24V	1	RBM
PA-45-0102		-- Jump Start/Charging Lugs	1	RBM
PA-45-1000		-- Coolant Heater (110 Volt)	1	RBM
PA-46-0106	< >	-- 20 Amp 110 Volt Auto-Eject Shoreline - Battery Charger Left side rear face	1	RBM
PA-47-0001		-- Wiring Chassis Pneumatic System	1	RBM
PA-23-0100		-- ===== No Pneumatic Outlet Connection =====	1	RBM
PA-23-0201		-- Pneumatic Hose Reel - 200' - Mounted Right Side Engine Mod	1	RBM
PA-23-0401	< >	-- Air Auto-Eject Left side rear face	1	RBM

PART NO	S	DESCRIPTION	QTY	ID
		Warning Lights/Vehicle Lighting		RBM
PA-48-0001		-- Emergency Warning Light System	1	RBM
PA-48-0010		-- =====Upper Front & Side Warning Lights=====	1	RBM
PA-48-0011		-- Red Lights	1	RBM
PA-48-0016		-- =====Upper Rear & Side Warning Lights=====	1	RBM
PA-48-0017		-- Red Lights	1	RBM
PA-48-0020		-- =====Lower Rear Warning Lights=====	1	RBM
PA-48-0025		-- Red Lights	1	RBM
PA-48-0022		-- Lower Side Warning Lights (2 Total)	1	RBM
PA-48-0027		-- Red Lights (One each Side Mtd Mid-Ship)	1	RBM
PA-48-0030		-- =====Lower Front Warning Lights=====	1	RBM
PA-48-0031		-- Red Lights	1	RBM
PA-48-0033		-- Lower Warning Disable Switch	1	RBM
PA-48-0040		-- Air Traffic Warning Lights	1	RBM
PA-48-0048		-- =====Lower Vehicle Running Light System (Non-DOT)=====	1	RBM
PA-48-0083		-- ===== No Rubber Stanchion Mounted Lights =====	1	RBM
PA-48-0055		-- Headlights	1	RBM
PA-48-0056		-- Wig-Wag Headlight Flasher	1	RBM
PA-48-0061		-- No Airfield Driving Lights/Cover required	1	RBM
PA-48-0064		-- ===== No Safe to Approach Lights =====	1	RBM
PA-48-0067		-- Cab Interior Lights	1	RBM
PA-48-0070		-- Brake/Taillights - High and Low Mount	1	RBM
PA-48-0078		-- Reverse Lights	1	RBM
PA-48-0081		-- Direction Indicating Lights	1	RBM
PA-48-0084		-- Lighted License Plate - Front and Rear	1	RBM
PA-48-0089		-- No Fog Lights (Provide Cover)	1	RBM
PA-48-0093		-- Compartment Lights 6x6	1	RBM
PA-48-0094		-- Under Truck Lights	1	RBM
PA-48-0100		-- Deck and Work Lights	1	RBM
PA-48-010D		-- Forward Facing LED 3k Lumen 24V Scene Lights (2)	1	RBM
PA-48-010E		-- Fixed Side Mounted LED 3k Lumen 24V Scene Lights (2 each side)	1	RBM
PA-48-0110		-- ===== No Telescoping DC Scene Lights Over Pump Compartment =====	1	RBM
PA-48-0119		-- ===== No Fixed Rear Mounted DC Scene Lights =====	1	RBM
PA-48-0130		-- ===== No Telescoping DC Scene Lights Over Engine Compartment =====	1	RBM
		=====		
PA-48-0150		-- ===== No DC Light Tower =====	1	RBM
		Vehicle Generator System		RBM
PA-49-0121		-- Vehicle Hydraulic 10kW Generator System 6x6 (Harrison)	1	RBM
PA-49-013A		-- ===== NO 110V Transfer Switch =====	1	RBM
PA-49-0140		-- ===== No Forward Facing AC Scene Lights =====	1	RBM
PA-49-0150		-- ===== No Fixed Side Mounted AC Scene Lights =====	1	RBM
PA-49-015B	<	-- Telescoping FRC Spectra 20k Lumen LED 220V Scene Lights (1 each side) Pump mod	1	RBM
		To prevent these lights from accidental damage, the cab shall be equipped with a visual warning signal to alert the driver if the lights are inadvertently left in the raised position.		
PA-49-015H		-- ===== No Telescoping AC Scene Lights Over Engine Compartment =====	1	RBM
		=====		
PA-49-015P		-- =====No Rear AC Scene Lights=====	1	RBM
PA-49-0160		-- ===== No AC Light Tower =====	1	RBM
PA-49-0202		-- Elec Cord Reel - 200' 12-3 Yellow with L5-20 plug Mntd Left Side Eng. Mod	1	RBM
PA-49-0251		-- Lighted Weatherproof Junctions Box w L5-20 Twist Lock Pig Tail	1	RBM
PA-49-0245		-- Four (4) 120V 15 amp combo Twist Lock and household Outlets (Junct Box)	1	RBM
PA-49-0253	<	-- Two (2) 120V 15 amp household Outlets One ea. side of eng. mod.	1	RBM

PART NO	S	DESCRIPTION	QTY	ID
PA-49-0260		-- =====No Interior Cab 110v Outlets=====	1	RBM
PA-49-0266		-- =====No Inverter=====	1	RBM
		MISC		RBM
PA-50-0008		-- ===== No Auxiliary Equipment =====	1	RBM
PA-50-0010		-- ===== No Equipment Mounting =====	1	RBM
PA-50-0020		-- ===== No Simulator Package =====	1	RBM
PA-50-0050		-- ===== No Rosenbauer RST Diagnostic Software =====	1	RBM