



390 N 23rd St | Billings, MT 59101-1306

May 4, 2026

BRAD WRIGHT
BILLINGS PARKS AND RECREATION
4850 Midland Rd
Billings, MT 59101

Dear BRAD WRIGHT:

Grondahl Recreation is delighted to provide BILLINGS PARKS AND RECREATION with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. Grondahl Recreation is confident that this proposal will satisfy BILLINGS PARKS AND RECREATION's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to developing a long-standing relationship with BILLINGS PARKS AND RECREATION. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

Larry Grondahl
Sales Representative

Grondahl Recreation
1202 W. 18th Street W
Williston, ND 58801 www.bciburke.com

Phone: 701-770-7897
Fax: -
Email: grondahl@dia.net

COOPERATIVE PURCHASING OPTIONS

PLAYGROUNDS WITHOUT ALL THE PAPERWORK

Purchasing with contracts may sound intimidating, but getting your community playspace doesn't need to be a painful process of writing specifications, issuing RFP's and jumping through hoops – it can be simplified – we promise! As you continue planning for your new playground, review the Purchasing Contracts offered through our partners.

EQUALIS GROUP

Equalis is an innovative cooperative purchasing organization that believes in the power of partnership and that when you work together you achieve more. The basic premise of the Equalis cooperative purchasing organization is to leverage the combined buying power of all members for better pricing and favorable contract terms. Equalis Group uses the lead agency model for competitively bid contracts, provides our participants the savings they expect and offers efficiencies and peace of mind within the procurement process. It is our mission to continuously improve the measurable and meaningful impact of cooperative services for everyone throughout the supply chain.

GOVMVMT

GOVMVMT is a non-profit group purchasing organization that meets the highest industry standards while putting the public's interest at the forefront of everything they do. Each one of GOVMVMT's first-class suppliers has consciously joined their mission to create the most credible, ethical, and public agency-focused non-profit cooperative purchasing program in the country.

GSA

Federal parks, child development programs, military bases and other agencies are a major priority for BCI Burke, and agencies can purchase Burke playgrounds through Burke's GSA contract for installation virtually anywhere in the world.

OMNIA PARTNERS

OMNIA Partners, Public Sector (Subsidiary National IPA) is the largest and most experienced organization in purchasing and supply chain management. Comprised of participants and suppliers in the public sector, we bring together industry-leading buying power and world-class suppliers to offer an extensive portfolio of competitively solicited and publicly awarded contracts and partnerships. OMNIA Partners is proud to offer more value and resources to state and local government, higher education, K-12 education and non-profits.

SOURCEWELL

As a leader in cooperative purchasing, Sourcewell is passionate about helping members fulfill their public service missions. Sourcewell builds strong relationships with members and vendors to develop practical solutions together.

The easiest way to Join Our Movement is to call your local Representative at 800.266.1250 or visit bciburke.com/rep. Our passion is bringing play to communities like yours and we can't wait to help you get started!



FEATURED PLAY EVENTS




Freedom Swing Seat

The Freedom inclusive Swing Seat allows children of all abilities to enjoy the childhood joy of swinging in a safe and secure seat.



Petal Step Climber

Climbers provide several developmental benefits to children, building upper body strength along with boosting balance and coordination while they play.



Straight Overhead


Overhead events build upper body strength and endurance, improve eye-hand coordination and elevate children's self-confidence.

FEATURED PLAY EVENTS



3-In-A-Row Ring Panel

Play panels offer opportunities for all children to develop skills, have fun and spend time learning outside. 3-In-A-Row is a way to bring games to the playground and teach cooperation.



COLLISION RING PANEL

Interact with Burke's Collision Panel to encourage exploration, interaction and develop fine-motor skills for children with all abilities.



Pennant Post Topper

Post Toppers are a fun way to provide a finishing touch to any playground structure. Place one, two, three or more of these post toppers on your structure to create an aesthetic appeal or a fun, imaginative play concept.

DESIGN SUMMARY

Grondahl Recreation is very pleased to present this Proposal for consideration for the STEWART PARK PLAYGROUND located in Billings. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of BILLINGS PARKS AND RECREATION. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.


The following is a summary of some of the key elements of our Proposal:

- Project Name: STEWART PARK PLAYGROUND
- Project Number: 138-215314-2
- User Capacity: 271
- Age Groups: 5 to 12, 2 to 5, 2 to 12
- Dimensions: 108' 7" x 99' 9"
- Designer: Lee Olig

Grondahl Recreation has developed a custom playground configuration based on the requirements as they have been presented for the STEWART PARK PLAYGROUND playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 138-215314-2 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the STEWART PARK PLAYGROUND project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
42	23 / 0	23 / 12	0 / 0	19 / 8 13 / 4

OVERALL BOUNDING OF USE ZONES
 Area: 10824.2 sq. ft.
 Perimeter: 416.5 ft.
STRUCTURE SIZE: 99' 9"x108' 7"
POST SIZE(S): 5"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

SERIES LINE: Nucleus | Intensity | Burke Basics

GROUP:
5-12 Structure | 2-5 Structure | Freestanding

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

STEWART PARK PLAYGROUND
Billings, MT 59101-1306


Burke
PLAY THAT MOVES YOU.

SITE PLAN VIEW

05/04/2026

Grondahl Recreation
138-215314-2

Designer: Lee Olig



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
42	23 / 0	23 / 12	0 / 0	19 / 8 13 / 4

OVERALL BOUNDING OF USE ZONES
 Area: 10824.2 sq. ft.
 Perimeter: 416.5 ft.
STRUCTURE SIZE: 99' 9"x108' 7"
POST SIZE(S): 5"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

SERIES LINE: Nucleus | Intensity

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

STEWART PARK PLAYGROUND
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

SITE PLAN VIEW


05/04/2026

Grondahl Recreation
138-215314-2

Designer: Lee Olig

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
42	23 / 0	23 / 12	0 / 0	13 / 4

OVERALL BOUNDING OF USE ZONES
 Area: 10824.2 sq. ft.
 Perimeter: 416.5 ft.
STRUCTURE SIZE: 99' 9"x108' 7"
POST SIZE(S): 5"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

SERIES LINE: Nucleus | Intensity

GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

STEWART PARK PLAYGROUND
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

SITE PLAN VIEW


05/04/2026

Grondahl Recreation
138-215314-2

Designer: Lee Olig

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
42	23 / 0	23 / 12	0 / 0	13 / 4

OVERALL BOUNDING OF USE ZONES
Area: 10824.2 sq. ft.
Perimeter: 416.5 ft.
STRUCTURE SIZE: 99' 9" x 108' 7"
POST SIZE(S): 5"

****The space requirements shown here are to ASTM standards. Requirements for other standards may be different.**

SERIES LINE: Burke Basics

SITE PLAN VIEW

GROUP:
Freestanding

DESIGNED FOR AGES:
2 to 12


STEWART PARK PLAYGROUND
Billings, MT 59101-1306



05/04/2026

Grondahl Recreation
138-215314-2

Designer: Lee Olig



SERIES LINE: Nucleus | Intensity

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

COMPONENT VIEW

05/04/2026

Grondahl Recreation
138-215314-2

Designer: Lee Olig

ITEM	COMP.	DESCRIPTION	ITEM	COMP.	DESCRIPTION
1	270-0129	TRIANGLE PLATFORM	54	570-1883	TRIGON TOWER CLIMBER, 48"
2	670-1000	METAL STRUCTURE ID LABEL	55	370-0873	CLIMB CROSS
3	670-0512	METAL 5-12 WARNING LABEL			
4	270-0122	EVOLUTION OFFSET ENCLOSURE			
5	270-0130	SQUARE PLATFORM			
6	270-0009	8" CLOSURE PLATE, ELLIPSE			
7	570-2770	EVOLUTION FULLY ENCLOSED WING			
8	270-0120	EVOLUTION UNITARY ENCLOSURE			
9	370-1758	STRIVE INCLUSIVE SWITCHBACK CLIMBER			
10	370-1745	ROPE TRIANGLE CLIMBER, 96"			
11	470-0020	SOLIS HUE			
12	370-1675	STRAIGHT OVERHEAD, NUCLEUS			
13	370-1608	OVISTEP LAUNCH PAD			
14	570-0100	EVOLUTION BARRIER			
15	570-0002	ASPIRE MEDIUM WING			
16	270-0303	30 DEG NUCLEUS PLATFORM			
17	570-0860	3-IN-A-ROW RING PANEL			
18	470-0989	360 LOOP, 96"			
19	570-0072	EVOLUTION HALF BARRIER			
20	370-0209	EVOLUTION INCLUSIVE CLIMBER			
21	570-1544	EVOLUTION SHORT CURVED TOP BARRIER			
22	470-1096	COBRA CURVED R 144"			
23	570-2714	EVOLUTION 2.5' OPENING BARRIER			
24	570-0012	EVOLUTION 6' OPENING BARRIER, FULLY ENCLOSED			
25	470-0968	SERENITY SPOT PRIMARY, TO ROOF			
26	570-0061	FULLY ENCLOSED PLATFORM BRACKET			
27	570-2635	CUSTOM CURVED 41			
28	470-1111	COBRA CURVED L 192"			
29	570-0007	EVOLUTION 4' OPENING BARRIER			
30	470-0015	EVOLUTION SQUARE ROOF			
31	470-0811	EVOLUTION ROOF END PLATE			
32	470-0017	EVOLUTION TRIANGLE APEX ROOF			
33	470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT			
34	470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE			
35	470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT			
36	470-0010	EVOLUTION MIDDLE ROOF SUPPORT			
37	470-0016	EVOLUTION INCLUSIVE CLIMBER ENCLOSURE			
38	570-0013	EVOLUTION TALL BARRIER, FULLY ENCLOSED			
39	370-1757	STRIVE TRI CLIMBER			
40	470-0003	EVOLUTION TOP ROOF SUPPORT, SINGLE			
41	570-0073	8' VISIO PASSAGE TUNNEL 24" OFFSET			
42	470-0128	FLYLOW POD			
43	370-0001	AGILITY ARC			
44	370-0223	PURSUIT CLIMBER 16"-40"			
45	370-0287	TOPO CLIMBER			
46	370-0097	PATHWAY LINK, DECK TO POST, RIGHT			
47	370-1756	STRIVE INCLUSIVE CLIMBER			
48	370-1748	NETLIX CLIMBER			
49	470-0482	48" BENCH			
50	370-1721	ION CLIMBER 64"-80"			
51	470-1025	VIPER R 72			
52	470-0805	SLIDE HOOD, HIGH SIDE WALL			
53	470-0994	VIPER R 48			

SERIES LINE: Nucleus | Intensity

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

STEWART PARK PLAYGROUND
Billings, MT 59101-1306




COMPONENT VIEW

05/04/2026

Grondahl Recreation
138-215314-2

Designer: Lee Olig

ITEM	COMP.	DESCRIPTION
1	270-0129	TRIANGLE PLATFORM
2	370-0210	TERREX CLIMBER
3	270-0290	HALF PLATFORM
4	570-2749	SWING SINGLE POST ACTIVITY
5	570-0737	PENNANT FULL COLOR CUSTOM POST TOPPER
6	570-2757	PLAYSEMBLE POST BONGO SET
7	570-0072	EVOLUTION HALF BARRIER
8	270-0130	SQUARE PLATFORM
9	570-2634	CUSTOM CURVED 41 2 SIDED
10	570-0849	CUSTOM PHOTO PANEL 57
11	670-1000	METAL STRUCTURE ID LABEL
12	670-0025	METAL 2-5 WARNING LABEL
13	370-0234	FORMIS LADDER 72
14	270-0120	EVOLUTION UNITARY ENCLOSURE
15	470-0872	EXTREME TWIST SPIRAL SLIDE
16	270-0009	8" CLOSURE PLATE, ELLIPSE
17	470-0017	EVOLUTION TRIANGLE APEX ROOF
18	470-0015	EVOLUTION SQUARE ROOF
19	470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE
20	470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT
21	470-0003	EVOLUTION TOP ROOF SUPPORT, SINGLE
22	470-0010	EVOLUTION MIDDLE ROOF SUPPORT
23	470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT
24	370-1673	PETAL STEP CLIMBER 64"-72"
25	270-0121	EVOLUTION STANCHION
26	270-0303	30 DEG NUCLEUS PLATFORM
27	470-0994	VIPER R 48
28	470-0805	SLIDE HOOD, HIGH SIDE WALL
29	370-0040	EVOLUTION 32" TRANSITION STAIR W/ BARRIERS
30	470-0075	CRESCENT PLATFORM
31	570-2703	COLLISION RING PANEL
32	570-0701	CUSTOM PANEL 56 WITH COUNTER
33	570-0584	CUSTOM ARCH SIGN



SERIES LINE: Nucleus | Intensity

GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

STEWART PARK PLAYGROUND
Billings, MT 59101-1306





COMPONENT VIEW

05/04/2026


Grondahl Recreation
138-215314-2

Designer: Lee Olig

ITEM	COMP.	DESCRIPTION
1	550-0201	SINGLE POST SWING ASSEMBLY 5" OD
2	550-0008	SWING BEAM HALF CLAMP
	-END	
3	550-0202	SINGLE POST SWING ADD-ON 5" OD
4	550-0111	BELT SEAT, 8' SINGLE, STD CHAIN
5	550-0099	TOT SEAT, 7' & 8' SINGLE, STD CHAIN
6	550-0171	FREEDOM SWING SEAT, 8' BEAM, STD CHAIN
7	570-2745	ORB ROCKER
8	570-2727	ORB ROCKER FOOTER
9	560-0073	NIDO SPINNER
10	560-0074	VERO



SERIES LINE: Burke Basics		COMPONENT VIEW	
GROUP: Freestanding		05/04/2026	
DESIGNED FOR AGES: 2 to 12		Grondahl Recreation 138-215314-2 Designer: Lee Olig	
STEWART PARK PLAYGROUND Billings, MT 59101-1306			
BCI BURKE COMPANY, LLC PO BOX 549 FOND DU LAC, WI 54936-0549 920.921.9220 BCIBURKE.COM			



SERIES LINE: Nucleus | Intensity | Burke Basics

GROUP:
5-12 Structure | 2-5 Structure | Freestanding

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

ELEVATION VIEW

05/04/2026

Grondahl Recreation

138-215314-2

Designer: Lee Olig

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Nucleus | Intensity

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


ELEVATION VIEW

05/04/2026

Grondahl Recreation

138-215314-2

Designer: Lee Olig



SERIES LINE: Nucleus | Intensity

GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


ELEVATION VIEW

05/04/2026

Grondahl Recreation

138-215314-2

Designer: Lee Olig



SERIES LINE: Burke Basics

GROUP:
Freestanding

DESIGNED FOR AGES:
2 to 12

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

ELEVATION VIEW

05/04/2026

Grondahl Recreation

138-215314-2

Designer: Lee Olig



SERIES LINE: Nucleus | Intensity | Burke Basics

GROUP:
5-12 Structure | 2-5 Structure | Freestanding

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

ISOMETRIC VIEW


05/04/2026

Grondahl Recreation

138-215314-2

Designer: Lee Olig

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Nucleus | Intensity

ISOMETRIC VIEW

GROUP:
5-12 Structure

STEWART PARK PLAYGROUND
Billings, MT 59101-1306

05/04/2026


DESIGNED FOR AGES:
5 to 12

Grondahl Recreation
138-215314-2

Designer: Lee Olig

Burke
PLAY THAT MOVES YOU.

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Nucleus | Intensity

GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

ISOMETRIC VIEW


05/04/2026

Grondahl Recreation

138-215314-2

Designer: Lee Olig

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Burke Basics

GROUP:
Freestanding

DESIGNED FOR AGES:
2 to 12

STEWART PARK PLAYGROUND

Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.

ISOMETRIC VIEW

05/04/2026

Grondahl Recreation

138-215314-2

Designer: Lee Olig

PROPOSAL 138-215314-2 | 5/4/2026 | 2026 PRICING

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTM F1487 and CPSC. To verify product certification, visit www.ipema.org.



The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

5-12 Structure

Intensity

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
370-0001	AGILITY ARC	1	1	1	11	11
370-1608	OVISTEP LAUNCH PAD	2	1	2	10	20
370-1675	STRAIGHT OVERHEAD, NUCLEUS	1	6	6	53	53
570-0860	3-IN-A-ROW RING PANEL	1	4	4	54	54

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-124C	5" OD X 124" CAPPED POST	2	0	0	65	130
072-0500-132C	5" OD X 132" CAPPED POST	1	0	0	69	69
072-0500-136C	5" OD X 136" CAPPED POST	2	0	0	71	142
072-0500-148C	5" OD X 148" CAPPED POST	2	0	0	78	156
072-0500-164C	5" OD X 164" CAPPED POST	2	0	0	86	172
072-0500-172C	5" OD X 172" CAPPED POST	3	0	0	90	270
072-0500-208C	5" OD X 208" CAPPED POST	4	0	0	109	436
072-0500-220C	5" OD X 220" CAPPED POST	2	0	0	115	230
072-0502-212S	5" OD X 212" SWAGED POST	6	0	0	111	666
072-0502-216S	5" OD X 216" SWAGED POST	1	0	0	113	113
072-0502-220S	5" OD X 220" SWAGED POST	6	0	0	115	690
072-5503-104T	5" OD X 104" TOP ALUMINUM CAPPED POST	2	0	0	20	40
072-5503-48T	5" OD X 48" TOP ALUMINUM CAPPED POST	4	0	0	10	40
072-5503-64T	5" OD X 64" TOP ALUMINUM CAPPED POST	2	0	0	13	26
072-5503-88T	5" OD X 88" TOP ALUMINUM CAPPED POST	4	0	0	18	72
270-0009	8" CLOSURE PLATE, ELLIPSE	2	0	0	8	16
270-0120	EVOLUTION UNITARY ENCLOSURE	3	0	0	34	102
270-0122	EVOLUTION OFFSET ENCLOSURE	8	0	0	34	272
270-0129	TRIANGLE PLATFORM	15	2	30	48	720
270-0130	SQUARE PLATFORM	6	6	36	106	636
270-0303	30 DEG NUCLEUS PLATFORM	2	2	4	29	58
370-0097	PATHWAY LINK, DECK TO POST,RIGHT	1	9	9	144	144

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
370-0209	EVOLUTION INCLUSIVE CLIMBER	2	11	22	484	968
370-0223	PURSUIT CLIMBER 16"-40"	1	4	4	127	127
370-0287	TOPO CLIMBER	1	3	3	76	76
370-0873	CLIMB CROSS	1	2	2	67	67
370-1721	ION CLIMBER 64"-80"	1	2	2	50	50
370-1745	ROPE TRIANGLE CLIMBER, 96"	1	4	4	61	61
370-1748	NETLIX CLIMBER	1	5	5	59	59
370-1756	STRIVE INCLUSIVE CLIMBER	1	6	6	362	362
370-1757	STRIVE TRI CLIMBER	1	16	16	416	416
370-1758	STRIVE INCLUSIVE SWITCHBACK CLIMBER	1	8	8	515	515
470-0003	EVOLUTION TOP ROOF SUPPORT, SINGLE	1	0	0	13	13
470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE	8	0	0	13	104
470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT	3	0	0	16	48
470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT	3	0	0	16	48
470-0010	EVOLUTION MIDDLE ROOF SUPPORT	6	0	0	18	108
470-0015	EVOLUTION SQUARE ROOF	3	0	0	42	126
470-0016	EVOLUTION INCLUSIVE CLIMBER ENCLOSURE	2	0	0	81	162
470-0017	EVOLUTION TRIANGLE APEX ROOF	6	0	0	21	126
470-0020	SOLIS HUE	1	0	0	112	112
470-0128	FLYLOW POD	1	2	2	27	27
470-0482	48" BENCH	1	3	3	18	18
470-0805	SLIDE HOOD, HIGH SIDE WALL	2	0	0	32	64
470-0811	EVOLUTION ROOF END PLATE	5	0	0	12	60
470-0968	SERENITY SPOT PRIMARY, TO ROOF	1	2	2	282	282
470-0989	360 LOOP, 96"	1	10	10	928	928
470-0994	VIPER R 48	1	2	2	115	115
470-1025	VIPER R 72	1	2	2	165	165
470-1096	COBRA CURVED R 144"	1	3	3	651	651
470-1111	COBRA CURVED L 192"	1	3	3	761	761
570-0002	ASPIRE MEDIUM WING	1	0	0	43	43
570-0007	EVOLUTION 4' OPENING BARRIER	1	0	0	68	68
570-0012	EVOLUTION 6' OPENING BARRIER, FULLY ENCLOSED	1	0	0	100	100
570-0013	EVOLUTION TALL BARRIER, FULLY ENCLOSED	1	0	0	137	137
570-0061	FULLY ENCLOSED PLATFORM BRACKET	1	0	0	6	6
570-0072	EVOLUTION HALF BARRIER	2	0	0	27	53
570-0073	8' VISIO PASSAGE TUNNEL 24" OFFSET	1	0	0	445	445
570-0100	EVOLUTION BARRIER	3	0	0	52	156
570-1544	EVOLUTION SHORT CURVED TOP BARRIER	5	0	0	50	250

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
570-1883	TRIGON TOWER CLIMBER, 48"	1	2	2	93	93
570-2635	CUSTOM CURVED 41	4	1	4	48	192
570-2714	EVOLUTION 2.5' OPENING BARRIER	4	0	0	37	148
570-2770	EVOLUTION FULLY ENCLOSED WING	3	0	0	81	243
670-0427	5" OD X 11 GA POST EXTENSION	12	0	0	10	120
670-0512	METAL 5-12 WARNING LABEL	2	0	0	1	2
670-1000	METAL STRUCTURE ID LABEL	2	0	0	1	2

Total User Capacity: 197

Total Weight: 14,015 lbs

Total Price: \$244,764

2-5 Structure

Intensity

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
570-2703	COLLISION RING PANEL	1	1	1	48	48

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-124C	5" OD X 124" CAPPED POST	1	0	0	65	65
072-0500-128C	5" OD X 128" CAPPED POST	2	0	0	67	134
072-0500-148C	5" OD X 148" CAPPED POST	1	0	0	78	78
072-0500-160C	5" OD X 160" CAPPED POST	2	0	0	84	168
072-0500-172C	5" OD X 172" CAPPED POST	1	0	0	90	90
072-0500-184C	5" OD X 184" CAPPED POST	3	0	0	96	288
072-0500-188C	5" OD X 188" CAPPED POST	1	0	0	99	99
072-0500-200C	5" OD X 200" CAPPED POST	2	0	0	105	210
072-0500-216C	5" OD X 216" CAPPED POST	1	0	0	113	113
270-0009	8" CLOSURE PLATE, ELLIPSE	1	0	0	8	8
270-0120	EVOLUTION UNITARY ENCLOSURE	1	0	0	34	34
270-0121	EVOLUTION STANCHION	1	0	0	43	43
270-0129	TRIANGLE PLATFORM	2	2	4	48	96
270-0130	SQUARE PLATFORM	1	6	6	106	106
270-0290	HALF PLATFORM	1	3	3	57	57
270-0303	30 DEG NUCLEUS PLATFORM	1	2	2	29	29
370-0040	EVOLUTION 32" TRANSITION STAIR W/ BARRIERS	1	6	6	239	239
370-0210	TERREX CLIMBER	1	12	12	326	326
370-0234	FORMIS LADDER 72	1	6	6	115	115
370-1673	PETAL STEP CLIMBER 64"-72"	1	4	4	66	66
470-0003	EVOLUTION TOP ROOF SUPPORT, SINGLE	1	0	0	13	13
470-0006	EVOLUTION BOTTOM ROOF SUPPORT, SINGLE	3	0	0	13	39

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
470-0008	EVOLUTION SIDE ROOF SUPPORT, LEFT	2	0	0	16	32
470-0009	EVOLUTION SIDE ROOF SUPPORT, RIGHT	2	0	0	16	32
470-0010	EVOLUTION MIDDLE ROOF SUPPORT	1	0	0	18	18
470-0015	EVOLUTION SQUARE ROOF	1	0	0	42	42
470-0017	EVOLUTION TRIANGLE APEX ROOF	2	0	0	21	42
470-0075	CRESCENT PLATFORM	1	1	1	52	52
470-0805	SLIDE HOOD, HIGH SIDE WALL	1	0	0	32	32
470-0872	EXTREME TWIST SPIRAL SLIDE	1	2	2	217	217
470-0994	VIPER R 48	1	2	2	115	115
570-0072	EVOLUTION HALF BARRIER	3	0	0	27	80
570-0584	CUSTOM ARCH SIGN	1	0	0	40	40
570-0701	CUSTOM PANEL 56 WITH COUNTER	1	4	4	76	76
570-0737	PENNANT FULL COLOR CUSTOM POST TOPPER	2	0	0	6	12
570-0849	CUSTOM PHOTO PANEL 57	1	2	2	73	73
570-2634	CUSTOM CURVED 41 2 SIDED	1	1	1	48	48
570-2749	SWING SINGLE POST ACTIVITY	1	1	1	4	4
570-2757	PLAYENSEMBLE POST BONGO SET	1	1	1	22	22
670-0025	METAL 2-5 WARNING LABEL	2	0	0	1	2
670-1000	METAL STRUCTURE ID LABEL	2	0	0	1	2

Total User Capacity: 58
Total Weight: 3,405 lbs
Total Price: \$59,525

Freestanding

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
550-0099	TOT SEAT, 7' & 8' SINGLE, STD CHAIN	1	1	1	12	12
550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	2	1	2	10	20
550-0171	FREEDOM SWING SEAT, 8' BEAM, STD CHAIN	1	1	1	38	38
550-0201	SINGLE POST SWING ASSEMBLY 5" OD	1	0	0	247	247
550-0202	SINGLE POST SWING ADD-ON 5" OD	1	0	0	160	160
560-0073	NIDO SPINNER	1	2	2	185	185
560-0074	VERO	1	2	2	277	277
570-2727	ORB ROCKER FOOTER	1	0	0	93	93
570-2745	ORB ROCKER	1	8	8	541	541

Total User Capacity: 16
Total Weight: 1,573 lbs
Total Price: \$24,353

Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**

COLOR SELECTION LIST | Default Color Option

GROUP 1 (5-12 Structure)

Accessory: Gold
Acrylic: Purple
HDPE 1 Color: Purple
HDPE 2 Color: Purple-Gray-Purple
Platform: Blue
Post: Black
Rotomold Plastic: Blue

GROUP 2 (2-5 Structure)

Accessory: White
HDPE 1 Color: Red
HDPE 2 Color: Red-White-Red
Platform: Brown
Post: Red
Rotomold Plastic: Granite

GROUP 3 (Freestanding)

Accessory: Gold, White
HDPE 1 Color: Purple, Red
HDPE 2 Color: Purple-Gray-Purple, Red-White-Red
Platform: Blue
Post: Black
Rotomold Plastic: Blue

PROPOSAL 138-215314-2 | 5/4/2026 | 2026 PRICING

COLOR SELECTION LIST | BlckGldPrplBlue-RdWhtGry

GROUP 1 (5-12 Structure)

Accessory: Gold
Acrylic: Purple
HDPE 1 Color: Purple, Blue, Yellow
HDPE 2 Color: Purple-Gray-Purple, Blue-White-Blue
Platform: Blue
Post: Black
Rotomold Plastic: Blue

GROUP 2 (2-5 Structure)

Accessory: Gold
HDPE 1 Color: Purple
HDPE 2 Color: Purple-Gray-Purple
Platform: Blue
Post: Black
Rotomold Plastic: Blue

GROUP 3 (Freestanding)


Accessory: Gold, White
HDPE 1 Color: Purple
HDPE 2 Color: Purple-Gray-Purple
Platform: Blue
Post: Black
Rotomold Plastic: Blue

COLORS THAT MOVE YOU

POWDER COAT PAINT



PLATFORMS



SOLIS HUE TOPPERS




TRADITIONAL SERIES SITE AMENITIES




ROCKIT CLIMBERS




HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT [BCIBURKE.COM/COLOR](https://bciburke.com/color) TO CUSTOMIZE YOUR PLAYGROUND COLORS!

BURKE GENERATIONS WARRANTY®

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Nucleus®, Nucleus Evolution®, Nucleus Aspire®, Intensity®, Level X®, Synergy®, Synergy Imagination® & 4ME®) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonnecT® Clamp Castings against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers).
- One Hundred (100) Year Limited Warranty on bolt-through and direct-bolt fastening and clamp systems (Synergy®, Intensity®, Nucleus®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay® Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Nucleus®, Intensity®, and RopeVenture® cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on rubber belt material against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 800-356-2070.

01/2025