



Grondahl Recreation
1202 W. 18th Street W | Williston, ND 58801 | 701-770-7897

Proposal 138-222040-1 | 8/20/2026

390 N 23rd St | Billings, MT 59101-1306

August 20, 2026

BRAD WRIGHT
BILLINGS PARKS AND RECREATION
390 N 23rd St
Billings, MT 59101-1306

Dear BRAD WRIGHT:

Grondahl Recreation is delighted to provide BILLINGS PARKS AND RECREATION with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. Grondahl Recreation is confident that this proposal will satisfy BILLINGS PARKS AND RECREATION's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to developing a long-standing relationship with BILLINGS PARKS AND RECREATION. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

Larry Grondahl
Sales Representative

Grondahl Recreation
1202 W. 18th Street W
Williston, ND 58801 www.bciburke.com

Phone: 701-770-7897
Fax: -
Email: grondahl@dia.net

COOPERATIVE PURCHASING OPTIONS

PLAYGROUNDS WITHOUT ALL THE PAPERWORK

Purchasing with contracts may sound intimidating, but getting your community playspace doesn't need to be a painful process of writing specifications, issuing RFP's and jumping through hoops – it can be simplified – we promise! As you continue planning for your new playground, review the Purchasing Contracts offered through our partners.

EQUALIS GROUP

Equalis is an innovative cooperative purchasing organization that believes in the power of partnership and that when you work together you achieve more. The basic premise of the Equalis cooperative purchasing organization is to leverage the combined buying power of all members for better pricing and favorable contract terms. Equalis Group uses the lead agency model for competitively bid contracts, provides our participants the savings they expect and offers efficiencies and peace of mind within the procurement process. It is our mission to continuously improve the measurable and meaningful impact of cooperative services for everyone throughout the supply chain.

GOVMVMT

GOVMVMT is a non-profit group purchasing organization that meets the highest industry standards while putting the public's interest at the forefront of everything they do. Each one of GOVMVMT's first-class suppliers has consciously joined their mission to create the most credible, ethical, and public agency-focused non-profit cooperative purchasing program in the country.

GSA

Federal parks, child development programs, military bases and other agencies are a major priority for BCI Burke, and agencies can purchase Burke playgrounds through Burke's GSA contract for installation virtually anywhere in the world.

OMNIA PARTNERS

OMNIA Partners, Public Sector (Subsidiary National IPA) is the largest and most experienced organization in purchasing and supply chain management. Comprised of participants and suppliers in the public sector, we bring together industry-leading buying power and world-class suppliers to offer an extensive portfolio of competitively solicited and publicly awarded contracts and partnerships. OMNIA Partners is proud to offer more value and resources to state and local government, higher education, K-12 education and non-profits.

SOURCEWELL

As a leader in cooperative purchasing, Sourcewell is passionate about helping members fulfill their public service missions. Sourcewell builds strong relationships with members and vendors to develop practical solutions together.

The easiest way to Join Our Movement is to call your local Representative at 800.966.1250 or visit bciburke.com/rep. Our passion is bringing play to communities like yours and we can't wait to help you get started!



BCIBURKE.COM

Burke

800.266.1250

FEATURED PLAY EVENTS



Flag Post Topper

Post Toppers are a fun way to provide a finishing touch to any playground structure. Place one, two, three or more of these post toppers on your structure to create an aesthetic appeal or a fun, imaginative play concept.



90 Degree Overhead

Overhead events build upper body strength and endurance, improve eye-hand coordination and elevate children's self-confidence.



Velo™ Slide


Rapid and swift, the Velo Slide is designed to be the fastest, most exciting sliding experience for kids!

FEATURED PLAY EVENTS




Apex Rope Climber

Build agility, upper and lower body strength and problem solving skills while having fun on this exciting climber!



3-In-A-Row Ring Panel

Play panels offer opportunities for all children to develop skills, have fun and spend time learning outside. 3-In-A-Row is a way to bring games to the playground and teach cooperation.



Freedom Swing Seat

The Freedom inclusive Swing Seat allows children of all abilities to enjoy the childhood joy of swinging in a safe and secure seat.

DESIGN SUMMARY

Grondahl Recreation is very pleased to present this Proposal for consideration for the VETERANS PARK located in Billings. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of BILLINGS PARKS AND RECREATION. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.


The following is a summary of some of the key elements of our Proposal:

- Project Name: VETERANS PARK
- Project Number: 138-222040-1
- User Capacity: 205
- Age Groups: 5 to 12, 2 to 5, 2 to 12
- Dimensions: 112' 5" x 57' 1"
- Designer: Payton Jens

Grondahl Recreation has developed a custom playground configuration based on the requirements as they have been presented for the VETERANS PARK playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 138-222040-1 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the VETERANS PARK project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)					TYPES OF GROUND EVENTS	
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	GROUND EVENTS		
36	20 / 10	19 / 5	0 / 5	16 / 7	9 / 4	

OVERALL BOUNDING OF USE ZONES
Area: 6413.4 sq. ft.
Perimeter: 338.9 ft.
STRUCTURE SIZE: 57' 1" x 12' 5"
POST SIZE(S): 5"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

SERIES LINE: Burke Basics | Nucleus | Intensity

GROUP:
5-12 Structure | 2-5 Structure | Freestanding

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

VETERANS PARK
Billings, MT 59101-1306


Burke
PLAY THAT MOVES YOU.

SITE PLAN VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)					TYPES OF	
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	GROUND EVENTS	GROUND EVENTS	
36	20 / 10	19 / 5	0 / 5	16 / 7	9 / 4	

OVERALL BOUNDING OF USE ZONES
Area: 6413.4 sq. ft.
Perimeter: 338.9 ft.
STRUCTURE SIZE: 57' 1" x 112' 5"
POST SIZE(S): 5"

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

SERIES LINE: Burke Basics | Nucleus | Intensity

SITE PLAN VIEW

GROUP:
5-12 Structure | 2-5 Structure | Freestanding

VETERANS PARK
Billings, MT 59101-1306


08/20/2026

Grondahl Recreation
138-222040-1

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

Burke
PLAY THAT MOVES YOU.

Designer: Payton Jens



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
36	20 / 10	19 / 5	0 / 5	9 / 4

OVERALL BOUNDING OF USE ZONES
 Area: 6413.4 sq.ft.
 Perimeter: 338.9 ft.
STRUCTURE SIZE: 57' 1" x 12' 5"
POST SIZE(S): 5"

****The space requirements shown here are to ASTM standards. Requirements for other standards may be different.**

SERIES LINE: Nucleus | Intensity | Burke Basics

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
36	20 / 10	19 / 5	0 / 5	16 / 7 9 / 4

OVERALL BOUNDING OF USEZONES
 Area: 6413.4 sq.ft.
 Perimeter: 338.9 ft.
STRUCTURE SIZE: 57' 1" x 112' 5"
POST SIZE(S): 5"
 **The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

SERIES LINE: Nucleus | Burke Basics

GROUP: 2-5 Structure

DESIGNED FOR AGES: 2 to 5

VETERANS PARK
 Billings, MT 59101-1306

Burke
 PLAY THAT MOVES YOU.


BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCI.BURKE.COM

SITE PLAN VIEW

08/20/2026

Grondahl Recreation
 138-222040-1

Designer: Payton Jens



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

PLAYGROUND ACCESSIBILITY (Provided/Required)				
TOTAL EVENTS	ELEVATED EVENTS	TRANSFER ACCESSIBLE EVENTS	RAMP ACCESSIBLE EVENTS	TYPES OF GROUND EVENTS
36	20 / 10	19 / 5	0 / 5	9 / 4

**The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

OVERALL BOUNDING OF USE ZONES
 Area: 6413.4 sq. ft.
 Perimeter: 338.9 ft.
STRUCTURE SIZE: 57' 1" x 112' 5"
POST SIZE(S): 5"

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

SERIES LINE: Burke Basics

GROUP:
Freestanding

DESIGNED FOR AGES:
2 to 12

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU


SITE PLAN VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

ITEM	COMP.	DESCRIPTION
1	270-0129	TRIANGLE PLATFORM
2	670-1000	METAL STRUCTURE ID LABEL
3	670-0512	METAL 5-12 WARNING LABEL
4	470-0075	CRESCENT PLATFORM
5	270-0009	8" CLOSURE PLATE, ELLIPSE
6	270-0301	SPLIT SQUARE PLATFORM/CLOSURE PLATE
7	570-0736	FLAG FULL COLOR CUSTOM POST TOPPER
8	570-1886	TRIGON TOWER CLIMBER, 32"
9	270-0120	EVOLUTION UNITARY ENCLOSURE
10	370-0181	PATHWAY LINK, POST TO POST
11	370-1677	90 DEGREE OVERHEAD, NUCLEUS
12	370-1608	OVISTEP LAUNCH PAD
13	370-1757	STRIVE TRI CLIMBER
14	270-0130	SQUARE PLATFORM
15	570-1883	TRIGON TOWER CLIMBER, 48"
16	370-1756	STRIVE INCLUSIVE CLIMBER
17	470-0132	INTENSITY SLIDE PLATFORM
18	470-0754	VELO SLIDE 64"-72", W/O HOOD
19	370-1583	APEX ROPE CLIMBER
20	570-0860	3-IN-A-ROW RING PANEL
21	370-0290	CLIFF CREST CLIMBER, 48"
22	370-1758	STRIVE INCLUSIVE SWITCHBACK CLIMBER
23	270-0303	30 DEG NUCLEUS PLATFORM
24	570-0578	NAME THE STATES PANEL
25	270-0122	EVOLUTION OFFSET ENCLOSURE
26	370-1622	TAKTIS TRAIL TOWER
27	570-0072	EVOLUTION HALF BARRIER
28	470-0989	360 LOOP, 96"
29	560-1702	STEMPLAY TALL ACTIVITY FRAME LINK
30	560-2691	STEMPLAY ELECTRON
31	560-2692	STEMPLAY GEARS
32	370-1747	ROPE TRIANGLE CLIMBER, 24" TO 96"
33	370-0287	TOPO CLIMBER
34	370-1754	STRIVE ANGLED NET CLIMBER
35	570-0076	4' VISIO PASSAGE TUNNEL 32" TO GROUND



SERIES LINE: Nucleus | Intensity | Burke Basics

COMPONENT VIEW

GROUP:
5-12 Structure

VETERANS PARK
Billings, MT 59101-1306

08/20/2026


Grondahl Recreation
138-222040-1

DESIGNED FOR AGES:
5 to 12

Burke
PLAY THAT MOVES YOU.

Designer: Payton Jens

ITEM	COMP.	DESCRIPTION
1	270-0301	SPLIT SQUARE PLATFORM/CLOSURE PLATE
2	370-0016	GRAB BAR ASSEMBLY
3	670-1000	METAL STRUCTURE ID LABEL
4	570-0736	FLAG FULL COLOR CUSTOM POST TOPPER
5	670-0025	METAL 2-5 WARNING LABEL
6	270-0129	TRIANGLE PLATFORM
7	370-1742	PATHWAY CLIMBER, 24"-32"
8	270-0120	EVOLUTION UNITARY ENCLOSURE
9	270-0009	8" CLOSURE PLATE, ELLIPSE
10	570-2746	SPIN SINGLE POST ACTIVITY
11	470-0802	MONACO SLIDE, 32"-40"
12	470-0967	SLIDE HOOD, LOW SIDE WALL
13	370-0210	TERREX CLIMBER
14	270-0130	SQUARE PLATFORM
15	470-0128	FLYLOW POD
16	570-2748	TOUCH SINGLE POST ACTIVITY
17	470-1117	360 LOOP CONNECTION SLIDE, VIPER L 56
18	470-0805	SLIDE HOOD, HIGH SIDE WALL
19	470-1027	360 LOOP CONNECTION, POD
20	470-1029	360 LOOP CONNECTION, END CAP
21	470-1028	360 LOOP CONNECTION, SUPPORT
22	370-1646	MANITOU CLIMBER 56"
23	570-1816	JET PANEL
24	270-0122	EVOLUTION OFFSET ENCLOSURE
25	570-1683	PARATROOP PANEL, ABOVE PLATFORM



SERIES LINE: Nucleus | Burke Basics

GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.



COMPONENT VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

ITEM	COMP.	DESCRIPTION
1	550-0201	SINGLE POST SWING ASSEMBLY 5" OD
2	550-0008	SWING BEAM HALF CLAMP
	-END	
3	550-0202	SINGLE POST SWING ADD-ON 5" OD
4	550-0099	TOT SEAT, 7' & 8' SINGLE, STD CHAIN
5	550-0171	FREEDOM SWING SEAT, 8' BEAM, STD CHAIN
6	550-0111	BELT SEAT, 8' SINGLE, STD CHAIN
7	560-0073	NIDO SPINNER



SERIES LINE: Burke Basics

GROUP:
Freestanding

DESIGNED FOR AGES:
2 to 12


VETERANS PARK
Billings, MT 59101-1306

Burke.
PLAY THAT MOVES YOU.

COMPONENT VIEW

08/20/2026
Grondahl Recreation
138-222040-1

Designer: Payton Jens



SERIES LINE: Burke Basics | Nucleus | Intensity

ELEVATION VIEW

GROUP:
5-12 Structure | 2-5 Structure | Freestanding

VETERANS PARK
Billings, MT 59101-1306

08/20/2026


Grondahl Recreation
138-222040-1

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

Burke
PLAY THAT MOVES YOU.

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Nucleus | Intensity | Burke Basics

ELEVATION VIEW

GROUP:
5-12 Structure

VETERANS PARK
Billings, MT 59101-1306

08/20/2026


DESIGNED FOR AGES:
5 to 12

Burke
PLAY THAT MOVES YOU.

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Nucleus | Burke Basics

GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


ELEVATION VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Burke Basics

GROUP:
Freestanding

DESIGNED FOR AGES:
2 to 12

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


ELEVATION VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Burke Basics | Nucleus | Intensity

GROUP:
5-12 Structure | 2-5 Structure | Freestanding

DESIGNED FOR AGES:
5 to 12, 2 to 5, 2 to 12

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


ISOMETRIC VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Nucleus | Intensity | Burke Basics

GROUP:
5-12 Structure

DESIGNED FOR AGES:
5 to 12

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


ISOMETRIC VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Nucleus | Burke Basics

GROUP:
2-5 Structure

DESIGNED FOR AGES:
2 to 5

VETERANS PARK
Billings, MT 59101-1306

Burke
PLAY THAT MOVES YOU.


ISOMETRIC VIEW

08/20/2026

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



SERIES LINE: Burke Basics

ISOMETRIC VIEW

GROUP:
Freestanding

VETERANS PARK
Billings, MT 59101-1306

08/20/2026

DESIGNED FOR AGES:
2 to 12

Burke
PLAY THAT MOVES YOU.

Grondahl Recreation
138-222040-1

Designer: Payton Jens

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

PROPOSAL 138-222040-1 | 8/20/2026 | 2026 PRICING

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTM F1487 and CPSC. To verify product certification, visit www.ipema.org.



The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

5-12 Structure

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
560-1702	STEMPLAY TALL ACTIVITY FRAME LINK	1	0	0	209	209
560-2691	STEMPLAY ELECTRON	1	5	5	91	91
560-2692	STEMPLAY GEARS	1	2	2	74	74

Intensity

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
370-1583	APEX ROPE CLIMBER	1	8	8	150	150
370-1608	OVISTEP LAUNCH PAD	1	1	1	10	10
370-1677	90 DEGREE OVERHEAD, NUCLEUS	2	6	12	44	88
570-0860	3-IN-A-ROW RING PANEL	1	4	4	54	54

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-100C	5" OD X 100" CAPPED POST	1	0	0	53	53
072-0500-108C	5" OD X 108" CAPPED POST	2	0	0	57	114
072-0500-124C	5" OD X 124" CAPPED POST	1	0	0	65	65
072-0500-132C	5" OD X 132" CAPPED POST	3	0	0	69	207
072-0500-140C	5" OD X 140" CAPPED POST	1	0	0	74	74
072-0500-148C	5" OD X 148" CAPPED POST	1	0	0	78	78
072-0500-164C	5" OD X 164" CAPPED POST	2	0	0	86	172
072-0500-172C	5" OD X 172" CAPPED POST	4	0	0	90	360
072-0500-176C	5" OD X 176" CAPPED POST	1	0	0	92	92
072-0500-188C	5" OD X 188" CAPPED POST	3	0	0	99	297
072-0500-196C	5" OD X 196" CAPPED POST	2	0	0	103	206
072-0500-208C	5" OD X 208" CAPPED POST	1	0	0	109	109
072-0500-220C	5" OD X 220" CAPPED POST	1	0	0	115	115
270-0009	8" CLOSURE PLATE, ELLIPSE	2	0	0	8	16
270-0120	EVOLUTION UNITARY ENCLOSURE	3	0	0	34	102
270-0122	EVOLUTION OFFSET ENCLOSURE	2	0	0	34	68
270-0129	TRIANGLE PLATFORM	6	2	12	48	288
270-0130	SQUARE PLATFORM	2	6	12	106	212
270-0301	SPLIT SQUARE PLATFORMCLOSURE	1	4	4	108	108

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
	PLATE					
270-0303	30 DEG NUCLEUS PLATFORM	2	2	4	29	58
370-0181	PATHWAY LINK, POST TO POST	1	10	10	161	161
370-0287	TOPO CLIMBER	1	3	3	76	76
370-0290	CLIFF CREST CLIMBER, 48"	1	2	2	99	99
370-1622	TAKTIKS TRAIL TOWER	1	5	5	52	52
370-1747	ROPE TRIANGLE CLIMBER, 24" TO 96"	1	4	4	61	61
370-1754	STRIVE ANGLED NET CLIMBER	1	8	8	203	203
370-1756	STRIVE INCLUSIVE CLIMBER	1	6	6	362	362
370-1757	STRIVE TRI CLIMBER	1	16	16	416	416
370-1758	STRIVE INCLUSIVE SWITCHBACK CLIMBER	1	8	8	515	515
470-0075	CRESCENT PLATFORM	1	1	1	52	52
470-0132	INTENSITY SLIDE PLATFORM	1	2	2	183	183
470-0754	VELO SLIDE 64"-72", W/O HOOD	1	2	2	111	111
470-0989	360 LOOP, 96"	1	10	10	928	928
570-0072	EVOLUTION HALF BARRIER	1	0	0	27	27
570-0076	4' VISIO PASSAGE TUNNEL 32" TO GROUND	1	1	1	256	256
570-0578	NAME THE STATES PANEL	1	4	4	46	46
570-0736	FLAG FULL COLOR CUSTOM POST TOPPER	3	0	0	7	21
570-1883	TRIGON TOWER CLIMBER, 48"	1	2	2	93	93
570-1886	TRIGON TOWER CLIMBER, 32"	1	1	1	63	63
670-0512	METAL 5-12 WARNING LABEL	2	0	0	1	2
670-1000	METAL STRUCTURE ID LABEL	2	0	0	1	2

Total User Capacity: 149

Total Weight: 7,199 lbs

Total Price: \$135,882

2-5 Structure

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
470-1027	360 LOOP CONNECTION, POD	2	3	6	40	80
470-1028	360 LOOP CONNECTION, SUPPORT	3	0	0	17	51
470-1029	360 LOOP CONNECTION, END CAP	1	0	0	5	5

Nucleus

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-100C	5" OD X 100" CAPPED POST	1	0	0	53	53
072-0500-108C	5" OD X 108" CAPPED POST	1	0	0	57	57
072-0500-124C	5" OD X 124" CAPPED POST	2	0	0	65	130
072-0500-132C	5" OD X 132" CAPPED POST	2	0	0	69	138

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
072-0500-140C	5" OD X 140" CAPPED POST	1	0	0	74	74
072-0500-160C	5" OD X 160" CAPPED POST	1	0	0	84	84
072-0500-176C	5" OD X 176" CAPPED POST	1	0	0	92	92
072-0500-192C	5" OD X 192" CAPPED POST	1	0	0	101	101
270-0009	8" CLOSURE PLATE, ELLIPSE	2	0	0	8	16
270-0120	EVOLUTION UNITARY ENCLOSURE	2	0	0	34	68
270-0122	EVOLUTION OFFSET ENCLOSURE	1	0	0	34	34
270-0129	TRIANGLE PLATFORM	2	2	4	48	96
270-0130	SQUARE PLATFORM	1	6	6	106	106
270-0301	SPLIT SQUARE PLATFORMCLOSURE PLATE	1	4	4	108	108
370-0016	GRAB BAR ASSEMBLY	2	0	0	6	12
370-0210	TERREX CLIMBER	1	12	12	326	326
370-1646	MANITOU CLIMBER 56"	1	4	4	87	87
370-1742	PATHWAY CLIMBER, 24"-32"	1	1	1	84	84
470-0128	FLYLOW POD	1	2	2	27	27
470-0802	MONACO SLIDE, 32"-40"	1	2	2	71	71
470-0805	SLIDE HOOD, HIGH SIDE WALL	1	0	0	32	32
470-0967	SLIDE HOOD, LOW SIDE WALL	1	0	0	37	37
470-1117	360 LOOP CONNECTION SLIDE, VIPER L 56	1	2	2	162	162
570-0736	FLAG FULL COLOR CUSTOM POST TOPPER	3	0	0	7	21
570-1683	PARATROOP PANEL, ABOVE PLATFORM	1	3	3	54	54
570-1816	JET PANEL	1	2	2	48	48
570-2746	SPIN SINGLE POST ACTIVITY	1	1	1	4	4
570-2748	TOUCH SINGLE POST ACTIVITY	1	1	1	6	6
670-0025	METAL 2-5 WARNING LABEL	2	0	0	1	2
670-1000	METAL STRUCTURE ID LABEL	2	0	0	1	2

Total User Capacity: 50

Total Weight: 2,268 lbs

Total Price: \$34,758

Freestanding

Burke Basics

Component No.	Description	Qty	User Cap.	Ext. User Cap.	Weight	Ext. Weight
550-0099	TOT SEAT, 7' & 8' SINGLE, STD CHAIN	1	1	1	12	12
550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	2	1	2	10	20
550-0171	FREEDOM SWING SEAT, 8' BEAM, STD CHAIN	1	1	1	38	38
550-0201	SINGLE POST SWING ASSEMBLY 5" OD	1	0	0	247	247
550-0202	SINGLE POST SWING ADD-ON 5" OD	1	0	0	160	160
560-0073	NIDO SPINNER	1	2	2	185	185

390 N 23rd St | Billings, MT 59101-1306

Total User Capacity: 6
Total Weight: 662 lbs
Total Price: \$9,382

Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**

COLOR SELECTION LIST | Default Color Option

GROUP 1 (5-12 Structure)

Accessory: White
HDPE 1 Color: Red
HDPE 2 Color: Blue-White-Blue
Platform: Gray
Post: Blue
Rotomold Plastic: Red

GROUP 2 (2-5 Structure)

Accessory: White
HDPE 1 Color: Red
HDPE 2 Color: Blue-White-Blue
Platform: Gray
Post: Blue
Rotomold Plastic: Red

GROUP 3 (Freestanding)

Accessory: White
HDPE 2 Color: Blue-White-Blue
Platform: Gray
Post: Blue
Rotomold Plastic: Red

COLORS THAT MOVE YOU

POWDER COAT PAINT



PLATFORMS



SOLIS HUE TOPPERS



TRADITIONAL SERIES SITE AMENITIES




ROCKIT CLIMBERS




HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT BCIBURKE.COM/COLOR TO CUSTOMIZE YOUR PLAYGROUND COLORS!

BCIBURKE.COM

Burke

800.266.1250

BURKE GENERATIONS WARRANTY®

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Nucleus®, Nucleus Evolution®, Nucleus Aspire®, Intensity®, Level X®, Synergy®, Synergy Imagination® & 4ME®) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonnnect® Clamp Castings against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers).
- One Hundred (100) Year Limited Warranty on bolt-through and direct-bolt fastening and clamp systems (Synergy®, Intensity®, Nucleus®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay® Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRc products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Nucleus®, Intensity®, and RopeVenture® cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on rubber belt material against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9920 or 800-356-2070.

01/2025