

#3



PRICING QUOTE-SHEET FOR STANDARD EQUIPMENT PURCHASES



The following details shall be provided with any BuyBoard purchase order (Email Order to josh@amcotx.com)

BuyBoard Vendor:	Anderson Machinery Company		Prepared By:	Joshua Smith
[Address P.O. to:]	PO BOX 200380		Vendor Phone:	210-661-2366
	San Antonio TX 78220		Vendor Fax:	210-661-4971
			Vendor Toll Free:	
			Date Prepared:	7/21/2025
Government Agency:	Burnet County	Gov. Agency:	Burnet County	
[Ship to:]	Anderson Machinery - Manor TX	[Bill to:]	Burnet County	
	12711 Hwy 290 East Austin TX 78653		PO BOX 1369 Burnet TX 78611	
Contacts Name:	-	Gov. Agn. Phone No:	-	
		G. A. Fax No:	-	

Product Description: **One (1) USED 2017 Noram 65ET Motorgrader w/ approx 1,150 hrs**

I: BuyBoard Contract #685-22, Effective till Nov. 30th 2025	Price List:	USED	Base Price	\$ 147,959.18
II: Base Bid Options: (Itemize Below)				
* Canopy	Included	* NEW SET OF TIRES INSTALLED	Included	
* 12' Blade	Included	*		
* Front Scarfier	Included	*		
* Float Valve Group	Included	*		
* Floodlight Group	Included	*		
* And all standard equipment		*		
		*		
		*		
		*		
Subtotal	\$ -	Subtotal	\$ -	
Contract List Price Total			\$	-
III: Subtotal of I + II	=>		\$	147,959.18
IV: Discount: 2%	BuyBoard Contract Price:		\$	145,000.00
V: Non-Base Options (Itemize below) NON-BASE = 1.09% %				
* Freight from AMCO Corpus to customer	\$ 1,575.00	*		
*	-	*		
*		*		
*		*		
Subtotal	\$ 1,575.00	Subtotal	\$ -	
VI: Unpublished Options added to Contract Price (Subtotal of Co. 1 & Col 2)			\$	1,575.00
VII: Total of IV + VI			\$	146,575.00
VIII: Quantity Ordered Units: 1 x "E"			\$	146,575.00
IX: Trade-in or other Credit(s)				
X: TOTAL PURCHASE PRICE INCLUDING VIII + IX			\$	146,575.00

- * Warranty Terms: UNIT SOLD AS IS WITH NO WARRANTY
- * Quote Good Till: 8/31/2025
- * Availability: Unit currently in stock, (Subject to change)

Fax all Purchase Orders to BuyBoard at (800) 211-5454

65E
TURBO

Motor Grader



110 HP Cummins
114 HP Caterpillar
16,800 LBS
10' or 12' BLADE

Pictured with optional equipment

Compact Grader With Big Grader Features

53" Circle With "A" Frame Drawbar

Full Power Shift Transmission With Torque Converter

Torque Proportioning Rear Differential

Built From A Lineage Of Market Leaders For Over 50+ Years



65E Motor Grader



BIG GRADER FEATURES IN A SMALL PACKAGE

Operating Weight

- Front 4,700 lb
- Rear 12,100 lb
- Total 16,800 lb

Engine

- | | |
|-----------------------|-----------------------|
| Cummins QSB3.3 | Caterpillar C3.4 |
| 4 Cycle, turbo diesel | 4 Cycle, turbo diesel |
| 4 cylinder | 4 cylinder |
| Tier 4i | Tier 4i |
| 110 hp | 114 hp |
| 2,200 rpm | 2,200 rpm |

Brakes

- Service – 4 wheel, wet disc & self adjusting
- Independent tandem by tandem system
- Mechanical parking brake

Axles

- Front axle clearance – 20.3"
- Rear axle – torque proportioning differential

Transmission

- Full power shift with torque converter
- 6 speeds forward – top speed 24 mph
- Electronic shift control
- LCD operations monitor
- Shift inhibit system

Circle

- 53" diameter gear driven circle
- Supported by "A" frame
- 4 guides with wear plates
- Shim adjustable
- 360° rotation
- Hydraulic circle side shift

Moldboard

- "Rollaway" blade with involute curve
- Replaceable cutting edges
- Size – 10' wide, 21" high
- Interchangeable end bits



Full power shift transmission with torque converter



53" gear driven circle with "A" frame allows 360° blade rotation





Illustration includes optional equipment

STANDARD EQUIPMENT


- Accelerator/decelerator and hand throttle
- Alternator – 100 Amp
- Articulated frame
- Back-up alarm
- Batteries (2) – 12 volt
- Controls, hydraulic
 - Articulation
 - Circle side shift
 - Circle turn
 - Moldboard lift/tower
 - Moldboard side shift
 - Wheel lean
- Control console, adjustable
- Drawbar
- Engine side panels
- Gauges
 - Air cleaner service indicator
 - Engine coolant temperature
 - Engine oil pressure
 - Fuel level
 - Hourmeter
 - Tachometer
 - Transmission LCD message center
 - Transmission oil temperature
 - Voltmeter
- Horn, electric
- Hydraulic valve – 8 section
- Implement control lever lock
- Light package
 - Front headlights (2) – hi/lo beam
 - Front worklights (2)
 - Turn signals, stop and tail lights
- Master electrical switch
- Mechanical parking brake
- Muffler, horizontal under hood
- Moldboard – 10' wide
- Moldboard pitch, manual
- ROPS Canopy with
 - Dome light
 - Floormat
 - Glove box
 - Grab handles
 - Headliner
 - Inside mirror
 - Seat belt
- Seat, vinyl – deluxe air suspension
- Steps, right and left
- Tires – 15.00 x 19.5 (8PR) G2 tubeless
- Transport tie down group
- Vandalism protection

OPTIONAL EQUIPMENT


- Cab, includes
 - Cloth seat – air suspension
 - Defroster fans (2)
 - F & R wipers/washers
 - Heater, 40,000 BTU
 - Inside mirror
 - Sliding rear window
 - Sound suppression
 - Tinted glass
- Cold weather starting aid (ether)
- Dozer – 8' x 2', with skid plates
- Factory air conditioner
- Float control valves, (3)
- Floodlights, (2) F & (2) R
- Mirrors, rearview – external, (2)
- Moldboard – 12' wide
- Moldboard pitch, hydraulic
- Radio group
- Rear ripper – 75" wide, 3 shanks
- Scarifier – 41" wide, 9 teeth
- Strobe light
- 90° bank slope saddle




Deluxe cab



Scarifier



Dozer blade



90° Bank slope saddle



Noram Construction Equipment
50 N. Brockway St., # 308
Palatine, IL 60067
847-934-6565
www.noram65.com

The information contained in this brochure is intended to be of general nature only. The manufacturer may at any time and from time to time, for technical or other necessary reasons, modify any of the details or specifications of the product described in this brochure. Illustrations do not necessarily show products in standard condition. The dimensions, weights and capacities shown herein, as well as any conversion data used, are approximate only and are subject to variations within normal manufacturing techniques. To be sure of getting accurate, detailed and up-to-date information, any intending buyer should contact NorAm.