
[illegible]

CONTRACTOR SHALL CONTACT AND COORDINATE WITH THE CITY OF CHICAGO FOR THE FOLLOWING: ALL NEW BUILDINGS SHALL HAVE APPROVED RADIO COVERAGE FOR EMERGENCY RESPONDERS WITHIN THE BUILDING BASED UPON THE EXISTING RESPONSE LEVELS OF THE PUBLIC SAFETY COMMUNICATION SYSTEMS OF THE JURISDICTION TO BE THE INSTALLATION OF A RADIO COVERAGE FOR THE EMERGENCY RESPONDER RADIO COVERAGE MODIFICATION TO EMERGENCY EQUIPMENT IS REQUIRED AS SPECIFIED IN SECTION 105.7.12, PLEASE CONTACT FIRE PREVENTION AT 312-262-4571 FOR ADDITIONAL INFORMATION.

EXCEPT AS SPECIFICALLY PERMITTED BY IBC SECTION 1010.2, EGRESS DOOR OPERATIONS. EGRESS DOOR SHALL BE READILY PERCEIVABLE FROM THE EGRESS SIDE WITHOUT THE USE OF A KEY OR SPECIAL KNOWLEDGE OR EFFORT.

EXIT REQUIREMENTS:

MAX. TRAVEL DISTANCE:	230"	(TABLE 017.2)
MAX. DEAD END CORRIDOR LENGTH:	20"	(SECTION 100.5.2)
MAX. WIDTH (INCHES PER OCC.):	0.20"	(SECTION 100.5.3.2 EXCEPTION #1)
MINIMUM CORRIDOR OR AISLE WIDTH:	44"	(SECTION 102.3)
MINIMUM CLEAR OPENING EXT. DOOR:	32"	(SECTION 1010.1.1)
MINIMUM DOOR HEIGHT:	80"	(SECTION 1010.1.1)

REQUIRED NUMBER OF EXITS:

PER SECTION 1006.3.2
TOTAL OCCUPANTS: 254
REQUIRED NUMBER OF EXITS: 2
TOTAL NUMBER OF EXITS PROVIDED: 3

REQUIRED NUMBER OF ACCESSIBLE EXITS:



PER SECTION 1009.1
TOTAL OCCUPANTS: 254 }
REQUIRED NUMBER OF EXITS: 2
TOTAL NUMBER OF EXITS PROVIDED: 3 }

EXIT SIGNAGE NOTES:


ALL DOORS LEADING TO EGRESS STAIRWAYS, EXIT PASSAGEWAYS AND EXIT DISCHARGE POINTS, BOTH INTERIOR AND EXTERIOR, SHALL BE IDENTIFIED BY A SIGN COMPLYING WITH ICC/ANSI 117.1, 2009, STATING: EXIT, TACTILE CHARACTERISTICS TO BE INCORPORATED, MOUNT SIGN AT 48" A.F.F. TO BASELINE OF LOWEST TACTILE CHARACTER.

 ILLUMINATED EXIT SIGN

 DIRECTIONAL ILLUMINATED EXIT SIGN



② First Floor - Plumbing Occupancy
1/16" = 1'-0"






REVISIONS	
1	Date: 1/1/2025


Phase: CONSTRUCTION	Author: 1800
Drawn By:	Checker:
Reviewed By:	HUE Project No:
Date:	02/28/25

A2.1


This drawing is the property of HUE Services, Chandler AZ, 85224, 480-510-2255. This drawing is limited to the original use for which it was prepared. Changes, reproductions, or assigning to any third party of this drawing for any other use is not permitted without written consent of HUE Services, LLC




4 COLOR WEST ELEVATION



3. COLOR NORTH ELEVATION



 COLOR EAST ELEVATION



① COLOR SOUTH ELEVATION