



United States Department of the Interior

U.S. GEOLOGICAL SURVEY
Arizona Water Science Center
520 North Park
Tucson, AZ 85719

August 26, 2022

Ms. Jackie Watkins
Director of Engineering and Natural Resources
Cochise County
1415 Melody Lane, Building F
Bisbee, AZ 85603

Dear Ms. Watkins:

Enclosed are two signed originals of our standard joint-funding agreement for the project(s) Arizona Water Science Center Water Resources Investigations, during the period October 1, 2022 through September 30, 2023 in the amount of \$59,810 from your agency. U.S. Geological Survey contributions for this agreement are \$40,000 and Bureau of Land Management Contribution for this agreement are \$45,000 for a combined total of \$144,810. Please sign and return one fully-executed original to Rudy Richard at the address above.

Federal law requires that we have a signed agreement before we start or continue work. Please return the signed agreement by **October 1, 2022**. If, for any reason, the agreement cannot be signed and returned by the date shown above, please contact Jamie Macy by phone number (928) 556-7276 or email jpmacy@usgs.gov to make alternative arrangements.

This is a fixed cost agreement to be billed quarterly via Down Payment Request (automated Form DI-1040). Please allow 30-days from the end of the billing period for issuance of the bill. If you experience any problems with your invoice(s), please contact Alexis Lopez at phone number (520) 670-3339 or email at aslopez@usgs.gov.

The results of all work performed under this agreement will be available for publication by the U.S. Geological Survey. We look forward to continuing this and future cooperative efforts in these mutually beneficial water resources studies.

Sincerely,

James M Leenhouts
Director

U.S. Department of the Interior
U.S. Geological Survey
Joint Funding Agreement
FOR
Water Resource Investigations

Fixed Cost Agreement YES[X] NO[]

THIS AGREEMENT is entered into as of the October 1, 2022, by the U.S. GEOLOGICAL SURVEY, Arizona Water Science Center, UNITED STATES DEPARTMENT OF THE INTERIOR, party of the first part, and the Cochise County party of the second part.

1. The parties hereto agree that subject to the availability of appropriations and in accordance with their respective authorities there shall be maintained in cooperation Water Resource Investigations (per attachment), herein called the program. The USGS legal authority is 43 USC 36C; 43 USC 50, and 43 USC 50b.

2. The following amounts shall be contributed to cover all of the cost of the necessary field and analytical work directly related to this program. 2(b) include In-Kind-Services in the amount of \$0.00

- (a) \$40,000 by the party of the first part during the period October 1, 2022 to September 30, 2023
- (b) \$59,810 by the party of the second part during the period October 1, 2022 to September 30, 2023
- (c) Contributions are provided by the party of the first part through other USGS regional or national programs, in the amount of: \$0

Description of the USGS regional/national program:

- (d) Additional or reduced amounts by each party during the above period or succeeding periods as may be determined by mutual agreement and set forth in an exchange of letters between the parties.
- (e) The performance period may be changed by mutual agreement and set forth in an exchange of letters between the parties.

3. The costs of this program may be paid by either party in conformity with the laws and regulations respectively governing each party.

4. The field and analytical work pertaining to this program shall be under the direction of or subject to periodic review by an authorized representative of the party of the first part.

5. The areas to be included in the program shall be determined by mutual agreement between the parties hereto or their authorized representatives. The methods employed in the field and office shall be those adopted by the party of the first part to insure the required standards of accuracy subject to modification by mutual agreement.

6. During the course of this program, all field and analytical work of either party pertaining to this program shall be open to the inspection of the other party, and if the work is not being carried on in a mutually satisfactory manner, either party may terminate this agreement upon 60 days written notice to the other party.

7. The original records resulting from this program will be deposited in the office of origin of those records. Upon request, copies of the original records will be provided to the office of the other party.

8. The maps, records or reports resulting from this program shall be made available to the public as promptly as possible. The maps, records or reports normally will be published by the party of the first part. However, the party of the second part reserves the right to publish the results of this program, and if already published by the party of the first part shall, upon request, be furnished by the party of the first part, at cost, impressions suitable for purposes of reproduction similar to that for which the original copy was prepared. The maps, records or reports published by either party shall contain a statement of the cooperative relations between the parties. The Parties acknowledge that scientific information and data developed as a result of the Scope of Work (SOW) are subject to applicable USGS review, approval, and release requirements, which are available on the USGS Fundamental Science Practices website (<https://www.usgs.gov/about/organization/science-support/science-quality-and-integrity/fundamental-science-practices>).

U.S. Department of the Interior
U.S. Geological Survey
Joint Funding Agreement
FOR

Customer #: 600000801
Agreement #: 23ZFJFA00080100_00
Project #:
TIN #: 86-6000398

Water Resource Investigations

9. Billing for this agreement will be rendered quarterly. Invoices not paid within 60 days from the billing date will bear Interest, Penalties, and Administrative cost at the annual rate pursuant the Debt Collection Act of 1982, (codified at 31 U.S.C. § 3717) established by the U.S. Treasury.

USGS Technical Point of Contact

Name: Jamie Macy
Supervisory Hydrologist
Address: 2255 North Gemini Drive
Flagstaff, AZ 86001
Telephone: (928) 556-7276
Fax: (928) 556-7112
Email: jpmacy@usgs.gov

Customer Technical Point of Contact

Name: Jackie Watkins
Director of Engineering and Natural Resources
Address: 1415 Melody Lane, Building F
Bisbee, AZ 85603
Telephone: (520) 432-9310
Fax:
Email: JWatkins@cochise.az.gov

USGS Billing Point of Contact

Name: Alexis Lopez
Budget Technician
Address: 520 N. Park Ave
Tucson, AZ 85719
Telephone: (520) 670-3339
Fax:
Email: aslopez@usgs.gov

Customer Billing Point of Contact

Name: Mark Apel
Env. Projects Coordinator
Address: 1415 Melody Lane Building F
Bisbee, AZ 85603
Telephone:
Fax:
Email: mapel@cochise.az.gov

U.S. Geological Survey
United States
Department of Interior

Cochise County

Signature

Signatures

By _____ Date: 08/26/2022
Name: James M Leenhouts
Title: Director

By _____ Date: _____
Name:
Title:

By _____ Date: _____
Name:
Title:

Scope of Work

Agreement # _____, between USGS and Cochise County

For Federal fiscal year 2023 (FY2023) the funds from this agreement will cover ongoing hydrologic monitoring in the Sierra Vista Subwatershed of the Upper San Pedro Basin. This work has specific bearing on monitoring the hydrologic system with respect to attaining a sustainable yield of groundwater withdrawals in accordance with the goals of the Upper San Pedro Partnership (<https://uppersanpedropartnership.org>). In addition, the information obtained through this basic monitoring is critical to verifying the predictive performance of groundwater modeling of the Sierra Vista Subwatershed.

Two separate USGS-Cochise County agreements were combined into one, beginning in 2021. The combined agreement total for FY2023 is for \$144,810 of which the USGS will contribute \$40,000, and BLM will contribute \$45,000 (for FY2023 only), for a combined federal contribution of almost 59% of the project cost. Cochise County's share is \$59,810, which represents a one-time decrease in Cochise County's costs for this work. The increases in the total for this agreement are the result of an overall inflation increase of 3%, and calculated increases in the cost of gaging. The cost of data management also increased beyond inflation, to account for the cost of estimating water usage on an annual basis and some additional labor (for FY2023 only) to be used for USPP work, including some work on the Web Hydrologic Information Portal. These increases are countered by a decrease in the labor and lab fees for isotope samples as fewer samples will be collected throughout the year.

1. Operation of the Lewis Springs study site (09470920). The Lewis Springs site, located just north of where Arizona Route 90 crosses the San Pedro River, has been operating about 27 years. This site has provided some of the most complete information available on the San Pedro River regarding interactions between the regional aquifer system and the perennial San Pedro River reaches. The long period of continuous record at this site makes it particularly valuable for detecting changes in effects of regional aquifer pumping on the river. Instrumentation at the site includes 6 piezometers at three locations along a line extending perpendicularly away from the river. Two locations have nested piezometers that measure vertical hydraulic gradients from the regional to the stream-alluvium aquifer. The site also records stream stage so the hydraulic gradient to the river may be calculated.
2. Operation of main-stem San Pedro River stream-gaging stations. San Pedro and Babocomari River flow during floods as well as base flow entirely supported from groundwater discharge during the driest times of the year are extremely important discharge data to monitor in order to understand trends in the Sierra Vista subwatershed including those due to climate, natural causes, and human-induced changes in the subwatershed that may affect the regional aquifer and the river.
 - a. San Pedro River at Charleston stream-gaging station (09471000) is located where Charleston Road crosses the San Pedro River near the ghost town of Charleston and is one of the oldest and perhaps the most well-known gaging station in southeastern Arizona. The record in the Charleston area began in 1904; the gaging station was moved in 1928 near to its present location and the river in this area has been consistently monitored since April 1935. Financial support for the Charleston gage is split 40%-60% between Cochise County and the U.S. Bureau of Land Management.
To visit the web page for this station, navigate to:
http://waterdata.usgs.gov/az/nwis/uv/?site_no=09471000&PARAMeter_cd=00065,00060
 - b. The Babocomari River near Tombstone ("Lower Babocomari") stream-gaging station (09471400) is located on the northern boundary of the San Pedro Riparian National Conservation Area northeast of Huachuca City and southwest of the ghost town of Fairbank. The Babocomari River is the primary tributary stream in the Upper San Pedro basin. In combination with the Upper Babocomari gaging station, these gaging station data help to quantify the contribution from the Babocomari River to the surface flow of the San Pedro River as well as to increase understanding of the groundwater – surface water interactions along the intervening reach of the Babocomari River. The Lower Babocomari

discharge record covers about 22.5 years, beginning in March of 2000. Financial support for the Lower Babocomari gage is split 40%-60% between Cochise County and the U.S. Bureau of Land Management.

To visit the web page for this station, navigate to:

http://waterdata.usgs.gov/az/nwis/uv/?site_no=09471400&PARAMeter_cd=00065,00060

- c. The Upper Babocomari River Near Huachuca City, AZ stream-gaging station (09471380) is located on the Babocomari Ranch about 4 miles west of Arizona Route 90. The Babocomari River is perennial in stretches and is the primary tributary stream in the Upper San Pedro basin. The Babocomari is essentially perennial at the Upper Babocomari gaging station. In combination with the Lower Babocomari gaging station, these gaging station data help to quantify the contribution from the Babocomari River to the surface flow of the San Pedro River as well as to increase understanding of the groundwater – surface water interactions along the intervening reach of the Babocomari River. The Upper Babocomari discharge record covers about 22 years, beginning in July of 2000. To visit the web page for this station, navigate to:
http://waterdata.usgs.gov/az/nwis/uv/?site_no=09471380&PARAMeter_cd=00065,00060

3. Operation of mountain-front, tributary stream-gaging stations. Mountain-front, low-flow stream-gaging stations provide information about the amount of mountain-front recharge that is taking place in the Subwatershed. Flows result from both snow melt in the winter and spring, and from storm runoff during the summer months. Low-flow stream gaging also provides a means of assessing long-term climate change effects on the Subwatershed, if any. Major tributary stream-gaging stations help quantify the tributary contribution to San Pedro River surface flow.

- a. The Banning Creek stream-gaging station (09470700) is located about a mile up Banning Creek toward Bisbee from the intersection of U.S. Routes 80 and 90 and is the only gaging station on the east side of the Subwatershed upstream of Walnut Gulch. Banning Creek is one of the larger watersheds in the Mule Mountains. The Banning Creek discharge record covers nearly 22 years, beginning in February of 2001. To visit the web page for this station, navigate to:
http://waterdata.usgs.gov/az/nwis/uv/?site_no=09470700&PARAMeter_cd=00065,00060
- b. The Ramsey Canyon stream-gaging station (09470750) is in the Huachuca Mountains at the top of Ramsey Canyon Road, adjacent to The Nature Conservancy's Ramsey Canyon preserve headquarters building. Ramsey Canyon is one of a series of significant watersheds that drain the higher elevations of the Huachuca Mountains and is the southernmost gaging station on the west side of the Subwatershed. The Ramsey Canyon discharge record covers over 22.5 years, beginning in May of 2000. To visit the web page for this station, navigate to:
http://waterdata.usgs.gov/az/nwis/uv/?site_no=09470750&PARAMeter_cd=00065,00060

4. Collection of stream samples and analysis of stable isotopes of water. The stable isotopes of water provide a sensitive indicator of water sources in a stream. Some of the funds in this agreement will be used to support an ongoing program, which was initiated in the mid-1990s to collect and analyze these isotopes. The collection locations along the San Pedro River are: Palominas (09470500), Hereford (312621110062601), Lewis Springs (09470920), Charleston (09471000), and Tombstone (09471550). Samples are also collected from the Babocomari River at the Lower Babocomari gaging station near Tombstone, AZ (station number 09471400). Samples are collected 6 to 10 months a year, depending upon conditions, and the procedure includes measurements of stream discharge. Collectively, these data provide valuable information regarding the interactions between the regional-aquifer system and the flow in the San Pedro River. In addition, the isotopes are used to look for changes in the relative sources of water to the stream as would occur if regional groundwater pumping captures water that would otherwise have supported base flow.

5. Spring discharge measurements. Groundwater discharges from the subsurface not only through the river

streambed, but also through various springs adjacent to the river. Discharge is measured quarterly at five springs, three along the west side of the river (Horsethief (313228110092701), 17 years beginning 2005; Murray (313425110102301), 19 years, beginning 2003; and Moson Springs (313624110101401), 13 years beginning 2009) and two on the east side of the river (Lewis Spring (313456110081901), 17 years beginning 2005; McDowell-Craig Farm flowing well (312502110060701), 17 years beginning 2005).

6. Water level measurements. Four wells in the Palominas area (PALO FIREHOUSE, 312318110071901; 3-CAN S, 312357110073901; 3-CAN N, 312417110074801; ULLRICH, 312332110063801) and one near Whetstone (RAIN, 314114110211201) are monitored quarterly. As with all USGS data collection, water levels are quality assured in the field and quality controlled in the office before being entered in the USGS National Water Information System data base. The Palominas area data are valuable for monitoring the effects of enhanced recharge at the County's Palominas Flood Control and Recharge Project. The Whetstone Rain Valley Well is the only unpumped well available for monitoring in the northernmost reaches of the Sierra Vista Subwatershed.
7. Data management and other activities. In addition to the activities outlined above, the USGS is engaged in other hydrologic monitoring activities including water level monitoring in wells throughout the Sierra Vista Subwatershed (continuous automated transducer measurements and manual quarterly measurements), vertical gradients monitored in paired deep and shallow piezometers near to the river and used to establish gaining and losing reaches of the river, and additional tributary and main stem stream gaging. All these data need to be compiled, quality assured and controlled, and entered into the USGS national data base in a timely fashion. The USGS also participates in various Upper San Pedro Partnership meetings and activities throughout the year and responds to data and information requests from Partnership members. For FY2023 only, this agreement also includes funding for USGS personnel to begin to gather, coordinate, and organize information that would be required to update the existing USGS groundwater model. These FY2023 funds may also be used to aid in maintaining or working on additions and updates to the Web Hydrologic Information Portal.

Budget for federal FY 2021

Agreement # _____, between USGS and Cochise County

Task	Cost item	Cost (in dollars)
Operation of Lewis Springs monitoring site	Data collection/site operation	20,700
Operation of Banning Creek stream gaging station	Data collection/site operation	20,700
Operation of Upper Babocomari stream gaging station	Data collection/site operation	20,700
Operation of Ramsey Canyon stream gaging station	Data collection/site operation	20,700
Operation of Charleston stream gaging station (partial share)	Data collection/site operation	8,280
Operation of Babocomari near Tombstone stream gaging station (partial share)	Data collection/site operation	8,280
Collection of stream samples and analyses of stable isotopes of water	Labor	6,500
	Lab analyses	6,000
	Equipment	50
	Shipping	100
Spring discharge measurements	Data updates and collection	6,750
Water level measurements	Data collection, 5 wells	3,300
Data management and other activities	Subwatershed data management/entry; data and information requests; water use data	22,750
Total of project cost items		144,810
Funding source – USGS		\$40,000
Funding source – BLM		\$45,000
Funding source – Cochise County		\$59,810
Total project funding		\$144,810