



Agency Comment Summary

Fort Huachuca:

No concerns at this time.

Engineering and Natural Resources:

No concerns

Game and Fish:

See attached.

SSVEC:

No special conditions

FAA:

Does not exceed notice criteria



Notice Criteria Tool

[Notice Criteria Tool - Desk Reference Guide V_2018.2.0](#)

The requirements for filing with the Federal Aviation Administration for proposed structures vary based on a number of factors: height, proximity to an airport, location, and frequencies emitted from the structure, etc. For more details, please reference [CFR Title 14 Part 77.9](#).

You must file with the FAA at least 45 days prior to construction if:

- your structure will exceed 200ft above ground level
- your structure will be in proximity to an airport and will exceed the slope ratio
- your structure involves construction of a traverseway (i.e. highway, railroad, waterway etc...) and once adjusted upward with the appropriate vertical distance would exceed a standard of 77.9(a) or (b)
- your structure will emit frequencies, and does not meet the conditions of the [FAA Co-location Policy](#)
- your structure will be in an instrument approach area and might exceed part 77 Subpart C
- your proposed structure will be in proximity to a navigation facility and may impact the assurance of navigation signal reception
- your structure will be on an airport or heliport
- filing has been requested by the FAA


If you require additional information regarding the filing requirements for your structure, please identify and contact the appropriate FAA representative using the [Air Traffic Areas of Responsibility map](#) for Off Airport construction, or contact the [FAA Airports Region / District Office](#) for On Airport construction.

The tool below will assist in applying Part 77 Notice Criteria.

Latitude:	<input type="text" value="31"/> Deg	<input type="text" value="28"/> M	<input type="text" value="40.41"/> S	<input type="button" value="N"/>
Longitude:	<input type="text" value="110"/> Deg	<input type="text" value="11"/> M	<input type="text" value="50.37"/> S	<input type="button" value="W"/>
Horizontal Datum:	<input type="button" value="NAD83"/>			
Site Elevation (SE):	<input type="text" value="4407"/> (nearest foot)			
Structure Height :	<input type="text" value="130"/> (nearest foot)			
Traverseway:	<input type="button" value="No Traverseway"/>			
	<small>(Additional height is added to certain structures under 77.9(c)) User can increase the default height adjustment for Traverseway, Private Roadway and Waterway</small>			
Is structure on airport:	<input checked="" type="radio"/> No <input type="radio"/> Yes			

Results

You do not exceed Notice Criteria.



From: [Smith, Alexandra Z CIV USARMY USAG \(USA\)](#)
To: [Kirschmann, Robert](#)
Subject: Fort Huachuca response Transmittal SU22-20 (Arabian)
Date: Monday, September 26, 2022 8:04:12 AM
Attachments: [Transmittal SU22-20 \(Arabian\).pdf](#)
[Plans.pdf](#)
[RF.pdf](#)
[Application.pdf](#)

Good morning-

Based on the information provided and feedback from our internal staffing we have no concerns at this time.

Thank you.

Respectfully,



Alexandra Smith
Plans Specialist, PAIO
USAG, Fort Huachuca, AZ
 Desk: (520) 533-9263
 Cell: (520) 220-9474

DSN: 821-9263

 alexandra.z.smith.civ@army.mil

We are the Army's Home

Learn more at <https://home.army.mil/huachuca/>

How well am I doing? Please click on the ICE link below and let me know!

PAIO ICE Link:

https://ice.disa.mil/index.cfm?fa=card&sp=101466&s=277&dep=*DoD&sc=1

From: Kirschmann, Robert <RKirschmann@cochise.az.gov>

Sent: Friday, September 2, 2022 2:47 PM

To: nrcdhereford@gmail.com; Solis, Joaquin <JSolis@cochise.az.gov>; Simmons, Bradley A <bsimmons@cochise.az.gov>; Watkins, Jackie <JWatkins@cochise.az.gov>; Brady, Shon <SBrady@cochise.az.gov>; Marinez, Frances G <FMarinez@cochise.az.gov>; Garcia, Teresa M <TGarcia@cochise.az.gov>; Lopez, Gabe A <glopez@cochise.az.gov>; Esparza, Paul <PEsparza@cochise.az.gov>; Correa, Paul <PCorrea@cochise.az.gov>; Capas, Carol <CCapas@cochise.az.gov>; Richard B. Obenshain <rbobenshain@azwater.gov>; pep@azgfd.gov; Ruth Bigelow <rbigelow@ssvec.com>; Smith, Alexandra Z CIV USARMY USAG (USA)

<alexandra.z.smith.civ@army.mil>; PShiver@fryfiredistrict.com; Savage, Mark
<MSavage@fryfiredistrict.com>

Cc: BOS-Supervisors <BOSSupervisors@cochise.az.gov>; Coxworth, Daniel
<dcoxworth@cochise.az.gov>; McLachlan, Christine <CMcLachlan@cochise.az.gov>; Albert Young
<ayoung@douglasschools.org>; Gerry Gonzalez <Gerry.Gonzalez@outlook.com>; Jim Martzke
<jvmartzke@powerc.net>; Kim DePew <htrdhrts@gmail.com>; Larry Saunders
<lsaunders@kegtusv.com>; Nancy Welch <NancyWelch@vtc.net>; Nathan Watkins
<nfwatkins@gmail.com>; Robert Montgomery <robmont59@msn.com>; Wayne Gegan
<wgregan@rrexpress.net>

Subject: [Non-DoD Source] Transmittal SU22-20 (Arabian)

Good afternoon,

Attached please find a transmittal for a replacement wireless communication tower. If you have any questions please let me know.

Please **DO NOT** reply to all.

Robert Kirschmann

Planner II
Cochise County Community Development
Development Services Department
126 West 5th Street, Suite 4
Benson, AZ 85602
520-432-9248 Direct
520-432-9300 Main
520-432-9278 fax

GIS Online Map: [INFOMap](#)
APPLY ONLINE: [CITIZEN SERVE](#)

Public Programs...Personal Service
www.cochise.az.gov



September 22, 2022

Mr. Robert Kirschmann
Cochise County Community Development
126 West 5th Street, Suite 4
Benson, Arizona 85602

Electronically submitted to RKirschmann@cochise.az.gov

Re: Review of the SU22-20 (Arabian) telecommunications project

Dear Mr. Kirschmann:

The Arizona Game and Fish Department (Department) reviewed your Project Evaluation Request dated September 2, 2022, regarding the replacement of an existing tower with a 130-foot-tall wireless communication tower and related equipment in Sierra Vista, Arizona.

Based on the information provided, the Department offers the following general recommendations:

- Minimize the potential introduction or spread of exotic invasive species, including aquatic and terrestrial plants, animals, insects, and pathogens. Precautions should be taken to wash and/or decontaminate all equipment utilized in the project activities before entering and leaving the site. Please review the Arizona Department of Agriculture's website for a list of prohibited and restricted [noxious weeds](#)¹ and the [Arizona Native Plant Society](#)² for recommendations on control methods.
- If trenching will occur, trenching and backfilling crews should be close together to minimize the amount of open trenches at any given time. Avoid leaving trenches open overnight. Where trenches cannot be back-filled immediately, escape ramps should be constructed, which can be short lateral trenches or wooden planks sloping to the surface. The slope should be less than 45 degrees (1:1). Trenches that have been left open overnight should be inspected and animals removed prior to backfilling.
- Artificial lighting could impair the ability of nocturnal animals to navigate (e.g., owls, migratory birds, bats, and other nocturnal mammals) and may affect wildlife behavior and populations. Consider using only the minimum amount of light needed for safety, especially in areas immediately adjacent to open space or undeveloped lands. Motion sensing lighting and narrow spectrum bulbs are preferred, and the Department encourages their use as often as possible to lower the range of species affected by lighting. Please

¹ <https://agriculture.az.gov/pestspest-control/agriculture-pests/noxious-weeds>

² <https://aznps.com/invas>

azgfd.gov | 602.942.3000

5000 W. CAREFREE HIGHWAY, PHOENIX AZ 85086


GOVERNOR: DOUGLAS A. DUCEY **COMMISSIONERS:** CHAIRMAN JAMES E. GOUGHNOUR, PAYSON | TODD G. GEILER, PRESCOTT
CLAY HERNANDEZ, TUCSON | MARSHA PETRIE SUE, SCOTTSDALE | LELAND S. "BILL" BRAKE, ELGIN

DIRECTOR: TY E. GRAY **DEPUTY DIRECTOR:** TOM P. FINLEY

consider shielding, canting, or cutting all lighting, where possible, to ensure that light reaches only areas needing illumination. This will minimize impacts to nocturnal wildlife.

The Department appreciates the opportunity to provide an evaluation of impacts to wildlife or wildlife habitats associated with the SU22-20 (Arabian) telecommunications project. If you have any questions regarding this letter, please contact me at (623) 236-7222 and visit our [website](#)³ for additional guidelines.

Sincerely,

A handwritten signature in black ink, appearing to read 'Tiffany Sprague', with a long horizontal flourish extending to the right.

Tiffany Sprague
Project Evaluation Program Specialist, Habitat Branch
Arizona Game and Fish Department

AZGFD #M22-09025542

³ <https://www.azgfd.com/wildlife/planning/wildlifeguidelines/>

From: [Ruth Bigelow](#)
To: [Kirschmann, Robert](#)
Subject: RE: Transmittal, SU22-09 (Frontier)
Date: Friday, April 15, 2022 10:53:49 AM

CAUTION: EXTERNAL EMAIL*

Morning,

SSVEC has no special conditions to submit for this special use permit request.

If the property owner/applicant requires an upgrade in service or a new line extension, please have them refer to the Sulphur Springs Valley Electric Cooperative website at www.ssvvec.org then the "Services" tab for information about Service Conditions, Service Entrance Requirements, how to establish a new service, and for Line Extension/New Service Applications.

They can also contact one of our Engineering Services Representatives for assistance:

- o Sierra Vista- 520-515-3465
- o Willcox: 520-384-5469

Thank you,

Ruth Bigelow

Lead Line Extension ROW Agent

[Sulphur Springs Valley Electric Cooperative](#)

(520) 384-5513

From: Kirschmann, Robert <RKirschmann@cochise.az.gov>

Sent: Tuesday, April 5, 2022 11:09 AM

To: Solis, Joaquin <JSolis@cochise.az.gov>; Simmons, Bradley A <bsimmons@cochise.az.gov>; Watkins, Jackie <JWatkins@cochise.az.gov>; Brady, Shon <SBrady@cochise.az.gov>; Garcia, Teresa M <TGarcia@cochise.az.gov>; Murphy, Teresa <TMurphy@cochise.az.gov>; Esparza, Paul <PEsparza@cochise.az.gov>; Correa, Paul <PCorrea@cochise.az.gov>; McGee, Michael S <MMcGee@cochise.az.gov>; Capas, Carol <CCapas@cochise.az.gov>; Ruth Bigelow <rbigelow@ssvec.com>; Lee Mancini <lee.mancini@swgas.com>; patinat9@vtc.net; pep@azgfd.gov; Sims, Kelley B (Kelley) <Kelley_Sims@Kindermorgan.com>; Cratsenburg, Diane E <dcratsenburg@cochise.az.gov>; Correa, Paul <PCorrea@cochise.az.gov>

Cc: BOS-Supervisors <BOSSupervisors@cochise.az.gov>; Coxworth, Daniel <dcoxworth@cochise.az.gov>; McLachlan, Christine <CMcLachlan@cochise.az.gov>

Subject: Transmittal, SU22-09 (Frontier)

[CAUTION] This email originated from outside of SSVEC. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good afternoon,

Please find a transmittal and associated plans for a special use request for an eco-friendly destination to teach about soil health, water retention, agroforestry, and similar topics.

Let me know if you have any questions.

Please do not “reply to all”

Best regards,

Robert Kirschmann

Planner II

Cochise County Community Development

Development Services Department

126 West 5th Street, Suite 4

Benson, AZ 85602

520-432-9248 Direct

520-432-9300 Main

520-432-9278 fax

GIS Online Map: [INFOMap](#)

APPLY ONLINE: [CITIZEN SERVE](#)

Public Programs...Personal Service

www.cochise.az.gov

CONFIDENTIALITY NOTE: This e-mail and any attachments are confidential and may be protected by legal privilege. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of this e-mail or any attachment is prohibited. If you have received this e-mail in error, please notify us immediately by returning it to the sender and delete this copy from your system. Thank you for your cooperation.

This E-mail is from an **EXTERNAL** address. **DO NOT click on links or open attachments unless you trust the sender and know the content is safe.** If you suspect this message to be phishing, please report it using the Phish Alert Button at the top of the email, or forward to cochise.az.gov@missedspam.com or contact IT support at 520-432-8301.