



HV513 SFA

Sales Proposal For:
CITY OF FLAGSTAFF

Presented By:
RWC Group

Prepared For:
CITY OF FLAGSTAFF
Mike Stress
211 WEST ASPEN AVE.
FLAGSTAFF, AZ 86001-
(928)779 - 7619
Reference ID: N/A

Presented By:
RWC Group
Mary R Wilson
600 North 75th Avenue
PHOENIX AZ 85043 -
(602)307-1050

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2020 HV513 SFA (HV513)

AXLE CONFIG:	6X4
APPLICATION:	Front Plow with spreader
MISSION:	Requested GVWR: 66000. Calc. GVWR: 66000 Calc. Start / Grade Ability: 29.93% / 2.90% @ 55 MPH Calc. Geared Speed: 84.0 MPH
DIMENSION:	Wheelbase: 242.00, CA: 158.50, Axle to Frame: 63.00
ENGINE, DIESEL:	{International A26} EPA 2017, 475HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 4500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor RT-46-164P} Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends Gear Ratio: 4.56
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 425/65R22.5 Load Range L HTC1 (CONTINENTAL), 465 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-460-54} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
FRAME REINFORCEMENT:	Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
PAINT:	Cab schematic 100WM Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
HV51300	Base Chassis, Model HV513 SFA with 242.00 Wheelbase, 158.50 CA, and 63.00 Axle to Frame.	7786/4536	12322	\$165,553.00
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8	\$118.00
1AND	AXLE CONFIGURATION {Navistar} 6x4 <u>Includes</u> : DRIVESHAFT 1810 Series Transmission to Rear Axle : INNER-AXLE SHAFT 1710 Series Forward Rear Axle to Rear Rear Axle	0/0	0	\$1,524.00
	<u>Notes</u> : Pricing may change if axle configuration is changed.			
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	100/234	334	\$0.00
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL	463/604	1067	\$1,700.00
1MBP	BUMPER, FRONT Swept Back 15-Degrees, Steel, for use with Front Frame Extensions, Heavy Duty	0/0	0	\$125.00
1UAN	FRAME EXTENSION, FRONT Integral; 27" In Front of Grille, with Outer "C" Channel Reinforcement	203/-28	175	\$795.00
1WTX	WHEELBASE RANGE 199" (505cm) Through and Including 264" (670cm)	0/0	0	\$817.00
2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	186/0	186	\$2,153.00
3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers	57/0	57	\$724.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck <u>Applications</u> <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6	0/0	0	\$0.00
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	26/0	26	(\$1,368.00)
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	0/0	0	\$542.00
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control	0/0	0	\$182.00
4EBD	AIR DRYER {Wabco System Saver 1200} with Heater	12/6	18	\$497.00
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	0/78	78	\$0.00
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	18/0	18	\$0.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/52	52	(\$3,048.00)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder	0/0	0	\$0.00
4VHT	AIR DRYER LOCATION Mounted to Outside Left Rail on Fuel Water Separator Bracket	0/0	0	\$27.00
4WDA	DRAIN VALVE (3) Petcocks, for Air Tanks	0/0	0	\$0.00
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail	0/0	0	\$288.00
5708	STEERING COLUMN Tilting	10/5	15	\$125.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0	\$0.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	76/-2	74	\$1,169.00
7BEV	AFTERTREATMENT COVER Steel, Black	0/0	0	\$0.00
7BKS	EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	37/40	77	\$1,210.00
7SDK	ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	0/0	0	\$2,158.00
7WAZ	TAIL PIPE (1) Turnback Type, Non-Bright, for Single Exhaust	0/0	0	\$64.00
7WBU	EXHAUST HEIGHT 11' 6"	2/0	2	\$118.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum	0/0	0	\$0.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
	<u>Includes</u>			
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab			
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel			
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever			
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light			
	: STARTER SWITCH Electric, Key Operated			
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector			
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature			
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever			
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted			
	: WIRING, CHASSIS Color Coded and Continuously Numbered			
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	2/0	2	\$33.00
8899	JUMP START STUD (2) Remote Mounted	1/0	1	\$214.00
8GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount	0/0	0	\$0.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	0/3	3	\$209.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	0/2	2	\$363.00
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord	0/0	0	\$413.00
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	11/10	21	\$179.00
8RGA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	1/0	1	\$211.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
8RML	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3.5MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music	2/0	2	\$483.00
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0	\$48.00
8RNC	CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two (2) Antennas, Antenna Bases with Wiring on Both Side Mirrors	0/0	0	\$437.00
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	1/0	1	\$123.00
8VAY	HORN, ELECTRIC Disc Style	0/0	0	\$0.00
8VUL	BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab	0/0	0	\$0.00
8VZK	TURN SIGNALS, FRONT {Sound Off} Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	0/0	0	\$187.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0	\$42.00
8WNH	RUNNING LIGHT (2) Daytime	1/0	1	\$58.00
8WPH	CLEARANCE/MARKER LIGHTS (5) (Truck Lite) Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$0.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$42.00
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt; Gear Reduced, with Thermal Over-Crank Protection	0/0	0	\$42.00
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	0/0	0	\$49.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
9585	FENDER EXTENSIONS Rubber	0/0	0	\$0.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	3/0	3	\$76.00
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5	\$131.00
9WBK	FRONT END Tilting, Fiberglass, with Three Piece Construction Includes Long Hood	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WM"	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
10WCY	SAFETY TRIANGLES	11/1	12	\$47.00
11001	CLUTCH Omit Item (Clutch & Control)	-134/-22	-156	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/-40 Degrees C, Freeze Protection	0/0	0	\$0.00
12850	PTO EFFECTS, ENGINE FRONT for N13/A26 Engines, Less PTO, Unit, Includes Adapter Plate on Engine Front Mounted	0/0	0	\$257.00

INTERNATIONAL®**Vehicle Specifications
2020 HV513 SFA (HV513)**

February 25, 2019

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
12BED	ENGINE, DIESEL {International A26} EPA 2017, 475HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max)	0/0	0	\$1,678.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0	\$0.00
12VAL	AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control	6/0	6	\$379.00
12VHC	FEDERAL EMISSIONS {International A26} EPA, OBD and GHG Certified for Calendar Year 2019	0/0	0	\$0.00
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0	\$45.00
12WEG	COLD STARTING EQUIPMENT Automatic; with Engine ECM Control	0/0	0	\$168.00
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0	\$0.00
12WZJ	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door	0/0	0	\$62.00
12XBD	RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	0/0	0	\$0.00
12XBW	BLOCK HEATER, ENGINE {Phillips} 120V/1150W, and 120V/300W Oil Pan Heater with "W" Cord for Fuel and Oil Pan Heaters, Cord to Operate All Heaters <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	0/0	0	\$148.00
13AUW	TRANSMISSION, AUTOMATIC {Allison 4500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	259/117	376	\$26,291.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type	25/0	25	\$898.00
13WDZ	SHIFT CONTROL PARAMETERS Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary	0/0	0	\$48.00
13WET	TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter	0/0	0	\$50.00
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	0/0	0	\$405.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission	0/0	0	\$0.00
14HRE	AXLE, REAR, TANDEM {Meritor RT-46-164P} Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends . Gear Ratio: 4.56	0/2413	2413	\$14,036.00
14JULY	SUSPENSION, REAR, TANDEM {Hendrickson HMX-460-54} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	0/500	500	\$5,023.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions	0/0	0	\$0.00
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0	\$0.00
15LMK	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 54" Back of Cab	0/0	0	\$70.00
15LML	FUEL/WATER SEPARATOR {Davco Fuel Pro 382} 120 VAC Plug-in Electric Pre-Heater, Coolant Heated, Includes Water-in-Fuel Sensor	0/0	0	\$623.00
15SJZ	FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	14/10	24	\$201.00
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	15/0	15	\$276.00
16030	CAB Conventional, Day Cab	0/0	0	\$0.00
16BAM	AIR CONDITIONER with Integral Heater & Defroster	52/4	56	\$1,187.00
16GDG	GAUGE CLUSTER Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	0/0	0	\$488.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel Mounted in Instrument Panel	2/0	2	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16JPY	SEAT, DRIVER {National 2000} Air Suspension, Hi Back, Vinyl W/Cloth Insert, 1 Inboard Arm Rest, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, -3 to 14 Degree Back Angle Adjustment, Adjust Side Bolster, Vinyl Suspension Cover, Heat	2/0	2	\$469.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type with Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	3/0	3	\$118.00
16SJW	MIRROR, CONVEX, HOOD MOUNTED (2) {Lang Mekra} Heated, Left and Right Sides 7.44" Sq	9/0	9	\$265.00
16SMM	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth	15/8	23	\$398.00
16SNP	MIRRORS (2) Power Adjust, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, 7.55" x 14.1" Flat Glass, 7.48" x 6.77" Convex Glass Both Sides	0/0	0	\$321.00
16SNW	MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10 1/4"	0/0	0	\$49.00
16VCC	SEAT BELT All Orange; 1 to 3	0/0	0	\$26.00
16VKB	CAB INTERIOR TRIM Classic, for Day Cab <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap	0/0	0	\$0.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0	\$333.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2	\$30.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	0/0	0	\$0.00
27DUN	WHEELS, FRONT {Accuride 29807} DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.37"	104/0	104	\$784.00
28DTT	WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	0/96	96	\$462.00
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches	0/0	0	\$790.00
60AAT	BDY INTG, ADDITIONAL CAB HOLE for Customer Use	0/0	0	\$50.00
60ABL	BDY INTG, PTO ACCOMMODATION for Electric over Air, Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, with Latched Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Power Module Input & 1 Output)	0/0	0	\$25.00
60ABM	BDY INTG, RPM I/O HARNESS Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM	0/0	0	\$40.00
60AJC	BDY INTG, INDICATOR LIGHTS (2) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs)	0/0	0	\$83.00
7372135423	(8) TIRE, REAR 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive	0/120	120	\$320.00
7752665412	(2) TIRE, FRONT 425/65R22.5 Load Range L HTC1 (CONTINENTAL), 465 rev/mile, 68 MPH, All-Position	124/0	124	(\$368.00)
Total of Product Features				\$236,105.00
Services Section:				
40127	WARRANTY Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A	0/0	0	\$0.00
Total of Service Features				\$0.00
Total Component Weight:		9527/8790	18317	
Total List Price Including Options:				\$236,105.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
1	NORWOOD-QUOTE-CRYSTEEL "SELECT" DUMP BODY, 150 CA, 16'X84X96 8" TALL 3/16" FORMED TRAPAZOIDAL LONGSILLS WITH 5/8" RUBBER WEAR PADS FRONT WALL 40" TALL, 10GA A1011 STEEL, AIR OPERATED TAILGATE RELEASE 7GA A1011 STEEL FLOOR, HD FORMED TOP RAILS, FULL DEPTH 1-PIECE REAR CORNER POSTS, 7GA 1011 STEEL, STEP LADDER AR REAR OF BODY, TAILGATES ARE BUILT FROM 10GA A10011 STEEL WITH HD FORMED BRACES HD REAR HINGE ASSEMBLY, MUD FLAPS BACK OF DRIVE TIRES, BODY UP SAFETY PROP, INDICATOR LIGHT AND BACK UP ALARM, LED LIGHTS AND REFLECTORS TO DOT REQUIREMENTS, NEW HOT-SHIFT PTO WITH DIRECT MOUNT HYDRAULIC PUMP (AUTOMATIC TRANSMISSION) HYDRAULIC OIL AND HOSES NEEDED, FORCE SYSTEM TO OPERATE ALL CONTROLS, STROBE LIGHTS TOP MOUNTED BEHIND CAB, STROBE LIGHTS REAR AND FULL SET PLOW LIGHTS, MONROE 12' MTE FULL MODBOARD TRIP REVERSIBLE PLOW BUILT TO HENKE SPEC PLOW LIGHTS AND BRACKETS WITH BUILT IN LEVEL LIFT, RUBBER SNOW DEFLECTOR WITH CURB GUARD, 14' STAINLESS STEEL MONORE HEATED SANDER, 10 GAUGE HOPPER 7 GAUGE LONG SILLS, CONVEYOR CHAIN WITH SPEED SENSOR, TIP UP SPINNER WITH POLY DISC, STAINLESS STEEL LIGHTBAR WITH TWO WORK LIGHTS, REAR SLACK ADJUSTER KIT, SELF LOADING LEG KIT, FRONT AND SIDE STAINLESS SPILL SHIELDS, 18X18X36 TOOL BOX	0/0	0	\$123,490.00
	Total Body Allied:	0/0	0	\$123,490.00
	STATE CONTRACT#CTR42343 MEDIUM AND HEAVY DUTY CHASSIS AND BUS	0/0	0	\$0.00
	Total Goods Purchased:	0/0	0	\$0.00

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Total Factory List Price Including Options:		\$236,105.00
Total Preparation And Delivery:		\$0.00
Freight	\$2,250.00	
Total Freight:		\$2,250.00
Total Factory List Price Including Freight:		\$238,355.00
Less Customer Allowance:		(\$122,184.58)
Total Vehicle Price:		\$116,170.42
Total Body/Allied Equipment:		\$123,490.00
Total Sale Price:		\$239,660.42
Total Per Vehicle Sales Price:		\$239,660.42
Total Net Sales Excluding Taxes:		\$239,660.42
Arizona Tire Tax, 10 Tires	\$20.00	
Sales Tax, Maricopa County	\$19,891.81	
Total Taxes:		\$19,911.81
Net Sales Price:		\$259,572.23

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

NORWOOD EQUIPMENT INC.

QUOTATION

511 E Mohave St
 Phoenix, AZ 85004
 Phone 602-254-0644 Fax 602-253-4100

1/15/2019

TO:	City of Flagstaff	NEW DUMP BODY INSTALL
	3200 Rt. 66 West	with Plow and Sander
ATTN:	Flagstaff, AZ. 86001	FROM: CHRIS CIMINI
	Mike Stress	
EMAIL:		

QUANTITY			
	NEW CRYSTEEL "SELECT" DUMP BODY	150" CA Chassis	
	16' X84X96		
	8" TALL 3/16" FORMED TRAPAZOIDAL LONGSILLS WITH 5/8" RUBBER WEAR PADS		
	FRONT WALL 40" TALL, 10GA A1011 STEEL		
**	AIR OPERATED TAILGATE RELEASE		
	7 GA A1011 STEEL FLOOR		
	HD FORMED TOP RAILS		
	FULL DEPTH 1-PIECE REAR CORNER POSTS, 7GA A1011 STEEL		
	STEP LADDER AR REAR OF BODY		
***	TAILGATES ARE BUILD FROM 10 GA A1011 STEEL WITH HD FORMED BRACES		
	HD REAR HINGE ASSEMBLY		
	MUD FLAPS BACK OF DRIVE TIRES		
	BODY UP SAFETY PROP, INDICATOR LIGHT AND BACK UP ALARM		
	LED LIGHTS AND REFLECTORS TO DOT REQUIREMENTS		
***	NEW HOT-SHIFT PTO WITH DIRECT MOUNT HYDRAULIC PUMP (AUTOMATIC TRANSMISSION)		
	HYDRAULIC OIL AND HOSES NEEDED		
	FORCE SYSTEM TO OPERATE ALL CONTROLS		
	STROBE LIGHTS TOP MOUNTED BEHIND CAB, STROBE LIGHTS REAR AND FULL SET PLOW LIGHTS		

	MONROE 12FT MTE FULL MOLDBOARD TRIP REVERSIBLE PLOW BUILT TO HENKE SPEC		
	PLOW LIGHTS AND BRACKETS WITH BUILT IN LEVEL LIFT		
	RUBBER SNOW DEFLECTOR WITH CURB GUAF		
	14FT STAINLESS STEEL MONORE HEATED SANDER		
	10 GAUGE HOPPER 7 GAUGE LONG SILLS		
	CONVEYOR CHAIN WITH SPEED SENSOR, TIP UP SPINNER WITH POLY DISC		
	STAINLESS STEEL LIGHTBAR WITH TWO WORK LIGHTS		
	REAR SLACK ADJUSTER KIT		
***	SELF LOADING LEG KIT		
	FRONT AND SIDE STAINLESS STEEL SPILL SHIELDS		
***	18X18X36 TOOL BOX Includ		
			123,490.00
	NEW INTERNATIONAL CHASSIS, INCLUDES BATTERY LOCKOUT	chassis price	
	TWO SETS OF BOOKS FOR ALL ATTACHMENTS AND DIGITAL ACCESS	not included.	

QUOTATION VALID FOR 30 DAYS UNLESS OTHERWISE LISTED

ACCEPTED BY:

DATE:

If you have any questions concerning this quotation contact Stan Young 602-725-4976

THANK YOU FOR YOUR BUSINESS!

SUBTOTAL

8.6% ST TAX

12% FET TAX

TOTAL

	Not Included
	Not Included