

10WH Plow Truck
Acct 040-06-161-0612-6-
4401
280,000



HV513 SFA

Sales Proposal For:
CITY OF FLAGSTAFF

Presented By:
RWC Group

Prepared For:
CITY OF FLAGSTAFF
Mike Stress
211 WEST ASPEN AVE.
FLAGSTAFF, AZ 86001-
(928)779 - 7619
Reference ID: N/A

Presented By:
RWC Group
Mary R Wilson
600 North 75th Avenue
PHOENIX AZ 85043 -
(602)307-1050

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2020 HV513 SFA (HV513)

AXLE CONFIG:	6X4
APPLICATION:	Front Plow with spreader
MISSION:	Requested GVWR: 66000. Calc. GVWR: 66000 Calc. Start / Grade Ability: 30.16% / 2.80% @ 55 MPH Calc. Geared Speed: 83.0 MPH
DIMENSION:	Wheelbase: 226.00, CA: 142.50, Axle to Frame: 63.00
ENGINE, DIESEL:	{International A26} EPA 2017, 475HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 4500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor RT-46-164P} Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends Gear Ratio: 4.56
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 425/65R22.5 Load Range L G296 MSA (GOODYEAR), 468 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-460-54} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
FRAME REINFORCEMENT:	Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL
PAINT:	Cab schematic 100WM Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
HV51300	Base Chassis, Model HV513 SFA with 226.00 Wheelbase, 142.50 CA, and 63.00 Axle to Frame.	7786/4536	12322	\$165,553.00

AXLE CONFIGURATION

1AND	AXLE CONFIGURATION {Navistar} 6x4 <u>Notes</u> : Pricing may change if axle configuration is changed.	0/0	0	\$1,524.00
------	---	-----	---	------------

ENGINE

12BED	ENGINE, DIESEL {International A26} EPA 2017, 475HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max)	0/0	0	\$1,678.00
12XBD	RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	0/0	0	\$0.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0	\$0.00
12VAL	AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control	6/0	6	\$379.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/-40 Degrees C, Freeze Protection	0/0	0	\$0.00
12XBW	BLOCK HEATER, ENGINE {Phillips} 120V/1150W, with "W" Cord for Fuel Heater and 120V/300W Oil Pan Heater <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	0/0	0	\$148.00
12WEG	COLD STARTING EQUIPMENT Automatic; with Engine ECM Control	0/0	0	\$168.00
12WZJ	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door	0/0	0	\$62.00
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0	\$0.00
12VHC	FEDERAL EMISSIONS {International A26} EPA, OBD and GHG Certified for Calendar Year 2019	0/0	0	\$0.00

TRANSMISSION

13AUW	TRANSMISSION, AUTOMATIC {Allison 4500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	251/125	376	\$26,291.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type	25/0	25	\$898.00
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
13WDZ	SHIFT CONTROL PARAMETERS Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary	0/0	0	\$48.00
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	0/0	0	\$405.00
13WET	TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter	0/0	0	\$50.00

CLUTCH

11001	CLUTCH Omit Item (Clutch & Control)	-133/-23	-156	\$0.00
-------	-------------------------------------	----------	------	--------

REAR AXLES, SUSPENSIONS

14HRE	AXLE, REAR, TANDEM {Meritor RT-46-164P} Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends . Gear Ratio: 4.56	0/2410	2410	\$14,036.00
14JULY	SUSPENSION, REAR, TANDEM {Hendrickson HMX-460-54} Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	0/500	500	\$5,023.00
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions	0/0	0	\$0.00

FRONT AXLES

2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	186/0	186	\$2,153.00
------	---	-------	-----	------------

FRONT SUSPENSIONS

3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers	57/0	57	\$724.00
3770	SPRINGS, FRONT AUXILIARY Rubber	10/0	10	\$111.00

CABS, COWLS, BODIES

16030	CAB Conventional, Day Cab	0/0	0	\$0.00
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	0/0	0	\$0.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	52/4	56	\$1,187.00
16VKB	CAB INTERIOR TRIM Classic, for Day Cab <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap	0/0	0	\$0.00
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16GDG	GAUGE CLUSTER Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	0/0	0	\$488.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2	\$30.00
16SEE	GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar	3/0	3	\$118.00
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0	\$333.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16SNW	MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5"	0/0	0	\$49.00
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0	\$321.00
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"			
16SJW	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Black, Heated, 7.5" Sq.	9/0	9	\$265.00
16VCC	SEAT BELT All Orange; 1 to 3	0/0	0	\$26.00
16JPY	SEAT, DRIVER {National 2000} Air Suspension, Hi Back, Vinyl W/Cloth Insert, 1 Inboard Arm Rest, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, -3 to 14 Degree Back Angle Adjustment, Adjust Side Bolster, Vinyl Suspension Cover, Heat	0/0	0	\$469.00
16SMM	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth	14/9	23	\$398.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2	\$30.00
FRAMES				
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	74/212	286	\$0.00
1GBP	FRAME REINFORCEMENT Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL	436/580	1016	\$1,700.00
1LZD	BUMPER, FRONT Swept Back, Aluminum, Stainless Steel Clad, Heavy Duty	0/0	0	\$469.00
1UAN	FRAME EXTENSION, FRONT Integral; 27" In Front of Grille, with Outer C-Channel Reinforcement	205/-30	175	\$795.00
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8	\$118.00
1WTX	WHEELBASE RANGE 199" (505cm) Through and Including 264" (670cm)	0/0	0	\$817.00
BRAKES				
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)			
	: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)			
	: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6			
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control	0/0	0	\$182.00
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	26/0	26	(\$1,368.00)
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	18/0	18	\$0.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes	5/0	5	\$35.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/52	52	(\$3,048.00)
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	0/78	78	\$0.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes	0/12	12	\$140.00
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM	0/0	0	\$0.00
4EBD	AIR DRYER {Wabco System Saver 1200} with Heater	12/6	18	\$497.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	0/0	0	\$0.00
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail	0/0	0	\$288.00
4WDA	DRAIN VALVE (3) Petcocks, for Air Tanks	0/0	0	\$0.00
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	0/0	0	\$542.00

Notes

: When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.

STEERING

5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	77/-3	74	\$1,169.00
5708	STEERING COLUMN Tilting	10/5	15	\$125.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0	\$0.00

DRIVELINES

6DHB	DRIVELINE SYSTEM {Dana Spicer} 1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4	0/0	0	\$0.00
------	---	-----	---	--------

EXHAUST SYSTEMS

7BKS	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	34/43	77	\$1,210.00
7BEV	AFTERTREATMENT COVER Steel, Black	0/0	0	\$0.00
7SDK	ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	0/0	0	\$2,158.00
7WBU	EXHAUST HEIGHT 11' 6"	2/0	2	\$118.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	0/0	0	\$0.00
7WDT	TAIL PIPE (1) Straight Type	0/0	0	\$64.00

ELECTRICAL SYSTEMS

8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u>	0/0	0	\$0.00
------	--	-----	---	--------

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab			
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel			
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever			
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light			
	: STARTER SWITCH Electric, Key Operated			
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector			
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature			
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever			
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted			
	: WIRING, CHASSIS Color Coded and Continuously Numbered			
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0	\$45.00
8GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount	0/0	0	\$0.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8VUL	BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab	0/0	0	\$0.00
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	11/10	21	\$179.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	0/3	3	\$209.00
8RNC	CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two (2) Antennas, Antenna Bases with Wiring on Both Side Mirrors	0/0	0	\$437.00
8RGA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	1/0	1	\$211.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$0.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	0/2	2	\$363.00
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	0/0	0	\$49.00
8WRB	HEADLIGHTS ON WWIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$42.00
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord	0/0	0	\$413.00
8VAY	HORN, ELECTRIC Disc Style	0/0	0	\$0.00
8899	JUMP START STUD (2) Remote Mounted	1/0	1	\$214.00
8RML	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control	2/0	2	\$483.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
8WNH	RUNNING LIGHT (2) Daytime	1/0	1	\$58.00
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	2/0	2	\$33.00
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0	\$48.00
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	0/0	0	\$42.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	1/0	1	\$123.00
8VZK	TURN SIGNALS, FRONT Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	0/0	0	\$187.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0	\$42.00

FRONT END

9WBK	FRONT END Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood	0/0	0	\$0.00
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5	\$131.00
9585	FENDER EXTENSIONS Rubber	0/0	0	\$0.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	3/0	3	\$76.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00

SPEEDOMETER, TOOLS, MISC

10022	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails	0/0	0	\$1,000.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WM"	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
10WCY	SAFETY TRIANGLES	11/1	12	\$47.00
10ABK	SURCHARGE, REAR AXLE for Meritor Rear Axles	0/0	0	\$200.00

FUEL TANKS

15SJZ	FUEL TANK Top Draw, Non-Polished Aluminum; 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	13/11	24	\$201.00
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0	\$0.00
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	15/0	15	\$276.00
15LML	FUEL/WATER SEPARATOR {Davco Fuel Pro 382} 120 VAC Plug-in Electric Pre-Heater, Coolant Heated, Includes Water-in- Fuel Sensor	0/0	0	\$623.00
15LMT	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 46" Back of Cab	0/0	0	\$70.00

WHEELS, TIRES - FRONT

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
27DUN	WHEELS, FRONT {Accuride 29807} DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.37"	104/0	104	\$784.00
7752668113	(2) TIRE, FRONT 425/65R22.5 Load Range L G296 MSA (GOODYEAR), 468 rev/mile, 68 MPH, All-Position	134/0	134	(\$162.00)

WHEELS, TIRES - REAR

28DTT	WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	0/96	96	\$462.00
7372138102	(8) TIRE, REAR 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive	0/40	40	\$480.00

BODY INTEGRATION

60AAT	BDY INTG, ADDITIONAL CAB HOLE for Customer Use	0/0	0	\$50.00
60AKZ	BDY INTG, DASH IND LT TRICOLOR (2) for Optional Usage Customer to Program	0/0	0	\$116.00
60AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	0/0	0	\$148.00

Total of Product Features **\$237,343.00**

Cab schematic 100WM
 Location 1: 9219, Winter White (Std)
 Chassis schematic N/A

Services Section:

WARRANTY

40127	WARRANTY Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A	0/0	0	\$0.00
-------	---	-----	---	--------

Total of Service Features **\$0.00**

Total Component Weight: **9488/8682 18170**

Total List Price Including Options: **\$237,343.00**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
1	<p>Norwood Equipment: NEW CRYSTEEL SELECT DUMP BODY 150" CA NEEDED 16' LONG X 87" W ID X 96" W OD 8" TALL WESTERN LONGSILLS WITH 5/8" RUBBER WEAR PADS BETWEEN FRAME FRONT WALL IS 58" TALL , 10GA A1011 STEEL , WITH STD 1/2 CAB SHIELD VERTICAL DOGHOUSE HOIST (does not protrude more then 12" into body) TAPERED SIDES 54" - 46" TALL, 7GA A1011 STEEL FLOOR IS 3/16" AR-400 ABRASION RESISTANT STEEL TAILGATE IS 46" TALL, 7-GA A1011 STEEL, STD SWING WITH AIR OP GATE LOCK ASPHALT STYLE REAR, no apron STEPS AND GRAB HANDLE AT DRIVERS SIDE REAR POST HD REAR MUDFLAPS BEHIND DRIVE AXLE LED LIGHTS TO DOT REQUIREMENTS, INCLUDES BODY UP LIGHT INSTALLED COMPLETE PAINTED CUST COLOR HOT SHIFT PTO AND DIRECT MOUNT HYD PUMP FOR ALLISON TRANSMISSION BODY, PLOW & SANDER CONTROL SYSTEM IS FORCE AMERICA 6100 ULTRA CONTROL</p> <p>MONROE 11' FULL MOLDBOARD TRIP, REVERSABLE PLOW. WITH BUILT IN LEVEL LIFT 12" RUBBER SNOW DEFLECTOR, AND CURB GUARD INCLUDED PLOW LIGHTS AND BRACKETS INSTALLED AS APPLICABLE (Truck must have plow light switch) INCLUDES FRONT FOG LIGHTS</p> <p>MONROE 14' STAINLESS STEEL V-BOX SANDER ON SKID ASSEMBLY HEATED (OPTIONAL) 10GA HOPPER, 62" HIGH SIDES, INCLUDES TOP GRATE KITS 10GA TIP UP SPINNER ASSEMBLY SS FOLD UP LADDER IN REAR SS LIGHT BAR AT REAR OF SANDER, INCLUDES STROBE LIGHTS AND WORK LIGHTS INCLUDES SELF LOADING LEG KITS, AND RATCHET / BINDER TIE DOWNS</p> <p>STROBE LIGHTS MOUNTED ON CAB GUARD OF DUMP BODY STROBE LIGHTS MOUNTED IN REAR POST OF DUMP BODY EACH SIDE</p> <p>ELECTRIC TARP SYSTEM WITH ALUM TARP ARMS AND HD MESH TARP INSTALLED</p> <p>HD REAR HITCH PLATE WITH REMOVABLE, SWIVEL PINTLE HITCH, & BUILT IN CHIP BAR INCLUDES D-RINGS GLAD HANDS AND 7-WAY LIGHT SOCKET.</p>	0/0	0	\$131,494.00

(US DOLLAR)

<u>Description</u>		<u>Price</u>
Total Factory List Price Including Options:		\$237,343.00
Total Preparation And Delivery:		\$0.00
Freight	\$2,250.00	
Total Freight:		\$2,250.00
Total Factory List Price Including Freight:		\$239,593.00
Less Customer Allowance:		(\$120,921.50)
Total Vehicle Price:		\$118,671.50
Total Body/Allied Equipment:		\$131,494.00
Total Sale Price:		\$250,165.50
Total Per Vehicle Sales Price:		\$250,165.50
Total Net Sales Excluding Taxes:		\$250,165.50
Arizona Tire Tax, 10 Tires	\$20.00	
Sales Tax, Maricopa County	\$20,763.74	
Total Taxes:		\$20,783.74
Net Sales Price:		\$270,949.24

If applicable, Federal Excise Tax (FET) is included in the net sales price above.

Terms of payment are cash on delivery and prices quoted are FOB Phoenix, AZ (unless otherwise noted).

This quote is good for 30 days. All inventory units are subject to prior sale. Unless otherwise noted, the quote above does NOT include title and licensing charges or Arizona state sales tax.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	Total Body Allied:	0/0	0	\$131,494.00
	STATE CONTRACT#CTR041813 MEDUIM AND HEAVY DUTY CHASSIS AND BUS	0/0	0	\$0.00
	Total Goods Purchased:	0/0	0	\$0.00

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

