



# **HV507 SFA**

Sales Proposal For:  
**CITY OF FLAGSTAFF**

Presented By:  
**RWC Group**

**Prepared For:**  
CITY OF FLAGSTAFF  
Mike Stress  
211 WEST ASPEN AVE.  
FLAGSTAFF, AZ 86001-  
(928)779 - 7619  
Reference ID: N/A

**Presented By:**  
RWC Group  
Mary R Wilson  
600 North 75th Avenue  
PHOENIX AZ 85043 -  
(602)307-1050

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**Model Profile**  
**2020 HV507 SFA (HV507)**

<b>AXLE CONFIG:</b>	4X2
<b>APPLICATION:</b>	Front Plow with spreader
<b>MISSION:</b>	Requested GVWR: 43000. Calc. GVWR: 43000 Calc. Start / Grade Ability: 29.21% / 3.55% @ 55 MPH Calc. Geared Speed: 69.3 MPH
<b>DIMENSION:</b>	Wheelbase: 163.00, CA: 88.00, Axle to Frame: 75.00
<b>ENGINE, DIESEL:</b>	{Cummins L9 370} EPA 2017, 370HP @ 2000 RPM, 1250 lb-ft Torque @ 1400 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)
<b>TRANSMISSION, AUTOMATIC:</b>	{Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
<b>CLUTCH:</b>	Omit Item (Clutch & Control)
<b>AXLE, FRONT NON-DRIVING:</b>	{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
<b>AXLE, REAR, SINGLE:</b>	{Meritor RS-26-185} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends Gear Ratio: 5.63
<b>CAB:</b>	Conventional, Day Cab
<b>TIRE, FRONT:</b>	(2) 425/65R22.5 Load Range L G296 MSA (GOODYEAR), 468 rev/mile, 68 MPH, All-Position
<b>TIRE, REAR:</b>	(4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
<b>SUSPENSION, REAR, SINGLE:</b>	31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
<b>FRAME REINFORCEMENT:</b>	Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL
<b>PAINT:</b>	Cab schematic 100WK Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
HV50700	Base Chassis, Model HV507 SFA with 163.00 Wheelbase, 88.00 CA, and 75.00 Axle to Frame.	5946/3741	9687	\$92,154.00
<b>AXLE CONFIGURATION</b>				
1ANA	AXLE CONFIGURATION {Navistar} 4x2 <u>Notes</u> : Pricing may change if axle configuration is changed.	0/0	0	\$0.00
<b>ENGINE</b>				
12EHY	ENGINE, DIESEL {Cummins L9 370} EPA 2017, 370HP @ 2000 RPM, 1250 lb-ft Torque @ 1400 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)	559/5	564	\$12,889.00
12UWZ	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core with Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	24/-6	18	\$0.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0	\$0.00
12VAL	AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control	6/0	6	\$379.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/-40 Degrees C, Freeze Protection	0/0	0	\$0.00
12WUL	BLOCK HEATER, ENGINE {Phillips} 120V/1000W, with "Y" Cord for Dealer Installed 120V/300W Oil Pan Heater <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	3/0	3	\$116.00
12WZJ	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door	0/0	0	\$62.00
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout; with Ignition Switch Control for Cummins B6.7 and L9 Engines	0/0	0	\$60.00
12VGZ	FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2019	0/0	0	\$0.00
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	\$0.00
<b>TRANSMISSION</b>				
13AVR	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	175/75	250	\$10,133.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission	0/0	0	\$0.00
13WDZ	SHIFT CONTROL PARAMETERS Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary	0/0	0	\$48.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$203.00
13WET	TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter	0/0	0	\$50.00
<b>CLUTCH</b>				
11001	CLUTCH Omit Item (Clutch & Control)	-51/-12	-63	\$0.00
<b>REAR AXLES, SUSPENSIONS</b>				
14ASA	AXLE, REAR, SINGLE {Meritor RS-26-185} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends . Gear Ratio: 5.63 <u>Notes</u> : Axle Lead Time is 60 Days	0/280	280	\$4,982.00
14VAJ	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs	0/132	132	\$305.00
<b>FRONT AXLES</b>				
2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity	186/0	186	\$2,426.00
<b>FRONT SUSPENSIONS</b>				
3AGA	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers	58/0	58	\$791.00
3770	SPRINGS, FRONT AUXILIARY Rubber	10/0	10	\$111.00
<b>CABS, COWLS, BODIES</b>				
16030	CAB Conventional, Day Cab	0/0	0	\$0.00
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	0/0	0	\$0.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	54/2	56	\$923.00
16VKB	CAB INTERIOR TRIM Classic, for Day Cab <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap	0/0	0	\$0.00
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16GDG	GAUGE CLUSTER Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	0/0	0	\$488.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2	\$30.00
16SEE	GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar	3/0	3	\$118.00
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0	\$333.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16SNW	MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5"	0/0	0	\$49.00
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0	\$267.00
	<u>Notes</u>			
	: Mirror Dimensions are Rounded to the Nearest 0.5"			
16SJW	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Black, Heated, 7.5" Sq.	9/0	9	\$265.00
16VCC	SEAT BELT All Orange; 1 to 3	0/0	0	\$26.00
16JPY	SEAT, DRIVER {National 2000} Air Suspension, Hi Back, Vinyl W/Cloth Insert, 1 Inboard Arm Rest, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, -3 to 14 Degree Back Angle Adjustment, Adjust Side Bolster, Vinyl Suspension Cover, Heat	-12/-6	-18	\$422.00
16SMM	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth	14/9	23	\$398.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2	\$30.00
<b>FRAMES</b>				
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	-39/175	136	\$118.00
1GBP	FRAME REINFORCEMENT Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL	312/542	854	\$1,700.00
1LZD	BUMPER, FRONT Swept Back, Aluminum, Stainless Steel Clad, Heavy Duty	0/0	0	\$469.00
1WDT	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille, with Outer C-Channel Reinforcement	165/-19	146	\$690.00
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8	\$84.00
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	0/0	0	\$0.00
<b>BRAKES</b>				
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)			
	: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)			
	: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6			
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control	0/0	0	\$210.00
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	26/0	26	(\$1,368.00)
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	18/0	18	\$0.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Brakes	5/0	5	\$35.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/26	26	(\$1,524.00)
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	0/39	39	\$0.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Brakes	0/6	6	\$70.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0	\$0.00
4EBD	AIR DRYER {Wabco System Saver 1200} with Heater	7/4	11	\$497.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	12/9	21	\$50.00
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail	0/0	0	\$288.00
4WDA	DRAIN VALVE (3) Petcocks, for Air Tanks	0/0	0	\$0.00
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	2/0	2	\$542.00

Notes

: When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.

**STEERING**

5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	93/-6	87	\$1,169.00
5708	STEERING COLUMN Tilting	13/2	15	\$125.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0	\$0.00

**DRIVELINES**

6DGC	DRIVELINE SYSTEM {Dana Spicer} SPL170, for 4x2/6x2	9/29	38	\$612.00
------	--	------	----	----------

**EXHAUST SYSTEMS**

7BKS	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	122/54	176	\$2,128.00
7BEV	AFTERTREATMENT COVER Steel, Black	10/3	13	\$0.00
7SDP	ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch	39/9	48	\$2,132.00
7WBU	EXHAUST HEIGHT 11' 6"	3/0	3	\$118.00
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	0/0	0	\$0.00
7WDT	TAIL PIPE (1) Straight Type	0/0	0	\$0.00

**ELECTRICAL SYSTEMS**

8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u>	0/0	0	\$0.00
------	--	-----	---	--------

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab			
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel			
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever			
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light			
	: STARTER SWITCH Electric, Key Operated			
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector			
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature			
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever			
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted			
12VYL	: WIRING, CHASSIS Color Coded and Continuously Numbered ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0	\$45.00
8GXJ	ALTERNATOR {Leece-Neville AV1160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount	0/0	0	\$0.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8VUL	BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab	-35/12	-23	\$177.00
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	30/45	75	\$282.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	0/3	3	\$209.00
8RNC	CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two (2) Antennas, Antenna Bases with Wiring on Both Side Mirrors	34/5	39	\$437.00
8RGA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	2/0	2	\$211.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$0.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting	0/2	2	\$363.00
8WXB	Customer Installed Electric Brake Unit, Less Trailer Socket HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	0/0	0	\$49.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$42.00
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord	0/0	0	\$413.00
8VAY	HORN, ELECTRIC Disc Style	0/0	0	\$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0	\$0.00
8WBW	JUMP START STUD Remote Mounted	2/0	2	\$168.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
8RML	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control	4/0	4	\$483.00
8WNH	RUNNING LIGHT (2) Daytime	0/0	0	\$58.00
8695	SNOW SHIELD (2) Chrome; for Dual Air Horns	2/0	2	\$33.00
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0	\$48.00
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	12/1	13	\$193.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	1/0	1	\$123.00
8VZK	TURN SIGNALS, FRONT Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	0/0	0	\$187.00
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0	\$42.00
<b>FRONT END</b>				
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0	\$0.00
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5	\$131.00
9585	FENDER EXTENSIONS Rubber	6/0	6	\$104.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9ANG	HOOD, HATCH (01) for Servicing	5/0	5	\$444.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	2/0	2	\$76.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00
<b>SPEEDOMETER, TOOLS, MISC</b>				
10022	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails	0/0	0	\$1,000.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WK"	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
10WCY	SAFETY TRIANGLES	6/0	6	\$47.00
10ABK	SURCHARGE, REAR AXLE for Meritor Rear Axles	0/0	0	\$100.00
<b>FUEL TANKS</b>				
15SJZ	FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	13/11	24	\$356.00
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	13/4	17	\$89.00
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	14/0	14	\$276.00
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} with Primer Pump, Includes Water-in-Fuel Sensor	0/0	0	\$0.00
15LLZ	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 41" Back of Cab	-3/3	0	\$50.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
<b>WHEELS, TIRES - FRONT</b>				
27DUN	WHEELS, FRONT {Accuride 29807} DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.37"	94/0	94	\$723.00
7752668113	(2) TIRE, FRONT 425/65R22.5 Load Range L G296 MSA (GOODYEAR), 468 rev/mile, 68 MPH, All-Position	134/0	134	(\$138.00)
<b>WHEELS, TIRES - REAR</b>				
28DTT	WHEELS, REAR {Accuride 28828} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs	0/28	28	\$127.00
7372138102	(4) TIRE, REAR 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive	0/20	20	\$180.00
<b>BODY INTEGRATION</b>				
60AAT	BDY INTG, ADDITIONAL CAB HOLE for Customer Use	0/0	0	\$50.00
60AKZ	BDY INTG, DASH IND LT TRICOLOR (2) for Optional Usage Customer to Program	0/0	0	\$116.00
60AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	0/0	0	\$148.00
<b>Total of Product Features</b>				<b>\$144,332.00</b>
Cab schematic 100WK Location 1: 9219, Winter White (Std) Chassis schematic N/A				
<b>Services Section:</b>				
<b>WARRANTY</b>				
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0	\$0.00
<b>Total of Service Features</b>				<b>\$0.00</b>
<b>Total Component Weight:</b>		<b>8141/5230</b>	<b>13371</b>	
<b>Total List Price Including Options:</b>				<b>\$144,332.00</b>

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
1	<p>Norwood Equipment NEW CRYSTEEL SELECT DUMP BODY 84" MIN CA NEEDED 10' LONG X 87" W ID X 96" W OD 8" TALL WESTERN LONGSILLS WITH 5/8" RUBBER WEAR PADS BETWEEN FRAME FRONT WALL IS 58" TALL , 10GA A1011 STEEL , WITH STD 1/2 CAB SHIELD VERTICAL DOGHOUSE HOIST (does not protrude more then 12" into body) TAPERED SIDES 54" - 46" TALL, 7GA A1011 STEEL FLOOR IS 3/16" AR-400 ABRASION RESISTANT STEEL TAILGATE IS 46" TALL, 7-GA A1011 STEEL, STD SWING WITH AIR OP GATE LOCK ASPHALT STYLE REAR, no apron STEPS AND GRAB HANDLE AT DRIVERS SIDE REAR POST HD REAR MUDFLAPS BEHIND DRIVE AXLE LED LIGHTS TO DOT REQUIREMENTS, INCLUDES BODY UP LIGHT INSTALLED COMPLETE PAINTED CUST COLOR HOT SHIFT PTO AND DIRECT MOUNT HYD PUMP FOR ALLISON TRANSMISSION BODY, PLOW &amp; SANDER CONTROL SYSTEM IS FORCE AMERICA 6100 ULTRA CONTROL</p> <p>MONROE 12' FULL MOLDBOARD TRIP, REVERSABLE PLOW. WITH BUILT IN LEVEL LIFT 12" RUBBER SNOW DEFLECTOR, AND CURB GUARD INCLUDED PLOW LIGHTS AND BRACKETS INSTALLED AS APPLICABLE (Truck must have plow light switch) INCLUDES FRONT FOG LIGHTS</p> <p>MONROE 9' STAINLESS STEEL V-BOX SANDER ON SKID ASSEMBLY HEATED (OPTIONAL) 10GA HOPPER, 62" HIGH SIDES, INCLUDES TOP GRATE KITS 10GA TIP UP SPINNER ASSEMBLY SS FOLD UP LADDER IN REAR SS LIGHT BAR AT REAR OF SANDER, INCLUDES STROBE LIGHTS AND WORK LIGHTS INCLUDES SELF LOADING LEG KITS, AND RATCHET / BINDER TIE DOWNS</p> <p>STROBE LIGHTS MOUNTED ON CAB GUARD OF DUMP BODY STROBE LIGHTS MOUNTED IN REAR POST OF DUMP BODY EACH SIDE</p> <p>ELECTRIC TARP SYSTEM WITH ALUM TARP ARMS AND HD MESH TARP INSTALLED</p> <p>HD REAR HITCH PLATE WITH REMOVABLE, SWIVEL PINTLE HITCH, &amp; BUILT IN CHIP BAR INCLUDES D-RINGS GLAD HANDS AND 7-WAY LIGHT SOCKET.</p>	0/0	0	\$115,849.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	<b>Total Body Allied:</b>	<b>0/0</b>	<b>0</b>	<b>\$115,849.00</b>
	STATE CONTRACT#CTR041813 MEDUIM AND HEAVY DUTY CHASSIS AND BUS	0/0	0	\$0.00
	<b>Total Goods Purchased:</b>	<b>0/0</b>	<b>0</b>	<b>\$0.00</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Total Factory List Price Including Options:		\$144,332.00
Total Preparation And Delivery:		\$0.00
Freight	\$2,250.00	
Total Freight:		\$2,250.00
Total Factory List Price Including Freight:		\$146,582.00
Less Customer Allowance:		(\$48,504.24)
Total Vehicle Price:		\$98,077.76
Total Body/Allied Equipment:		\$115,849.00
Total Sale Price:		\$213,926.76
Total Per Vehicle Sales Price:		\$213,926.76
Total For 2 Vehicle Sales:		\$427,853.52
Total Net Sales Excluding Taxes:		\$427,853.52
Arizona Tire Tax, 10 Tires	\$40.00	
Sales Tax, Maricopa County	\$35,511.84	
Total Taxes:		\$35,551.84
Net Sales Price:		\$463,405.36

If applicable, Federal Excise Tax (FET) is included in the net sales price above.

Terms of payment are cash on delivery and prices quoted are FOB Phoenix, AZ (unless otherwise noted).

This quote is good for 30 days. All inventory units are subject to prior sale. Unless otherwise noted, the quote above does NOT include title and licensing charges or Arizona state sales tax.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

**Approved by Seller:**

**Accepted by Purchaser:**

\_\_\_\_\_  
Official Title and Date

\_\_\_\_\_  
Firm or Business Name

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Authorized Signature and Date


**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_  
Official Title and Date

**The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.**

**The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.**


# INTRODUCING THE NEW INTERNATIONAL HV SERIES



IT'S UPTIME.

International® is a registered trademark of **NAVISTAR**, Inc.

# A SMARTER APPROACH TO SERIOUS WORK.




**INTRODUCING THE NEW HV SERIES.**

HV507 =


**Model Nomenclature Key**

Model Designation	Axle Configuration	BBC in inches
HV	5 = Set Forward	07
	6 = Set Back	13


= HV with set-forward axle and a 107" BBC



Configuration	Model	Axles
Set-Forward Axle	HV507	4X2
		4X4
	HV513	6X4
		6X6
		4X2
		6X4





Configuration	Model	Axles
Set-Back Axle	HV607	4X2
		6X4
	HV613	4X2
		6X4
		8X6



## IMPROVED VISIBILITY

The shaded areas represent how visibility has been optimized by reshaping the doors and side windows, and repositioning the cab mirrors so drivers turn their heads less. This increased visibility reduces driver stress and neck strain to enhance productivity.





**THANK YOU**