



# **MV607 SBA**

Sales Proposal For:  
**CITY OF FLAGSTAFF**

Presented By:  
**RWC Group**

---

**Prepared For:**

CITY OF FLAGSTAFF  
 Mike Stress  
 211 WEST ASPEN AVE.  
 FLAGSTAFF, AZ 86001-  
 (928)779 - 7619  
 Reference ID: Patch Truck

**Presented By:**

RWC Group  
 Mary R Wilson  
 600 North 75th Avenue  
 PHOENIX AZ 85043 -  
 (602)307-1050

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**Model Profile**  
**2020 MV607 SBA (MV607)**

**AXLE CONFIG:** 4X2  
**APPLICATION:** Utility/Service (Other)  
**MISSION:** Requested GVWR: 35000. Calc. GVWR: 35000  
 Calc. Start / Grade Ability: 28.23% / 1.47% @ 55 MPH  
 Calc. Geared Speed: 89.6 MPH

**DIMENSION:** Wheelbase: 207.00, CA: 139.90, Axle to Frame: 81.00  
**ENGINE, DIESEL:** {Cummins B6.7 250} EPA 2017, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM  
 Governed Speed, 250 Peak HP (Max)

**TRANSMISSION, AUTOMATIC:** {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with  
 PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,  
 On/Off Highway

**CLUTCH:** Omit Item (Clutch & Control)  
**AXLE, FRONT NON-DRIVING:** {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity  
**AXLE, REAR, SINGLE:** {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential,  
 200 Wheel Ends Gear Ratio: 5.38

**CAB:** Conventional, Day Cab  
**TIRE, FRONT:** (2) 11R22.5 Load Range H HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position  
**TIRE, REAR:** (4) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position  
**SUSPENSION, REAR, SINGLE:** 23,500-lb Capacity, Vari-Rate Springs  
**PAINT:** Cab schematic 100WP  
 Location 1: 9219, Winter White (Std)  
 Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
MV60700	Base Chassis, Model MV607 SBA with 207.00 Wheelbase, 139.90 CA, and 81.00 Axle to Frame.	5602/2659	8261	\$91,293.00

**AXLE CONFIGURATION**

1ANA	AXLE CONFIGURATION {Navistar} 4x2 <u>Notes</u> : Pricing may change if axle configuration is changed.	0/0	0	\$0.00
------	---	-----	---	--------

**ENGINE**

12EJS	ENGINE, DIESEL {Cummins B6.7 250} EPA 2017, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)	0/0	0	\$2,693.00
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, with 313 SqIn Charge Air Cooler. with In-Tank Transmission Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	0/0	0	\$0.00
12TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On <u>Includes</u> : FAN Nylon	0/0	0	\$0.00
12VBR	AIR CLEANER with Service Protection Element	0/0	0	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0	\$0.00
12WSY	BLOCK HEATER, ENGINE {Phillips} 120V/750W, for Cummins ISB/B6.7 Engines <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	0/0	0	\$90.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	0/0	0	\$0.00
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines	0/0	0	\$45.00
12VGY	FEDERAL EMISSIONS {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2019	0/0	0	\$0.00
12WPV	OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines	0/0	0	\$0.00
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	2/0	2	\$0.00
12EMZ	VENDOR WARRANTY, ENGINE {Cummins} B6.7 Engine, 3-Year Unlimited Miles Standard Warranty	0/0	0	\$0.00

**TRANSMISSION**

13AVL	TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	229/54	283	\$6,541.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed While Vehicle is at Stop and Remains in Neutral Until Service Brake is Released	0/0	0	\$525.00
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided	3/0	3	\$116.00
13XAL	PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring	0/0	0	\$0.00
13WYU	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission	0/0	0	\$0.00
13WLP	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming	0/0	0	\$203.00
13WET	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$50.00
	TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter	0/0	0	
<b>CLUTCH</b>				
11001	CLUTCH Omit Item (Clutch & Control)	0/0	0	\$0.00
<b>REAR AXLES, SUSPENSIONS</b>				
14ARB	AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends . Gear Ratio: 5.38	0/425	425	\$2,004.00
14SAN	SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs	0/39	39	\$51.00
14WMG	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints	0/0	0	\$198.00
14SZB	SPRINGS, REAR AUXILIARY Multileaf; 4,500-lb Capacity	0/90	90	\$208.00
<b>FRONT AXLES</b>				
2ASC	AXLE, FRONT NON-DRIVING {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity	42/0	42	\$371.00
<b>FRONT SUSPENSIONS</b>				
3ADC	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers	36/0	36	\$184.00
3770	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free SPRINGS, FRONT AUXILIARY Rubber	10/0	10	\$111.00
<b>CABS, COWLS, BODIES</b>				
16030	CAB Conventional, Day Cab	0/0	0	\$0.00
16ZBT	<u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	0/0	0	\$0.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	56/0	56	\$923.00
16VKB	CAB INTERIOR TRIM Classic, for Day Cab	0/0	0	\$0.00
	<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger			

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted			
	: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap			
16VLK	CAB REAR SUSPENSION Air Suspension, for Mid Cab Height	42/0	42	\$572.00
16GDC	GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display	0/0	0	\$0.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	2/0	2	\$30.00
16SDC	GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	6/0	6	\$236.00
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type	0/0	0	\$25.00
16XJN	INSTRUMENT PANEL Flat Panel	0/0	0	\$0.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16SNX	MIRROR, CONVEX, LOOK DOWN Right Side, Bright, 6" x 10.5"	0/0	0	\$57.00
16SNR	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0	\$442.00
	<u>Notes</u>			
	: Mirror Dimensions are Rounded to the Nearest 0.5"			
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	-14/-4	-18	\$116.00
16SMH	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment	44/27	71	\$576.00
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	15/2	17	\$253.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
<b>FRAMES</b>				
1CAH	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL	246/551	797	\$1,026.00
1WAC	BUMPER EXTENSION, FRONT 4.0"	14/-2	12	\$50.00
1LNN	BUMPER, FRONT Contoured, Steel, Chrome Plated	16/-2	14	\$410.00
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8	\$84.00
1LEG	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper	3/0	3	\$29.00
1WEJ	WHEELBASE RANGE 199" (505cm) Through and Including 254" (645cm)	0/0	0	\$349.00
<b>BRAKES</b>				
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u>	-34/-16	-50	(\$339.00)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: BRAKE LINES Color and Size Coded Nylon			
	: DRAIN VALVE Twist-Type			
	: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster			
	: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel			
	: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4			
	: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)			
	: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)			
	: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6			
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	9/21	30	\$1,357.00
4196	BRAKES, FRONT, AIR CAM 16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers	136/0	136	\$0.00
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	18/0	18	\$0.00
4EUB	BRAKE LININGS, FRONT {Meritor R301} Non-Asbestos for S-Cam Brake	0/0	0	\$29.00
29339	BRAKE DRUMS, FRONT {Gunite}	0/0	0	\$98.00
4NCZ	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes	0/206	206	\$0.00
4EVR	BRAKE CHAMBERS, REAR AXLE {MGM MJS3028ET} 30/28 Piston Spring Brake	0/44	44	\$458.00
4EUD	BRAKE LININGS, REAR {Meritor R301} Non-Asbestos for S-Cam Brake	0/0	0	\$29.00
29346	BRAKE DRUMS, REAR {Gunite}	0/0	0	\$254.00
4773	BRAKE SHOES, REAR Cast	0/0	0	\$1,021.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	37/1	38	\$69.00
4EBS	AIR DRYER {Bendix AD-9} with Heater	19/9	28	\$450.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	15/6	21	\$50.00
4VKH	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Under Cab	0/0	0	\$50.00
4WWZ	DRAIN VALVE (3) with Pull Chains for Air Tanks	0/0	0	\$105.00

**STEERING**

5PRR	STEERING GEAR {TRW (Ross) TAS66} Power	34/-5	29	\$248.00
5708	STEERING COLUMN Tilting	14/2	16	\$125.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0	\$0.00

**DRIVELINES**

6DGG	DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2	5/23	28	(\$249.00)
------	--	------	----	------------

**EXHAUST SYSTEMS**

7BKY	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Under Right Rail Back of Cab, Includes Single Short Horizontal Tail Pipe	0/0	0	\$0.00
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger	0/0	0	\$184.00
7WCW	TAIL PIPE (1) Horizontal, Short, Exits Right Side, 90 Degree Turnout	0/0	0	\$120.00

**ELECTRICAL SYSTEMS**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	0/0	0	\$0.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense	0/0	0	\$0.00
8VUX	BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Right Side Under Cab	0/0	0	\$0.00
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	43/31	74	\$282.00
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2	\$100.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$70.00
8THV	DISCONNECT, FRONT HARNESS for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation	0/0	0	\$14.00
8WZK	HEADLIGHTS Halogen, Composite Aero Design	0/0	0	\$0.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	0/0	0	\$42.00
8XHN	HORN, AIR Black, Single Trumpet, with Lanyard Pull Cord	3/0	3	\$94.00
8541	HORN, ELECTRIC (2) Disc Style	1/0	1	\$29.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0	\$0.00
8WBW	JUMP START STUD Remote Mounted <u>Includes</u> : JUMP START STUD Mounted to Battery Box	2/0	2	\$168.00
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1	\$30.00
8RML	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control	2/0	2	\$483.00
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0	\$48.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	8/0	8	\$193.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0	\$25.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
<b>FRONT END</b>				
9WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction	0/0	0	\$0.00
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5	\$131.00
9HAD	GRILLE Chrome	0/0	0	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	2/0	2	\$76.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	10/0	10	\$167.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00
<b>SPEEDOMETER, TOOLS, MISC</b>				
10BAE	LABEL, DEF "DEF ONLY"	0/0	0	\$8.00
10WUE	MUD FLAPS, FRONT WHEELS (2) Rubber, Mounted on Fender Extension	12/0	12	\$76.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 Includes : PAINT SCHEMATIC ID LETTERS "WP"	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
10ABJ	SURCHARGE, FRONT AXLE for Meritor Front Axles	0/0	0	\$100.00
10ABK	SURCHARGE, REAR AXLE for Meritor Rear Axles	0/0	0	\$100.00
<b>FUEL TANKS</b>				
15SWY	FUEL TANK Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab	22/7	29	\$435.00
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0	\$0.00
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	0/0	0	\$276.00
15LMS	FUEL/WATER SEPARATOR 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor, Cummins Supplied on Engine	-1/0	-1	\$221.00
<b>WHEELS, TIRES - FRONT</b>				
27DVK	WHEELS, FRONT {Alcoa 88367} DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	-77/0	-77	\$911.00
7382135415	(2) TIRE, FRONT 11R22.5 Load Range H HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position	56/0	56	\$394.00
<b>WHEELS, TIRES - REAR</b>				
28DVP	WHEELS, REAR {Accuride 42644} DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	0/-128	-128	\$1,159.00
7372135415	(4) TIRE, REAR 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position	0/108	108	\$712.00
<b>WHEELS MISC OPTIONS</b>				
29WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil	0/0	0	\$59.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR) (\$350.00)
29BAG	WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only	0/59	59	
29580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings	0/0	0	\$37.00
<b>Total of Product Features</b>				<b>\$120,377.00</b>

Cab schematic 100WP  
 Location 1: 9219, Winter White (Std)  
 Chassis schematic N/A

**Services Section:**

**WARRANTY**

40129	WARRANTY Standard for MV Series, Effective with Vehicles Built July 1, 2017 or Later, CTS-2020A	0/0	0	\$0.00
<b>Total of Service Features</b>				<b>\$0.00</b>
<b>Total Component Weight:</b>		<b>6711/4207</b>	<b>10918</b>	
<b>Total List Price Including Options:</b>				<b>\$120,377.00</b>

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
1	PRO PATCH Model TCM 425-100 DHER Patch Body Including All Standard Equipment Plus: Emulsion Auto Rejuvenator System Hydraulic Dump Work Deck 18"x46" Hydraulic Bi Fold Steel Top Doors 50 Gal. Frame Mounted LP Gas Bottle Hand Torch 15' Hose Emulsion Tack Oil Hose 20' W/Hose Rack Wacker WP1550AW Compactor Plate Two Asphalt Lute/Shovel Holder 10 Gal. Stainless Steel Water Tank 8 Gal. Drip and Waste Pan Stanley BR45 Pavement Breaker Hydraulic Tool Line Hose Reel Hydraulic Flow Meter Hydraulic Rear Lift Platform With Breaker Mount Removal Asphalt Shoveling Apron Superior Signal SRTA16, 16 LED-Arrowboard FED SIGNAL Four Remote LED Strobe Light System Mounted Each Corner Truck Lights Rectangular 6.5" Oval Tail Lights w/Amber Strobe LED Back Up Camera With Sound Hot Shift PTO Electronic Throttle Control Rear Mount Diesel Fuel Hose Reel w/25' Hose Color:White 2 Days Factory Training On Site 2 Grille mounted LED Strobes 20lb Fire Extinguisher Tool Box Air Compressor With Airline Hose reel Cone Rack	0/0	0	\$91,740.00
	<b>Total Body Allied:</b>	<b>0/0</b>	<b>0</b>	<b>\$91,740.00</b>
	State Contract CTR041813 Medium and Heavy Duty	0/0	0	\$0.00
	<b>Total Goods Purchased:</b>	<b>0/0</b>	<b>0</b>	<b>\$0.00</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Total Factory List Price Including Options:		\$120,377.00
Total Preparation And Delivery:		\$0.00
Freight	\$2,350.00	
Total Freight:		\$2,350.00
Total Factory List Price Including Freight:		\$122,727.00
Less Customer Allowance:		(\$40,870.64)
Total Vehicle Price:		\$81,856.36
Total Body/Allied Equipment:		\$91,740.00
Total Sale Price:		\$173,596.36
Total Per Vehicle Sales Price:		\$173,596.36
Total Net Sales Excluding Taxes:		\$173,596.36
Arizona Tire Tax, 6 Tires	\$12.00	
Sales Tax, Maricopa County	\$14,408.50	
Total Taxes:		\$14,420.50
Net Sales Price:		\$188,016.86

If applicable, Federal Excise Tax (FET) is included in the net sales price above.

Terms of payment are cash on delivery and prices quoted are FOB Phoenix, AZ (unless otherwise noted).

This quote is good for 30 days. All inventory units are subject to prior sale. Unless otherwise noted, the quote above does NOT include title and licensing charges or Arizona state sales tax.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

**Approved by Seller:**

**Accepted by Purchaser:**

\_\_\_\_\_  
Official Title and Date

\_\_\_\_\_  
Firm or Business Name

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Authorized Signature and Date

**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_  
Official Title and Date

**The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.**

**The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.**