



EMPIRE TRUCK AND TRAILER

840 N. 43rd Avenue
 Phoenix, AZ 85009
 602-627-5721 / Phone
 602-627-5719 / Fax
 www.empirecat.com

Quote-Sales Order

Customer:
 City of Flagstaff

Date: 10/05/22
Quote: MS100520

Contact: Michael Stress
Phone:
Fax:
Cell:
Email: mstress@flagstaffaz.gov

Quote Expires: 11/04/22
Est. Delivery Date:
This Sale Is FOB: Phoenix, AZ

Stock # **Order**

Qty	Description	Unit Price	Extension
1	2023 Cozad 35 Ton Slide Axle Trailer		118,720.00
	Vin# TBD		
	November 2022 Completion Estimated		
	Freight		3,800.00
	NJPA Contract #161534 Discount (2%)		(2,374.40)

 City of Flagstaff
 Michael Stress

 Date

 Empire Truck and Trailer
 Salesperson Mike Shannon

 Date

 Empire Truck and Trailer
 Approved

 Date

Order requires approval by manager of selling firm.

Subtotal	\$	120,145.60
F.E.T		N/A
Trade-In Value	\$	-
Sales Tax (8.3%)	\$	9,972.08
Doc Fee	\$	225.00
Prep Fee	\$	-
License Fee	\$	-
Down Payment	\$	-
Total	\$	130,342.68

COZAD NEW 35 Ton Slide Axle Standard and Optional Equipment and Features

Trailer Structure

Fabricated from ASTM A514M with minimum 100,000 PSI Yield **Std**

Kingpin Settings

21" setting **Std**

80" Swing Clearance **Std**

2" 5th-wheel kingpin Hitch **Std**

Crossmembers -12" Center

Big-3"x10" on 24" centers **Std**

Small- 3"x4" between each big cross members **Std**

Winch

12,000lbs Hyd. Worm gear with spring tension and 75' of 1/2" cable **Std**

20,000lbs Hyd. Worm gear with spring tension and 75' of 5/8" cable **Opt**

Deck and Features

Length 40'3" Width 8'6" Flat Deck **Std**

Deck Rating 50,000 lb. in 10' **Std**

7 degree loading angle **Std**

34" Deck Height (Loaded) 36" (Unloaded) **Std**

1 5/16" Water-proof Laminated Bamboo deck **Std**

Main Deck 4ea Front and 4ea Rear HD Rollers **Std**

Accessories

Flat Approach Plate with 6 Keyhole Tie downs each side **Std**

Air Weight Scale system for trailer only **Std**

Tie Downs / Chain Gotchas

Double Keyhole chain slots with stake pocket cut outs on 24" center. 2 loading rack pockets front of goose neck **Std**

Stake pocket guides **Opt**

Tool Boxes

Front corners of G.N. with lockable doors 26"lx24"wx8"d **Std**

Landing Gear

Two speed crank down landing gear **Std**

Brakes

S-cam 12.25x7.5 on 17.5 with auto slack adjusters ABS **Std**

Suspension / Axles

Hendrickson Air Ride HT250US **Std**

(2) 22,500 lbs. Axles Hub piloted 8 stud, grease packed bearing **Std**

Tires / Rims

8ea 235/75R 17.5 16 ply Tires Ht 31" **Std**

17.5x6.75 8 Hole Machined Aluminum Rims **Std**

Polished Aluminum wheels on 4 outside wheels **Opt**

One complete spare on a 8-hole 17.5 machined aluminum wheel (mounted on GN) **Opt**

Hydraulic Hook-Up

Quick Couplers 2500 psi /20 GPM all Controls, 24 GPM max All Stainless steel lines and SAE 100RE2AT hose **Std**

Travel Cylinder Rods

Fitted with Concertina boot over Hyd. Ram **Std**

Lights

All LED rear and side **Std**

Fully Sealed Wiring Harness **Std**

Center Mounted Side Turn Signals **Std**

Finish / Color

Steel Grit Blast to Bright Metal **Std**

2 coats of epoxy primer **Std**


2 coats of acrylic polyurethane paint (Black or White) Optional colors available **Std**

Weight

17,650lbs +or -3%

1-800-242-6023

www.cozadtrailers.com



COZAD TRAILER SALES, LLC

4907 E. WATERLOO ROAD
 STOCKTON, CA 95215-2096
www.cozadtrailers.com

June 21, 2022
 Revised from 4/27/22 quote

Mike Shannon
 Empire Truck & Trailer
 840 N 43rd Avenue
 Phoenix, AZ 85009

TEL: 602-627-5701
 CELL: 602-622-5601
 E-mail: mike.shannon@empire-cat.com

REF: PO #E189217SM

Dear Mike;

Following is a revised quote for one new 2023 Cozad Lightweight 35-ton, 2-axle, 4-frame, 8-tire New Hydraulic Slide Axle Trailer with a fixed gooseneck. Our standard specifications built with 100% T-1 high tensile Swedish Strenx 700 steel are as follows:

- Gooseneck: Wide design, Fixed 9'7" long with 1 pin setting Deck Loading Angle 7 degrees
- Deck Width: 8' 6" Flat Deck Deck Length: 40' OAL: 49' 11"
- Deck Height: 36" unloaded; 34" loaded (est. only)
- Decking: 1- 5/16" Apitong hardwood
- Tires: 16-ply 235/75R17.5 @ 31" ht.
- Suspension: Air Ride — Ridewell
- Axles: 2 @ 22,000 lb on 49" axle spacing
- Wheels: STD steel disc white 8-hole—6.75 x 17.5
- Brakes: S-cam 12.25" x 7" on 17.5 with auto slack adjusters w/ABS Hydraulic Lines all Stainless Steel
- Paint: 2 coats epoxy primer + 2 coats acrylic polyurethane paint (Imron Brand); Standard Cozad White or Black
- Accessories: All LED lights — 1 1/4" side lights on GN & deck, wide load light plugs, and flag holders
- Warranty: One-year warranty @ FOB Stockton, California

Estimated delivery is a minimum of 6 months from receipt of signed order and a 20% non-refundable deposit. Estimated delivery time is subject to change based on in-house workload at time of order placement. Estimated unit weight on aluminum wheels (no options) is 18,000 lbs +/- 3%. *addition of available options listed below may add to tare weight. Please note financing must be in place prior to completion; balance of sale is due upon completion of trailer. This quote is good for seven (7) days only. All trailer sales are F.O.B Stockton, CA

AVAILABLE OPTIONS LISTED BELOW; ADD PRICING TO BASE UNIT PRICE per trailer			YES	NO
Optional	Engine package to run bigger flow hydraulic pump system enclosed under Gooseneck area w/aluminum door / 23.5 hp Kohler pony motor with electric start; added wt. 350-400 lbs	\$ 10,000.00		
Optional	Meritor Air Inflation system to keep constant air to tires for better tire wear @ \$950 per axle x 2	\$ 1,900.00	X	
Optional	One (1) complete spare on an 8-hole 17.5 machined aluminum wheel	\$ 775.00		
Optional	Four (4) outside polished aluminum wheels @ \$95 each	\$ 380.00	X	
Optional	Spare tire bracket in front Gooseneck installed upright w/ pin lock	\$ 450.00		
Optional	Synthetic rope 9/16" x 99' in lieu of std 5/8" x 75' wire rope	\$ 700.00		
Optional	Chain slot strip 12" wide down center deck, full length	\$ 2,850.00	X	
Optional	Fold-down spring-loaded step-1 ea side of GN with grab handles 1 ea side	\$ 850.00	X	
Optional	Air Weigh air scale system installed onto trailer only-not into tractor-newest model avail (SC \$950)	No Charge		INCLUDED
Optional	20,000 lb Hydraulic winch set up for PTO; mounted in GN w/ 75' cable hook (Std Chrg \$5,200)	No Charge		INCLUDED
Optional	Hand held wireless remote installed that operates the winch & slide axle (Std Chrg \$1,500)	No Charge		INCLUDED
Optional	Crank down drop legs; 2-speed (Std Chrg \$1,200)	No Charge		INCLUDED
Optional	Machined aluminum 8-hole 17.5 wheels @ \$305 ea x 8 (less wt 248 lbs) (Std Chrg \$2,440)	No Charge		INCLUDED
Optional	Crossmembers on 12" centers in lieu of std 24" centers for HD forklifts (Std Chrg \$3,500)	No Charge		INCLUDED
Optional	Deck cutout holes in top frame rails (19 per side) for 3/8" chain (Std Chrg \$1,750)	No Charge		INCLUDED
Optional	2 Toolboxes in front corners of GN w/steel lid and pin to lock 24"x 26" x 8" (Std Chrg \$1,700)	No Charge		INCLUDED
Optional	Standard Cozad Black or White paint	No Charge		INCLUDED

**Federal Excise Tax @ 12%, California State Sales Tax, fire recycling fees, DMV license fees, trip permit fees, admin fees, env fees, and doc fees

Thank you for your interest in Cozad Trailers. Please feel free to call me if you have any questions or require any further information.

Tom Pistacchio
 tomp@cozad.net
 COZAD FINANCING AVAILABLE!

Customer Approval: _____

Date: _____ Deposit Amount: \$ _____

BUILD SHEET

salesman: Tom Pistacchio

COZAD TRAILERS LLC.
 4907 WATERLOO ROAD
 STOCKTON, CA 95215
 (209) 931-3093

JOB # 2202 and 2203
 SLIDE AXLE TRAILERS

ORDER DATE: 5/6/22 REV 6/21/22

DELIVERY DATE: 11/9/22

ATTN: Mike Shannon

CELL: 602-622-5601

ATTN: _____

CELL: _____

SOLD TO: Empire Truck & Trailer

TELEPHONE: 602-627-5701

ADDRESS: 840 N. 43rd Avenue

EMAIL: mike.shannon@empire-cat.com

CITY: Phoenix

STATE: AZ ZIP: 85009

DESCRIPTION

MODEL 35 TON TANDEM 45 TON TRIDEM

APPR. FOR _____
 CONST. BY: _____

WIDTH 8' - 6" LENGTH 49' - 11"

DATE: _____

TRACTOR TYPE: 3 AXLE 4 AXLE FRONT AXLE CAPACITY 15,000 LB FIFTH WHEEL HEIGHT 50"

TRACTOR RAILS: YES NO

SPECIFICATIONS

PCD

FRAME: 4 FRAME

WHEELS: QUANTITY 8 No. OF HOLES: 8 - ISO 275 PCD

DECK: LENGTH 40' WIDTH 8' 6" HEIGHT 36"est

SIZE: 6.75X17.5 ALU MINU M- MILL FINISH

WINCH ROLLER FRONT OF DECK

POLISHED WHEELS QTY: 4

NOTE: _____

TIRES: MAKE std Stock SIZE 235/75R17.5 ØDIA. 31"

PAINT COLOR: WHITE B LACK

NOTE: ONE TRAILER EACH COLOR

DECKING:

1-5/16" B AMBO 1-5/16" APITONG

OPTIONS:

NOTE: _____

YES _____ NO _____

GOOSENECK:

WINCH ROLLER IN CENTER

KOHLER 23.5 HP ENGINE AND HYD. PUMP MOUNTED TO TRAILER

TOOL B XO YES TOP LIDS SIDE LIDS

WINCH WITH 75' CABLE
 12,000 LB.
 20,000 LB.

NOTE: _____

SPARE TIRE CARRIER
 UNDER GOOSENECK

AXLES: 22,000 LB. CAPACITY 71-1/2" TRACK (STD.)

ON REMOVABLE FRONT RACK
 STAKE POCKETS

B STUD ISO HUB PILOT 275 PCD GREASE OIL

MISC. ITEMS:

BRAKES: DRUM ABS

YES _____ NO _____

SUSPENSION: AIR-RIDE 8 TIRE 12 TIRE

OVERSIZE LOAD SIGN

~~RENDERSON H750 US~~ 49" AXLE SPACING (STD)

STROBE LIGHTING Position: _____

AIR INFLATION: YES NO

X FLAG HOLDERS (STD.)

NOTE: RIDEWELL SUSPENSION

X WIDE LOAD LIGHT PLUGS (FRONT AND REAR STD.)

OPTIONS, ADDITIONAL ITEMS, NOTES: 1) Install fold down, spring-loaded side step at GN base; 1 ea side - 2 ea trailer
 2) Install grab handles on side of upper GN corner; 1 ea side - 2 ea trailer
 3) Install 12" wide steel plate down center w/chain slot cut-outs; full length

BY SIGNING BELOW, CUSTOMER APPROVES OF SPECIFICATIONS AS SHOWN ON THIS BUILD SHEET.
 THIS FORM MUST BE SIGNED, DATED, AND RETURNED TO COZAD TRAILERS TO BEGIN PRODUCTION.

RETURN TO: FAX 209-931-0239 OR E-MAIL TO BECKYH@COZAD.NET. THANK YOU!

CUSTOMER APPROVAL: _____

PRINTED NAME: _____

DATE: _____