

COOPERATIVE PURCHASE CONTRACT

Contract No. 2026-119

This Cooperative Purchase Contract is made and entered into this _____ day of _____, 20____ by and between the City of Flagstaff, Arizona, a political subdivision of the State of Arizona ("City") and Rush Truck Centers of Arizona dba Rush Truck Center, Phoenix, a Delaware Corporation ("Contractor").

RECITALS:

- A. Sourcewell, a State of Minnesota local government conducted a competitive and open procurement process through Request for Proposal **032824** that resulted in Contract No. **032824-PMC** with **Peterbilt Motors Company** to sell Class 4-8 Chassis and Cabs with Related Equipment, Accessories, and Services ("Agency Contract"); and
- B. Contractor is a fully authorized vendor of Peterbilt Motors Company Class 4-8 Chassis and Cabs with Related Equipment, Accessories, and Services; and
- C. The City has authority to enter into a cooperative purchase contract with Contractor utilizing the Agency Contract.

AGREEMENT:

NOW THEREFORE, in consideration for the mutual promises contained herein, the Parties agree as follows:

1. Materials and/or Services Purchased: Contractor shall provide to the City the materials and/or services, as specified in the Quotes attached as Exhibit A, and in accordance with the Agency Contract. A general description of materials and/or services being purchased is:

2026 Peterbilt 520 (Qty 2) (with upfitting)
2027 Peterbilt 520 (Qty 1) (with upfitting)

2. Terms and Conditions of Agency Contract Apply: All provisions of the Agency Contract documents attached as Exhibit B.1-B.2, including any amendments, are incorporated in and shall apply to this Contract as though fully set forth herein. Contractor is responsible for promptly notifying City in writing of any changes to the Agency Contract related to price for materials and/or services.
3. Payment:
 - 4.1 Payment to Contractor for the materials and/or services not to exceed **one million three hundred thirteen thousand eighty-seven dollars and twenty-two cents (\$1,313,087.22), plus additional fees and taxes**, made in accordance with the price list and terms set forth in the Agency Contract.
 - 4.2 Any adjustment to the Payment amount must be approved by mutual written consent of the parties through a formal amendment. The City Manager or his/her designee may approve an amendment if the amendment price increase is less than \$100,000; otherwise, City Council approval is required.

4. Certificates of Insurance: All insurance provisions of the Agency Contract shall apply, including any requirement to name the City as an additional insured. If requested, Contractor shall furnish City with a copy of the current Certificate of Insurance required by the Agency Contract.
5. Term and Renewal: This Cooperative Purchase Contract shall commence upon execution by the Parties and shall continue until the work described in the Quote is completed and accepted by the City, unless the Contract is terminated sooner pursuant to the terms and conditions in the Agency Contract.
6. Notice: Any formal notice required under the Contract shall be in writing and sent by email to:

To the City:
 Jennifer Brown, MSL
 City of Flagstaff
 211 W Aspen Ave.
 Flagstaff, AZ 86001
Jennifer.brown@flagstaffaz.gov
 928-213-2108

To Contractor:
 Christian Salam
 Rush Truck Center, Phoenix
 9600 W. Roosevelt St.
 Tolleson, AZ. 85353
 602-422-8100

With a copy to:
 Liane Garcia
 City of Flagstaff
 211 W. Aspen Ave.
 Flagstaff, AZ 86001
lgarcia@flagstaffaz.gov

7. Authority: Each Party warrants that it has authority to enter into the Contract and perform its obligations hereunder, and that it has taken all actions necessary to enter into the Contract.

City of Flagstaff

Contractor

By: _____
 City Manager

By: _____

Title: _____

Dated: _____

Dated: _____

Attest:

Approved as to form:

 City Clerk

 City Attorney

Notice to Proceed issued: _____, 20__

EXHIBIT A
SCOPE OF WORK
(attached)

1. Quote – 2026 Peterbilt 520 (qty 2 with upfitting)
2. Quote – 2027 Peterbilt 520 (qty 1 with upfitting)



9600 W. Roosevelt St.
Tolleson, AZ 85353
602-422-8100

Customer Proposal Letter

CITY OF FLAGSTAFF
211 West Aspen Ave.
Flagstaff, AZ 86001

Thank you for trusting us with your business. Please review the proposal below, and if you approve, sign and return to us at your convenience. We look forward to working with you and will continue to do our best to earn your trust now and in the future.

VEHICLE INFORMATION

Year 2026 Make Peterbilt Model 520 Stock # TBD Serial # TBD

Additional Vehicle Details: 27MY 520 ASL, New Way Body, PX-9 370/1250, Allison 4500, Paccar 20K front, Dana 44K rear, aluminum front wheels (better turn radius), undercab airhorn, No lookdown mirror, defroster fans

Local Add Ons: Under Cab Foam, Window Tint

Sourcewell Contract 032824

Table with 3 columns: Description, Amount, Total. Rows include Quantity (2), Truck Price per Unit (\$415,335.99), F.E.T. (\$0.00), Net Sales Price (\$415,335.99), Optional Extended Warranty (\$380.00), State Sales Tax (\$34,472.89), Additional Taxes (\$25.00), Documentary Fee (\$250.00), Tire Recycling Program (\$46.60), Total Sales Price (\$450,510.48), Trade Allowance, Deposit / Down Payment, Unpaid Balance Due on Delivery (\$450,510.48).

Sales Representative Signature Christian Salam Printed Name Date
Purchaser Signature Printed Name / Title Date
Accepted by Sales Manager or General Manager Signature Printed Name Date

Quote good until 12/6/2025 Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal is subject to Customer executing Dealer's standard form Retail Sales Order and other required documents incorporating the above terms. Any documentary fees, FET, state tax, title, registration and license fees subject to adjustment and change. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer is not obligated to retain any specific vehicles in stock, nor maintain any specific inventory levels. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) is not in stock or available within requested delivery schedule. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If a vehicle identified in this Proposal is not currently in Rush's stock at the time an order is placed by the Customer, Dealer reserves the right to change the vehicle price at any time to reflect any price increases imposed by the Manufacturer. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s). Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of the Trade Vehicle by Customer.

(1) Includes subscription period for # of specified months. (2) Customer's use of RushCare Service is governed by the RushCare User Agreement located at https://www.rushtruckcenters.com/rushcare-user-agreement. (3) Customer's use of Telematics Services is governed by separate 3rd party license terms and Rush is not liable for the Telematic Service. (4) Gap Coverage is provided and administered by an independent 3rd party provider under a separate contract directly between Customer and the 3rd party provider.

Q U O T A T I O N

Short Equipment
 3202 W. Durango St.
 Phoenix, AZ 85009
 Phone #: (480)999-5455

PHONE #: **(928)213-2193**
 CELL #:
 ALT. #:
 P.O.#:
 TERMS: **Net 30**
 SALES TYPE: **Quote**

DATE: **11/18/2025**
 ORDER #: **6251**
 CUSTOMER #: **100104**
 CP: **AndrewD**
 LOCATION: **1**
 STATUS: **Active**

BILL TO 100104

CITY OF FLAGSTAFF - TRUCK SALE
 3200 W. ROUTE 66
 FLAGSTAFF, AZ 86001 US

SHIP TO

CITY OF FLAGSTAFF - TRUCK SALE
 3200 W. ROUTE 66
 FLAGSTAFF, AZ 86001 US

MFR	PRODUCT NUMBER	DESCRIPTION	QTY	PRICE	NET	TOTAL
SCRA	31ASL	31YD,XL,LW,CAN BUS,27YD BODY,4YD TG Hopper Floor Liner .188 AR450 1/4" AR450 body floor 96 Gallon Arm 6 x 6 Chains Variable Grip Pressure Expanded Metal Bulkhead Screen Trough Cleanout Tool Chromium overlay/super track Tailgate Seal Cleanout Chute Extension - Street Side Rake Teeth Breaker Bar Hydraulic Hopper Cover - Steel Hopper Access Ladder - Steel Shovel/Broom Rack All LED Body Lights, Including Reverse and License Plate LED Mid Body Backup Lights - Includes (2) Lights LED Work Lights -(1) Light In Hopper and (1) Facing Arm Strobe Light (Surface Mount) - Center Tailgate Strobe Light Package (Integrated Strobe System) **(2) round lights mounted upper tailgate **(2) round lights mounted lower tailgate Upper Light Bar With (2) Stop/Tail Standard Hot Shift PTO, Tandem Vane, Drive Line Remote Grease Zerk Tailgate and Upper Cylinder Hinge Pins Front Remote Grease System Packer & Body Lift Pins Manual Auto Pack Button (Override) Arm Not Stowed Audible Alarm Proportional Fingertip A-Pillar Arm Controls Arm Control Joystick on Console Arm Controls Keypad Under Seat Arm Cycle Counter Low Fluid Level Switch Indicator and Shutdown In Tank Oil Heater Regen for Faster Pack Cycle (adds External Oil Cooler) Steel Tool Box 18 x 18 x 24 - Frame Mount - Curb Side Spill Kit - Mounted on chassis frame w/5 gallon bucket Fire Extinguisher -- 20 lb., Triangle Kit	1	\$209,961.00	\$209,961.00	\$209,961.00

Q U O T A T I O N

Short Equipment
 3202 W. Durango St.
 Phoenix, AZ 85009
 Phone #: (480)999-5455

PHONE #: **(928)213-2193**
 CELL #:
 ALT. #:
 P.O.#:
 TERMS: **Net 30**
 SALES TYPE: **Quote**

DATE: **11/18/2025**
 ORDER #: **6251**
 CUSTOMER #: **100104**
 CP: **AndrewD**
 LOCATION: **1**
 STATUS: **Active**

MFR	PRODUCT NUMBER	DESCRIPTION	QTY	PRICE	NET	TOTAL
		3rd Eye - 6 Camera System w/ DVR (Locations Below) **Backup, Hopper, StreetSide A-Pillar, Alley Cam Streetside, **In-Cab Looking Forward, Gripper View Painted Flagstaff Blue				
		2-Year Cylinder Warranty				
		1-Year Body Warranty				
		1-Year Arm Warranty				
		1-Year Hydraulic Warranty				

Prices reflected on this quote are valid for 30 days and while current supplies last. However, prices are subject to change if the program or promotion the prices were quoted under is no longer in effect.

SUBTOTAL:	\$209,961.00
TAX:	\$0.00
ORDER TOTAL:	<u>\$209,961.00</u>

Upfitting Included in Rush Quote

Authorized By: _____



Rush Trk Ctrs Of Arizona (A265)
 9600 West Roosevelt St
 Tolleson, Arizona 85353

City Of Flagstaff
 211 W Aspen Ave
 Flagstaff, Arizona 86001
 United States of America

Christian Salam
 Cell Phone: 9723023270
 Office Phone: 602-272-7611
 Email: salamc@rushenterprises.com

Vehicle Summary

	Unit		Chassis	
Model:		Model 520	Fr Axle Load (lbs):	20000
Type:		Full Truck	Rr Axle Load (lbs):	44000
Description 1:		ASL	G.C.W. (lbs):	64000
Description 2:				
	Application		Road Conditions:	
Intended Serv.:		Refuse/Landfill	Class A (Highway)	95
Commodity:		Refuse, Scrap, Recycling	Class B (Hwy/Mtn)	5
			Class C (Off-Hwy)	0
	Body		Class D (Off-Road)	0
Type:		Automated Side Loader	Maximum Grade:	6
Length (ft):		24	Wheelbase (in):	218
Height (ft):		13.5	Overhang (in):	50
Max Laden Weight (lbs):		90000	Fr Axle to BOC (in):	0.1
	Trailer		Cab to Axle (in):	217.9
No. of Trailer Axles:		0	Cab to EOF (in):	267.9
Type:			Overall Comb. Length (in):	325.3
Length (ft):		0		
Height (ft):		0	Special Req.	
Kingpin Inset (in):		0		
Corner Radius (in):		0		
	Restrictions			
Length (ft):		40		
Width (in):		102		
Height (ft):		13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.



Std/ Opt	Description	Weight
Base Model		
S	Model 520 Peterbilt's Model 520 is built to withstand the harsh demands of the refuse industry. The rugged, aluminum cab delivers best-in-class durability for increased uptime and lap seam construction on a zinc-coated steel sub-frame for corrosion resistance. Bulkhead-style doors provide years of watertight performance. This low-cab forward vehicle adds a new dimension of productivity and versatility. An industry-leading, 65-degree cab tilt enhances maintenance and serviceability. Body installation is cost effective and efficient and the center console provides convenient access to body control integration points.	16,475
S	Refuse, Scrap, Recycling	0
O	Refuse/Landfill Truck which picks up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops and starts. Unloading can be at transfer station or at landfill (may enter landfill).	0
O	Automated Side Loader	0
S	United States Registry Canadian Registry Package Requires Air Conditioning Excise Tax Canada, Speedometer to be KPH ipo MPH, Daytime Running Lights and Rubber Battery Pad in Bottom of Battery Box.	0
Configuration		
S	Not Applicable Secondary Manufacturer	0
Frame & Equipment		
O	10-3/4" Steel Rails 306-342" 10.75x3.5x.375 Dimension, 2,136,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 17.8 cubic inches. Weight: 1.74 lbs/inch pair	153
O	Full Steel Inner Liner	655
O	Zinc Coated Anti Corrosion Treated Frame Rails Requires Frame Rail Code. Zinc Phosphate coating will replace the standard frame rail primer and provide added corrosion prevention for your customer's operating in severe conditions or in climates where vehicle rust is common.	4
S	EOF Square without Crossmember End-of-frame square without crossmember. For use with body builder installed crossmember.	0
S	Omit Rear Mudflaps and Hangers	0
O	Holland (2) TH-10050 Tow Hooks EOF	40
O	(2) Solid Mount Cable Hooks	40

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
Front Axle & Equipment		
S	PACCAR FX-20 Steer Axle 20,000 lbs. 4" Drop Axle is designed for applications with a gross axle weight rating (GAWR) of 20,000 pounds. Front axle is designed for demanding applications such as construction, heavy haul, refuse, and other vocational uses. Robust forged steel beam construction for long-lasting performance. It utilizes innovative tapered kingpin roller bearings for more efficient operation and improved steering efficiency. The PACCAR Steer Axle comes standard with the PACCAR warranty of 5 years, 750,000 miles.	0
S	Taper Leaf Springs, Shocks 20,000 lb Standard with Heavy Resistance Shocks.	0
S	Power Steering Sheppard M100 Dual Gear For use with 16,000 to 20,000 lb. axle ratings. Glidekote splines on steering shaft extend service life of components.	0
O	PHP10 Iron PreSet PLUS Hubs PHP10 iron PreSet PLUS hubs have a fully integrated spindle nut design, an optimized wheel spacer, magnetic fill plug on drive and trailer hubs for inspection of metal particles in lubricant, with a long life oil seal and bearings are pre-adjusted. Use with Front Axle.	84
O	Bendix Air Cam Front Drum Brakes 16.5x7 For use with 16,000 lbs to 23,000 lbs steer axles or front drive axles. Includes automatic slack adjusters & outboard mounted brake drums.	0
O	PACCAR FX Wide Track IPO Standard 71in KPI IPO 69in front axle for improved turning radius.	0
O	Gusseted Cam Brackets, Steer Axle	0
O	Heavy Duty Cam Bushings, Steer Axle	0
Rear Axle & Equipment		
O	Dana Spicer DSH44 44,000 lb, High Performance 44 Interaxle diff lock air rocker occupies space of one gauge. 12.5 mm housing, 15.75 ring gear. Laser factory axle alignment to improve handling & reduce tire wear. Magnetic rear axle oil drain plug captures & holds any metal fragments in drive axle lube to extend service life. Parking brakes on all drive axles for optimal performance. Cognis EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	-311
O	PHP10 Iron PreSet PLUS Hubs	0
O	Bendix Smart ATC Traction Control	2
O	Refuse Service Brakes, Steer And Drive Axles Designed for heavy-duty applications for refuse industry, providing long brake life, safety and performance.	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
O	Rear Brake Camshaft Reinforcement Rear brake camshaft reinforcement helps guard against wear and corrosion.	9
O	Gusseted Cam Brackets, Drive Axle(s)	2
S	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0
O	Pneumatic Park Brake	0
O	Anti-Lock Braking System (ABS) 6S6M ABS-6. Includes air braking system.	35
S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0
O	Bendix Air Cam Rear Drum Brakes 16.5x8.6 Bendix Air Cam Rear Drum Brakes to fit all heavy haul, construction, refuse and highway truck and tractor applications. Includes Automatic Slack Adjusters & Outboard Mounted Brake Drums. Refer to TSB 11-57 for more information.	0
O	Ratio 5.57 Rear Axle	0
O	Hendrickson HMX EX 460 46,000 LBS., 54" Haulmax, 70K Creep Rating. Includes Traax Rod as standard, option 1920905 is not needed or available. Progressive load spring system easily adjusts to the load for an enhanced combination of empty-ride quality and loaded stability.	-84
O	16.5" Saddle Height HMX EX 400/460 IPO Std 18.5"	0

Engine & Equipment

O	PACCAR PX-9 370@1900 GOV@2100 1250@1200 Performance (2024 Emissions)	0
	N21350 C121 64....Maximum Accelerator Pedal Ve	
	N21370 C128 64....Maximum Cruise Speed (P059)	
	N21460 C132 1400..Max PTO Speed (P046)	
	N21520 C133 5.....Timer Setting (P030)	
	N21610 C188 39....Low Ambient Temperature Thre	
	N21620 C189 60....Intermediate Ambient Tempera	
	N21630 C190 80....High Ambient Temperature Thr	
	N21550 C206 35....Engine Load Threshold (P516)	

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
	N21340 C209 120...Hard Maximum Speed Limit (P1 N21510 C225 YES...Enable Idle Shutdown Park Br N21450 C231 NO....Gear Down Protection (P026) N21570 C233 NO....Idle Shutdown Manual Overrul N21440 C234 NO....Engine Protection Shutdown (N21480 C238 NO....Auto Engine Brake in Cruise N21470 C239 NO....Cruise Control Auto Resume (N21430 C333 0.....Reserve Speed Limit Offset (N21410 C334 0.....Maximum Cycle Distance (N202 N21590 C382 YES...Enable Hot Ambient Automatic N21500 C395 0.....Expiration Distance (N209) N21530 C396 YES...Enable Impending Shutdown Wa N21540 C397 60....Timer For Impending Shutdown N21320 C399 100...Standard Maximum Speed Limit N21400 C400 252...Reserve Speed Function Reset N21420 C401 10...Maximum Active Distance (N20 N21330 C402 0.....Expiration Distance (N207)	
S	EMUX Electronics Architecture	0
O	Engine Idle Shutdown Timer Enabled	0
O	Enable EIST Ambient Temp Overrule	0
	Eff EIST NA Expiration Miles	0
	Effective VSL Setting NA	0
O	Typical Operating Speed 65 MPH	0
O	Powertrain Optimized for Performance Best analysis for vehicles used in vocational applications or with heavy GCWRs.	0
O	Engine Oil Test Port Expanded availability of the engine oil test port to include availability with MX-11 engines.	0
O	Remote PTO/Throttle, 12-Pin Eng Bay Remote Control Provision	0
O	EPA Emission Warranty	0
S	EPA Engine Idling Compliance	0
O	Omit Chevron Engine Oil Sticker (DELO)	0
S	Bed Plate for PX-9, L9N Engines Designed to increase engine longevity by incorporating a stiffener bracket on the bottom side of the engine, inside the oil pan, for additional reinforcement. Required for all PX-9/L9N refuse applications and recommended for other high load 9-liter applications.	0
S	PACCAR 160 Amp Alternator, Brushed	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
	PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	
O	Immersion Type Block Heater 110-120V Standard location is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	2
O	PACCAR 12V Starter, N/A PACCAR MX Engines PACCAR 12-volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	0
S	3 PACCAR Premium 12V Dual Purpose Batt 2190 CCA Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0
O	Kissling Battery Disconnect SW 300AMP Single Tab; MTD on Battery Box	3
S	2-Speed Fan Clutch For Frequent Start/Stops A 2-speed fan clutch is ideal for vocational applications where the fan clutch engagement time exceeds 10% of the engine run time. When the fan clutch is disengaged, the fan still rotates at 15-25% of the engine RPM. This fan rotation provides crucial airflow to the engine and draws virtually no horsepower.	0
S	18.7 CFM Air Compressor N/A X15. Furnished on engine. Teflon lined stainless steel braided compressor discharge line.	0
S	PACCAR Fuel/Water Separator Standard Service PACCAR Fuel/Water separator standard service intervals. High efficiency media protects critical engine components.	0
S	No Fluid Heat Option for Fuel Filter	0
S	No Electric Heat Option for Fuel Filter	0
O	Engine Protection Shutdown w/ Label Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.	0
S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 520 1242 sq in, 579 1325 sq in, 535/536/537/548 949.3 sq in, 537/548 VOC 1000.3 sq in, 567 1440 sq in, 589 1604 sq in.	0
O	Bugscreen	5
S	Stainless Steel Grille	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
S	Heavy Duty Air Cleaner Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0
O	Pre-Cleaner ECG	13
S	Exhaust Vertical LH DPF/SCR LH Back of Cab Vertical, Single Module	0
O	Exhaust 90 Degree Diffuser	0
Transmission & Equipment		
O	Allison 4500 RDS-P Transmission, Gen 6 Rugged Duty Series	390
S	SPL170 HD-XL Driveline, 1 Midship Bearing	0
S	SPL170 XL Driveline Interaxle Dana Spicer Life Series heavy-duty drive shafts are built for heavy loads over the long haul. For tandem rear axles.	0
O	Service Free Driveline Service free driveline for SPL350, SPL250, SPL170, SPL100.	0
S	Auto Neutral Activates With Parking Brake Auto Neutral helps improve jobsite safety by reducing the possibility of the truck moving due to throttle application.	0
O	Allison FuelSense Not Desired Dynamic Shift Sensing	0
S	Allison Neutral At Stop Neutral at Stop features and benefits: Reduces or eliminates the load on the engine when vehicle is stopped, can help lower fuel consumption and CO2 emissions, and is included in FuelSense 2.0 Plus and Max packages only.	0
S	Console Mounted Push Button Shifter	0
O	Allison 6-Speed Configuration, Wide Ratio Gears Allison 4500 transmission only	0
O	Allison Output Function S Neutral Indicator Allison output function S Neutral Indicator for PTO. Required on Refuse Packer Applications. With this configuration NEUTRAL only, PTO engagement is permitted only when the transmission is in Neutral. Once the transmission is in Neutral, the PTO is automatically engaged and fast idle is initiated when the PTO switch is on. In addition with this configuration Pack-on-the-fly, the PTO is automatically engaged and fast idle is initiated when the PTO switch is On concurrently with shifting of the transmission to Neutral.	0
O	Allison Transmission Fluid Test Port Remote coupler. The fluid test port provides easy access to transmission fluid for testing from its location under the hood on the right-hand frame rail.	0

Air & Trailer Equipment

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
S	Bendix AD-HF EP Air Dryer, Heater Coalescing filter, extended purge. Bendix AD-HF air filters protects the life of your engine system and components. Proven PuraGuard oil coalescing technonlgy in the the air dryer cartridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.	0
S	Nylon Chassis Hose	0
O	Central Location For Air Tank Drain Valves Wire braid hose to air tanks. (Not available with optional drain valves.)	4
S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0
O	Fitting For F/O Air Port The furnished by owner fitting air port is mounted outboard of the driver's seat. This allows operators access to pressurize truck air, to maintain clean air in the cab.	0
Tires & Wheels		
O	FF: BR 20ply 315/80R22.5 M870 Efficiency Rating: Fair Diameter= 42.8 inches; SLR= 19.9 inches The Bridgestone M870 is a high scrub All-Position Radial tire designed specifically for urban waste collection.	-4
O	RR: BR 16ply 11R22.5 M799 Efficiency Rating: Poor Diameter = 42.0 inches; SLR = 19.5 inches	32
S	Code-rear Tire Qty 08	0
O	FF: Alcoa 89U637 22.5 X 9.00 High Polish Aluminum, Ultra ONE technology that saves more than 50 lbs. versus a comparable steel wheel. Built for refuse, logging, mining and other heavy haul applications that demand a tough wheel. Each wheel offers a 10,000 lbs. load rating.	-110
S	RR: Accur Stl Armor 50291PK 22.5X8.25 Heavy Duty, Two Hand Holes	0
S	Code-rear Rim Qty 08	0
Fuel Tanks		
O	23" Aluminum 80 Gallon Fuel Tank LH BOC Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup	13

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
	tube. Wire braid fuel lines increase durability & reduce potential for leaks.	
O	Location LH BOC 80 Gallon	0
S	Fuel Cooler Required with single fuel tank	0
S	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0
S	DEF To Fuel Ratio Between 1:1 And 2:1	0
S	DEF Tank 520, 7.3 Gal	0
Battery Box & Bumper		
O	Aluminum Battery Box LH Frame Mtd Back-of- Fender Aluminum battery box left hand frame mounted back-of-fender. 8" Below top of frame.	1
O	Rubber Battery Pad In Bottom of (1) Battery Box Mat in box that holds batteries only	4
S	Steel Bumper Channel Painted Includes two front tow eyes with pins	0
Cab & Equipment		
O	53" LCF ProBilt Cab RH Drive Use with auto-trans. Includes steel frames with aluminum and fiberglass panels, all aluminum doors, dual door stops, door locks, tinted safety glass thru-out, cab and door mounted entry grab handles, 65 degree hydraulic tilt, stainless steel grille, dual rear cab fenders, service module BOC (cab tilt pump, oil fill and dipstick, coolant fill and check, fluid fill and dipstick for auto trans), door mounted armrests, power windows, doghouse full insulation, rubber floor mats, ergonomic center control console, removable instrument panel, Driver Information Display, LED backlit gauges, adjustable side flip-down interior sunvisor, 16" steering wheel with integrated horn button, tilt/telescopic adjustable column, over-door storage, driver and passenger side cup holders, USB charging port and 12VDC charging outlet, header includes HVAC controls, rear cab corner windows, 18" bolt-on step on each side, self-canceling turn signals and Front Directional and Side Mounted Turn Signals.	0
O	Key All Units Alike Please add your 3 digit key code number in the key code field.	0
S	Thermal Insulation Package in Cab The thermal insulation package is designed to make the cab thermally efficient in extreme temperatures. The model 520 adds insulation surrounding the doghouse to reduce engine heat transmitted to the cab.	0
	KEY G275	0
S	4.5" Rubber Flares On Cab And wheel well fenders	0
O	Sears C2 Plus Premium Driver Seat	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
	Enhanced for operator comfort with a 1" thicker foam cushion with flat bolsters for greater surface area coverage. Countoured metal seat and back pans add to overall ergonomic design with air lumbar supprt. Comes with quick attach seat and back cushions for ease of service and replacement.	
O	Sears C2 Plus Premium Passenger Seat Enhanced for operator comfort with a 1" thicker foam cushion with flat bolsters for greater surface area coverage. Countoured metal seat and back pans add to overall ergonomic design with air lumbar supprt. Comes with quick attach seat and back cushions for ease of service and replacement.	0
O	Seat Belt Color Orange IPO Standard Black	0
O	Air Ride Driver	43
O	Mid Back Driver	0
O	Fabric Driver	0
O	Air Ride Passenger	43
O	Mid Back Passenger	0
O	Fabric Passenger	0
S	Gray Interior Color Includes ABS Gray Headliner & Rear Cab Panel, Gray Vinyl Engine Tunnel Cover. For LH, RH, and Dual Steer Dual Seated Power Windows are standard on both doors. For Dual Steer RH stand-up the LH Window is Power and the RH Window is a Manual Sliding window.	0
O	High-Visibility Interior Grabhandles, Painted Bright yellow interior grabhandle for vocational vehicles.	2
S	Adjustable Steering Column - Tilt/Telescope	0
S	Steering Wheel With Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0
O	Diamond Plate Floor Covering LH/RH ipo Floormat In Dual Steer application RH Diamond Plate covering is standard. Single drive applications the Diamond Plate is optional.	13
S	Exterior Cab Entry Grabhandle Textured; NFPA compliant. Available on Day Cab specifications only.	0
O	Rear Window Back of Cab Dark Tint 18.5in X 54in	0
S	2-Piece Flat Windshield	0
S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
O	(2) Defroster Fan On Rear Header	60
O	Outside Sunvisor - Stainless Steel Not available with 2.1M high roof sleeper.	4
S	Black LH/RH Tri-plane Mirrors, Heated, Motorized, Mounted to Doors. Features: Heated on All Three Surfaces, Upper/Lower Mirrors are Convex and Middle is a Flat Pane Motorized Mirror.	0
S	(1) Air Horn 15" Painted Mounted under cab.	0
O	ConcertClass, AM/FM, Weatherband, 3.5 Aux	10
O	Midlevel Speaker Package For Cab (4) Speakers	6
O	Bluetooth Located On Driver Side	0
O	Radio Mute When In Reverse For automatic or automated transmission	0
O	Bluetooth Phone and Audio Requires USB Port	0
O	USB Port	0
S	Global Telematics Hardware	0
O	Cab Tilt Pump Air Assist	0
O	Rain Gutters Over Driver and Passenger Doors	8
S	Peterbilt Pantograph Windshield Wipers With intermittent feature.	0
O	Triangle Reflector Kit, Ship Loose Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	13
O	Fire Extinguisher, Cab Mounted Hazmat approved UL listed/rated ABC	12
O	Backup Alarm (107 DB)	3
S	Transmission Oil Temperature (Main) Located in Digital Cluster Display.	0
S	Air Restriction Indicator Mounted on exhaust stanchion	0
O	Warning Light Battery Disconnect, Switch Engaged Marker light external mounted	0
O	(2) Additional Dash Switches With Wiring Located on dash panel C. Availability subject to dash space. Includes 4" 14 gauge wire with butt splice at rear of each additional switch.	1
O	Engine Hourmeter Gauge Located in Digital Cluster Display	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
O	Engine PTO Hourmeter Gauge Located In Digital Cluster Display	0
O	Engine Manifold Pressure (Turbo Boost) Located in Digital Cluster Display	0
O	Engine Percent Torque Located in Digital Cluster Display	0
O	Main Instrumentation Panel Digital Cluster 7" Display includes: Physical (Analog) - Speedometer, Tachometer, Oil Pressure, Coolant Temp and Display Gauges - Fuel Level, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure for air brake trucks.	0
O	Voltmeter Gauge (MD/520 Only) Located in Digital Cluster Display	0
O	Headlights Single Rectangular LED Model 520 LED headlights provide outstanding brightness and coverage that can help with driver eye-fatigue. LED headlights are easy to install, long lasting, energy efficient and cost effective and they provide improved headlight brightness.	0
S	(5) LED Clearance With (2) LED Marker Lights Includes (5) lights mounted on roof of cab and (1) cab side marker light mounted in front of each cab door	0
O	Daytime Running Lights The brake interlock turns the daytime running lights off when the parking brakes are engaged. This is required on all Canadian vehicles.	0
O	Self-Canceling Turn Signal	2
O	Moveable EOF Crossmember For Mounting Tail Lights Square end of frame with or without end of frame crossmember	2
Paint		
S	Standard Paint Color Selection	0
O	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L0006EY WHITE N85700 BUMPER L0001EA BLACK N85500 CAB ROOF L0006EY WHITE N85200 FRAME L0001EA BLACK	0
Shipping Destination		
Options Not Subject To Discount		
S	Peterbilt Class 8 Standard Coverage 1 year/100,000 Miles (160,000 km)	0
S	PACCAR PX-9 Standard Coverage 2 yrs/250,000 mi (402,336 km)/6,250 hrs	0
O	Fuel Price Index Factor \$0 NET	0
O	SmartLINQ RD - 5YR Sub	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: ASL

Quote Number: QUO-1209075-C5Y9Z2

Printed On: 11/24/2025 11:45:04 AM



Std/ Opt	Description	Weight
	PACCAR PX Engines	
<input type="radio"/>	Base Warr: Emissions 5YR/100K MI-EPA Engine	0
<input type="radio"/>	Vehicle Layout Option is not subject to discount. Fleets will be split prior to build so that the charge is applied to only one unit. Quotes will not reflect this.	0
Miscellaneous		
<input type="radio"/>	State Of Registry: Arizona	0
<input type="radio"/>	Model Year 2026 Engine	0
<input type="radio"/>	Model Year 2025 Engine	0
<input type="radio"/>	2024 Series Emissions Engine	0
<input type="radio"/>	1 Year Towing & Mobile Service	0

Promotions

Special Requirements

- Special Requirement 1 0098170
- Special Requirement 2
- Special Requirement 3
- Special Requirement 4

Order Comments



Total Weight (lbs)

17,679

Any price increase as the result of force majeure, rising costs of components (including but not limited to material shortages) or government tariffs are not included in the quoted price and will be the financial responsibility of the customer.

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information



Price Level: January 1, 2026

Deal: ASL

Printed On: 11/24/2025 11:45:04 AM

100% Complete

Date: November 24, 2025

Quote Number: QUO-1209075-C5Y9Z2



Rush Truck Center, Phoenix

9600 W. Roosevelt St.
Tolleson, AZ 85353
602-422-8100

Customer Proposal Letter

CITY OF FLAGSTAFF
211 West Aspen Ave.
Flagstaff, AZ 86001

Thank you for trusting us with your business. Please review the proposal below, and if you approve, sign and return to us at your convenience. We look forward to working with you and will continue to do our best to earn your trust now and in the future.

VEHICLE INFORMATION

Year 2027 Make Peterbilt Model 520 Stock # TBD Serial # TBD

Additional Vehicle Details: 27MY 520 FEL, New Way Body, PX-9 370/1250, Allison 4500, Paccar 20K front, Dana 44K rear, Peterbilt Standard high back seat, aluminum front wheels (better turn radius), undercab airhorn, No lookdown mirror, defroster fans

Local Add Ons: Double Brake Pedal, Under Cab Foam, Window Tint

Sourcewell Contract 032824

		Total
Quantity		
Truck Price per Unit	\$ 379,838.10	\$ 379,838.10
F.E.T. (Factory & Dealer Paid)	\$ 0.00	
Net Sales Price	\$ 379,838.10	\$ 379,838.10
Optional Extended Warranty(ies)	\$ 380.00	\$ 380.00
State Sales Tax	\$ 31,526.56	\$ 31,526.56
Additional Taxes	\$ 25.00	\$ 25.00
Documentary Fee	\$ 250.00	\$ 250.00
Tire Recycling Program	\$ 46.60	\$ 46.60
Total Sales Price	\$ 412,066.26	\$ 412,066.26
Trade Allowance (see DISCLAIMER Below)		
Deposit / Down Payment		
Unpaid Balance Due on Delivery	\$ 412,066.26	\$ 412,066.26

Sales Representative	Signature _____	Christian Salam	Printed Name _____	_____	Date _____
Purchaser	Signature _____		Printed Name / Title _____	_____	Date _____
Accepted by Sales Manager or General Manager	Signature _____		Printed Name _____	_____	Date _____

Quote good until 12/31/2025 Note: The above Customer Proposal is a quotation only. Sale terms subject to approval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal is subject to Customer executing Dealer's standard form Retail Sales Order and other required documents incorporating the above terms. Any documentary fees, FET, state tax, title, registration and license fees subject to adjustment and change. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer is not obligated to retain any specific vehicles in stock, nor maintain any specific inventory levels. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) is not in stock or available within requested delivery schedule. **Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If a vehicle identified in this Proposal is not currently in Rush's stock at the time an order is placed by the Customer, Dealer reserves the right to change the vehicle price at any time to reflect any price increases imposed by the Manufacturer.** Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s). Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of the Trade Vehicle by Customer.

⁽¹⁾ Includes subscription period for # of specified months. ⁽²⁾ Customer's use of RushCare Service is governed by the RushCare User Agreement located at <https://www.rushtruckcenters.com/rushcare-user-agreement>. ⁽³⁾ Customer's use of Telematics Services is governed by separate 3rd party license terms and Rush is not liable for the Telematic Service. ⁽⁴⁾ Gap Coverage is provided and administered by an independent 3rd party provider under a separate contract directly between Customer and the 3rd party provider.

Q U O T A T I O N

Short Equipment
 3202 W. Durango St.
 Phoenix, AZ 85009
 Phone #: (480)999-5455

PHONE #: (928)213-2193
 CELL #:
 ALT. #:
 P.O.#:
 TERMS: **Net 30**
 SALES TYPE: **Quote**

DATE: **11/18/2025**
 ORDER #: **7413**
 CUSTOMER #: **100104**
 CP: **AndrewD**
 LOCATION: **1**
 STATUS: **Active**

BILL TO 100104

CITY OF FLAGSTAFF - TRUCK SALE
 3200 W. ROUTE 66
 FLAGSTAFF, AZ 86001 US

SHIP TO

CITY OF FLAGSTAFF - TRUCK SALE
 3200 W. ROUTE 66
 FLAGSTAFF, AZ 86001 US

MFR	PRODUCT NUMBER	DESCRIPTION	QTY	PRICE	NET	TOTAL
SCRAFEL		New Way 40 Yd. Front Loader	1	\$180,329.00	\$180,329.00	\$180,329.00

Including All Standard Equipment
 Body Floor 3/16" AR450-40YD
 Hopper Floor Liner 3/16" AR450
 Steel Canopy With Steel Extension that is Air Raised
 10,000 lb. Lift Rating Arms including 5" Arm Cylinder and 4" Fork Thickness 1 1/4" 100K with hook
 **(48" usable bumper to hook)
 Service Hoist
 Remote Grease tailgate hinge & cylinders
 Aluminum Drip Pan Below Tailgate Seal
 Shovel/Broom Rack-Back side of front bulkhead screen
 Body Hold-down Lock
 LED Body Lights including Reverse and License Plate
 LED High Intensity Work Lights (2 in Hopper, 1 on Canopy)
 Strobe Light Pkg - Integrated Strobe System w/ Turn Signals
 **2 round lights mounted in upper tailgate
 **2 round lights mounted in lower tailgate
 Hot Shift PTO Mount Vane Pump
 Single Handle Quad Control Joystick
 Over Height Warning Light
 In Tank Oil Heater
 Steel Tool Box 18x18x24 - Frame Mounted
 Rubber Fender Skirt Extension
 3rd Eye 5 Camera System with DVR
 **Monitor Mounted Center Overhead
 **Back Up, Hopper, Forward Facing
 **Tailgate Left, Tailgate Right
 Painted to Flagstaff Blue - N2623EX

Prices reflected on this quote are valid for 30 days and while current supplies last. However, prices are subject to change if the program or promotion the prices were quoted under is no longer in effect.

SUBTOTAL: \$180,329.00

Q U O T A T I O N

Short Equipment
3202 W. Durango St.
Phoenix, AZ 85009
Phone #: (480)999-5455

PHONE #: **(928)213-2193**
CELL #:
ALT. #:
P.O.#:
TERMS: **Net 30**
SALES TYPE: **Quote**

DATE: **11/18/2025**
ORDER #: **7413**
CUSTOMER #: **100104**
CP: **AndrewD**
LOCATION: **1**
STATUS: **Active**

TAX: **\$0.00**
ORDER TOTAL: **\$180,329.00**

Upfitting included in Rush Quote

Authorized By: _____



Rush Trk Ctrs Of Arizona (A265)
 9600 West Roosevelt St
 Tolleson, Arizona 85353

City Of Flagstaff
 211 W Aspen Ave
 Flagstaff, Arizona 86001
 United States of America

Christian Salam
 Cell Phone: 9723023270
 Office Phone: 602-272-7611
 Email: salamc@rushenterprises.com

BRIAN SUTTER

Vehicle Summary

	Unit		Chassis	
Model:		Model 520	Fr Axle Load (lbs):	20000
Type:		Full Truck	Rr Axle Load (lbs):	44000
Description 1:		FEL PX9	G.C.W. (lbs):	64000
Description 2:				
	Application		Road Conditions:	
Intended Serv.:	Refuse/Landfill		Class A (Highway)	95
Commodity:	Refuse, Scrap, Recycling		Class B (Hwy/Mtn)	5
			Class C (Off-Hwy)	0
	Body		Class D (Off-Road)	0
Type:	Commercial Front Loader / Push-out		Maximum Grade:	6
Length (ft):	24		Wheelbase (in):	210
Height (ft):	13.5		Overhang (in):	75
Max Laden Weight (lbs):	1000		Fr Axle to BOC (in):	0.1
			Cab to Axle (in):	209.9
	Trailer		Cab to EOF (in):	284.9
No. of Trailer Axles:	0		Overall Comb. Length (in):	342.3
Type:				
Length (ft):	0		Special Req.	
Height (ft):	0			
Kingpin Inset (in):	0			
Corner Radius (in):	0			
	Restrictions			
Length (ft):	40			
Width (in):	102			
Height (ft):	13.5			

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.



Std/ Opt	Description	Weight
Base Model		
S	Model 520 Peterbilt's Model 520 is built to withstand the harsh demands of the refuse industry. The rugged, aluminum cab delivers best-in-class durability for increased uptime and lap seam construction on a zinc-coated steel sub-frame for corrosion resistance. Bulkhead-style doors provide years of watertight performance. This low-cab forward vehicle adds a new dimension of productivity and versatility. An industry-leading, 65-degree cab tilt enhances maintenance and serviceability. Body installation is cost effective and efficient and the center console provides convenient access to body control integration points.	16,475
S	Refuse, Scrap, Recycling	0
O	Refuse/Landfill Truck which picks up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops and starts. Unloading can be at transfer station or at landfill (may enter landfill).	0
O	Commercial Front Loader / Push-out	0
S	United States Registry Canadian Registry Package Requires Air Conditioning Excise Tax Canada, Speedometer to be KPH ipo MPH, Daytime Running Lights and Rubber Battery Pad in Bottom of Battery Box.	0
Configuration		
S	Not Applicable Secondary Manufacturer	0
Frame & Equipment		
O	10-3/4" Steel Rails 306-342" 10.75x3.5x.375 Dimension, 2,136,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 17.8 cubic inches. Weight: 1.74 lbs/inch pair	212
O	Full Steel Inner Liner	691
O	Zinc Coated Anti Corrosion Treated Frame Rails Requires Frame Rail Code. Zinc Phosphate coating will replace the standard frame rail primer and provide added corrosion prevention for your customer's operating in severe conditions or in climates where vehicle rust is common.	4
S	EOF Square without Crossmember End-of-frame square without crossmember. For use with body builder installed crossmember.	0
S	Omit Rear Mudflaps and Hangers	0
O	Holland (2) TH-10050 Tow Hooks EOF	40
O	(2) Solid Mount Cable Hooks	40

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
Front Axle & Equipment		
S	PACCAR FX-20 Steer Axle 20,000 lbs. 4" Drop Axle is designed for applications with a gross axle weight rating (GAWR) of 20,000 pounds. Front axle is designed for demanding applications such as construction, heavy haul, refuse, and other vocational uses. Robust forged steel beam construction for long-lasting performance. It utilizes innovative tapered kingpin roller bearings for more efficient operation and improved steering efficiency. The PACCAR Steer Axle comes standard with the PACCAR warranty of 5 years, 750,000 miles.	0
O	Taper Leaf Springs, Shocks 23,000 lb Standard with Heavy Resistance Shocks.	210
S	Power Steering Sheppard M100 Dual Gear For use with 16,000 to 20,000 lb. axle ratings. Glidekote splines on steering shaft extend service life of components.	0
O	PHP10 Iron PreSet PLUS Hubs PHP10 iron PreSet PLUS hubs have a fully integrated spindle nut design, an optimized wheel spacer, magnetic fill plug on drive and trailer hubs for inspection of metal particles in lubricant, with a long life oil seal and bearings are pre-adjusted. Use with Front Axle.	84
O	Bendix Air Cam Front Drum Brakes 16.5x7 For use with 16,000 lbs to 23,000 lbs steer axles or front drive axles. Includes automatic slack adjusters & outboard mounted brake drums.	0
O	PACCAR FX Wide Track IPO Standard 71in KPI IPO 69in front axle for improved turning radius.	0
O	Gusseted Cam Brackets, Steer Axle	0
O	Heavy Duty Cam Bushings, Steer Axle	0
Rear Axle & Equipment		
O	Dana Spicer DSH44 44,000 lb, High Performance 44 Interaxle diff lock air rocker occupies space of one gauge. 12.5 mm housing, 15.75 ring gear. Laser factory axle alignment to improve handling & reduce tire wear. Magnetic rear axle oil drain plug captures & holds any metal fragments in drive axle lube to extend service life. Parking brakes on all drive axles for optimal performance. Cognis EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	-311
O	PHP10 Iron PreSet PLUS Hubs	0
O	Bendix Smart ATC Traction Control	2
O	Refuse Service Brakes, Steer And Drive Axles Designed for heavy-duty applications for refuse industry, providing long brake life, safety and performance.	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
O	Rear Brake Camshaft Reinforcement Rear brake camshaft reinforcement helps guard against wear and corrosion.	9
O	Gusseted Cam Brackets, Drive Axle(s)	2
S	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0
O	Pneumatic Park Brake	0
O	Anti-Lock Braking System (ABS) 6S6M ABS-6. Includes air braking system.	35
S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0
O	Bendix Air Cam Rear Drum Brakes 16.5x8.6 Bendix Air Cam Rear Drum Brakes to fit all heavy haul, construction, refuse and highway truck and tractor applications. Includes Automatic Slack Adjusters & Outboard Mounted Brake Drums. Refer to TSB 11-57 for more information.	0
O	Ratio 5.57 Rear Axle	0
O	Hendrickson HMX EX 460 46,000 LBS., 54" Haulmaax, 70K Creep Rating. Includes Traax Rod as standard, option 1920905 is not needed or available. Progressive load spring system easily adjusts to the load for an enhanced combination of empty-ride quality and loaded stability.	-84
O	16.5" Saddle Height HMX EX 400/460 IPO Std 18.5"	0

Engine & Equipment

O	PACCAR PX-9 370@1900 GOV@2100 1250@1200 Performance (2024 Emissions)	0
	N21350 C121 64....Maximum Accelerator Pedal Ve	
	N21370 C128 64....Maximum Cruise Speed (P059)	
	N21460 C132 1400..Max PTO Speed (P046)	
	N21520 C133 5.....Timer Setting (P030)	
	N21610 C188 39....Low Ambient Temperature Thre	
	N21620 C189 60....Intermediate Ambient Tempera	
	N21630 C190 80....High Ambient Temperature Thr	
	N21550 C206 35....Engine Load Threshold (P516)	

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
	N21340 C209 120...Hard Maximum Speed Limit (P1 N21510 C225 YES...Enable Idle Shutdown Park Br N21450 C231 NO....Gear Down Protection (P026) N21570 C233 NO....Idle Shutdown Manual Overrul N21440 C234 YES...Engine Protection Shutdown (N21480 C238 NO....Auto Engine Brake in Cruise N21470 C239 NO....Cruise Control Auto Resume (N21430 C333 0.....Reserve Speed Limit Offset (N21410 C334 0.....Maximum Cycle Distance (N202 N21590 C382 YES...Enable Hot Ambient Automatic N21500 C395 0.....Expiration Distance (N209) N21530 C396 YES...Enable Impending Shutdown Wa N21540 C397 60....Timer For Impending Shutdown N21320 C399 100...Standard Maximum Speed Limit N21400 C400 252...Reserve Speed Function Reset N21420 C401 10...Maximum Active Distance (N20 N21330 C402 0.....Expiration Distance (N207)	
S	EMUX Electronics Architecture	0
O	Engine Idle Shutdown Timer Enabled	0
O	Enable EIST Ambient Temp Overrule	0
	Eff EIST NA Expiration Miles	0
	Effective VSL Setting NA	0
O	Typical Operating Speed 65 MPH	0
O	Powertrain Optimized for Performance Best analysis for vehicles used in vocational applications or with heavy GCWRs.	0
O	Remote PTO/Throttle, 12-Pin Eng Bay Remote Control Provision	0
O	EPA Emission Warranty	0
S	EPA Engine Idling Compliance	0
O	Omit Chevron Engine Oil Sticker (DELO)	0
S	Bed Plate for PX-9, L9N Engines Designed to increase engine longevity by incorporating a stiffener bracket on the bottom side of the engine, inside the oil pan, for additional reinforcement. Required for all PX-9/L9N refuse applications and recommended for other high load 9-liter applications.	0
S	PACCAR 160 Amp Alternator, Brushed PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.	0
O	Immersion Type Block Heater 110-120V	2

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
	Standard location is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	
O	PACCAR 12V Starter, N/A PACCAR MX Engines PACCAR 12-volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	0
S	3 PACCAR Premium 12V Dual Purpose Batt 2190 CCA Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0
O	Kissling Battery Disconnect SW 300AMP Single Tab; MTD on Battery Box	3
S	2-Speed Fan Clutch For Frequent Start/Stops A 2-speed fan clutch is ideal for vocational applications where the fan clutch engagement time exceeds 10% of the engine run time. When the fan clutch is disengaged, the fan still rotates at 15-25% of the engine RPM. This fan rotation provides crucial airflow to the engine and draws virtually no horsepower.	0
S	18.7 CFM Air Compressor N/A X15. Furnished on engine. Teflon lined stainless steel braided compressor discharge line.	0
S	PACCAR Fuel/Water Separator Standard Service PACCAR Fuel/Water separator standard service intervals. High efficiency media protects critical engine components.	0
S	No Fluid Heat Option for Fuel Filter	0
S	No Electric Heat Option for Fuel Filter	0
S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 520 1242 sq in, 579 1325 sq in, 535/536/537/548 949.3 sq in, 537/548 VOC 1000.3 sq in, 567 1440 sq in, 589 1604 sq in.	0
O	Bugscreen	5
S	Stainless Steel Grille	0
S	Heavy Duty Air Cleaner Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0
O	Pre-Cleaner ECG	13
S	Exhaust Vertical LH DPF/SCR	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
	LH Back of Cab Vertical, Single Module	
O	Exhaust 90 Degree Diffuser	0
Transmission & Equipment		
O	Allison 4500 RDS-P Transmission, Gen 6 Rugged Duty Series	390
S	SPL170 HD-XL Driveline, 1 Midship Bearing	0
S	SPL170 XL Driveline Interaxle Dana Spicer Life Series heavy-duty drive shafts are built for heavy loads over the long haul. For tandem rear axles.	0
S	Auto Neutral Activates With Parking Brake Auto Neutral helps improve jobsite safety by reducing the possibility of the truck moving due to throttle application.	0
O	Allison FuelSense Not Desired Dynamic Shift Sensing	0
S	Allison Neutral At Stop Neutral at Stop features and benefits: Reduces or eliminates the load on the engine when vehicle is stopped, can help lower fuel consumption and CO2 emissions, and is included in FuelSense 2.0 Plus and Max packages only.	0
S	Console Mounted Push Button Shifter	0
O	Allison 6-Speed Configuration, Wide Ratio Gears Allison 4500 transmission only	0
O	Allison Output Function S Neutral Indicator Allison output function S Neutral Indicator for PTO. Required on Refuse Packer Applications. With this configuration NEUTRAL only, PTO engagement is permitted only when the transmission is in Neutral. Once the transmission is in Neutral, the PTO is automatically engaged and fast idle is initiated when the PTO switch is on. In addition with this configuration Pack-on-the-fly, the PTO is automatically engaged and fast idle is initiated when the PTO switch is On concurrently with shifting of the transmission to Neutral.	0
O	Allison Transmission Fluid Test Port Remote coupler. The fluid test port provides easy access to transmission fluid for testing from its location under the hood on the right-hand frame rail.	0
Air & Trailer Equipment		
S	Bendix AD-HF EP Air Dryer, Heater Coalescing filter, extended purge. Bendix AD-HF air filters protects the life of your engine system and components. Proven PuraGuard oil coalescing technology in the the air dryer cartridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.	0
S	Nylon Chassis Hose	0



Std/ Opt	Description	Weight
O	Central Location For Air Tank Drain Valves Wire braid hose to air tanks. (Not available with optional drain valves.)	4
S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0
O	Fitting For F/O Air Port The furnished by owner fitting air port is mounted outboard of the driver's seat. This allows operators access to pressurize truck air, to maintain clean air in the cab.	0
Tires & Wheels		
O	FF: BR 20ply 315/80R22.5 M870 Efficiency Rating: Fair Diameter= 42.8 inches; SLR= 19.9 inches The Bridgestone M870 is a high scrub All-Position Radial tire designed specifically for urban waste collection.	-4
O	RR: BR 16ply 11R22.5 M799 Efficiency Rating: Poor Diameter = 42.0 inches; SLR = 19.5 inches	32
S	Code-rear Tire Qty 08	0
O	FF: Alcoa 89U637 22.5 X 9.00 High Polish Aluminum, Ultra ONE technology that saves more than 50 lbs. versus a comparable steel wheel. Built for refuse, logging, mining and other heavy haul applications that demand a tough wheel. Each wheel offers a 10,000 lbs. load rating.	-110
S	RR: Accur Stl Armor 50291PK 22.5X8.25 Heavy Duty, Two Hand Holes	0
S	Code-rear Rim Qty 08	0
Fuel Tanks		
O	23" Aluminum 80 Gallon Fuel Tank LH BOC Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	13
O	Location LH BOC 80 Gallon	0
S	Fuel Cooler Required with single fuel tank	0
S	DEF Tank Mounted LH BOC Models 220 and 520 mounted left hand back-of-cab.	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
S	DEF To Fuel Ratio Between 1:1 And 2:1	0
S	DEF Tank 520, 7.3 Gal	0
Battery Box & Bumper		
O	Aluminum Battery Box LH Frame Mtd Back-of- Fender Aluminum battery box left hand frame mounted back-of-fender. 8" Below top of frame.	1
S	Steel Bumper Channel Painted Includes two front tow eyes with pins	0
Cab & Equipment		
S	53" LCF ProBilt Cab LH Drive Includes steel frames with alum and fiberglass panels, all alum doors, dual door stops, door locks, tinted safety glass thru-out, cab and door mounted entry grab handles, 65 degree hydraulic tilt, stainless steel grille, dual rear cab fenders, service module BOC (cab tilt pump, oil fill and dipstick, coolant fill and check, fluid fill and dipstick for auto trans), door mounted armrests, power windows, doghousefull insulation, rubber floor mats, ergonomic center control console, removable instrument panel, Driver Information Display, LED backlit gauges, adjustable side flip-down interior sunvisor, 16" steering wheel with integrated horn button, tilt/telescopic adjustable column, over-door storage, driver and passenger side cup holders, USB charging port and 12VDC charging outlet, header includes HVAC controls and 12V power connection behind header cover, rear cab corner windows, 18" bolt-on step each side, self-canceling turn signals and front directional and side mounted turn signals.	0
O	Key All Units Alike Please add your 3 digit key code number in the key code field.	0
S	Thermal Insulation Package in Cab The thermal insulation package is designed to make the cab thermally efficient in extreme temperatures. The model 520 adds insulation surrounding the doghouse to reduce engine heat transmitted to the cab.	0
	KEY G275	0
S	4.5" Rubber Flares On Cab And wheel well fenders	0
S	Peterbilt Driver Seat	0
S	Peterbilt Passenger Seat	0
O	Seat Belt Color Orange IPO Standard Black	0
O	Air Ride Driver	43
O	High Back Driver	0
O	Mordura Driver	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
O	Air Ride Passenger	43
O	High Back Passenger	0
O	Mordura Passenger	0
S	Gray Interior Color Includes ABS Gray Headliner & Rear Cab Panel, Gray Vinyl Engine Tunnel Cover. For LH, RH, and Dual Steer Dual Seated Power Windows are standard on both doors. For Dual Steer RH stand-up the LH Window is Power and the RH Window is a Manual Sliding window.	0
O	High-Visibility Interior Grabhandles, Painted Bright yellow interior grabhandle for vocational vehicles.	2
S	Adjustable Steering Column - Tilt/Telescope	0
S	Steering Wheel With Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0
O	Diamond Plate Floor Covering LH/RH ipo Floormat In Dual Steer application RH Diamond Plate covering is standard. Single drive applications the Diamond Plate is optional.	13
S	Exterior Cab Entry Grabhandle Textured; NFPA compliant. Available on Day Cab specifications only.	0
O	Rear Window Back of Cab Dark Tint 18.5in X 54in	0
S	2-Piece Flat Windshield	0
S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0
O	(2) Defroster Fan On Rear Header	60
O	Mirrors SSTL Each Side Heated and Motorized with Switch on Door.	-7
O	(4) Convex 8 Inch SSTL Mirrors; (2) Center These optional convex mirrors provide enhanced rearward visibility by allowing the driver to see the operation of front-end loader arms or other obstacles that may interfere with operation in refuse services. The mirrors have an off-center mounting that maximizes adjustability for field of view. Dual door stops are included with these mirrors for added protection to the mirrors during cab entry and exit. Includes 4 convexed 8" stainless steel mirrors and 2 center mounted under (heated) and 2 center mounted over mirror bracket (non-heated). Includes dual door stops.	4
S	(1) Air Horn 15" Painted Mounted under cab.	0
O	ConcertClass, AM/FM, Weatherband, 3.5 Aux	10

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
O	Midlevel Speaker Package For Cab (4) Speakers	6
O	Bluetooth Located On Driver Side	0
O	Radio Mute When In Reverse For automatic or automated transmission	0
O	Bluetooth Phone and Audio Requires USB Port	0
O	USB Port	0
S	Global Telematics Hardware	0
O	Cab Tilt Pump Air Assist	0
O	Front Cab Guard, Painted Black	15
O	Rain Gutters Over Driver and Passenger Doors	8
S	Peterbilt Pantograph Windshield Wipers With intermittent feature.	0
O	Triangle Reflector Kit, Ship Loose Florescent triangle emergency road flares are designed to meet and exceed all DOT standards.	13
O	Fire Extinguisher, Cab Mounted Hazmat approved UL listed/rated ABC	12
O	Backup Alarm (107 DB)	3
S	Transmission Oil Temperature (Main) Located in Digital Cluster Display.	0
S	Air Restriction Indicator Mounted on exhaust stanchion	0
O	Brake Application Air Pressure (Tractor) Located in Digital Cluster Display.	0
O	Warning Light Battery Disconnect, Switch Engaged Marker light external mounted	0
O	Up To (4) Additional Electric Switches Up to (4) additional electric switches without wiring. Switch will short pin5 to pin 4 when off, and pin 5 to 6 when on. Backlighting provided by Lin jumper.	1
O	Engine Hourmeter Gauge Located in Digital Cluster Display	0
O	Engine PTO Hourmeter Gauge Located In Digital Cluster Display	0
O	Engine Manifold Pressure (Turbo Boost) Located in Digital Cluster Display	0
O	Engine Percent Torque Located in Digital Cluster Display	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



Std/ Opt	Description	Weight
O	Main Instrumentation Panel Digital Cluster 7" Display includes: Physical (Analog) - Speedometer, Tachometer, Oil Pressure, Coolant Temp and Display Gauges - Fuel Level, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure for air brake trucks.	0
O	Voltmeter Gauge (MD/520 Only) Located in Digital Cluster Display	0
O	Headlights Single Rectangular LED Model 520 LED headlights provide outstanding brightness and coverage that can help with driver eye-fatigue. LED headlights are easy to install, long lasting, energy efficient and cost effective and they provide improved headlight brightness.	0
S	(5) LED Clearance With (2) LED Marker Lights Includes (5) lights mounted on roof of cab and (1) cab side marker light mounted in front of each cab door	0
S	None Furnished Stop/Tail/Backup Lights Available with full truck only, not available with tractor	0
O	Daytime Running Lights The brake interlock turns the daytime running lights off when the parking brakes are engaged. This is required on all Canadian vehicles.	0
O	Self-Canceling Turn Signal	2
Paint		
S	Standard Paint Color Selection	0
O	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L0006EY WHITE N85700 BUMPER L0001EA BLACK N85500 CAB ROOF L0006EY WHITE N85200 FRAME L0001EA BLACK	0
Shipping Destination		
Options Not Subject To Discount		
S	Peterbilt Class 8 Standard Coverage 1 year/100,000 Miles (160,000 km)	0
S	PACCAR PX-9 Standard Coverage 2 yrs/250,000 mi (402,336 km)/6,250 hrs	0
O	Fuel Price Index Factor \$0 NET	0
O	SmartLINQ RD - 5YR Sub PACCAR PX Engines	0
O	Base Warr: Emissions 5YR/100K MI-EPA Engine	0
O	Vehicle Layout	0

Price Level: January 1, 2026

100% Complete

Date: November 24, 2025

Deal: FEL PX9

Quote Number: QUO-1207737-K9W5G7

Printed On: 11/24/2025 11:31:49 AM



<i>Std/ Opt</i>	<i>Description</i>	<i>Weight</i>
---------------------	--------------------	---------------

Option is not subject to discount. Fleets will be split prior to build so that the charge is applied to only one unit. Quotes will not reflect this.

Miscellaneous

<input type="radio"/>	State Of Registry: Arizona	0
<input type="radio"/>	Model Year 2026 Engine	0
<input type="radio"/>	Model Year 2025 Engine	0
<input type="radio"/>	2024 Series Emissions Engine	0
<input type="radio"/>	1 Year Towing & Mobile Service	0

Promotions

Special Requirements

- Special Requirement 1 0098170
- Special Requirement 2
- Special Requirement 3
- Special Requirement 4

Order Comments



Total Weight (lbs)

17,986

Any price increase as the result of force majeure, rising costs of components (including but not limited to material shortages) or government tariffs are not included in the quoted price and will be the financial responsibility of the customer.

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information



Price Level: January 1, 2026

Deal: FEL PX9

Printed On: 11/24/2025 11:31:49 AM

100% Complete

Date: November 24, 2025

Quote Number: QUO-1207737-K9W5G7

EXHIBITS B.1-B.2
AGENCY CONTRACT
(attached)

1. Sourcewell Agency Contract with Peterbilt Motors Company - 032824-PMC (39 pages)
2. Sourcewell Customer Pricing with Peterbilt Motors Company – 032824-PMC (1 page)

**Solicitation Number: RFP #032824****CONTRACT**

This Contract is between Sourcewell, 202 12th Street Northeast, P.O. Box 219, Staples, MN 56479 (Sourcewell) and Peterbilt Motors Company, 1700 Woodbrook Street, Denton, TX 76205 (Supplier).

Sourcewell is a State of Minnesota local government unit and service cooperative created under the laws of the State of Minnesota (Minnesota Statutes Section 123A.21) that offers cooperative procurement solutions to government entities. Participation is open to eligible federal, state/province, and municipal governmental entities, higher education, K-12 education, nonprofit, tribal government, and other public entities located in the United States and Canada. Sourcewell issued a public solicitation for Class 4-8 Chassis and Cabs with Related Equipment, Accessories, and Services from which Supplier was awarded a contract.

Supplier desires to contract with Sourcewell to provide equipment, products, or services to Sourcewell and the entities that access Sourcewell's cooperative purchasing contracts (Participating Entities).

1. TERM OF CONTRACT

A. EFFECTIVE DATE. This Contract is effective upon the date of the final signature below.

EXPIRATION DATE AND EXTENSION. This Contract expires July 9, 2028, unless it is cancelled sooner pursuant to Article 22. This Contract allows up to three additional one-year extensions upon the request of Sourcewell and written agreement by Supplier. Sourcewell retains the right to consider additional extensions beyond seven years as required under exceptional circumstances.

B. SURVIVAL OF TERMS. Notwithstanding any expiration or termination of this Contract, all payment obligations incurred prior to expiration or termination will survive, as will the following: Articles 11 through 14 survive the expiration or cancellation of this Contract. All other rights will cease upon expiration or termination of this Contract.

2. EQUIPMENT, PRODUCTS, OR SERVICES

A. EQUIPMENT, PRODUCTS, OR SERVICES. Supplier will provide the Equipment, Products, or Services as stated in its Proposal submitted under the Solicitation Number listed above. Supplier's Equipment, Products, or Services Proposal (Proposal) is attached and incorporated into this Contract.

All Equipment and Products provided under this Contract must be new and the current model. Supplier may offer close-out or refurbished Equipment or Products if they are clearly indicated in Supplier's product and pricing list. Unless agreed to by the Participating Entities in advance, Equipment or Products must be delivered as operational to the Participating Entity's site.

This Contract offers an indefinite quantity of sales, and while substantial volume is anticipated, sales and sales volume are not guaranteed.

B. WARRANTY. Supplier warrants that all Equipment, Products, and Services furnished are free from liens and encumbrances, and are free from defects in design, materials, and workmanship. In addition, Supplier warrants the Equipment, Products, and Services are suitable for and will perform in accordance with the ordinary use for which they are intended. Supplier's dealers and distributors must agree to assist the Participating Entity in reaching a resolution in any dispute over warranty terms with the manufacturer. Any manufacturer's warranty that extends beyond the expiration of the Supplier's warranty will be passed on to the Participating Entity.

C. DEALERS, DISTRIBUTORS, AND/OR RESELLERS. Upon Contract execution and throughout the Contract term, Supplier must provide to Sourcewell a current means to validate or authenticate Supplier's authorized dealers, distributors, or resellers relative to the Equipment, Products, and Services offered under this Contract, which will be incorporated into this Contract by reference. It is the Supplier's responsibility to ensure Sourcewell receives the most current information.

3. PRICING

All Equipment, Products, or Services under this Contract will be priced at or below the price stated in Supplier's Proposal.

When providing pricing quotes to Participating Entities, all pricing quoted must reflect a Participating Entity's total cost of acquisition. This means that the quoted cost is for delivered Equipment, Products, and Services that are operational for their intended purpose, and includes all costs to the Participating Entity's requested delivery location.

Regardless of the payment method chosen by the Participating Entity, the total cost associated with any purchase option of the Equipment, Products, or Services must always be disclosed in the pricing quote to the applicable Participating Entity at the time of purchase.

A. **SHIPPING AND SHIPPING COSTS.** All delivered Equipment and Products must be properly packaged. Damaged Equipment and Products may be rejected. If the damage is not readily apparent at the time of delivery, Supplier must permit the Equipment and Products to be returned within a reasonable time at no cost to Sourcewell or its Participating Entities. Participating Entities reserve the right to inspect the Equipment and Products at a reasonable time after delivery where circumstances or conditions prevent effective inspection of the Equipment and Products at the time of delivery. In the event of the delivery of nonconforming Equipment and Products, the Participating Entity will notify the Supplier as soon as possible and the Supplier will replace nonconforming Equipment and Products with conforming Equipment and Products that are acceptable to the Participating Entity.

Supplier must arrange for and pay for the return shipment on Equipment and Products that arrive in a defective or inoperable condition.

Sourcewell may declare the Supplier in breach of this Contract if the Supplier intentionally delivers substandard or inferior Equipment or Products.

B. **SALES TAX.** Each Participating Entity is responsible for supplying the Supplier with valid tax-exemption certification(s). When ordering, a Participating Entity must indicate if it is a tax-exempt entity.

C. **HOT LIST PRICING.** At any time during this Contract, Supplier may offer a specific selection of Equipment, Products, or Services at discounts greater than those listed in the Contract. When Supplier determines it will offer Hot List Pricing, it must be submitted electronically to Sourcewell in a line-item format. Equipment, Products, or Services may be added or removed from the Hot List at any time through a Sourcewell Price and Product Change Form as defined in Article 4 below.

Hot List program and pricing may also be used to discount and liquidate close-out and discontinued Equipment and Products as long as those close-out and discontinued items are clearly identified as such. Current ordering process and administrative fees apply. Hot List Pricing must be published and made available to all Participating Entities.

4. PRODUCT AND PRICING CHANGE REQUESTS

Supplier may request Equipment, Product, or Service changes, additions, or deletions at any time. All requests must be made in writing by submitting a signed Sourcewell Price and Product Change Request Form to the assigned Sourcewell Supplier Development Administrator. This approved form is available from the assigned Sourcewell Supplier Development Administrator. At a minimum, the request must:

- Identify the applicable Sourcewell contract number;

- Clearly specify the requested change;
- Provide sufficient detail to justify the requested change;
- Individually list all Equipment, Products, or Services affected by the requested change, along with the requested change (e.g., addition, deletion, price change); and
- Include a complete restatement of pricing documentation in Microsoft Excel with the effective date of the modified pricing, or product addition or deletion. The new pricing restatement must include all Equipment, Products, and Services offered, even for those items where pricing remains unchanged.

A fully executed Sourcewell Price and Product Change Request Form will become an amendment to this Contract and will be incorporated by reference.

5. PARTICIPATION, CONTRACT ACCESS, AND PARTICIPATING ENTITY REQUIREMENTS

A. PARTICIPATION. Sourcewell's cooperative contracts are available and open to public and nonprofit entities across the United States and Canada; such as federal, state/province, municipal, K-12 and higher education, tribal government, and other public entities.

The benefits of this Contract should be available to all Participating Entities that can legally access the Equipment, Products, or Services under this Contract. A Participating Entity's authority to access this Contract is determined through its cooperative purchasing, interlocal, or joint powers laws. Any entity accessing benefits of this Contract will be considered a Service Member of Sourcewell during such time of access. Supplier understands that a Participating Entity's use of this Contract is at the Participating Entity's sole convenience and Participating Entities reserve the right to obtain like Equipment, Products, or Services from any other source.

Supplier is responsible for familiarizing its sales and service forces with Sourcewell contract use eligibility requirements and documentation and will encourage potential participating entities to join Sourcewell. Sourcewell reserves the right to add and remove Participating Entities to its roster during the term of this Contract.

B. PUBLIC FACILITIES. Supplier's employees may be required to perform work at government-owned facilities, including schools. Supplier's employees and agents must conduct themselves in a professional manner while on the premises, and in accordance with Participating Entity policies and procedures, and all applicable laws.

6. PARTICIPATING ENTITY USE AND PURCHASING

A. ORDERS AND PAYMENT. To access the contracted Equipment, Products, or Services under this Contract, a Participating Entity must clearly indicate to Supplier that it intends to access this Contract; however, order flow and procedure will be developed jointly between Sourcewell and Supplier. Typically, a Participating Entity will issue an order directly to Supplier or its authorized

subsidiary, distributor, dealer, or reseller. If a Participating Entity issues a purchase order, it may use its own forms, but the purchase order should clearly note the applicable Sourcewell contract number. All Participating Entity orders under this Contract must be issued prior to expiration or cancellation of this Contract; however, Supplier performance, Participating Entity payment obligations, and any applicable warranty periods or other Supplier or Participating Entity obligations may extend beyond the term of this Contract.

Supplier's acceptable forms of payment are included in its attached Proposal. Participating Entities will be solely responsible for payment and Sourcewell will have no liability for any unpaid invoice of any Participating Entity.

B. ADDITIONAL TERMS AND CONDITIONS/PARTICIPATING ADDENDUM. Additional terms and conditions to a purchase order, or other required transaction documentation, may be negotiated between a Participating Entity and Supplier, such as job or industry-specific requirements, legal requirements (e.g., affirmative action or immigration status requirements), or specific local policy requirements. Some Participating Entities may require the use of a Participating Addendum, the terms of which will be negotiated directly between the Participating Entity and the Supplier or its authorized dealers, distributors, or resellers, as applicable. Any negotiated additional terms and conditions must never be less favorable to the Participating Entity than what is contained in this Contract.

C. SPECIALIZED SERVICE REQUIREMENTS. In the event that the Participating Entity requires service or specialized performance requirements not addressed in this Contract (such as e-commerce specifications, specialized delivery requirements, or other specifications and requirements), the Participating Entity and the Supplier may enter into a separate, standalone agreement, apart from this Contract. Sourcewell, including its agents and employees, will not be made a party to a claim for breach of such agreement.

D. TERMINATION OF ORDERS. Participating Entities may terminate an order, in whole or in part, immediately upon notice to Supplier in the event of any of the following events:

1. The Participating Entity fails to receive funding or appropriation from its governing body at levels sufficient to pay for the equipment, products, or services to be purchased; or
2. Federal, state, or provincial laws or regulations prohibit the purchase or change the Participating Entity's requirements.

E. GOVERNING LAW AND VENUE. The governing law and venue for any action related to a Participating Entity's order will be determined by the Participating Entity making the purchase.

7. CUSTOMER SERVICE

A. PRIMARY ACCOUNT REPRESENTATIVE. Supplier will assign an Account Representative to Sourcwell for this Contract and must provide prompt notice to Sourcwell if that person is changed. The Account Representative will be responsible for:

- Maintenance and management of this Contract;
- Timely response to all Sourcwell and Participating Entity inquiries; and
- Business reviews to Sourcwell and Participating Entities, if applicable.

B. BUSINESS REVIEWS. Supplier must perform a minimum of one business review with Sourcwell per contract year. The business review will cover sales to Participating Entities, pricing and contract terms, administrative fees, sales data reports, performance issues, supply issues, customer issues, and any other necessary information.

8. REPORT ON CONTRACT SALES ACTIVITY AND ADMINISTRATIVE FEE PAYMENT

A. CONTRACT SALES ACTIVITY REPORT. Each calendar quarter, Supplier must provide a contract sales activity report (Report) to the Sourcwell Supplier Development Administrator assigned to this Contract. Reports are due no later than 45 days after the end of each calendar quarter. A Report must be provided regardless of the number or amount of sales during that quarter (i.e., if there are no sales, Supplier must submit a report indicating no sales were made).

The Report must contain the following fields:

- Participating Entity Name (e.g., City of Staples Highway Department);
- Participating Entity Physical Street Address;
- Participating Entity City;
- Participating Entity State/Province;
- Participating Entity Zip/Postal Code;
- Participating Entity Contact Name;
- Participating Entity Contact Email Address;
- Participating Entity Contact Telephone Number;
- Sourcwell Assigned Entity/Participating Entity Number;
- Item Purchased Description;
- Item Purchased Price;
- Sourcwell Administrative Fee Applied; and
- Date Purchase was invoiced/sale was recognized as revenue by Supplier.

B. ADMINISTRATIVE FEE. In consideration for the support and services provided by Sourcwell, the Supplier will pay an administrative fee to Sourcwell on all Equipment, Products, and Services provided to Participating Entities. The Administrative Fee must be included in, and not added to, the pricing. Supplier may not charge Participating Entities more than the contracted

price to offset the Administrative Fee.

The Supplier will submit payment to Sourcewell for the percentage of administrative fee stated in the Proposal multiplied by the total sales of all Equipment, Products, and Services purchased by Participating Entities under this Contract during each calendar quarter. Payments should note the Supplier's name and Sourcewell-assigned contract number in the memo; and must be mailed to the address above "Attn: Accounts Receivable" or remitted electronically to Sourcewell's banking institution per Sourcewell's Finance department instructions. Payments must be received no later than 45 calendar days after the end of each calendar quarter.

Supplier agrees to cooperate with Sourcewell in auditing transactions under this Contract to ensure that the administrative fee is paid on all items purchased under this Contract.

In the event the Supplier is delinquent in any undisputed administrative fees, Sourcewell reserves the right to cancel this Contract and reject any proposal submitted by the Supplier in any subsequent solicitation. In the event this Contract is cancelled by either party prior to the Contract's expiration date, the administrative fee payment will be due no more than 30 days from the cancellation date.

9. AUTHORIZED REPRESENTATIVE

Sourcewell's Authorized Representative is its Chief Procurement Officer.

Supplier's Authorized Representative is the person named in the Supplier's Proposal. If Supplier's Authorized Representative changes at any time during this Contract, Supplier must promptly notify Sourcewell in writing.

10. AUDIT, ASSIGNMENT, AMENDMENTS, WAIVER, AND CONTRACT COMPLETE

A. **AUDIT.** Pursuant to Minnesota Statutes Section 16C.05, subdivision 5, the books, records, documents, and accounting procedures and practices relevant to this Contract are subject to examination by Sourcewell or the Minnesota State Auditor for a minimum of six years from the end of this Contract. This clause extends to Participating Entities as it relates to business conducted by that Participating Entity under this Contract.

B. **ASSIGNMENT.** Neither party may assign or otherwise transfer its rights or obligations under this Contract without the prior written consent of the other party and a fully executed assignment agreement. Such consent will not be unreasonably withheld. Any prohibited assignment will be invalid.

C. **AMENDMENTS.** Any amendment to this Contract must be in writing and will not be effective until it has been duly executed by the parties.

D. **WAIVER.** Failure by either party to take action or assert any right under this Contract will not be deemed a waiver of such right in the event of the continuation or repetition of the circumstances giving rise to such right. Any such waiver must be in writing and signed by the parties.

E. **CONTRACT COMPLETE.** This Contract represents the complete agreement between the parties. No other understanding regarding this Contract, whether written or oral, may be used to bind either party. For any conflict between the attached Proposal and the terms set out in Articles 1-22 of this Contract, the terms of Articles 1-22 will govern.

F. **RELATIONSHIP OF THE PARTIES.** The relationship of the parties is one of independent contractors, each free to exercise judgment and discretion with regard to the conduct of their respective businesses. This Contract does not create a partnership, joint venture, or any other relationship such as master-servant, or principal-agent.

11. INDEMNITY AND HOLD HARMLESS

Supplier must indemnify, defend, save, and hold Sourcewell and its Participating Entities, including their agents and employees, harmless from any claims or causes of action, including attorneys' fees incurred by Sourcewell or its Participating Entities, arising out of any act or omission in the performance of this Contract by the Supplier or its agents or employees; this indemnification includes injury or death to person(s) or property alleged to have been caused by some defect in the Equipment, Products, or Services under this Contract to the extent the Equipment, Product, or Service has been used according to its specifications. Sourcewell's responsibility will be governed by the State of Minnesota's Tort Liability Act (Minnesota Statutes Chapter 466) and other applicable law.

12. GOVERNMENT DATA PRACTICES

Supplier and Sourcewell must comply with the Minnesota Government Data Practices Act, Minnesota Statutes Chapter 13, as it applies to all data provided by or provided to Sourcewell under this Contract and as it applies to all data created, collected, received, maintained, or disseminated by the Supplier under this Contract.

13. INTELLECTUAL PROPERTY, PUBLICITY, MARKETING, AND ENDORSEMENT

A. INTELLECTUAL PROPERTY

1. *Grant of License.* During the term of this Contract:

- a. Sourcewell grants to Supplier a royalty-free, worldwide, non-exclusive right and license to use the trademark(s) provided to Supplier by Sourcewell in advertising and promotional materials for the purpose of marketing Sourcewell's relationship with Supplier.

b. Supplier grants to Sourcewell a royalty-free, worldwide, non-exclusive right and license to use Supplier's trademarks in advertising and promotional materials for the purpose of marketing Supplier's relationship with Sourcewell.

2. *Limited Right of Sublicense.* The right and license granted herein includes a limited right of each party to grant sublicenses to their respective subsidiaries, distributors, dealers, resellers, marketing representatives, and agents (collectively "Permitted Sublicensees") in advertising and promotional materials for the purpose of marketing the Parties' relationship to Participating Entities. Any sublicense granted will be subject to the terms and conditions of this Article. Each party will be responsible for any breach of this Article by any of their respective sublicensees.

3. *Use; Quality Control.*

a. Neither party may alter the other party's trademarks from the form provided and must comply with removal requests as to specific uses of its trademarks or logos.

b. Each party agrees to use, and to cause its Permitted Sublicensees to use, the other party's trademarks only in good faith and in a dignified manner consistent with such party's use of the trademarks. Upon written notice to the breaching party, the breaching party has 30 days of the date of the written notice to cure the breach or the license will be terminated.

4. *Termination.* Upon the termination of this Contract for any reason, each party, including Permitted Sublicensees, will have 30 days to remove all Trademarks from signage, websites, and the like bearing the other party's name or logo (excepting Sourcewell's pre-printed catalog of suppliers which may be used until the next printing). Supplier must return all marketing and promotional materials, including signage, provided by Sourcewell, or dispose of it according to Sourcewell's written directions.

B. **PUBLICITY.** Any publicity regarding the subject matter of this Contract must not be released without prior written approval from the Authorized Representatives. Publicity includes notices, informational pamphlets, press releases, research, reports, signs, and similar public notices prepared by or for the Supplier individually or jointly with others, or any subcontractors, with respect to the program, publications, or services provided resulting from this Contract.

C. **MARKETING.** Any direct advertising, marketing, or offers with Participating Entities must be approved by Sourcewell. Send all approval requests to the Sourcewell Supplier Development Administrator assigned to this Contract.

D. **ENDORSEMENT.** The Supplier must not claim that Sourcewell endorses its Equipment, Products, or Services.

14. GOVERNING LAW, JURISDICTION, AND VENUE

The substantive and procedural laws of the State of Minnesota will govern this Contract. Venue for all legal proceedings arising out of this Contract, or its breach, must be in the appropriate state court in Todd County, Minnesota or federal court in Fergus Falls, Minnesota.

15. FORCE MAJEURE

Neither party to this Contract will be held responsible for delay or default caused by acts of God or other conditions that are beyond that party's reasonable control. A party defaulting under this provision must provide the other party prompt written notice of the default.

16. SEVERABILITY

If any provision of this Contract is found by a court of competent jurisdiction to be illegal, unenforceable, or void then both parties will be relieved from all obligations arising from that provision. If the remainder of this Contract is capable of being performed, it will not be affected by such determination or finding and must be fully performed.

17. PERFORMANCE, DEFAULT, AND REMEDIES

A. **PERFORMANCE.** During the term of this Contract, the parties will monitor performance and address unresolved contract issues as follows:

1. *Notification.* The parties must promptly notify each other of any known dispute and work in good faith to resolve such dispute within a reasonable period of time. If necessary, Sourcewell and the Supplier will jointly develop a short briefing document that describes the issue(s), relevant impact, and positions of both parties.
2. *Escalation.* If parties are unable to resolve the issue in a timely manner, as specified above, either Sourcewell or Supplier may escalate the resolution of the issue to a higher level of management. The Supplier will have 30 calendar days to cure an outstanding issue.
3. *Performance while Dispute is Pending.* Notwithstanding the existence of a dispute, the Supplier must continue without delay to carry out all of its responsibilities under the Contract that are not affected by the dispute. If the Supplier fails to continue without delay to perform its responsibilities under the Contract, in the accomplishment of all undisputed work, the Supplier will bear any additional costs incurred by Sourcewell and/or its Participating Entities as a result of such failure to proceed.

B. **DEFAULT AND REMEDIES.** Either of the following constitutes cause to declare this Contract, or any Participating Entity order under this Contract, in default:

1. Nonperformance of contractual requirements, or
2. A material breach of any term or condition of this Contract.

The party claiming default must provide written notice of the default, with 30 calendar days to cure the default. Time allowed for cure will not diminish or eliminate any liability for liquidated or other damages. If the default remains after the opportunity for cure, the non-defaulting party may:

- Exercise any remedy provided by law or equity, or
- Terminate the Contract or any portion thereof, including any orders issued against the Contract.

18. INSURANCE

A. REQUIREMENTS. At its own expense, Supplier must maintain insurance policy(ies) in effect at all times during the performance of this Contract with insurance company(ies) licensed or authorized to do business in the State of Minnesota having an "AM BEST" rating of A- or better, with coverage and limits of insurance not less than the following:

1. *Workers' Compensation and Employer's Liability.*

Workers' Compensation: As required by any applicable law or regulation.

Employer's Liability Insurance: must be provided in amounts not less than listed below:

Minimum limits:

\$500,000 each accident for bodily injury by accident

\$500,000 policy limit for bodily injury by disease

\$500,000 each employee for bodily injury by disease

2. *Commercial General Liability Insurance.* Supplier will maintain insurance covering its operations, with coverage on an occurrence basis, and must be subject to terms no less broad than the Insurance Services Office ("ISO") Commercial General Liability Form CG0001 (2001 or newer edition), or equivalent. At a minimum, coverage must include liability arising from premises, operations, bodily injury and property damage, independent contractors, products-completed operations including construction defect, contractual liability, blanket contractual liability, and personal injury and advertising injury. All required limits, terms and conditions of coverage must be maintained during the term of this Contract.

Minimum Limits:

\$1,000,000 each occurrence Bodily Injury and Property Damage

\$1,000,000 Personal and Advertising Injury

\$2,000,000 aggregate for products liability-completed operations

\$2,000,000 general aggregate

3. *Commercial Automobile Liability Insurance.* During the term of this Contract, Supplier will maintain insurance covering all owned, hired, and non-owned automobiles in limits of liability not less than indicated below. The coverage must be subject to terms

no less broad than ISO Business Auto Coverage Form CA 0001 (2010 edition or newer), or equivalent.

Minimum Limits:

\$1,000,000 each accident, combined single limit

4. *Umbrella Insurance*. During the term of this Contract, Supplier will maintain umbrella coverage over Employer's Liability, Commercial General Liability, and Commercial Automobile.

Minimum Limits:

\$2,000,000

5. *Professional/Technical, Errors and Omissions, and/or Miscellaneous Professional Liability*. During the term of this Contract, Supplier will maintain coverage for all claims the Supplier may become legally obligated to pay resulting from any actual or alleged negligent act, error, or omission related to Supplier's professional services required under this Contract.

Minimum Limits:

\$2,000,000 per claim or event

\$2,000,000 – annual aggregate

6. *Network Security and Privacy Liability Insurance*. During the term of this Contract, Supplier will maintain coverage for network security and privacy liability. The coverage may be endorsed on another form of liability coverage or written on a standalone policy. The insurance must cover claims which may arise from failure of Supplier's security resulting in, but not limited to, computer attacks, unauthorized access, disclosure of not public data – including but not limited to, confidential or private information, transmission of a computer virus, or denial of service.

Minimum limits:

\$2,000,000 per occurrence

\$2,000,000 annual aggregate

Failure of Supplier to maintain the required insurance will constitute a material breach entitling Sourcwell to immediately terminate this Contract for default.

B. CERTIFICATES OF INSURANCE. Prior to commencing under this Contract, Supplier must furnish to Sourcwell a certificate of insurance, as evidence of the insurance required under this Contract. Prior to expiration of the policy(ies), renewal certificates must be mailed to Sourcwell, 202 12th Street Northeast, P.O. Box 219, Staples, MN 56479 or sent to the Sourcwell Supplier Development Administrator assigned to this Contract. The certificates must be signed by a person authorized by the insurer(s) to bind coverage on their behalf.

Failure to request certificates of insurance by Sourcewell, or failure of Supplier to provide certificates of insurance, in no way limits or relieves Supplier of its duties and responsibilities in this Contract.

C. **ADDITIONAL INSURED ENDORSEMENT AND PRIMARY AND NON-CONTRIBUTORY INSURANCE CLAUSE.** Supplier agrees to list Sourcewell and its Participating Entities, including their officers, agents, and employees, as an additional insured under the Supplier's commercial general liability insurance policy with respect to liability arising out of activities, "operations," or "work" performed by or on behalf of Supplier, and products and completed operations of Supplier. The policy provision(s) or endorsement(s) must further provide that coverage is primary and not excess over or contributory with any other valid, applicable, and collectible insurance or self-insurance in force for the additional insureds.

D. **WAIVER OF SUBROGATION.** Supplier waives and must require (by endorsement or otherwise) all its insurers to waive subrogation rights against Sourcewell and other additional insureds for losses paid under the insurance policies required by this Contract or other insurance applicable to the Supplier or its subcontractors. The waiver must apply to all deductibles and/or self-insured retentions applicable to the required or any other insurance maintained by the Supplier or its subcontractors. Where permitted by law, Supplier must require similar written express waivers of subrogation and insurance clauses from each of its subcontractors.

E. **UMBRELLA/EXCESS LIABILITY/SELF-INSURED RETENTION.** The limits required by this Contract can be met by either providing a primary policy or in combination with umbrella/excess liability policy(ies), or self-insured retention.

19. COMPLIANCE

A. **LAWS AND REGULATIONS.** All Equipment, Products, or Services provided under this Contract must comply fully with applicable federal laws and regulations, and with the laws in the states and provinces in which the Equipment, Products, or Services are sold.

B. **LICENSES.** Supplier must maintain a valid and current status on all required federal, state/provincial, and local licenses, bonds, and permits required for the operation of the business that the Supplier conducts with Sourcewell and Participating Entities.

20. BANKRUPTCY, DEBARMENT, OR SUSPENSION CERTIFICATION

Supplier certifies and warrants that it is not in bankruptcy or that it has previously disclosed in writing certain information to Sourcewell related to bankruptcy actions. If at any time during this Contract Supplier declares bankruptcy, Supplier must immediately notify Sourcewell in writing.

Supplier certifies and warrants that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from programs operated by the State of Minnesota; the United States federal government or the Canadian government, as applicable; or any Participating Entity. Supplier certifies and warrants that neither it nor its principals have been convicted of a criminal offense related to the subject matter of this Contract. Supplier further warrants that it will provide immediate written notice to Sourcwell if this certification changes at any time.

21. PROVISIONS FOR NON-UNITED STATES FEDERAL ENTITY PROCUREMENTS UNDER UNITED STATES FEDERAL AWARDS OR OTHER AWARDS

Participating Entities that use United States federal grant or FEMA funds to purchase goods or services from this Contract may be subject to additional requirements including the procurement standards of the Uniform Administrative Requirements, Cost Principles and Audit Requirements for Federal Awards, 2 C.F.R. § 200. Participating Entities may have additional requirements based on specific funding source terms or conditions. Within this Article, all references to “federal” should be interpreted to mean the United States federal government. The following list only applies when a Participating Entity accesses Supplier’s Equipment, Products, or Services with United States federal funds.

A. **EQUAL EMPLOYMENT OPPORTUNITY.** Except as otherwise provided under 41 C.F.R. § 60, all contracts that meet the definition of “federally assisted construction contract” in 41 C.F.R. § 60-1.3 must include the equal opportunity clause provided under 41 C.F.R. §60-1.4(b), in accordance with Executive Order 11246, “Equal Employment Opportunity” (30 FR 12319, 12935, 3 C.F.R. §, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, “Amending Executive Order 11246 Relating to Equal Employment Opportunity,” and implementing regulations at 41 C.F.R. § 60, “Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor.” The equal opportunity clause is incorporated herein by reference.

B. **DAVIS-BACON ACT, AS AMENDED (40 U.S.C. § 3141-3148).** When required by federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. § 3141-3144, and 3146-3148) as supplemented by Department of Labor regulations (29 C.F.R. § 5, “Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction”). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-federal entity must report all suspected or reported violations to the federal awarding agency. The contracts must also include a provision for compliance with

the Copeland “Anti-Kickback” Act (40 U.S.C. § 3145), as supplemented by Department of Labor regulations (29 C.F.R. § 3, “Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States”). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-federal entity must report all suspected or reported violations to the federal awarding agency. Supplier must be in compliance with all applicable Davis-Bacon Act provisions.

C. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT (40 U.S.C. § 3701-3708). Where applicable, all contracts awarded by the non-federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. §§ 3702 and 3704, as supplemented by Department of Labor regulations (29 C.F.R. § 5). Under 40 U.S.C. § 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. § 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence. This provision is hereby incorporated by reference into this Contract. Supplier certifies that during the term of an award for all contracts by Sourcewell resulting from this procurement process, Supplier must comply with applicable requirements as referenced above.

D. RIGHTS TO INVENTIONS MADE UNDER A CONTRACT OR AGREEMENT. If the federal award meets the definition of “funding agreement” under 37 C.F.R. § 401.2(a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that “funding agreement,” the recipient or subrecipient must comply with the requirements of 37 C.F.R. § 401, “Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements,” and any implementing regulations issued by the awarding agency. Supplier certifies that during the term of an award for all contracts by Sourcewell resulting from this procurement process, Supplier must comply with applicable requirements as referenced above.

E. CLEAN AIR ACT (42 U.S.C. § 7401-7671Q.) AND THE FEDERAL WATER POLLUTION CONTROL ACT (33 U.S.C. § 1251-1387). Contracts and subgrants of amounts in excess of \$150,000 require the non-federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. § 7401- 7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. § 1251- 1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).

Supplier certifies that during the term of this Contract will comply with applicable requirements as referenced above.

F. DEBARMENT AND SUSPENSION (EXECUTIVE ORDERS 12549 AND 12689). A contract award (see 2 C.F.R. § 180.220) must not be made to parties listed on the government wide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 C.F.R. §180 that implement Executive Orders 12549 (3 C.F.R. § 1986 Comp., p. 189) and 12689 (3 C.F.R. § 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549. Supplier certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation by any federal department or agency.

G. BYRD ANTI-LOBBYING AMENDMENT, AS AMENDED (31 U.S.C. § 1352). Suppliers must file any required certifications. Suppliers must not have used federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Suppliers must disclose any lobbying with non-federal funds that takes place in connection with obtaining any federal award. Such disclosures are forwarded from tier to tier up to the non-federal award. Suppliers must file all certifications and disclosures required by, and otherwise comply with, the Byrd Anti-Lobbying Amendment (31 U.S.C. § 1352).

H. RECORD RETENTION REQUIREMENTS. To the extent applicable, Supplier must comply with the record retention requirements detailed in 2 C.F.R. § 200.333. The Supplier further certifies that it will retain all records as required by 2 C.F.R. § 200.333 for a period of 3 years after grantees or subgrantees submit final expenditure reports or quarterly or annual financial reports, as applicable, and all other pending matters are closed.

I. ENERGY POLICY AND CONSERVATION ACT COMPLIANCE. To the extent applicable, Supplier must comply with the mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act.

J. BUY AMERICAN PROVISIONS COMPLIANCE. To the extent applicable, Supplier must comply with all applicable provisions of the Buy American Act. Purchases made in accordance with the Buy American Act must follow the applicable procurement rules calling for free and open competition.

K. ACCESS TO RECORDS (2 C.F.R. § 200.336). Supplier agrees that duly authorized representatives of a federal agency must have access to any books, documents, papers and

records of Supplier that are directly pertinent to Supplier's discharge of its obligations under this Contract for the purpose of making audits, examinations, excerpts, and transcriptions. The right also includes timely and reasonable access to Supplier's personnel for the purpose of interview and discussion relating to such documents.

L. **PROCUREMENT OF RECOVERED MATERIALS (2 C.F.R. § 200.322).** A non-federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with Section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 C.F.R. § 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.

M. **FEDERAL SEAL(S), LOGOS, AND FLAGS.** The Supplier cannot use the seal(s), logos, crests, or reproductions of flags or likenesses of Federal agency officials without specific pre-approval.

N. **NO OBLIGATION BY FEDERAL GOVERNMENT.** The U.S. federal government is not a party to this Contract or any purchase by a Participating Entity and is not subject to any obligations or liabilities to the Participating Entity, Supplier, or any other party pertaining to any matter resulting from the Contract or any purchase by an authorized user.

O. **PROGRAM FRAUD AND FALSE OR FRAUDULENT STATEMENTS OR RELATED ACTS.** The Contractor acknowledges that 31 U.S.C. 38 (Administrative Remedies for False Claims and Statements) applies to the Supplier's actions pertaining to this Contract or any purchase by a Participating Entity.

P. **FEDERAL DEBT.** The Supplier certifies that it is non-delinquent in its repayment of any federal debt. Examples of relevant debt include delinquent payroll and other taxes, audit disallowance, and benefit overpayments.

Q. **CONFLICTS OF INTEREST.** The Supplier must notify the U.S. Office of General Services, Sourcewell, and Participating Entity as soon as possible if this Contract or any aspect related to the anticipated work under this Contract raises an actual or potential conflict of interest (as described in 2 C.F.R. Part 200). The Supplier must explain the actual or potential conflict in writing in sufficient detail so that the U.S. Office of General Services, Sourcewell, and Participating Entity are able to assess the actual or potential conflict; and provide any additional information as necessary or requested.

R. U.S. EXECUTIVE ORDER 13224. The Supplier, and its subcontractors, must comply with U.S. Executive Order 13224 and U.S. Laws that prohibit transactions with and provision of resources and support to individuals and organizations associated with terrorism.

S. PROHIBITION ON CERTAIN TELECOMMUNICATIONS AND VIDEO SURVEILLANCE SERVICES OR EQUIPMENT. To the extent applicable, Supplier certifies that during the term of this Contract it will comply with applicable requirements of 2 C.F.R. § 200.216.


T. DOMESTIC PREFERENCES FOR PROCUREMENTS. To the extent applicable, Supplier certifies that during the term of this Contract will comply with applicable requirements of 2 C.F.R. § 200.322.


22. CANCELLATION

Sourcewell or Supplier may cancel this Contract at any time, with or without cause, upon 60 days' written notice to the other party. However, Sourcewell may cancel this Contract immediately upon discovery of a material defect in any certification made in Supplier's Proposal. Cancellation of this Contract does not relieve either party of financial, product, or service obligations incurred or accrued prior to cancellation.

Sourcewell

Peterbilt Motors Company

DocuSigned by:

C0FD2A139D06489...
By: _____
Jeremy Schwartz
Title: Chief Procurement Officer
Date: 7/5/2024 | 11:29 PM CDT

DocuSigned by:

DD52CB0924194DD...
By: _____
Phill Hall
Title: National Fleet Sales Manager
Date: 7/5/2024 | 2:26 PM CDT

RFP 032824 - Class 4-8 Chassis and Cabs with Related Equipment, Accessories, and Services

Vendor Details

Company Name: Peterbilt Motors - MD Sales

Does your company conduct business under any other name? If yes, please state: TX

Address: 3200 Airport Road
Denton, TX 76205

Contact: Phillip Hall

Email: phillip.hall@paccar.com

Phone: 940-367-5665

Fax: 940-367-5665

HST#:

Submission Details

Created On: Thursday February 08, 2024 08:16:30

Submitted On: Thursday March 28, 2024 09:59:08

Submitted By: Phillip Hall

Email: phillip.hall@paccar.com

Transaction #: 7e53e445-46c2-4228-b451-099b1f022cfa

Submitter's IP Address: 71.14.148.40

Specifications

Table 1: Proposer Identity & Authorized Representatives

General Instructions (applies to all Tables) Sourcewell prefers a brief but thorough response to each question. Do not merely attach additional documents to your response without also providing a substantive response. Do not leave answers blank; respond "N/A" if the question does not apply to you (preferably with an explanation).

Line Item	Question	Response *
1	Proposer Legal Name (one legal entity only): (In the event of award, will execute the resulting contract as "Supplier")	Peterbilt Motors Company
2	Identify all subsidiary entities of the Proposer whose equipment, products, or services are included in the Proposal.	N/A
3	Identify all applicable assumed names or DBA names of the Proposer or Proposer's subsidiaries in Line 1 or Line 2 above.	N/A
4	Provide your CAGE code or Unique Entity Identifier (SAM):	8K065
5	Proposer Physical Address:	1700 Woodbrook Street Denton, Texas 76205
6	Proposer website address (or addresses):	http://www.peterbilt.com
7	Proposer's Authorized Representative (name, title, address, email address & phone) (The representative must have authority to sign the "Proposer's Assurance of Compliance" on behalf of the Proposer and, in the event of award, will be expected to execute the resulting contract):	Phil Hall National Fleet Sales Manager 1700 Woodbrook Street Denton, Texas 76205 phillip.hall@paccar.com (940) 591-4006
8	Proposer's primary contact for this proposal (name, title, address, email address & phone):	Phil Hall National Fleet Sales Manager 1700 Woodbrook Street Denton, Texas 76205 phillip.hall@paccar.com (940) 591-4006
9	Proposer's other contacts for this proposal, if any (name, title, address, email address & phone):	Corin Gleason District Sales Manager Corin.Gleason@paccar.com (708)-833-1508 Greg Grabinsky Vocational Sales Manager Greg.Grabinsky@paccar.com (416) 523-4497

Table 2: Company Information and Financial Strength

Line Item	Question	Response *
10	Provide a brief history of your company, including your company's core values, business philosophy, and industry longevity related to the requested equipment, products or services.	<p>Peterbilt Motors Company was founded in 1939. For 80+ years Peterbilt has been manufacturing Medium-Duty and Heavy-Duty commercial trucks for the U.S. & Canadian Market. We are proud to be American-owned, headquartered in the great state of Texas. Peterbilt operates manufacturing and parts distribution facilities across the U.S. & Canada and has a large independently owned & operated dealer network consisting of 423 locations and adding on average of 25 locations per year. Our trucks are recognized as the most reliable, durable, and highest quality trucks, well suited for the harshest vocational applications that government/municipal fleets operate in on a daily basis.</p> <p>Peterbilt's four core values:</p> <ol style="list-style-type: none"> 1) Purposeful Innovation - Provide technologically advanced products and services that deliver outstanding performance and value. 2) Individualized Solutions - Customize every Peterbilt product to meet the unique business needs of the customer, and support the customer with after-sales programs and services tailored to them. 3) Enduring Craftsmanship - Manufacture the industry s most durable and reliable trucks, assembled to the highest quality standards by the industry s proudest employees. 4) Pride & Class - Maintain a passion for unrivaled performance, forged out of the heritage of the iconic brand and focused on inspired styling and a premium driver experience. <p>Peterbilt's business philosophy</p> <p>Peterbilt's business philosophy is to produce the highest quality, most durable, reliable trucks on the market that provide our owners with years of dependable and efficient service and therefore the best return on investment.</p> <p>Peterbilt trucks are designed to last longer than any other truck on the market - on purpose! Peterbilt is the most highly desired truck on the used-truck market for a reason; the trucks are still reliable & dependable and can provide many more years of service. In fact, 94% of Peterbilt trucks in-serviced 20 years ago are STILL being in-serviced now - far better than competing OEMs.</p>
11	What are your company's expectations in the event of an award?	<p>Peterbilt has marketed the Sourcewell Program on it's website; both internally and externally. We take every opportunity to advertise our contract with Sourcewell; trade- shows, conventions, expositions, dealer open houses, and dealer training events, etc.</p> <p>We hold Sourcewell Webinars for our entire dealer network multiple times/year and release Dealer Bulletins to further communicate and promote our contract.</p> <p>If awarded, we would continue to aggressively promote our Sourcewell contract both internally & externally at events, through training, marketing, social media, etc. Our expectation is that Sourcewell members will continue to utilize the Peterbilt contract in order to secure vehicles that offer class leading reliability, durability, and value.</p>

12	<p>Demonstrate your financial strength and stability with meaningful data. This could include such items as financial statements, SEC filings, credit and bond ratings, letters of credit, and detailed reference letters. Upload supporting documents (as applicable) in the document upload section of your response.</p>	<p>Peterbilt is a Division of Paccar, Inc. (www.paccar.com).</p> <p>PACCAR is a global technology company that designs and manufactures premium quality light, medium and heavy duty commercial vehicles sold worldwide under the Kenworth, Peterbilt and DAF nameplates. PACCAR designs and manufactures diesel engines and other powertrain components for use in its own products and for sale to third party manufacturers of trucks and buses. PACCAR distributes aftermarket truck parts to its dealers through a worldwide network of Parts Distribution Centers. Finance and leasing subsidiaries facilitate the sale of PACCAR products in many countries worldwide. PACCAR maintains exceptionally high standards of quality for all of its products: they are well engineered, highly customized for specific applications and sell in the premium segments of their markets, where they have a reputation for superior performance and pride of ownership</p> <p>PACCAR had an outstanding year in 2022. The company's revenues of \$28.82 billion and net income of \$3.01 billion were the highest in the company's history. The after-tax return on revenue increased to 10.4%. PACCAR has earned an annual net income for 84 consecutive years. PACCAR's financial results reflect the company's industry leading trucks and powertrains, excellent aftermarket parts and financial services businesses and continued technology leadership.</p> <p>PACCAR's strong financial performance generated an industry leading after-tax return on beginning stockholders' equity of 26% in 2022. Year-end stockholders' equity was a record \$13.17 billion. PACCAR's financial performance has enabled the company to declare \$8.9 billion in dividends during the last ten years.</p> <p>PACCAR's A+/A1 credit rating supported PACCAR Financial Services' record pre-tax profits of \$588.9 million, including \$6.22 billion of new loan and lease volume.</p> <p>In 2022, capital investments were \$505 million and research and development expenses were \$341 million. These investments enabled PACCAR's truck factories to build zero emissions vehicles, supported global production capacity increases and implemented advanced technologies to enhance manufacturing efficiency, including the expanded use of automated guided vehicles.</p> <p>PACCAR made excellent progress in the development of its proprietary autonomous vehicle platform and advanced its partnership with Aurora to commercialize autonomous vehicles. Peterbilt, Kenworth and DAF continued to enhance their industry leading connected services offerings that provide valuable vehicle performance data to our customers, while also providing PACCAR with an increasing stream of recurring revenue.</p> <p>PACCAR is a leader in the development of battery-electric, hydrogen combustion and hydrogen fuel cell vehicles. Kenworth, Peterbilt and DAF delivered nearly 200 battery-electric trucks to customers in 2022 and have nine zero emissions vehicle models in production with a backlog of hundreds of customer units on order.</p> <p>PACCAR's three global embedded software development centers and global connected truck teams are providing proprietary, customer-focused solutions for all parts of the business.</p> <p>2022 Financial Highlights</p> <ul style="list-style-type: none"> • Worldwide net sales and revenues were \$28.82 billion in 2022 compared to \$23.52 billion in 2021, primarily due to higher truck and parts revenues. • Truck sales were \$21.49 billion in 2022 compared to \$16.80 billion in 2021, primarily due to higher truck deliveries and price realization in all markets. • Parts sales were \$5.76 billion in 2022 compared to \$4.94 billion in 2021 reflecting higher demand and price realization in all markets. • Financial Services revenues were \$1.51 billion in 2022 compared to \$1.69 billion in 2021, primarily due to lower used truck sales. • In 2022, PACCAR earned net income for the 84th consecutive year. Net income was \$3.01 billion (\$5.75 per diluted share) in 2022 compared to \$1.87 billion (\$3.57 per diluted share) in 2021 reflecting higher Truck, Parts and Financial Services operating results. • Capital investments were \$505.0 million in 2022 compared to \$511.8 million in 2021. • After-tax return on beginning equity (ROE) was 26.0% in 2022 compared to 17.7% in 2021. • Research and development (R&D) expenses were \$341.2 million in 2022 compared to \$324.1 million in 2021. <p>See attached 01-PACCAR Annual Report</p>
13	<p>What is your US market share for the solutions that you are proposing?</p>	<p>Class 6/7: 6.1% Class 8: 13.9% Above numbers take into account ALL trucks/tractors with the majority being freight- hauling tractors and inner-city delivery trucks. Looking only at Vocational-Trucks, which includes the government sector, Peterbilt market share overall is 11.9% (Class 6/7/8 - all inclusive).</p>
14	<p>What is your Canadian market share for the solutions that you are proposing?</p>	<p>Class 6/7: 7.0% Class 8: 12.4% Above numbers take into account ALL trucks/tractors with the majority being freight- hauling tractors and inner-city delivery trucks. Looking only at Vocational-Trucks, which includes the government sector, Peterbilt market share is overall 9.67% (Class 6/7/8 - all inclusive).</p>
15	<p>Has your business ever petitioned for bankruptcy protection? If so, explain in detail.</p>	<p>NO</p>

<p>16</p>	<p>How is your organization best described: is it a manufacturer, a distributor/dealer/reseller, or a service provider? Answer whichever question (either a) or b) just below) best applies to your organization.</p> <p>a) If your company is best described as a distributor/dealer/reseller (or similar entity), provide your written authorization to act as a distributor/dealer/reseller for the manufacturer of the products proposed in this RFP. If applicable, is your dealer network independent or company owned?</p> <p>b) If your company is best described as a manufacturer or service provider, describe your relationship with your sales and service force and with your dealer network in delivering the products and services proposed in this RFP. Are these individuals your employees, or the employees of a third party?</p>	<p>Peterbilt Motors Company is a manufacturer of commercial trucks. Peterbilt has a dealer network of 432 locations across the U.S. & Canada. Peterbilt dealers are independently owned & operated. All Peterbilt dealers must meet stringent sales, service, and parts support requirements as set forth in their dealer contract with Peterbilt Motors Company & Paccar, Inc.</p> <p>Peterbilt dealers employ 1,000+ salespersons across the U.S. & Canada. Dealer sales personnel are required to stay up to date on the latest product updates, industry technologies, emissions, etc through in-person & on-line training throughout each calendar year. All Peterbilt dealer salespersons are licensed to sell in the States they are assigned.</p> <p>In addition to the dealer network sales force, Peterbilt Motors also employs a factory- sales-management staff of approximately 40; 13 of which are focused on Vocational Trucks, including government/municipal accounts. Peterbilt also employs an individual dedicated to government contracts and the Sourcewell contract. Peterbilt factory sales managers are required to complete truck product, and all other industry related training throughout the year. All Peterbilt factory sales managers are licensed to sell in the States they are assigned.</p> <p>Peterbilt dealer AND factory sales forces work collaboratively with fleets to ensure the * customer experience is optimized in regards to truck specifications, performance, etc.</p> <p>Peterbilt dealer service network includes 432+ locations (add ~25/year), 60 independent dealer groups, 5,000+ dealer personnel, and highly trained technicians that are ALL 100% factory certified. Peterbilt dealer locations perform all levels of service work from standard preventive maintenance to warranty repairs to complete engine rebuilds. Dealers also offer custom maintenance solutions including contract maintenance, mobile service, and on-site technician support.</p> <p>Peterbilt dealers offer on-site comprehensive fluid analysis, DOT inspections and RapidCheck Express Service (provide diagnostics and an estimate of repairs in two hours or less). Dealers offer drop off service as well as pick-up and delivery.</p> <p>Dealers also provide Mobile Service truck for repairs at your locations.. 24/7 roadside assistance as well as a 24/7 repair hotline also available at 1-800-4- PETERBILT.</p> <p>Peterbilt factory service support management team consists of 30+ individuals across the U.S. & Canada that work collaboratively with our dealers service managers and technicians to take care of our customers & their trucks, from in-depth troubleshooting to warranty & policy support.</p>
<p>17</p>	<p>If applicable, provide a detailed explanation outlining the licenses and certifications that are both required to be held, and actually held, by your organization (including third parties and subcontractors that you use) in pursuit of the business contemplated by this RFP.</p>	<p>Peterbilt Manufacturing facilities are ISO 9001:2015 certified.</p> <p>Peterbilt maintains ISO 14001:2015 Environmental Management System (EMS) to improve its environmental programs and to reduce the environmental impacts of its operations and activities.</p> <p>Peterbilt trucks conform to all applicable Federal Motor Vehicle Safety Standards (FMVSS).</p> <p>Peterbilt trucks are equipped with emission control equipment to comply with all applicable US Environmental Protection Agency (EPA) regulations governing control of air pollution from new motor vehicles and new motor vehicle engines, which are in effect on the date of manufacture. In addition, all vehicles conform to the State of California Vehicle Code air quality standards (CARB) for new motor vehicles and new motor vehicle engines in effect on the date of vehicle manufacture.</p> <p>The exterior sound level of Peterbilt vehicles conforms to the noise legislation of the US Department of Transportation and the EPA.</p> <p>The interior sound level of Peterbilt vehicles, when measured in accordance with the test procedure of SAE J336 do not exceed the decibels per hour dictated in the test procedure.</p> <p>Peterbilt brake systems meet all NHSTA FMVSS regulations.</p> <p>Peterbilt trucks are equipped with a lighting system that conforms to the requirements of FMVSS 108.</p> <p>Peterbilt standard seat belt assembly (shoulder and lap), restraint system hardware, mounting, and performance conform to FMVSS Nos. 208, 209, 210.</p> <p>All instruments, indicators, and panel controls are located, identified and illuminated to conform to 49 CFR, Part 571, FMVSS No. 101.</p> <p>Peterbilt dealers are authorized/certified/licensed to sell Class 5-8 commercial trucks in the States & Provinces in which they do business.</p>
<p>18</p>	<p>Provide all "Suspension or Debarment" information that has applied to your organization during the past ten years.</p>	<p>N/A</p>

Table 3: Industry Recognition & Marketplace Success

Line Item	Question	Response *
19	Describe any relevant industry awards or recognition that your company has received in the past five years	<p>2019 Awards</p> <p>2019 Top Company for Women to Work for in Transportation by the Women In Trucking (WIT) Association • The organization's mission is to encourage the employment of women in the trucking industry, promote their accomplishments, and minimize the obstacles they face.</p> <p>2020 Awards</p> <p>2020 Top Company for Women to Work for in Transportation by the Women In Trucking (WIT) Association • The organization's mission is to encourage the employment of women in the trucking industry, promote their accomplishments, and minimize the obstacles they face.</p> <p>2021 Awards</p> <p>2021 Top Company for Women to Work for in Transportation by the Women In Trucking (WIT) Association • The organization's mission is to encourage the employment of women in the trucking industry, promote their accomplishments, and minimize the obstacles they face.</p> <p>Award of Distinction from the international Communicator Awards for Peterbilt Online EV Operations Cost Calculator. • The Communicator Awards is a leading international awards program dedicated to recognizing excellence, effectiveness and innovation across all areas of communication. The Peterbilt EV Operating Cost Calculator won for its user experience as a powerful tool for prospective customers to evaluate the Total Cost of Ownership of Peterbilt's three EV vehicle configuration on a per mile (on-highway applications) or per hour basis (vocational applications).</p> <p>2022 Awards</p> <p>Operational Excellence Leadership Award from the National Association of Manufacturers (NAM) • Peterbilt received an Operational Excellence Leadership award for its Offline Priority Dashboard initiative, which provides a real-time, on-demand source of information assisting the Operations team to better forecast, prioritize and distribute resources, such as parts and labor, in the most effective manner in offline recovery efforts, and to achieve the delivery goals to assist with supply chain recovery across our country. With this new innovative process, Peterbilt streamlined offline processes to deliver trucks to our customers in the most efficient manner.</p> <p>Engineering and Production Technology Award from the National Association of Manufacturers (NAM) • Peterbilt received the award for the Structural Fastening Equipment Modernization project that utilizes a fastening equipment hydraulic system featuring MiniBooster hydraulic pressure intensifiers that are simple, inexpensive, and with a parallel installation and modular mounting system changeable on the fly in the case of failure.</p> <p>Transformative Culture Award from the National Association of Manufacturers (NAM) • Peterbilt received the Transformative Culture award for Safety Program Improvements, with the addition of the Velocity EHS and DuPont STOP program improving the efficiency with immediate corrective actions and shifting the safety culture to the proactive mindset that every safety incident can be prevented.</p> <p>About the National Association of Manufacturers The National Association of Manufacturers (NAM) is the largest manufacturing association in the United States, representing small and large manufacturers in every industrial sector and in all 50 states. The NAM is a powerful voice in the manufacturing community and the leading advocate for a policy agenda that helps manufacturers compete in the global economy and create jobs across the United States.</p> <p>2022 Top Company for Women to Work for in Transportation by the Women In Trucking (WIT) Association • The organization's mission is to encourage the employment of women in the trucking industry, promote their accomplishments, and minimize the obstacles they face.</p> <p>2023 Awards</p> <p>2023 Top Company for Women to Work for in Transportation by the Women In Trucking (WIT) Association • The organization's mission is to encourage the employment of women in the trucking industry, promote their accomplishments, and minimize the obstacles they face.</p>
20	What percentage of your sales are to the governmental sector in the past three years	2%
21	What percentage of your sales are to the education sector in the past three years	<1%
22	List any state, provincial, or cooperative purchasing contracts that you hold. What is the annual sales volume for each of these contracts over the past three years?	<p>Peterbilt Motors Company only Cooperative purchasing contract is with Sourcewell.</p> <p>Rush Truck Centers holds contracts with The Florida Sheriffs Association (FSA) and the Houston-Galveston Area Council (H-GAC). Annual volume data available by request through Rush Enterprises.</p>
23	List any GSA contracts or Standing Offers and Supply Arrangements (SOSA) that you hold. What is the annual sales volume for each of these contracts over the past three years?	N/A

Table 4: References/Testimonials

Line Item 24. Supply reference information from three customers who are eligible to be Sourcewell participating entities.

Entity Name *	Contact Name *	Phone Number *
Kent County Road Commission	Steve Roose	616-481-5368
Montcalm County Road Commission	Mark Christensen	616-835-6654
McHenry County DOT	Benjamin Justen	815-334-4977
Village of Northfield Illinois	John Rikje	224-707-2645
Four Rivers Sanitation Authority	Dave Daughenbaugh	815-387-7583

Table 5: Top Five Government or Education Customers

Line Item 25. Provide a list of your top five government, education, or non-profit customers (entity name is optional), including entity type, the state or province the entity is located in, scope of the project(s), size of transaction(s), and dollar volumes from the past three years.

Entity Name	Entity Type *	State / Province *	Scope of Work *	Size of Transactions *	Dollar Volume Past Three Years *
City of Fresno	Government	California - CA	Refuse Trucks Model 520	6 Trucks	\$955,750
City of Virginia Beach	Government	Virginia - VA	Refuse Trucks Model 520	15 Trucks	\$2,018,482
City of Visalia	Government	California - CA	Refuse Trucks Model 520	9 Trucks	1,375,987
Kent County Road Commission	Government	Michigan - MI	Vocational Truck Model 365	11 Trucks	\$1,854,965
Miami Dade County	Government	Florida - FL	Refuse Trucks Model 520	5 Trucks	\$930,620

Table 6: Ability to Sell and Deliver Service

Describe your company's capability to meet the needs of Sourcewell participating entities across the US and Canada, as applicable.

Your response should address in detail at least the following areas: locations of your network of sales and service providers, the number of workers (full-time equivalents) involved in each sector, whether these workers are your direct employees (or employees of a third party), and any overlap between the sales and service functions.

Line Item	Question	Response *
26	Sales force.	<p>Peterbilt Motors Company Factory Sales force consists of Peterbilt's General Manager (equivalent to VP/President at other companies), Assistant General Manager, 3 General Sales Managers over the U.S. & Canada that have a total of 6 Region Managers reporting to them based out of Philadelphia (East), Nashville (South), Denton/Dallas (Midwest), Chicago (Great Lakes), Scottsdale/Phoenix (West), and Toronto (Canada). Each Region Manager oversees 3-4 District Sales Managers. In addition, Peterbilt Motors has a separate Medium-Duty Sales Team (1 per Region/Canada), Vocational Sales Team (1 per Region/Canada), and National Account Sales Team (1 per Region/Canada). Peterbilt also has one National Fleet Sales Manager that is dedicated to the Sourcewell Account.</p> <p>All Sales personnel mentioned above collaborate with Peterbilt's Dealer Network Sales teams which consists of 1,085 individuals throughout the US & Canada, including Sales VPs, Directors, Managers, Sales Personnel, and Sales Administrators.</p> <p>Peterbilt Motors Company also has 3 Dealer Sales Councils comprised of Sales Managers and Representative from all over the US & Canada. The 3 Councils are: National-Accounts Sales Council, Vocational/Government Sales Council, and Medium-Duty Sales Council.</p>
27	Dealer network or other distribution methods.	<p>Peterbilt Motors Company's dealer network is independently owned & operated. Peterbilt's dealer network consists of 432 locations across the US & Canada. In addition to the dealer network, Peterbilt's dealers are supported by 7 Paccar-owned Parts Distribution Centers strategically located across the US. The Parts Distribution Centers maintain a 99% fill-rate.</p> <p>In addition to Peterbilt Dealer parts inventories AND the Paccar Parts Distribution Centers, Peterbilt also offers All-Makes parts at over 101 TRP locations in US/Canada and online at https://trpparts.com/</p> <p>Peterbilt dealers also maintain strong relationships with several Body-Manufacturers. Many of these Body-Companies are Sourcewell members and stock vehicles that utilize Peterbilt trucks.</p> <p>Please see attached 00-Peterbilt Dealer Locations</p>
28	Service force.	<p>Peterbilt Motors Company maintains an extensive Corporate service force consisting of a General Manager of Service, Assistant General Manager of Service (GM titles at Peterbilt are equivalent of VP at most companies), Director of Field Service, Director of Warranty, 6 Region Service Managers located across the US (East-Philadelphia, South-Nashville, Midwest-Dallas, Great Lakes-Chicago, West-Phoenix, and Canada- Toronto). Each Region Manager has 3 District Service Managers and 2 Engine Service Managers.</p> <p>The dealer network consists of 5,025 service personnel (Service Managers, Shop Foreman, Technicians, Service Advisors, Service Writers, etc.).</p> <p>Peterbilt Motors Company also has a Dealer Service Council that meets multiple times annually to discuss all things service, preventive maintenance, warranty, etc.</p>
29	Describe the ordering process. If orders will be handled by distributors, dealers or others, explain the respective roles of the Proposer and others.	Orders will be coordinated and managed by an authorized Peterbilt Dealer sales person.

<p>30</p>	<p>Describe in detail the process and procedure of your customer service program, if applicable.</p> <p>Include your response-time capabilities and commitments, as well as any incentives that help your providers meet your stated service goals or promises.</p>	<p>Peterbilt's Customer Service Program, TruckCare, starts with the initial request for service from the customer. Fleets can rely on Peterbilt TruckCare https://partsandservice.peterbilt.com/en/services to connect them to the help they need 24 hours a day, 365 days a year. Wherever in the U.S. or Canada, Peterbilt's dealer network will get you back on the road as fast as possible:</p> <ul style="list-style-type: none"> • Fast help when you call 1-800-4-PETERBILT • Free registration • Assistance with towing, jump and pull starts, tires, mechanical repairs and preventive maintenance services • An efficient roadside assistance system that tracks all aspects of your job • Custom-mapping technology including On-board diagnostics through SmartLink that locates the nearest Peterbilt dealer, other PACCAR dealer or independent service provider to best assist you • Personalized customer profiles to specify your roadside assistance preferences • Bilingual representatives and translation service to ensure quality assistance in any language <p>Peterbilt Dealers must achieve a year-to-date TruckCare Preventive Maintenance Customer Service Score of 90% or higher from Peterbilt Motors Company. The Preventive Maintenance Customer Service Score for each dealer location will reflect a score based upon the following criteria:</p> <ol style="list-style-type: none"> 1. Dealer's ability to set firm appointment 2. Resolving all customer complaints regarding service quality, customer treatment, or any other complaint deemed reasonable brought to the attention of the Customer Center. 3. Dealer holding appointment slot for customer. 4. Customer is not to wait longer than 1 hour from the scheduled time of the appointment 5. Customer to receive a completed copy of the Preventive Maintenance Inspection Form at the completion of the service. <p>Since 2020, Peterbilt's "Platinum Service Center Certification". The program is intended to provide superior service for customers. The certification process is stringent: Platinum Factors for Dealerships scores are based on factors including:</p> <ul style="list-style-type: none"> • Facilities and drivers lounges. • Expanded hours of service. • Parts availability. • Triage procedure. • Having certified Paccar MX engine technicians. <p>Platinum Service Center locations will receive a special designation in Peterbilt's dealer locator on the company's website as well as a plaque to showcase in their dealership.</p> <p>Customer service is also a reflection of parts support; without the needed parts on hand a service event can be significantly delayed.</p> <p>Peterbilt has the parts you need, ready to ship, with a 99% fill rate. Fleets can reduce their inventory levels and gain security by relying on Peterbilt's dealer network of over 405 locations with 7 regional Parts Distribution Centers strategically located across the U.S. Fleets can be set up with Not-to-Exceed Pricing, Consolidated Billing, and dedicated Account Support locally and nationally.</p> <p>Response time capability:</p> <p>Rapidcheck:</p> <p>Available at all Peterbilt Dealer service locations, Rapidcheck provides a Diagnostic check within 2 hours of truck drop-off; No appointment necessary. Rapid Check guarantees the following within 2 hours of when the work order is started:</p> <p>Run initial diagnostic testing on the vehicle Determine needed repairs or if more complete diagnoses is required Check parts availability Provide an estimate of when the vehicle repairs will be complete Communicate all findings to the customer With customer permission, repairs that can be completed within 2 hours will be carried out</p> <p>Response Time Capability:</p> <p>Mobile Service:</p> <p>Peterbilt's dealer network operates a fleet of 968+ mobile repair trucks; the fleet is growing rapidly. Mobile service allows for fast response to problems where the customer cannot or prefers not to bring their vehicle to the Peterbilt dealer location. Common in remote areas or areas where traffic is heavy and therefore drive time to/from dealer is not ideal.</p> <p>Peterbilt also offers National Account Warranty Programs that include: Access to online truck service & option database (E-Portal), Online electronic parts catalog (ECAT), and Field Service Bulletins Option to perform in-house warranty repairs with a sponsoring Dealer Filing Warranty Claims on Behalf of Fleet (Dealer Sponsored) OR Fleet filing direct with Peterbilt (Direct Fleet) Discounted and/or free diagnostic tools.</p>
<p>31</p>	<p>Describe your ability and willingness to provide your products and services to Sourcewell participating entities in the United States.</p>	<p>Peterbilt's full product line and support services are available to ALL Sourcewell participating entities in the United States.</p>
<p>32</p>	<p>Describe your ability and willingness to provide your products and services to Sourcewell participating entities in Canada.</p>	<p>Peterbilt's full product line and support services are available to ALL Sourcewell participating entities in Canada.</p>
<p>33</p>	<p>Identify any geographic areas of the United States or Canada that you will NOT be fully serving through the proposed contract.</p>	<p>N/A - Peterbilt services ALL geographic areas in the US & Canada.</p>
<p>34</p>	<p>Identify any Sourcewell participating entity sectors (i.e., government, education, not-for-profit) that you will NOT be fully serving through the proposed contract.</p> <p>Explain in detail. For example, does your company have only a regional presence, or do other cooperative purchasing contracts limit your ability to promote another contract?</p>	<p>N/A - Peterbilt will fully service ALL Sourcewell participating entity sectors.</p>
<p>35</p>	<p>Define any specific contract requirements or restrictions that would apply to our participating entities in Hawaii and Alaska and in US Territories.</p>	<p>N/A - No specific contract requirements or restrictions apply to Sourcewell entities in Hawaii, Alaska, or other US Territories.</p>

Table 7: Marketing Plan

Line Item	Question	Response *
36	Describe your marketing strategy for promoting this contract opportunity. Upload representative samples of your marketing materials (if applicable) in the document upload section of your response.	<p>Peterbilt Motors Company Marketing strategy for promoting the Sourcewell Contract consists of the following:</p> <p>Internal Dealer Bulletins (sent out to all Dealers Management & Sales Personnel) that announce the program, describe the program, provide pricing, and contact details.</p> <p>Peterbilt Intranet site: Sourcewell is the ONLY entity that has it's own dedicated page on Peterbilt Motors' internal website. The site contains an overview of the program, quick reference guide, customer presentation template, pricing guide, contact information & more.</p> <p>Peterbilt has and will promote Sourcewell at all Vocational/Government shows, conferences, and expos at which we exhibit; NTEA Work Truck Show, WasteExpo, Electric Utility Fleet Managers Conference (EUFMC), International Construction and Utility Electrical Expo (ICUEE), etc. This includes Peterbilt created marketing materials (see attached) as well as Sourcewell provided pop-ups, flags, truck vinyl logos, etc.</p> <p>All of Peterbilt's on-site training events include a module on Sourcewell. On-site training is held at Peterbilt's manufacturing locations on a quarterly basis and is open to all Dealer personnel. In addition to training held at Peterbilt facilities, Peterbilt also holds sales/product training at most major shows (NTEA, WasteExpo, etc) that also include module on Sourcewell.</p> <p>Peterbilt markets our Sourcewell contract on Social Media (Facebook, Twitter, LinkedIn).</p> <p>Peterbilt's dealer network actively promotes their participation in the Peterbilt Sourcewell contract through their websites, social media, and exhibition at various shows including local and regional APWA events.</p> <p>See attached 02-Marketing Plan</p>
37	Describe your use of technology and digital data (e.g., social media, metadata usage) to enhance marketing effectiveness.	<p>Peterbilt Motors has and will continue to market Sourcewell on our Facebook page and Twitter account. Peterbilt will significantly increase our social media posts in general over the next several years with Sourcewell being part of that.</p> <p>Peterbilt's dealer network utilizes Facebook, Twitter, and LinkedIn primarily to promote their participation in the Sourcewell contract and to make announcements regarding customer procurement via the contract, etc.</p>
38	In your view, what is Sourcewell's role in promoting contracts arising out of this RFP? How will you integrate a Sourcewell-awarded contract into your sales process?	<p>Sourcewell's role in promoting contracts arising out of this RFP would be to announce the contracts on their website and conduct email campaigns to Sourcewell members.</p> <p>Sourcewell's role is to continue to be present at major shows, expositions, and conferences to actively promote Sourcewell in general and provide assistance to contract holders to actively promote their specific contracts, including providing marketing materials, pop-up flags, truck decals, etc. Sourcewell should continue to offer sponsorship opportunities at major events for contract holders to participate - example) Peterbilt Motors sponsored the "Public Procurement Reception" at WasteExpo in CY2020.</p> <p>Peterbilt Motors Company integrates the Sourcewell contract by setting sales goals for its District Sales Managers and Vocational Sales Managers that involve key government/municipal target accounts in their territories with an emphasis on promoting our Sourcewell Contract.</p> <p>Peterbilt Dealers are provided with presentation templates, marketing material, and filtered spreadsheets of all Sourcewell members in their specific areas of operation. Sales Blitzes and joint sales calls with factory personnel are held monthly.</p>
39	Are your products or services available through an e-procurement ordering process? If so, describe your e-procurement system and how governmental and educational customers have used it.	<p>Peterbilt products are not available through an e-procurement ordering process; only through Peterbilt Dealers and Sourcewell Member Body-Companies that sell complete/turnkey units to Sourcewell members.</p>

Table 8: Value-Added Attributes

Line Item	Question	Response *
40	Describe any product, equipment, maintenance, or operator training programs that you offer to Sourcewell participating entities. Include details, such as whether training is standard or optional, who provides training, and any costs that apply.	<p>Peterbilt Motors Company offers on-site and on-line product training, maintenance/service training, and many other courses relevant to the municipal/vocational truck market.</p> <p>Online training is available to all Sourcewell members 100% FREE of charge. Members would need to simply contact their local dealer who will sponsor the customer and provide the initial log in credentials at https://bca-training.net/peterbiltfleet/account/login</p> <p>Members can take any course on the site and/or Fleet Managers can assign courses & track progress. The following are just some of the training on the site that is available:</p> <ul style="list-style-type: none"> EV Module Engine Service Low Power Visual Inspection Common Rail Troubleshooting Tandem Drive Axle Service Axle Kingpin Replacement Fuel System Flow and Components Common Rail Fuel System Engine Lubrication System Starting and Charging Systems Pending Active and Inactive Codes Clearing the MIL Light Smoke Analysis Low Power Diagnosis Manual Compression Testing EGR System Diagnosis Warning Lights DPF System Diagnosis DEF System Diagnosis Turbo System Diagnosis Diesel Emissions System Exhaust and Aftertreatment System Diagnosis NOx Sensor Diagnosis <p>On-site training is available from Peterbilt Motors Company Factory Training Department for a fee on a reservation basis. Training can be conducted at a Peterbilt Motors facility (factory, Region Office, etc.) or at a Sourcewell Member's fleet location.</p> <p>Peterbilt's Dealer Network also offers operation, maintenance, service and other training. This training is offered for a fee on a reservation basis.</p>
41	Describe any technological advances that your proposed products or services offer.	<p>Peterbilt products and services incorporate leading technologies. By working with world-class supplier partners, Peterbilt leverages industry expertise to design and manufacture advanced vehicles, vehicle systems, powertrain components, hardware and software, all fully integrated to deliver outstanding performance and value.</p> <p>In addition to the standard features of Peterbilt trucks that will be listed below, Peterbilt trucks offer the following technological advances:</p> <p>Digital Display</p> <p>The Peterbilt Digital Display fully integrates with electrical and safety systems found on the new 579, 567, 589, 535, 536, 537, 548, and 520 models including the Bendix Fusion Advanced Driver Assistance System. The state-of-art Digital Display features a fully customizable user interface (UI), delivering an almost endless combination of digital gauges on the main screen at any one time. Operators control the digital UI through one of</p>

three different Drive View Zones. Minimized View eliminates everything but the speedometer and tachometer for minimal driver distraction. Basic View represents traditional information found on analog dashes with Air & Oil Pressure, Fuel & DEF level and Water temperature all prominently displayed along with a speedometer and tachometer. The Enhanced View builds upon the previous views displaying the maximum number of gauges from a list of over 30 information sources. The beauty of the Peterbilt Digital Display is that operators can fine-tune the information shown to suit their individual needs through the easy to use controls found on the all-new steering wheel.

SmartNav:

A high-tech infotainment system, SmartNav delivers GPS navigation (truck maps), communications (integrates with cell phones) and vehicle monitoring (virtual gauges and other truck info) direct to an in-dash seven-inch color touch-screen. The SmartNav display enables intuitive interaction with an array of technologies, functions and apps, including truck camera systems. SmartNav features voice recognition and control, keeping hands on the wheel and eyes on the road. SmartNav integrates seamlessly with your phone via Bluetooth® connection and includes WiFi capability, making it easy to stay in touch no matter where you are. The integrated audio system plays through the truck speakers and can also accommodate satellite radio. The display is available in English, Spanish and French Canadian.

SmartAir:

Peterbilt's proprietary SmartAir system provides a factory installed, no-idle climate control solution that delivers maximum comfort while also reducing emissions and lowering fuel costs. The SmartAir system is powered by four, heavy-duty AGM batteries that are charged during normal driving conditions. When the engine is off, SmartAir provides quiet, efficient, high-power cooling capacity for up to 10 hours on a single charge. Peterbilt's SmartAir design features one of the smallest footprints in the industry. It also features on-board diagnostics, full automatic temperature control in A/C and heating modes and a digital LCD display that makes it easier to control the unit and provides battery monitoring. The system is fully integrated with Peterbilt's existing sleeper HVAC systems, resulting in increased cooling performance, enhanced reliability, reduced maintenance and lower overall operating costs. SmartLinQ, SmartLINQ and its suite of connected services monitor your truck's health and have the capability to send customized alerts and notifications to your designated support team, including the nearest Peterbilt dealership.

Collision Mitigation:

Peterbilt offers both the Bendix Wingman Collision Mitigation System as well as the Meritor OnGuard System. These systems utilize forward radar detection to provide driver alerts and active braking when objects are detected in the road or if closing on the vehicle ahead. Systems also offer lane-keeping technology as well as side object detection. Camera-integrated option provides enhanced object detection and can even read speed limit signs and alert drivers if over the limit. Systems can provide electronic stability control to prevent rollovers as well as adaptive cruise control with reduces throttle and/or applies the service brakes to maintain safe distance with vehicles ahead.

HID + LED headlights:

Peterbilt offers both High-Intensity-Discharge headlights and LED headlights. HID's provide the best available forward visibility, while LEDs provide superior wide-range/close-range lighting. Predictive Cruise is offered and provides (via forward radar sensor) for automated reduced throttle and/or service brake application to maintain safe distance with vehicles ahead.

Driver Performance Assistant:

When manual transmission is specified, Driver Performance Assistant provides a visual aid to drivers to encourage them to operate in the vehicles RPM "sweet spot" as well as "shift now" notifications to optimize shift patterns for operational efficiency and improved fuel economy.

Driver Information Display:

The standard Peterbilt Driver Information Display, located in the center of the dash cluster, provides the operator with the following selections via a toggle switch: Standard view shows cruise status, park-brake status, and gear selected. Optional views show virtual gauges (i.e. voltmeter, transmission temperature gauge), engine RPM display, shut-down timer, trip information (fuel economy, miles operated, hours operated, idle time, etc.), truck information (VIN, engine make/model, transmission make/model, etc.), and diagnostics/warnings (fault codes with descriptions).

Stability Control with Automatic Traction Control:

Electronic Stability Control prevents roll-over situation by applying the anti-lock service brakes to individual wheels to maintain truck balance when taking turns. Combined with automatic traction control, the technology greatly enhances safety for drivers/fleets.

Zinc coated frame rails:

Peterbilt offers a zinc coating for its frame rails and crossmembers that significantly reduces corrosion over the life of the truck.

Peterbilt offers a bump-fin style cooling system for extreme dirt environments to reduce wear on the engine.

Allison FuelSense:

Allison FuelSense technology optimizes shift patterns depending on the fleet's desired operating characteristics (power/max-fuel-economy/blend).

Peterbilt offers RollTek Air-Bag-equipped seats for enhanced safety in rollover accidents.

Peterbilt offers the full line of NFPA requirements including Seat & Occupancy sensor & warning, NFPA seats, NFPA grab handles, etc.

Peterbilt offers pre-wiring Provisions for fleet communication systems, camera systems, custom maintenance systems, etc.

Standard technology on Peterbilt trucks that provide value to fleets:

FRAME

Steel rails with gussets to maximize RBM.

Huck bobtail fasteners provide a consistent and durable clamping force up to 600% greater than bolted frames. Tamper resistant round head and collar offers improved paint adhesion and corrosion resistance. Swage indicating features on collar allows for visual inspection of clamped joint.

Rubber-lined clamps along frame rail to protect air & electric lines routed in frame.

Chassis hose and wiring bundles conveniently routed through gussets provides protection for lines.

STEER AXLE

Zerk fittings on tie rod ends, king pins, and draglink ball joints for ease of maintenance and help extend service life of components.

Greaseless spring pins reduce maintenance and improve ride quality.
Cognis EMGARD® Synthetic Axle Lube reduces wear and extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions and withstand the stress from high temperatures, extending component life. Glidekote splines on steering shaft extend service life of components.

DRIVE AXLE

Laser factory axle alignment (accurate to .030 of an inch) to improve handling and reduce tire wear.
Magnetic rear axle oil drain plug captures and holds any metal fragments in drive axle lube to extend service life.

ENGINES & RELATED SYSTEMS

Magnetic engine oil drain plug captures and holds any metal fragments in engine oil to extend service life.
Silicone radiator and heater hoses enhance value, durability and reliability.
ClimaTech extended life coolant extends maintenance intervals which reduces maintenance costs.
Constant tension and torque band clamps reduce leaks.
Stainless steel hard-line manifold reduces coolant hoses in the engine compartment to improve durability and appearance.
Thermal fuse in the air conditioning compressor clutch allows the pulley to free spin in the event of a compressor failure, thus reducing belt wear and vehicle downtime.
Weather pack silicone sealed electrical chassis connectors enhance value, durability and reliability.
Maintenance free 12V batteries provide reliable power for starting and accessories. Stranded copper battery cables are double aught (00) or larger to reduce resistance. Stainless steel flex exhaust tubing & clamps provide durability.
Optimized exhaust routing to simplify the truck order process and provide optimal performance.

AIR SYSTEM

Teflon-lined, stainless steel braided compressor discharge hose provides long service life in high operating temperatures.

FUEL TANKS

Aluminum fuel tanks with heavy-duty aluminum brackets and stainless steel straps. Wire braid fuel lines increase durability and reduce potential for leaks.

ELECTRICAL SYSTEM

Multiplex electrical design utilizing the industry standard J1939 data bus that sends multiple signals over a single wire instead of having an individual wire for each function. This allows each component (engine, transmission and instrumentation) to communicate to each other.
This design improves reliability and offers increased functionality.
Proprietary Electronic Service Analyst (ESA) allows dealer to monitor the electrical system, isolate sensors and gauges, and keep a log of service history.
Braided chassis harness cover provides durability.
Convulsed tube covering on harnesses protects from chaffing. Wires numbered every 4 inches or less for ease of serviceability.

CAB / HOOD

Proprietary all-aluminum cab is light weight and durable for long service life. Spring assisted, hood opening for serviceability.
Proprietary anti-blow-down locking mechanism that keeps the hood open during servicing and prevents unintentional closing.
One piece roof reduces potential for leaks.
Lap seam construction and aircraft fasteners has greater clamp load than rivets.
Double wall stamped aluminum doors provide virtually water-tight, rattle-free performance.
Full length, light weight hidden gravity-hinge system that provides low resistance and ease for closing doors providing durability.
Interior Left and Right Side Grab Handles for easy access into the cab.

CAB INTERIOR

LH & RH door mounted map pockets with door mounted step lights Cast rubber flooring with integral sound barrier.
Integrated "dead pedal" for driver comfort.
Four ergonomically positioned entry / egress grabhandles
Proprietary non-slip threshold plate accented with a chrome inset and Peterbilt Red Oval adds a touch of Peterbilt class to safety and convenience.

LIGHTS

Projector module pod headlights provide outstanding visibility.
'Headlight On Warning' when headlights are active with door open and ignition off. The high beam headlamp icon flashes and sounds an audible alarm.
Headlights turn on automatically when windshield wiper blades are activated.
Lighting system is protected by an impact resistant Lexan® lens and requires no special tools for lamp adjustment or bulb replacement.

DASH & INSTRUMENTATION

Driver Information Display that allows the driver to view diagnostic information and monitor truck system behavior.
Information such as fuel economy, optimum engine speed and engine and transmission system management provides driver feedback and improves operating performance.
Dash features an "in-mold" color process that imbeds the color into the material making the color permanent and eliminating peeling and fading.
LED backlit gauges to prevent eye fatigue.

PAINT

Dupont Imron Elite two-stage non-metallic paint, one color cab / hood.

<p>42</p>	<p>Describe any "green" initiatives that relate to your company or to your products or services, and include a list of the certifying agency for each.</p>	<p>Peterbilt manufactures the largest product lineup of Battery-Electric-Vehicles (Models 220EV, 520EV and 579EV) and continues to invest in this technology with a manufacturing plant dedicated to building batteries for its electric vehicles. Additionally, as part of the transition to zero emissions, PACCAR has introduced new electric vehicle charging stations to support electric vehicles. PACCAR is collaborating with Faith Technologies and Schneider Electric to provide charging infrastructure solutions for customers who purchase Peterbilt electric trucks in the US and Canada. Charging power from 20 kW up to 350 kW.</p> <p>Our financial strength enables us to invest over \$1.11B in Capital projects and R&D in 2023 to:</p> <ul style="list-style-type: none"> • Integrated powertrains including state to the art diesel; electric; hybrid; and hydrogen fuel technologies • Enhance our manufacturing capability for better efficiency • Strengthen our aftermarket transportation solutions • Leadership in autonomous systems, and connected vehicle services <p>Peterbilt offers more models with CNG & LNG engines than any other OEM and has sold more CNG/LNG trucks and offered them longer (since 1996) than any other OEM.</p> <p>Peterbilt's full line of engines are approved for the use of Biodiesel up to B20.</p> <p>Investing in Sustainable Operations:</p> <p>All Company manufacturing locations are ISO 14001 certified and more than 80% are zero-waste-to-landfill.</p> <p>The Company has invested \$800 million over the past ten years in facility projects that have improved energy efficiency, reduced emissions, reduced water consumption and waste including \$35 million in reusable containers. First in the truck industry to implement chassis robotic paint systems. This process has enhanced paint quality, reduced cost and decreased paint usage, waste and air emissions.</p> <p>Reducing Greenhouse Gas Emissions</p> <p>From 2013 to 2022 PACCAR reduced greenhouse gas emissions 50% on a per revenue basis.</p> <p>Hazardous air emissions have been reduced by over 200 metric tonnes per year in paint and other processes. Peterbilt joined the CDP Reporter Services for reporting greenhouse gas emissions and to benchmark performance to continue reducing our greenhouse gas footprint.</p> <p>Reducing Waste</p> <p>Many of the Company's manufacturing locations achieve "zero waste to landfill" by recycling, employing reusable containers and composting food and paper waste.</p> <p>Conserving Resources</p> <p>Peterbilt reduces the use of water through internal recycling, reduces paint waste through robotic paint systems and conserves energy by using new technologies such regenerative dynamometers that capture electricity from vehicle testing.</p> <p>Products</p> <p>All Peterbilt internal combustion engine vehicles have near-zero emissions of NOx, a smog causing compound, and are compliant with all applicable standards including those by the California Air Resources Board (CARB), the US Environmental Protection Agency (EPA) and the European Commission. Peterbilt uses Ecodesign, a software tool, to reduce environmental impacts through product design. Through this process, engineers increase recyclability of our trucks, reduce air emissions, use lighter materials to reduce fuel consumption and use fewer hazardous materials.</p> <p>Fuel-Efficient, Low-Emission PACCAR Engines</p> <p>Peterbilt has strengthened its leadership in environmental stewardship by expanding its global portfolio of high performing low emission engines. Over the past five years, these engines have reduced GHG emissions by up to 14%. NOx and particulate matter have also been reduced by over 83%.</p>
<p>43</p>	<p>Identify any third-party issued eco-labels, ratings or certifications that your company has received for the equipment or products included in your Proposal related to energy efficiency or conservation, life-cycle design (cradle-to-cradle), or other green/sustainability factors.</p>	<p>Peterbilt's full engine offerings all meet or exceed all Environmental Protection Agency (EPA) and California Air Resources Board (CARB) emissions requirements.</p> <p>All plants that manufacture Peterbilt products are ISO 14001:2015 and/or ISO 14001:2015 Certified. Peterbilt offers EPA-Certified Green-House-Gas Emissions tires on all of its products. See Line Item 42 for additional details.</p> <p>CARB and EPA labels available upon request.</p>
<p>44</p>	<p>Describe any Women or Minority Business Entity (WMBE), Small Business Entity (SBE), or veteran owned business certifications that your company or HUB partners have obtained. Upload documentation of certification (as applicable) in the document upload section of your response.</p>	<p>Peterbilt's Dealer Network has several dealers/groups that operate as WMBE, SBE, and/or veteran owned businesses.</p> <p>Example certification, see attached 05-Montana Peterbilt LLC - MBE</p> <p>Other certifications/inquiries available upon request to Peterbilt Motors.</p>
<p>45</p>	<p>What unique attributes does your company, your products, or your services offer to Sourcewell participating entities? What makes your proposed solutions unique in your industry as it applies to Sourcewell participating entities?</p>	<p>Peterbilt is a US based (Headquartered in Denton, Texas) company that offers the widest array of trucks in the industry. Peterbilt offers Class 5 Conventional trucks, Class 6 & 7 Cab-Over trucks, Class 6 & 7 Conventional trucks & tractors, Class 8 Conventional trucks & tractors AND Class 8 Cab-Over trucks & tractors.</p> <p>No other OEM has the variety of trucks offered by Peterbilt Motors. This allows for a Sourcewell member fleet to procure all of their trucks from one OEM/Dealer. This "one-stop-shopping" benefits the member through a single source for all trucks, parts, and service needs, streamlining their operations. For example, if a fleet needs a large cab-over refuse truck, a small cab-over for paint stripping, and a conventional tandem truck for a dump/plow application, Peterbilt is the ONLY OEM that can provide all 3 trucks. Additionally, Peterbilt is the only OEM who offers 3 Electric Trucks ranging from medium duty, vocational, and regional tractor.</p> <p>Peterbilt offers Class leading re-sale values on all of its trucks. If/when a Sourcewell Member trades/sells/auctions its used Peterbilts they will get significantly more than any competitor. This is reflected in NADA book values and can also be extracted from "Truck Paper" pricing.</p> <p>94% of Peterbilt trucks in-serviced in Calendar Year 2022 were still in-serviced in Calendar Year 2022 94% of 20-year-old trucks were still being put into service. This is a testament to Peterbilt's design philosophy of durable, reliable, custom engineered work trucks.</p>

Table 9A: Warranty

Describe in detail your manufacturer warranty program, including conditions and requirements to qualify, claims procedure, and overall structure.

You may upload representative samples of your warranty materials (if applicable) in the document upload section of your response in addition to responding to the questions below.

Line Item	Question	Response *
46	Do your warranties cover all products, parts, and labor?	Yes. See attached for full warranty schedule. For extended warranty information, members can reach out to their local Peterbilt dealer or Peterbilt's Sourcewell manager listed on the contract. Hundreds of different combinations of extended warranties are available, including custom warranties to match the members needs (ex - more years, less miles/yr, etc.) See Attached 03 Warranty Procedure Manual and Schedule
47	Do your warranties impose usage restrictions or other limitations that adversely affect coverage?	No.
48	Do your warranties cover the expense of technicians' travel time and mileage to perform warranty repairs?	Yes.
49	Are there any geographic regions of the United States or Canada (as applicable) for which you cannot provide a certified technician to perform warranty repairs? How will Sourcewell participating entities in these regions be provided service for warranty repair?	No.
50	Will you cover warranty service for items made by other manufacturers that are part of your proposal, or are these warranties issues typically passed on to the original equipment manufacturer?	Typically warranty for components added to a truck AFTER FACTORY DELIVERY (i.e. a Refuse Body or Dump Body, etc.) is covered by the OEM/Dealer/Distributor for that Body. However, a number of Peterbilt Dealers are authorized distributors and/or service locations for other manufacturers/Body-Companies and can therefore provide warranty support. Peterbilt Dealer locations that are also authorized dealers/distributors for other manufacturers/Body-Companies can be researched via the Peterbilt dealer or manufacturer/Body-Company website or by contacting the Peterbilt Motors National Account Manager that manages the Sourcewell Contract listed on the Peterbilt landing page on the Sourcewell website.
51	What are your proposed exchange and return programs and policies?	Exchange & return policies for trucks are at the discretion of the individual Peterbilt dealer providing the vehicle.
52	Describe any service contract options for the items included in your proposal.	Service contracts direct through Peterbilt Motors would only be available through Peterbilt's company-owned Lease operations (PacLease). Fleet Field Service.... The majority of service contract options would be handled through Peterbilt Motors dealer network. Most Peterbilt Dealers offer service contracts that provide a variety of options i.e. Preventive Maintenance, towing services, DOT inspections, tire exchange programs, oil analysis, winter prep, etc. Most Peterbilt dealers can also offer on-site technicians, mobile-service, and full-maintenance-contracts.

Table 10: Payment Terms and Financing Options

Line Item	Question	Response *
53	Describe your payment terms and accepted payment methods.	Payment terms are at the discretion of Peterbilt Dealers and vary depending on the type of truck purchased, body installed (if applicable), lead-times for components, etc. Payment terms are negotiable - typically Peterbilt dealers can provide payment terms that match what the Sourcewell member requests.
54	Describe any leasing or financing options available for use by educational or governmental entities.	Yes; Peterbilt Motors offers a full range of financing options including municipal leases through Paccar Financial Corporation (PFC), a Division of Paccar (Peterbilt is also a Division of Paccar). In addition to PFC, Peterbilt dealers can provide financing options through various banks and other financial partners. Also, many Dealer Groups operate their own finance companies and can provide options for Sourcewell members.
55	Describe any standard transaction documents that you propose to use in connection with an awarded contract (order forms, terms and conditions, service level agreements, etc.). Upload a sample of each (as applicable) in the document upload section of your response.	Peterbilt Motors has created a special sales code that is added electronically in our "Truck Specification Software" that designates the truck(s) being ordered as a Sourcewell transaction. Peterbilt dealers submit Sourcewell orders electronically to Peterbilt Motors. A quarterly report is generated using the special sales code from the system that shows all trucks that were invoiced and in service for that period. An automatic email will go out to the Peterbilt dealer to verify the trucks sold to the customer is indeed a Sourcewell member. Peterbilt's system then cross references the special sales code with warranty start dates to determine what trucks were put into service during that particular quarter. The trucks are then loaded onto the Sourcewell quarterly sales report and submitted to Sourcewell and at the same time submitted to Peterbilt accounting for check processing to pay Sourcewell. All purchase orders from Sourcewell members go directly to and are processed by Peterbilt dealers. For trucks on the ground that were not ordered for particular Sourcewell deals (stock trucks), dealers submit pricing to Peterbilt's Sourcewell Manager to verify that the sell price qualifies as a Sourcewell contract pricing. Those "stock trucks" are then added to the quarterly tracking database.
56	Do you accept the P-card procurement and payment process? If so, is there any additional cost to Sourcewell participating entities for using this process?	No.

Table 11: Pricing and Delivery

Provide detailed pricing information in the questions that follow below. Keep in mind that reasonable price and product adjustments can be made during the term of an awarded Contract as described in the RFP, the template Contract, and the Sourcewell Price and Product Change Request Form.

Line Item	Question	Response *
-----------	----------	------------

57	<p>Describe your pricing model (e.g., line-item discounts or product-category discounts).</p> <p>Provide detailed pricing data (including standard or list pricing and the Sourcewell discounted price) on all of the items that you want Sourcewell to consider as part of your RFP response. If applicable, provide a SKU for each item in your proposal. Upload your pricing materials (if applicable) in the document upload section of your response.</p>	<p>Peterbilt will continue with pricing that provides a %-off-of-list format. Peterbilt's published Sourcewell pricing lists sample MSRP/List prices for each model offered.</p> <p>Peterbilt will provide pricing for EVERY model we offer. Sourcewell members need to simply have their local Peterbilt dealer build their truck specification, obtain the specification from the dealer with the final list price. Member then takes the appropriate % (varies by Model) off of that list price to give them their final ceiling price for the truck.</p> <p>Pricing includes cab & chassis, factory-freight, Pre-Delivery-Inspection (PDI), marketing fee, and dealer profit</p> <p>Pricing does NOT include flooring/interest, any applicable taxes (i.e. FET), commodity surcharge(s), any options/services provided by the dealer outside of PDI (i.e. body, lights, manuals, training, Doc Fees, DEF fluid, additional fuel, truck clean-up, local delivery etc.).</p> <p>Also not included are any extended coverages requested and any engineering vehicle layout drawings if needed.</p> <p>*** Medium-Duty/Heavy-Duty/BEV Commercial trucks do not have true MSRPs - list prices can vary greatly depending on options. For example, the difference between a manual transmission and automatic transmission can be \$10,000+ in list price. Aggressive deep-lug all terrain tires can add \$5,000+. For BEV battery pack prices can vary \$20,000+ due to range size.</p>
58	<p>Quantify the pricing discount represented by the pricing proposal in this response. For example, if the pricing in your response represents a percentage discount from MSRP or list, state the percentage or percentage range.</p>	<p>Peterbilt's discount for the Sourcewell contract is a %-off-of-List-Price format. The %-off yields truck pricing that is equalized to our best Marketing Program at the time of the RFP which will provide for substantial savings for Sourcewell members.</p> <p>As per the comments in Line Item 57, Price is established by taking the appropriate % (varies by Model) off of the final list price of the truck (after dealer specs the truck per the Sourcewell member's specifications). Price yielded includes Peterbilt's factory freight and the Peterbilt dealer's profit & pre-delivery-inspection.</p> <p>Pricing does NOT include flooring/interest, any applicable taxes (i.e. FET), commodity surcharge(s), any options/services provided by the dealer outside of PDI (i.e. body, lights, manuals, training, Doc Fees, DEF fluid, additional fuel, truck clean-up, local delivery etc.).</p> <p>Also not included are any extended coverages requested and engineering vehicle layout drawings if needed.</p> <p>Latest pricing guide for specific Sourcewell Members will be updated yearly. Peterbilt dealers will have the latest pricing guide.</p> <p>See pricing example below:</p> <p>Sourcewell member works with local dealer to build a spec for a Model 548 and final list price with all options assuming is \$200,000 and assuming the current discount is 15%.</p> <p>Sourcewell member simply takes % off of list price and the number yielded is what they would pay for the truck.</p> <p>(List Price x % off) = Discount (\$200,000 X 15%) = \$30,000</p> <p>(List Price - Discount) = Sourcewell Price (\$200,000 - \$30,000) = \$170,000</p>
59	<p>Describe any quantity or volume discounts or rebate programs that you offer.</p>	<p>N/A</p>
60	<p>Propose a method of facilitating "sourced" products or related services, which may be referred to as "open market" items or "nonstandard options". For example, you may supply such items "at cost" or "at cost plus a percentage," or you may supply a quote for each such request.</p>	<p>Peterbilt dealers can provide turnkey solutions for Sourcewell Members. Peterbilt dealers can provide one invoice that includes the truck cab & chassis and all other components required on the vehicle. Examples of such components (or "sourced goods"): Bodies (refuse, dump, vacuum, etc.) Accessories (plows, additional lights, cameras, etc.)</p> <p>Peterbilt dealers will provide both Bodies & Accessories at cost plus a maximum of 10%. Cost plus 10% amount may not exceed \$7,000 for Bodies & Accessories.</p>
61	<p>Identify any element of the total cost of acquisition that is NOT included in the pricing submitted with your response.</p> <p>This includes all additional charges associated with a purchase that are not directly identified as freight or shipping charges. For example, list costs for items like pre-delivery inspection, installation, set up, mandatory training, or initial inspection. Identify any parties that impose such costs and their relationship to the Proposer.</p>	<p>Items not included in Peterbilt's "%-off-of-List-Price" pricing are mentioned in Line Items 57 & 58.</p> <p>Truck (cab & chassis) price calculated from %-off-of-list-price equation includes Peterbilt factory freight charge and dealer profit and pre-delivery-inspection (PDI).</p> <p>Price does not include any component or service provided post factory delivery. Examples of components/services NOT included from Peterbilt Motors: Extended truck warranty Extended engine warranty Peterbilt Engineering Vehicle layout drawings</p> <p>Examples of components/services NOT included from Peterbilt Motors and provided by the Peterbilt Dealer:</p> <p>Body Federal Excise Tax (FET) - if applicable Other taxes Doc fees local delivery clean-up/truck wash additional manuals training additional lights camera systems additional fuel additional diesel exhaust fluid additional fuel engineering vehicle layout drawings</p> <p>Pricing does NOT include flooring/interest, any applicable taxes (i.e. FET), commodity surcharge(s), any options/services provided by the dealer outside of PDI (i.e. body, lights, manuals, training, Doc Fees, DEF fluid, additional fuel, truck clean-up, local delivery etc.).</p> <p>Also not included are any extended coverages requested and engineering vehicle layout drawings if needed.</p>
62	<p>If freight, delivery, or shipping is an additional cost to the Sourcewell participating entity, describe in detail the complete freight, shipping, and delivery program.</p>	<p>Freight from the Peterbilt factory where the truck is being manufactured to the 1st delivery point (either Body-Company or Peterbilt Dealer) IS included in Peterbilt's Sourcewell pricing.</p> <p>Delivery of truck from the Body-Company or Peterbilt Dealer to the Sourcewell member is NOT included in Peterbilt's Sourcewell pricing and will be called out as a separate line item on the Body Company invoice and/or the Peterbilt dealer final invoice.</p>
63	<p>Specifically describe freight, shipping, and delivery terms or programs available for Alaska, Hawaii, Canada, or any offshore delivery.</p>	<p>Terms for freight, shipping, and delivery to Alaska, Hawaii, Canada, and Puerto Rico no different that US from a pricing perspective.</p> <p>Time to ship estimated at 2-3 additional weeks for Alaska/Hawaii/Puerto Rico</p>
64	<p>Describe any unique distribution and/or delivery methods or options offered in your proposal.</p>	<p>Peterbilt Motors dealers can offer delivery spread out across a calendar (depending on purchase volume and Peterbilt manufacturing schedule). Trucks can be delivered at intervals that suit the Sourcewell members need/budget.</p>

Table 12: Pricing Offered

Line Item	The Pricing Offered in this Proposal is: *	Comments
65	c. better than the Proposer typically offers to GPOs, cooperative procurement organizations, or state purchasing departments.	Peterbilt pricing proposal reflects our best Marketing Program offered YTD and due to limits placed on dealer profit/pdi and other costs, the final pricing is better than what is typically offered.

Table 13: Audit and Administrative Fee

Line Item	Question	Response *
66	<p>Specifically describe any self-audit process or program that you plan to employ to verify compliance with your proposed Contract with Sourcewell.</p> <p>This process includes ensuring that Sourcewell participating entities obtain the proper pricing, that the Vendor reports all sales under the Contract each quarter, and that the Vendor remits the proper administrative fee to Sourcewell.</p> <p>Provide sufficient detail to support your ability to report quarterly sales to Sourcewell as described in the Contract template.</p>	<p>As noted in Line Item 55, Peterbilt Motors has created a special sales code that is added electronically in our "Truck Specification Software" that designates the truck(s) being ordered as a Sourcewell transaction.</p> <p>Peterbilt dealers submit Sourcewell orders electronically to Peterbilt Motors. A quarterly report is generated that shows all trucks that were ordered with the code.</p> <p>Peterbilt's Sourcewell Manager then cross references the code with warranty start dates to determine what trucks were put into service during that particular quarter.</p> <p>Although not required by Sourcewell, Peterbilt Sourcewell Manager then obtains copies of all Peterbilt dealer invoices to the Sourcewell members for those trucks and verifies pricing meets the Sourcewell Contract.</p> <p>The trucks are then loaded onto the Sourcewell quarterly report and submitted to Sourcewell and at the same time submitted to Peterbilt accounting for check processing to pay Sourcewell.</p> <p>For trucks on the ground that were not ordered for particular Sourcewell deals (stock trucks), and therefore do not have the Sourcewell electronic code on them, dealers have been formally instructed through Peterbilt's Sourcewell dealer training material to notify Peterbilt Motors of any stock trucks that sell to a Sourcewell member. Dealers must also submit pricing for those stock trucks to Peterbilt's Sourcewell Manager to verify that the sell price meets our Sourcewell contract pricing.</p>
67	If you are awarded a contract, provide a few examples of internal metrics that will be tracked to measure whether you are having success with the contract.	Peterbilt will track each sale utilizing the quarterly report described in line 66. This report will be compared to other customer and regional sales reports at Peterbilt to determine if that quarter was a success. If orders are 50+ per quarter is deemed a successful program. Please note current market conditions limits exponential growth due to allocation.
68	<p>Identify a proposed administrative fee that you will pay to Sourcewell for facilitating, managing, and promoting the Sourcewell Contract in the event that you are awarded a Contract. This fee is typically calculated as a percentage of Vendor's sales under the Contract or as a per-unit fee; it is not a line-item addition to the Member's cost of goods.</p> <p>(See the RFP and template Contract for additional details.)</p>	Peterbilt Motors proposes to offer the flat \$500/truck administrative fee that was provided for our current Sourcewell contract.

Table 14A: Depth and Breadth of Offered Equipment Products and Services

Proposers submitting a proposal in Category 1 as defined herein will be submitting in the broad category that includes all types of engines, fuel, and propulsion systems. For example, if a Proposer offers chassis and cabs with Internal Combustion Engines (ICE) as well as chassis and cabs with electric propulsion systems the Proposer should designate it is seeking an award in Category 1 **only**. Proposers seeking an award in Category 2, as defined herein, must include at least one solution offered within the scope of Category 2 for electric propulsion systems **only**.

Line Item	Category Selection *
69	Category 1: All engines, fuel, and propulsion type chassis and cabs

Table 14B: Depth and Breadth of Offered Equipment Products and Services

Line Item	Question	Response *
-----------	----------	------------

70	Provide a detailed description of the equipment, products, and services that you are offering in your proposal.	<p>Peterbilt Motors offers the widest product line in the industry for Sourcewell members from class 5 to class 8. Peterbilt offers the following products: Cab over and conventional Medium, Vocational, Heavy, and EV Model 220: Cab-over cab. Truck configuration only (no tractor). 26,000 LBS GVW - 33,000 LBS GVW. 6.7 Liter diesel engine. Automated/automatic transmissions. Common applications include Street-Sweepers, Paint-Strippers, Stake-bed-trucks, and Van-body-trucks.</p> <p>Model 535: Conventional cab. Truck configuration only (no tractor). 19,500 LBS GVW. 6.7 Liter or 9 Liter diesel engine. Automated/automatic transmissions. Common applications include Service/Mechanics-trucks, Stake-bed-trucks, flat-bed-trucks, and Van-body-trucks.</p> <p>Model 536: Conventional cab. Truck configuration only (no tractor). 26,000 LBS GVW. Paccar 6.7 Liter or 9 Liter diesel engine. Automated/automatic transmissions. Common applications include Service/Mechanics-trucks, Stake-bed-trucks, flat-bed-trucks, and Van-body-trucks.</p> <p>Model 537: Conventional cab. Truck or tractor configuration. 26,000 LBS - 33,000 LBS GVW (52,000 LBS GVWR). 6.7 Liter or 9 Liter diesel engine. Automated/automatic or manual transmissions. Common applications include Dump-trucks, Van-body-trucks, hook-lift-trucks, and Utility-trucks.</p> <p>Model 548: Conventional cab. Truck or tractor configuration. 33,000 LBS - 66,000 LBS GVW & GVWR. 6.7 Liter or 9 Liter diesel or CNG/LNG engine. Automated/automatic or manual transmissions. Common applications include Dump/Plow-trucks, Vacuum-trucks, Crane-trucks, Refuse/Waste Collection-trucks and Tank-trucks.</p> <p>Model 567: Conventional cab. Truck or tractor configuration. 66,000 LBS - 80,000+ GVW & GVWR. 9 Liter, 11 Liter, 13 Liter, and 15 Liter diesel engine. Automated/automatic or manual transmissions. Common applications include Dump-trucks, Crane-trucks, Tank-trucks, and Low-Boy-tractors.</p> <p>Model 579: Conventional cab. Tractor configuration only (no truck). 66,000 LBS - 80,000 LBS GVWR. 9 Liter, 11 Liter, 13 Liter, or 15 Liter diesel engine and 12 Liter CNG or LNG engine. Automated/automatic or manual transmissions. Common applications include Van-Body-tractors, Flat-Bed-tractors, Tanker-tractors, and Low-Boy-tractors.</p> <p>Model 589: Conventional cab. Tractor or truck configurations. 80,000+ LBS GVW & GVWR. 13 Liter or 15 Liter diesel engine. Automated/automatic or manual transmissions. Common applications include Heavy-haul-tractors, Heavy-Dump-tractors, Low-Boy-tractors, and Heavy-Dump-trucks.</p> <p>Model 520: Cab-over cab. Truck configuration and limited tractor configurations. 66,000 LBS - 80,000 LBS GVW and 80,000 LBS GVWR. Automated/automatic or manual transmissions. Common applications include Refuse/Waste-Collection-trucks (Rear-Load, Automated-Side-Loader, Front-Loader, etc.), Paint-Stripping-trucks, and Concrete-Pumping-trucks.</p> <p>Additional details can be found at https://www.peterbilt.com/trucks</p>
71	Within this RFP category there may be subcategories of solutions. List subcategory titles that best describe your products and services.	<p>Truck & related Parts:</p> <p>Peterbilt Motors Company and its sister division, Paccar Parts can provide comprehensive parts solutions (all makes/all models) for Sourcewell members. Some members can qualify for National Account Parts pricing depending on volumes. Paccar Parts offers and "Online Parts Counter" (https://parts.peterbilt.com/), 24/7-365 parts ordering, consolidated billing, and Universal Credit Lines.</p> <p>In addition, Several Peterbilt Dealers operate very large Parts operations with their own dedicated distributions centers and can provide comprehensive parts solutions to Sourcewell members by way of substantial discounts, delivery service, and inventory management services.</p>
72	Describe any manufacturing processes or materials utilized that contribute to chassis strength, cab strength, overall durability, driver safety.	<p>Each Peterbilt truck is built at one of our 3 manufacturing facilities. All components that make up each individual Vehicle Identification Number (VIN) are tracked by their serial number, at what station they were installed, by what employee, using what tools, at what specific time of the day and even the exact torque value of components fastened to the truck. This allows for optimum monitoring of supplier quality, any manufacturing errors, and insight into issues in the field (i.e. - failure in the field can more easily be traced to a particular batch of parts or a particular supplier, manufacturing process may need adjusted, etc.).</p> <p>Peterbilt Motors uses the highest quality materials that exceed most NHTSA, TMC, or SAE standards. All conventional cabs are aluminum in construction and use aircraft grade huck or henrob fasteners for assembly.</p> <p>Chassis strength:</p> <p>All OEMs use similar frame RAILS in regards to PSI/RBM - Peterbilt is the only OEM that uses FIVE 5/8" huck fasteners on each side of the crossmembers in the frame. This gives Peterbilt the absolute strongest frame in the industry - up to 600% stronger.</p> <p>Most of Peterbilt's conventional cabs (535/536/537/548/567/589) are constructed of aluminum and are fastened together with adjoining aluminum sheets overlapped (lap-seam construction) and fastened using robotically punched henrob fasteners along with 2 adhesives (structural & acoustic) to fasten the cab together. This superior frame and cab construction contributes to Peterbilt having 94% of its trucks in-serviced in 1999 STILL being in-serviced in 2024! - Class leading durability.</p> <p>Safety features include: Bendix ESP Stability Control System Bendix Wingman collision mitigation Meritor OnGuard Smart Traction Control Battery disconnect switches Auto Neutral activates with parking brake Brake lock PTO control Seat belt and occupancy sensor Remote keyless entry Optional Severe Service Cab Orange/Red seat belts RollTek Air-bag equipped seats</p> <p>Other Peterbilt features & benefits/advantages:</p> <p>FRAME</p> <ul style="list-style-type: none"> Steel rails with gussets to maximize RBM. Huck bobtail fasteners provide a consistent and durable clamping force up to 600% greater than bolted frames. Tamper resistant round head and collar offers improved paint adhesion and corrosion resistance. Swage indicating features on collar allows for visual inspection of clamped joint. 3-piece C-Channel crossmember with cast gussets for the strongest crossmembers in the industry. Each crossmember is attached with FIVE 5/8" huck fasteners making for the strongest frames in the industry. Rubber-lined clamps along frame rail to protect air & electric lines routed in frame. Chassis hose and wiring bundles conveniently routed through gussets provides protection for lines. Standard front wheel mudflaps reduce road spray, help maintain a cleaner truck and better visibility. Two frame mounted tow pins standard. <p>STEER AXLE</p> <ul style="list-style-type: none"> Available with set forward front axle configuration for a smoother ride or set back front axle configuration for increased maneuverability and optimized weight distribution. Factory front axle alignment to improve handling and reduce tire wear. Zerk fittings on tie rod ends, king pins, and draglink ball joints for ease of maintenance and help extend service life of components. Greaseless spring pins reduce maintenance and improve ride quality. Standard oil seals for long lasting leak protection.

- Cognis EMGARD® Synthetic Axle Lube reduces wear and extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions and withstand the stress from high temperatures, extending component life.
- Glidekote splines on steering shaft extend service life of components.

DRIVE AXLE

- Laser factory axle alignment (accurate to .030 of an inch) to improve handling and reduce tire wear.
- Magnetic rear axle oil drain plug captures and holds any metal fragments in drive axle lube to extend service life.
- Parking brakes on ALL drive axles for optimal performance.
- Cognis EMGARD® Synthetic Axle Lube for all Rear Axles.

ENGINES & RELATED SYSTEMS

- Magnetic engine oil drain plug captures and holds any metal fragments in engine oil to extend service life.
- Silicone radiator and heater hoses enhance value, durability and reliability.
- ClimaTech extended life coolant extends maintenance intervals which reduces maintenance costs.
- Low coolant level sensor warns of low coolant condition to prevent engine damage.
- Constant tension and torque band clamps reduce leaks.
- Stainless steel hard-line manifold reduces coolant hoses in the engine compartment to improve durability and appearance.
- Thermal fuse in the air conditioning compressor clutch allows the pulley to free spin in the event of a compressor failure, thus reducing belt wear and vehicle downtime.
- Weather pack silicone sealed electrical chassis connectors enhance value, durability and reliability.
- 12 Volt System with circuit protection for reliable easy maintenance and service.
- Composite fan is light-weight but strong and corrosion resistant.
- Full fan shroud, ring and rubber boot improves under hood airflow and provides a robust fan-to-radiator shroud interface for greater cooling capacity.
- Maintenance free 12V batteries provide reliable power for starting and accessories.
- Stranded copper battery cables are double aught (00) or larger to reduce resistance.
- Stainless steel air cleaner straps, brackets and fasteners provide a durable bright finish.
- Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.
- Washer bottle with 1.3 gallon capacity extends maintenance intervals to refill.
- Polished stainless steel grille with a distinctive punched oval grille pattern provides a durable bright finish.
- Stainless steel flex exhaust tubing & clamps provide durability.
- Optimized exhaust routing to simplify the truck order process and provide optimal performance.
- 5" diameter chrome plated steel standpipe cools exhaust for safety.

TRANSMISSION & RELATED SYSTEMS

- Synthetic lubricant to reduce friction, improve efficiency and extend component life.
- Magnetic transmission oil drain plug captures and holds any metal fragments in transmission oil to extend service life.
- Coated driveshaft splines extend service life.
- Configured Clutch to simplify the truck order process and provide optimal performance.
- Torque limiting clutch brake

AIR SYSTEM

- Engine mounted air compressor with remote mounted air system filter dryer to reduce moisture in air system components.
- Teflon-lined, stainless steel braided compressor discharge hose provides long service life in high operating temperatures.
- Schrader valve for charging of air system from external source.

FUEL TANKS

- Aluminum fuel tanks with heavy-duty aluminum brackets and stainless steel straps.
- Under cab fuel tanks include steps for cab access.
- Single fuel tank will receive a single draw / single return fuel system.
- Dual fuel tanks will receive dual draw / dual return fuel system equalizes fuel load.
- Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of the fuel pickup tube.
- Optimized filler neck location on under cab fuel tanks optimizes access and safety.
- Paddle handle filler cap with threadless filler neck to avoid stripping
- Wire braid fuel lines increase durability and reduce potential for leaks.

ELECTRICAL SYSTEM

- Multiplex electrical design utilizing the industry standard J1939 data bus that sends multiple signals over a single wire instead of having an individual wire for each function. This allows each component (engine, transmission and instrumentation) to communicate to each other. This design improves reliability and offers increased functionality. Standard are two RP1226 connectors inside the cab for easy connections.
- Proprietary Electronic Service Analyst (ESA) allows dealer to monitor the electrical system, isolate sensors and gauges, and keep a log of service history.
- Automatically resetting circuit breakers in selected circuits
- Braided chassis harness cover provides durability.
- Convoluted tube covering on harnesses protects from chaffing.
- Wires numbered every 4 inches or less for ease of serviceability.
- Power distribution center in cab is centrally located in a protected environment for easy access.

CAB / HOOD

- Proprietary all-aluminum cab is light weight and durable for long service life.
- Light-weight, gently sloped, hood with and one-piece grille crown improves air flow and increases visibility.
- Spring assisted 90 degree hood opening for serviceability.
- Proprietary anti-blow-down locking mechanism that keeps the hood open during servicing and prevents unintentional closing.
- Hood latch on each side secures the hood to the cowl.
- Three point rubber cab mounting
- One piece roof reduces potential for leaks.
- Lap seam construction and aircraft fasteners has greater clamp load than rivets.
- Bulkhead style doors provide virtually water-tight, rattle-free performance.
- Extruded aluminum door frames for strength and durability.
- Full length, heavy-duty piano-type stainless steel door hinges and pins provide durability.
- View window in RH door for safety.
- Electric windshield wipers and washers with intermittent wiper function
- Grab handles mounted on cab LH & RH for cab access.
- Convex mirror over RH door and below each rear view mirror for improved visibility and safety

CAB INTERIOR

- Upper and lower dash panels in a dark charcoal color that is not only easier to clean and shows less scratches and scuffs, but also improves driver visibility due to less glare.
- Contoured door pads featuring integrated ergonomic armrests for driver comfort
- LH & RH door mounted map pockets with built-in courtesy lights
- Power lift passenger window controls integrated into the door panel are within easy reach of the driver for safe and convenient operation.
- Padded vinyl headliner is easy to clean.
- Two inside sunvisors with map straps provide driver and passenger comfort and convenience.
- Two coat hooks for driver and passenger convenience.
- Integrated cup holder in dash
- Cast rubber flooring with integral sound barrier.

		<ul style="list-style-type: none"> • Heater / air conditioner with dedicated side window defroster • Adjustable steering column • Key start ignition for an automotive feel. • Ignition and doors keyed alike for driver convenience. • Cigar lighter and ashtray with power port • Integrated "dead pedal" for driver comfort. • Five ergonomically positioned entry / egress grab-handles • Proprietary non-slip threshold plate accented with a chrome inset and Peterbilt <p>Red Oval adds a touch of Peterbilt class to safety and convenience.</p> <ul style="list-style-type: none"> • Header mounted dome light • Driver and passenger dome and reading lights • Footwell lighting • 12-volt and USB power outlet in dash • Peterbilt in-dash Navigation System available <p>LIGHTS</p> <ul style="list-style-type: none"> • State-of-the-art LED and halogen projector module headlights increase visibility. • 'Headlight On Warning' when headlights are active with door open and ignition off. The high beam headlamp icon flashes and sounds an audible alarm. • Headlights turn on automatically when windshield wiper blades are activated. • Polished cast aluminum headlight pod housing with LED side-turn indicators and an impact resistant lens matches durability with style. <p>DASH & INSTRUMENTATION</p> <ul style="list-style-type: none"> • Driver Information Display that allows the driver to view diagnostic information and monitor truck system behavior. Information such as fuel economy, optimum engine speed and engine and transmission system management provides driver feedback and improves operating performance. • Ergonomic dash provides enhanced driver comfort and productivity. • Dash features an "in-mold" color process that imbeds the color into the material making the color permanent and eliminating peeling and fading. • LED backlit gauges to prevent eye fatigue. • Standard warning lights with audible alarm for high coolant temperature, low oil pressure and low air pressure • Warning indicators for high beam, parking brake, turn signals, low fuel, road surface ice potential • Seat belt reminder • Cruise control for driver convenience. • Rocker switches with long-life LED indicators that are easy to reach for driver safety and convenience. <p>PAINT</p> <ul style="list-style-type: none"> • The best paint in the industry: Dupont Imron Elite two-stage non-metallic paint, one color cab / hood
73	Describe any differentiating serviceability attributes (remote diagnostics, etc.) your proposal offers.	<p>Peterbilt hoods tilt a full 90-degrees providing class-leading engine compartment access for optimum serviceability of all components. All other OEMs hood tilt at approximately up to 75-degrees or worse. In addition, Peterbilt's conventional cabs do NOT have dog-houses which push the back end of the engine into the cab. Peterbilt's engine bay with no dog-house provides the best engine access for service in the industry.</p> <p>Peterbilt offers individually replaceable gauges that allow for fast & inexpensive gauge replacement. Approximately 10 minutes & \$50 to replace a gauge in the gauge "cluster" vs ALL other OEMs needing the entire cluster replaced if 1 gauge goes out - approximately \$1,200 & 1-2 hours.</p> <p>Peterbilt's cabin air filter is located out of the elements and easy to access near the passenger footwell. Other OEMs have external cabin air filters that require the windshield cowl to be removed and are exposed to the elements. Peterbilt uses weatherpack connectors with o-ring seals on wiring connection points to keep the elements out and provide secure connections. All wires clearly numbered (every 4 inches) and include aluminum tags to help identify them for easier service.</p> <p>Air lines are color-coded for simple tracing.</p> <p>Published Labor Times for Common Maintenance and Repair Items Show that a Peterbilt can Save up to 20% on Labor Costs</p> <p>Peterbilt trucks come standard with on-board-diagnostics, visible to the driver via the 7" or 15" digital displays. The on-board diagnostics will alert the driver of a fault code and provide the fault code number and a brief description. If the fault requires service soon or immediately the display will provide the driver with the level of the fault and the time (in hours) to de-rate and if severe, the time in hours to (shut- down). If, for example, a fault has a time in hours to de-rate of 5-hours and the operator has only 2 hours left in their route, they can finish their route and return to their shop or take to the dealer at the end of their route. Without on-board- diagnostics and just a simple dash light, operators would often times cut their route off as soon as the light illuminated.</p> <p>Peterbilt also offers Remote-diagnostics via our standard SmartLinQ system. SmartLinQ provides the same information noted above (on-board-diagnostics) but additionally through a desktop and/or mobile app format. The SmartLinQ web portal can be set up for management by one or several fleet personnel and provides a dashboard that will display a map of all SmartLinQ-enabled trucks the fleet operates. The vehicles move on the map in real time and will display color-coded symbols to denote their current operating status (i.e. green-normal, yellow-service soon, red-service now, etc.). Each truck can be clicked on for more detailed information. Email notifications can be set up to alert the fleet SmartLinQ administrator(s) when a truck experiences a fault code and can be tailored to only alert when faults are mission disabling, etc. More information can be found at https://www.peterbilt.com/why-peterbilt/purposeful-innovation</p> <p>Peterbilt dealers offer "RapidCheck" service. Peterbilt launched the Rapid Check service program to provide diagnostics and an estimate of repairs in two hours or less.</p> <p>The program is available throughout the more than 432 locations in the Peterbilt dealer network. Within two hours, Rapid Check provides basic vehicle diagnostics, with more complex diagnostics if necessary. The information is evaluated and repairs are provided along with an estimated time needed to complete the work - again; all within 2 hours.</p> <p>The service is being offered to maximize customer uptime. The service is available for ANY truck make or model, not just Peterbilt.</p>

Table 15: Category 1 - Depth and Breadth of Offered Equipment Products and Services

Indicate below if the listed types or classes of equipment, products, and services are offered within your proposal. Provide additional comments in the text box provided, as necessary.
 Proposers submitting a proposal in Category 1 will be submitting in the broad category that includes all types of engines, fuel, and propulsion systems. See RFP Section II. B. 1 for details.

We will not be submitting for Table 15: Category 1 - Depth and Breadth of Offered Equipment Products and Services

Line Item	Category or Type	Offered *	Chassis Type (ICE and/or BEV)	Comments
74	Class 4 chassis	<input type="radio"/> Yes <input checked="" type="radio"/> No	Internal Combustion Engine fuel types (ICE)	Peterbilt does not offer Class 4 chassis.
75	Class 5 chassis	<input checked="" type="radio"/> Yes <input type="radio"/> No	Internal Combustion Engine fuel types (ICE)	Conventional cab. Truck only. Body- installation unlimited. Up to 19,500 LBS GVW
76	Class 6 chassis	<input checked="" type="radio"/> Yes <input type="radio"/> No	Both Chassis Types (ICE and BEV)	Conventional cab & Cab-Over. Trucks & tractors. Body-installation unlimited. Up to 26,000 LBS GVW and 52,000 LBS GVWR
77	Class 7 chassis	<input checked="" type="radio"/> Yes <input type="radio"/> No	Both Chassis Types (ICE and BEV)	Conventional cab & Cab-Over. Trucks & tractors. Body-installation unlimited. Up to 33,000 LBS GCW and 66,000 LBS GVWR
78	Class 8 chassis	<input checked="" type="radio"/> Yes <input type="radio"/> No	Both Chassis Types (ICE and BEV)	Conventional cab & Cab-Over. Trucks & tractors. Body-installation unlimited. Up to 160,000 LBS GVWR.
79	Related equipment, accessories, parts, upfitting, services, used chassis and Class 3 chassis	<input type="radio"/> Yes <input checked="" type="radio"/> No	Internal Combustion Engine fuel types (ICE)	Peterbilt does not offer Class 3 chassis.

Table 16: Category 2 - Depth and Breadth of Offered Equipment Products and Services

Indicate below if the listed types or classes of equipment, products, and services are offered within your proposal. Provide additional comments in the text box provided, as necessary.
 Proposers seeking an award in Category 2, as defined herein, must include at least one solution offered within the scope of Category 2 for electric propulsion systems **only**. See RFP Section II. B. 1 for details.

We will not be submitting for Table 16: Category 2 - Depth and Breadth of Offered Equipment Products and Services

Line Item	Category or Type	Offered *	Comments
80	Battery Electric Vehicle (BEV) Class 4 Chassis	<input type="radio"/> Yes <input checked="" type="radio"/> No	Peterbilt does not offer Class 4 chassis.
81	Battery Electric Vehicle (BEV) Class 5 Chassis	<input type="radio"/> Yes <input checked="" type="radio"/> No	Peterbilt does not offer Class 5 chassis.
82	Battery Electric Vehicle (BEV) Class 6 Chassis	<input checked="" type="radio"/> Yes <input type="radio"/> No	Class: 6 GCWR: 26,000 lbs. Used for: Local Pickup, Delivery & Regional Haul/Beverage Max Horsepower: 355 hp (265kw) - 499 hp (372kw) Front Axle & Suspension: 10,000 lbs. Rear Axle & Suspension: 17,000 lbs. Est Daily Range: 100, 150 or 200 Miles Per Charge Minimum Charge Time: 2.1 Hours Box Size Configurations: 24', 26', 30'
83	Battery Electric Vehicle (BEV) Class 7 Chassis	<input checked="" type="radio"/> Yes <input type="radio"/> No	Class: 7 GCWR: 33,000 lbs. Used for: Local Pickup, Delivery & Regional Haul/Beverage Max Horsepower: 355 hp (265kw) - 499 hp (372kw) Front Axle & Suspension: 12,000 lbs. Rear Axle & Suspension: 21,000 lbs. Est Daily Range: 100, 150 or 200 Miles Per Charge Minimum Charge Time: 2.1 Hours Box Size Configurations: 24', 26', 30'
84	Battery Electric Vehicle (BEV) Class 8 Chassis	<input checked="" type="radio"/> Yes <input type="radio"/> No	Model 579EV Class: 8 GCWR: 82,000 lbs. Used for: Regional Haul, Drayage Max Horsepower: 670 hp (500kw) Front Axle & Suspension: 12,000 - 14,600 lbs. Rear Axle & Suspension: 40,000 lbs. Est Daily Range: 150 Miles Per Charge Minimum Charge Time: 3 Hours Model 520EV Class: 8 GCWR: 66,000 lbs. Used for: Right-Hand Side Loader and Rear Loader Refuse Collection Max Horsepower: 670 hp (500kw) Front Axle & Suspension: 20,000 - 23,000 lbs. Rear Axle & Suspension: 46,000 lbs. Est Daily Range: 80 - 120 Miles Per Charge (1,100 Bin Pickups) Minimum Charge Time: 3 Hours
85	Related equipment, accessories, parts, upfitting, services, used chassis and Class 3 chassis	<input type="radio"/> Yes <input checked="" type="radio"/> No	Peterbilt does not offer Class 3 chassis.

Table 17: Exceptions to Terms, Conditions, or Specifications Form

Line Item 86. NOTICE: To identify any exception, or to request any modification, to Sourcewell standard Contract terms, conditions, or specifications, a Proposer must submit the proposed exception(s) or requested modification(s) via redline in the Contract Template provided in the "Bid Documents" section. Proposer must upload the redline in the "Requested Exceptions" upload field. All exceptions and/or proposed modifications are subject to review and approval by Sourcewell and will not automatically be included in the Contract.

Do you have exceptions or modifications to propose?	Acknowledgement *
	<input type="radio"/> Yes <input checked="" type="radio"/> No

Documents

Ensure your submission document(s) conforms to the following:

1. Documents in PDF format are preferred. Documents in Word, Excel, or compatible formats may also be provided.
2. Documents should NOT have a security password, as Sourcewell may not be able to open the file. It is your sole responsibility to ensure that the uploaded document(s) are not either defective, corrupted or blank and that the documents can be opened and viewed by Sourcewell.
3. Sourcewell may reject any response where any document(s) cannot be opened and viewed by Sourcewell.
4. If you need to upload more than one (1) document for a single item, you should combine the documents into one zipped file. If the zipped file contains more than one (1) document, ensure each document is named, in relation to the submission format item responding to. For example, if responding to the Marketing Plan category save the document as "Marketing Plan."

- [Pricing](#) - 00-2024 Peterbilt Pricing Example.JPG - Tuesday March 26, 2024 17:38:03
- [Financial Strength and Stability](#) - 01 - PACCAR Annual Report.pdf - Tuesday March 26, 2024 17:38:15
- [Marketing Plan/Samples](#) - 02 - Marketing Plan.pdf - Tuesday March 26, 2024 17:38:32
- [WMBE/MBE/SBE or Related Certificates](#) - 05-Montana Peterbilt LLC-MBE.pdf - Tuesday March 26, 2024 17:39:01
- [Warranty Information](#) - 03 Warranty Procedure Manual and Schedule.pdf - Tuesday March 26, 2024 17:39:26
- Standard Transaction Document Samples (optional)
- Requested Exceptions (optional)
- [Upload Additional Document](#) - 00-Peterbilt Dealer Locations.xls - Tuesday March 26, 2024 17:40:44

Addenda, Terms and Conditions

PROPOSER AFFIDAVIT AND ASSURANCE OF COMPLIANCE

I certify that I am the authorized representative of the Proposer submitting the foregoing Proposal with the legal authority to bind the Proposer to this Affidavit and Assurance of Compliance:

1. The Proposer is submitting this Proposal under its full and complete legal name, and the Proposer legally exists in good standing in the jurisdiction of its residence.
2. The Proposer warrants that the information provided in this Proposal is true, correct, and reliable for purposes of evaluation for contract award.
3. The Proposer, including any person assisting with the creation of this Proposal, has arrived at this Proposal independently and the Proposal has been created without colluding with any other person, company, or parties that have or will submit a proposal under this solicitation; and the Proposal has in all respects been created fairly without any fraud or dishonesty. The Proposer has not directly or indirectly entered into any agreement or arrangement with any person or business in an effort to influence any part of this solicitation or operations of a resulting contract; and the Proposer has not taken any action in restraint of free trade or competitiveness in connection with this solicitation. Additionally, if Proposer has worked with a consultant on the Proposal, the consultant (an individual or a company) has not assisted any other entity that has submitted or will submit a proposal for this solicitation.
4. To the best of its knowledge and belief, and except as otherwise disclosed in the Proposal, there are no relevant facts or circumstances which could give rise to an organizational conflict of interest. An organizational conflict of interest exists when a vendor has an unfair competitive advantage or the vendor's objectivity in performing the contract is, or might be, impaired.
5. The contents of the Proposal have not been communicated by the Proposer or its employees or agents to any person not an employee or legally authorized agent of the Proposer and will not be communicated to any such persons prior to Due Date of this solicitation.
6. If awarded a contract, the Proposer will provide to Sourcewell Participating Entities the equipment, products, and services in accordance with the terms, conditions, and scope of a resulting contract.
7. The Proposer possesses, or will possess before delivering any equipment, products, or services, all applicable licenses or certifications necessary to deliver such equipment, products, or services under any resulting contract.
8. The Proposer agrees to deliver equipment, products, and services through valid contracts, purchase orders, or means that are acceptable to Sourcewell Members. Unless otherwise agreed to, the Proposer must provide only new and first-quality products and related services to Sourcewell Members under an awarded Contract.
9. The Proposer will comply with all applicable provisions of federal, state, and local laws, regulations, rules, and orders.
10. The Proposer understands that Sourcewell will reject RFP proposals that are marked "confidential" (or "nonpublic," etc.), either substantially or in their entirety. Under Minnesota Statutes Section 13.591, subdivision 4, all proposals are considered nonpublic data until the evaluation is complete and a Contract is awarded. At that point, proposals become public data. Minnesota Statutes Section 13.37 permits only certain narrowly defined data to be considered a "trade secret," and thus nonpublic data under Minnesota's Data Practices Act.
11. Proposer its employees, agents, and subcontractors are not:
 1. Included on the "Specially Designated Nationals and Blocked Persons" list maintained by the Office of Foreign Assets Control of the United States Department of the Treasury found at: <https://www.treasury.gov/ofac/downloads/sdnlist.pdf>;
 2. Included on the government-wide exclusions lists in the United States System for Award Management found at: <https://sam.gov/SAM/>; or
 3. Presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from programs operated by the State of Minnesota; the United States federal government or the Canadian government, as applicable; or any Participating Entity. Vendor certifies and warrants that neither it nor its principals have been convicted of a criminal offense related to the subject matter of this solicitation.

By checking this box I acknowledge that I am bound by the terms of the Proposer's Affidavit, have the legal authority to submit this Proposal on behalf of the Proposer, and that this electronic acknowledgment has the same legal effect, validity, and enforceability as if I had hand signed the Proposal. This signature will not be denied such legal effect, validity, or enforceability solely because an electronic signature or electronic record was used in its formation. - Phillip Hall, National Account Manager, Peterbilt Motors Company

The Proposer declares that there is an actual or potential Conflict of Interest relating to the preparation of its submission, and/or the Proposer foresees an actual or potential Conflict of Interest in performing the contractual obligations contemplated in the bid.

Yes No

The Bidder acknowledges and agrees that the addendum/addenda below form part of the Bid Document.

Check the box in the column "I have reviewed this addendum" below to acknowledge each of the addenda.

File Name	I have reviewed the below addendum and attachments (if applicable)	Pages
Addendum_7_Class 4-8 Chassis and Cabs _RFP_032824 Thu March 21 2024 08:45 AM	<input checked="" type="checkbox"/>	1
Addendum_6_Class 4-8 Chassis and Cabs _RFP_032824 Wed March 20 2024 12:36 PM	<input checked="" type="checkbox"/>	3
Addendum_5_Class 4-8 Chassis and Cabs _RFP_032824 Mon March 18 2024 12:01 PM	<input checked="" type="checkbox"/>	1
Addendum_4_Class 4-8 Chassis and Cabs _RFP_032824 Wed March 6 2024 09:38 AM	<input checked="" type="checkbox"/>	1
Addendum_3_Class 4-8 Chassis and Cabs _RFP_032824 Wed February 21 2024 04:08 PM	<input checked="" type="checkbox"/>	2
Addendum_2_Class 4-8 Chassis and Cabs _RFP_032824 Wed February 14 2024 04:12 PM	<input checked="" type="checkbox"/>	1
Addendum_1_Class 4-8 Chassis and Cabs _RFP_032824 Thu February 8 2024 04:24 PM	<input checked="" type="checkbox"/>	1



DEALER BULLETIN

SUBJECT: Sourcewell Customer Pricing CY2024-2028

Exhibit B.2 - Pricing

DB # 24-21
DATE: 09-16-24

Peterbilt is excited to announce the extension of the Sourcewell Customer Pricing program for 2025-2028. Sourcewell, formerly NJPA, holds national contracts that offer an easy, time-saving procurement process for all levels of government and education. The discount by model represents the “% Off List” price the customer will pay when ordering units on the Sourcewell program.




Sourcewell Customer Pricing CY2024-2028

Peterbilt Motors Company Contract #032824-PMC July 29, 2024 REVISION

Model	Model 220	Model 220EV	Model 535	Model 536	Model 537	Model 548
Average List Price	\$119,000	\$367,900	\$115,500	\$128,000	\$145,800	\$177,000
CY2024-2028 Sourcewell DISCOUNT	5%	5%	15%	15%	15%	15%
Estimated Sourcewell Customer Price	\$113,050	\$349,505	\$98,175	\$108,800	\$123,930	\$150,450

Model	Model 567	Model 579	Model 579EV	Model 589	Model 520	Model 520EV
Average List Price	\$281,000	\$264,700	\$662,700	\$294,000	\$284,000	\$690,300
CY2024-2028 Sourcewell DISCOUNT	25%	25%	25%	25%	25%	25%
Estimated Sourcewell Customer Price	\$210,750	\$198,525	\$497,025	\$220,500	\$213,000	\$517,725