




Proposal - Detailed


Builders FirstSource #8300
1763 E Butler Ave
Flagstaff, AZ 86001

Sales Rep Name: ALLIANCEFLAGSTAF, F
Sales Rep Phone: 928-779-6111
Sales Rep E-Mail: pmalis@myhomco.com
Sales Rep Fax:


Customer Information	Project/Delivery Address	Order Information
<p>Builders FirstSource-08300 BUILDERS FIRST SOURCE 2001 Bryan Street DALLAS, TX 75201-3017 Primary Phone: (928) 7796111 Mobile Phone: Fax Number: E-Mail: Contact Name:</p> <p>Great Plains #: 7408300 Customer Number: 1010702977 Customer Account: 7408300</p>	<p>Flagstaff Christian Fellowship 08300 Builders FirstSource 1763 E Butler Ave Lot # FLAGSTAFF, AZ 86001 County: COCONINO Owner Name: Builders FirstSource-08300 Owner Phone: (928) 7796111</p>	<p>Quote Name: 123 S Beaver</p> <p>Order Number: P74 Quote Number: 17634590 Order Type: Non-Installed Sales Wall Depth: Payment Terms: Tax Code: Cust Delivery Date: 1/2/2024 Quoted Date: 12/12/2023 Contracted Date: Booked Date: Customer PO #:</p>


For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Line #	Location:	Attributes			
10	CONFIRM SWING	Lifestyle, Casement Right, 35 X 73, With HGP, Brown	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$1,498.10	11	\$16,479.10
	 <p>Viewed From Exterior Rough Opening: 35 - 3/4" X 73 - 3/4"</p>	<p>1: 3573 Right Casement Frame Size: 35 X 73 Unit Type: No Program General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Brown Interior Color / Finish: Prefinished White Paint Interior Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude Hinge Panel: Clear, Annealed Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor Screen: Full Screen, White, InView™ Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Mocha, Manual Performance Information: U-Factor 0.21, SHGC 0.23, VLT 0.43, CPD PEL-N-245-00278-00001, Performance Class LC, PG 25, Calculated Positive DP Rating 25, Calculated Negative DP Rating 25, FPA FL11865, STC 32, OITC 26, Clear Opening Width 25.25, Clear Opening Height 68.875, Clear Opening Area 12.07704, Egress Meets minimum clear opening and 5.7 sq.ft Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W4H), Brown, Brown Wrapping Information: 6" Installation Clips, Factory Supplied, Shipped Separate, No Exterior Trim, 3 11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 216".</p>			

Line #	Location:	Attributes			
12	CONFIRM SWING	Lifestyle, Casement Right, 35 X 73, With HGP, Brown	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$1,728.22	2	\$3,456.44
	 <p>Viewed From Exterior Rough Opening: 35 - 3/4" X 73 - 3/4"</p>	<p>1: 3573 Right Casement Frame Size: 35 X 73 Unit Type: No Program General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Brown Interior Color / Finish: Prefinished White Paint Interior Glass: Insulated Tempered Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude Hinge Panel: Clear, Tempered Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor Screen: Full Screen, White, InView™ Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Mocha, Manual Performance Information: U-Factor 0.21, SHGC 0.23, VLT 0.43, CPD PEL-N-245-00278-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 25.25, Clear Opening Height 68.875, Clear Opening Area 12.07704, Egress Meets minimum clear opening and 5.7 sq.ft Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (3W4H), Brown, Brown Wrapping Information: 6" Installation Clips, Factory Supplied, Shipped Separate, No Exterior Trim, 3 11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 216".</p>			

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Line #	Location:	Attributes		
15		Item Price	Qty	Ext'd Price
		\$949.15	2	\$1,898.30
	 <p>Viewed From Exterior Rough Opening: 18" X 37.75"</p>	<p>Lifestyle, Casement Right, 17.25 X 37, With HGP, Brown</p> <p>1: Non-Standard SizeNon-Standard Size Right Casement Frame Size: 17 1/4 X 37 Unit Type: No Program General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Brown Interior Color / Finish: Prefinished White Paint Interior Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude Hinge Panel: Clear, Annealed Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor Screen: Full Screen, White, InView™ Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Mocha, Manual Performance Information: U-Factor 0.21, SHGC 0.24, VLT 0.43, CPD PEL-N-245-00276-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 7.5, Clear Opening Height 32.875, Clear Opening Area 1.71224, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (1W3H), Brown, Brown Wrapping Information: 6" Installation Clips, Factory Supplied, Shipped Separate, No Exterior Trim, 3 11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 109".</p>		

Line #	Location:	Attributes		
20		Item Price	Qty	Ext'd Price
		\$949.15	2	\$1,898.30
	 <p>Viewed From Exterior Rough Opening: 18" X 37.75"</p>	<p>Lifestyle, Casement Left, 17.25 X 37, With HGP, Brown</p> <p>1: Non-Standard SizeNon-Standard Size Left Casement Frame Size: 17 1/4 X 37 Unit Type: No Program General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Brown Interior Color / Finish: Prefinished White Paint Interior Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Air Filled High Altitude Hinge Panel: Clear, Annealed Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor Screen: Full Screen, White, InView™ Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Mocha, Manual Performance Information: U-Factor 0.21, SHGC 0.24, VLT 0.43, CPD PEL-N-245-00276-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 7.5, Clear Opening Height 32.875, Clear Opening Area 1.71224, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (1W3H), Brown, Brown Wrapping Information: 6" Installation Clips, Factory Supplied, Shipped Separate, No Exterior Trim, 3 11/16", 5", Factory Applied, Manufacturer Recommended Clearance, Perimeter Length = 109".</p>		

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Thank You For Your Interest In Pella® Products

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at [Insynctive.pella.com](https://www.pella.com). By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link <https://www.pella.com/california-rights-policy/> at [pella.com](https://www.pella.com).

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella product offering.

STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass.

STC and OITC ratings may be from test results from an equivalent product.

Note: These totals DO NOT include tax

Order Totals	
Taxable Subtotal	\$23,732.14
Sales Tax @ 0%	\$0.00
Non-taxable Subtotal	\$0.00
Total	\$23,732.14
Deposit Received	\$0.00
Amount Due	\$23,732.14