



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM
CONSTRUCTION PERMIT

PERMIT #: 56-SF-1549089
APPLICATION #: AP1171875
DATE PAID: _____
FEE PAID: _____
RECEIPT #: _____
DOCUMENT #: PR960557

CONSTRUCTION PERMIT FOR: OSTDS Repair

APPLICANT: (Treasure Coast Bible Assembly)

PROPERTY ADDRESS: 4146 Edward Rd Fort Pierce, FL 34982

LOT: _____ BLOCK: _____ SUBDIVISION: _____

PROPERTY ID #: 2430-114-0002-000-1 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T [900] GALLONS / GPD Septic CAPACITY
A [0] GALLONS / GPD _____ CAPACITY
N [0] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
K [350] GALLONS DOSING TANK CAPACITY [] GALLONS @[] DOSES PER 24 HRS #Pumps []

D [334] SQUARE FEET _____ SYSTEM
R [0] SQUARE FEET _____ SYSTEM

A TYPE SYSTEM: [x] STANDARD [] FILLED [] MOUND [] _____

I CONFIGURATION: [] TRENCH [x] BED [] _____

F LOCATION OF BENCHMARK: Orange spot on back patio

I ELEVATION OF PROPOSED SYSTEM SITE [7.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT

E BOTTOM OF DRAINFIELD TO BE [17.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT

D FILL REQUIRED: [0.00] INCHES EXCAVATION REQUIRED: [38.00] INCHES

O The licensed contractor installing the system is responsible for installing the minimum category of tank in accordance with s. 64E-6.013(3)(f), FAC. Required drainfield area based on rule 64E-6.015(6)(d)2.b.
T Install a new drainfield to achieve Drainfield size requirement.
H Have the tank abandoned in accordance with the following procedures:(a) The tank shall be pumped out.(b) The bottom of the tank shall be opened or ruptured, or the entire tank collapsed so as to prevent the tank from retaining water, and(c)
E The tank shall be filled with clean sand or other suitable material, and completely covered with soil. (Comments
R Continued on Page 2.)

SPECIFICATIONS BY: MICHAEL W STUHR TITLE: Registered Septic Tank Contractor

APPROVED BY: Victor Faconti TITLE: Env. Sup 11 St. Lucie CHD

DATE ISSUED: 01/13/2015 EXPIRATION DATE: 04/13/2015

DH 4016, 08/09 (Obsoletes all previous editions which may not be used)

Incorporated: 64E-6.003, FAC

OML

Have the system inspected by the health department after it has been pumped and ruptured but before it is filled with sand and covered.

System must be abandoned in conjunction with new system installed to avoid reinspection fees

NOTICE OF RIGHTS

A party whose substantial interest is affected by this order may petition for an administrative hearing pursuant to sections 120.569 and 120.57, Florida Statutes. Such proceedings are governed by Rule 28-106, Florida Administrative Code. A petition for administrative hearing must be in writing and must be received by the Agency Clerk for the Department, within twenty-one (21) days from the receipt of this order. The address of the Agency Clerk is 4052 Bald Cypress Way, BIN # A02, Tallahassee, Florida 32399-1703. The Agency Clerk's facsimile number is 850-410-1448.

Mediation is not available as an alternative remedy.

Your failure to submit a petition for hearing within 21 days from receipt of this order will constitute a waiver of your right to an administrative hearing, and this order shall become a 'final order'.

Should this order become a final order, a party who is adversely affected by it is entitled to judicial review pursuant to Section 120.68, Florida Statutes. Review proceedings are governed by the Florida Rules of Appellate Procedure. Such proceedings may be commenced by filing one copy of a Notice of Appeal with the Agency Clerk of the Department of Health and a second copy, accompanied by the filing fees required by law, with the Court of Appeal in the appropriate District Court. The notice must be filed within 30 days of rendition of the final order.