



Property Maintenance Inspection Report

Property Address Parcel ID #

House Color # of Units Historic?

Type of Structure Building Occupied Time to Comply

Action to be take - Select all that apply
 Unsafe Building - Rehab Unsafe Building - Demo Nuisance Abatement - Board up

Inspector Date Property Posted?

Comments

- Active Code Cases NONE Active Building Permit NONE
- Lis Pendens check Rehab letter sent
- Demo letter sent Nuisance letter sent
- Title search done Affidavit recorded

Contact Information

Contact Info

Comments



Unsafe structures

108.1.1 - Unsafe structure

Lacks adequate protection from fire Contains unsafe equipment All or part of building is likely to collapse

108.1.2 - Unsafe equipment

Unsafe boiler / heating equipment Unsafe electrical wiring / device Unsafe elevator / moving stairway

Flammable liquid containers within structure Other unsafe equipment

108.1.3 - Structure unfit for human occupancy

Unsafe or unlawful Unsanitary / contains filth / contamination vermin or rat infested

lacks illumination Location of structure constitutes a hazard lacks ventilation

lacks heat lacks maintenance lacks sanitary facilities

108.1.4 - Unlawful structure

Occupied by more persons than permitted Erected, altered or occupied contrary to law

108.1.5 - Dangerous structure or premises

(1) Any door, aisle, passageway, stairway, or exit that does not comply to requirements for exiting the building

(2) The walking surface of means of egress is so warped, worn, loose, torn or otherwise unsafe to provide means of egress.

(3) Any portion of a structure damaged by fire, wind, flood, earthquake, deterioration, neglect, abandonment, vandalism or any other cause that it is likely to partially or completely collapse, or to become detached or dislodged.

(4) Any portion of a building, appurtenance or ornamentations that is not of sufficient strength or stability, or is not so anchored or attached to be capable of resisting natural or artificial loads of one and one-half the original designed value.

(5) The structure or part of structure because of dilapidation, deterioration, decay, faulty construction, the removal or movement of ground necessary for support or any other reason is likely to collapse or under pinning is likely to fail or give way.

(6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.

(7) The structure is neglected, damaged, dilapidated, unsecured or abandoned so as to become an attractive nuisance.

(8) Any structure that exists or has been maintained in violation of any specific requirement or prohibition to such an extent as to present either a substantial risk of fire, building collapse or any other threat to life and safety.

(9) Any structure intended to be used for dwelling purposes, due to inadequate maintenance, dilapidation, decay, damage, faulty construction, inadequate light, ventilation, mechanical or plumbing system is determined to be unsanitary, unfit for human habitation or in such a condition that it is likely to cause sickness or disease.

(10) Any structure, due to lack of sufficient fire resistance rated construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause is determined to be a threat to life or health.

(11) Any portion of a building remains on a site after the demolition of the structure or whenever any building or structure is abandoned so as to constitute such building or portion thereof as an attractive nuisance or hazard to the public.

Comments

Section 302 - Exterior property areas

Section 303 - Swimming Pools, Spas and Hot Tubs

Section 304 - Exterior Structure

304.1 - General - The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety and welfare.

304.1.1 - Unsafe conditions - The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the IBC or the IEBC as required for existing buildings.

1. The nominal strength of any structural member is exceeded by nominal loads, the load effects or the required strength.



- | | |
|-------------------------------------|--|
| <input type="checkbox"/> | 2. The anchorage of the floor or roof to walls or columns, and of walls and columns to foundations is not capable of resisting all nominal loads or load effects. |
| <input type="checkbox"/> | 3. Structures or components thereof that have reached their limit state. |
| <input type="checkbox"/> | 4. Siding and masonry joints are not maintained, weather resistant or water tight. |
| <input checked="" type="checkbox"/> | 5. Structural members that have evidence of deterioration or cannot safely support all nominal loads and load effects. |
| <input checked="" type="checkbox"/> | 6. Foundation systems that are not firmly supported by footings, are not plumb without cracks and breaks and are not properly anchored or cannot support all nominal loads and resisting all load effects. |
| <input checked="" type="checkbox"/> | 7. Exterior walls that are not anchored to supporting elements or are not plumb or free from holes, cracks, breaks or loose or rotting materials, are not properly anchored and not able of supporting all nominal loads and resisting load effects. |
| <input checked="" type="checkbox"/> | 8. Roofing that have defects that admit rain, roof surfaces with inadequate drainage, or any portion that is not in good repair with signs of deterioration, fatigue or without property anchorage and incapable of supporting all nominal loads. |
| <input checked="" type="checkbox"/> | 9. Flooring with defects that affect serviceability or that show signs of deterioration or fatigue, are not properly anchored or are incapable of supporting all nominal loads and resisting all load effects. |
| <input type="checkbox"/> | 10. Veneer, cornices, belt courses, corbels, trim , wall facings not properly anchored or that are anchored with connections not capable of supporting all nominal loads and resisting load effects. |
| <input type="checkbox"/> | 11. Overhang extensions or projections including trash chutes, canopies, marquees, signs, awnings, fire escapes, standpipes and exhaust ducts not properly anchored or anchored with connections unable to support all nominal loads. |
| <input checked="" type="checkbox"/> | 12. Exterior stairs, decks, porches, balconies and all attachments such as guards and handrails are not structurally sound, not properly anchored or anchored with connections unable to support all nominal loads and resisting all load effects. |
| <input type="checkbox"/> | 13. Chimneys, cooling towers, smokestacks not properly anchored or that are anchored with connections unable to support all nominal loads and resisting all load effects. |

- | | |
|-------------------------------------|--|
| <input type="checkbox"/> | 304.2 - Protective Treatment - Exterior surfaces, including doors, door and window frames, cornices, porches, trim, balconies, decks and fences shall be maintained in good condition. Exterior surfaces shall be protected from elements and decay by painting or other protective treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. Siding and masonry joints shall be maintained weather resistant and water tight. Metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion. |
| <input checked="" type="checkbox"/> | 304.3 - Address identification - Buildings shall be provided with approved address identification that are legible and placed to be visible from the street fronting the property. They must contrast with their background, be numerical and a minimum of 4" tall. |
| <input checked="" type="checkbox"/> | 304.4 - Structural members - Structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads. |
| <input type="checkbox"/> | 304.5 - Foundation walls - Foundation walls shall be maintained plumb and free from cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests. |
| <input checked="" type="checkbox"/> | 304.6 - Exterior walls - Exterior walls shall be free from holes, breaks and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration. |
| <input checked="" type="checkbox"/> | 304.7 - Roofs and drainage - The roof and flashing shall be sound, tight and not have defects that admit rain. Drainage must prevent dampness or deterioration in the walls or interior portion of the structure. Drains, gutters and downspouts must be in good repair and free from obstruction. Roof water shall not be discharged in a manner that creates a public nuisance. |
| <input type="checkbox"/> | 304.8 - Decorative features - Cornices, belt courses, corbels, terra cotta trim, wall facing and similar decorative features shall be in good repair with proper anchorage and in safe condition. |
| <input type="checkbox"/> | 304.9 - Overhang extensions - Overhang extensions including canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be in good repair and properly anchored and kept in sound condition. All exposed surfaces of metal or wood shall be protected from the elements with weather coating material such as paint or similar surface treatment. |
| <input type="checkbox"/> | 304.10 - Stairways, decks, porches and balconies - Every exterior stairway, deck, porch and balcony shall be structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads. |
| <input type="checkbox"/> | 304.11 - Chimneys and towers - Chimneys, cooling towers, smoke stacks, shall be structurally safe and sound and in good repair. Exposed surfaces shall be protected by paint or similar surface treatment. |
| <input type="checkbox"/> | 304.12 - Handrails and guards - Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. |



- 304.13 - Window, skylight and door frames - Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight.
 - 304.13.1 - Glazing - Glazing materials shall be maintained free from cracks or holes.
 - 304.13.2 - Openable windows - Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.14 - Insect screens - Every door, window and other outside opening required for ventilation or food preparation areas shall have tightly fitting screens of minimum 16 mesh per inch and every screen door must have self closing device is good working condition.
- 304.15 - Doors - Exterior doors and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door.
- 304.18 - Building security - Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
 - 304.18.1 - Doors - Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall have a dead bolt designed to open from the inside without a key.
 - 304.18.2 - Windows - Operable windows located within 6 ft. above the ground that provides access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device.
- 304.19 - Gates - Exterior gates, gate assemblies, operator systems and hardware shall be maintained in good condition.

Comments

Section 305 - Interior Structure

- 305.1 - General - The interior of a structure and equipment shall be maintained in good repair, structurally sound and in a sanitary condition.
 - 305.1.1 - Unsafe conditions - The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the IBC or the IEBC as required for existing buildings.
 - 1. The nominal strength of any structural member is exceeded by nominal loads, the load effects or the required strength.
 - 2. The anchorage of the floor or roof to walls or columns, and walls and columns to foundations is not capable of resisting all nominal loads or load effects.
 - 3. Structures or components thereof that have reached their limit state.
 - 4. Structural members are incapable of supporting nominal loads and load effects.
 - 5. Stairs, landings, balconies, including guards and handrails, are not structurally sound, not properly anchored or are anchored with connections not capable of supporting all nominal loads and resisting all load effects.
 - 6. Foundation systems that are not firmly supported by footings are not plumb and free from open cracks and breaks, are not properly anchored or are not capable of supporting all nominal loads and resisting all load effects.
- 305.2 - Structural members - Structural members shall be maintained structurally sound, and capable of supporting the imposed loads.
- 305.3 - Interior surfaces - Interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked plaster, decaying wood and other defective surface conditions shall be corrected.
- 305.4 - Stairs and walking surfaces - Every stair, ramp, landing, balcony, porch, deck or other waling surface shall be maintained in sound condition and good repair.
- 305.5 - Handrails and guards - Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- 305.6 - Interior doors - Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer.

Comments

Section 306 - Component Serviceability



<input type="checkbox"/>	Section 307 - Handrails and guardrails
<input type="checkbox"/>	Section 308 - Rubbish and garbage
<input type="checkbox"/>	Section 309 - Pest Elimination
<input type="checkbox"/>	Section 404 - Occupancy Limits
<input type="checkbox"/>	Section 502 - Required facilities
<input type="checkbox"/>	Section 503 - Toilet Rooms
<input type="checkbox"/>	Section 504 - Plumbing systems and fixtures
<input type="checkbox"/>	Section 505 - Water system
<input checked="" type="checkbox"/>	Section 506 - Sanitary drainage system
<input checked="" type="checkbox"/>	506.1 General - Plumbing fixtures shall be properly connected to either a public sewer system or to an approved private sewage disposal system.
<input type="checkbox"/>	506.2 Maintenance - Every plumbing stack, vent, waste and sewer line shall function properly and be kept free from obstructions, leaks and defects.
<input type="checkbox"/>	506.3 Grease interceptors - Grease interceptors and automatic grease removal devices shall be maintained in accordance with this code and the manufacturer's installation instructions. Grease interceptors and automatic grease removal devices shall be regularly serviced and cleaned to prevent the discharge of oil, grease, and other substances harmful or hazardous to the building drainage system, the public sewer, the private sewage disposal system or the sewage treatment plant or processes. Records of maintenance, cleaning and repairs shall be available for inspection by the code official.

Comments	Sewer drain in disrepair
----------	--------------------------

<input type="checkbox"/>	Section 507 - Storm drainage
<input type="checkbox"/>	Section 601 - Mechanical - General
<input type="checkbox"/>	Section 602 - Heating facilities
<input type="checkbox"/>	Section 603 - Mechanical equipment
<input type="checkbox"/>	Section 604 - Electrical Facilities
<input type="checkbox"/>	Section 605 - Electrical equipment
<input type="checkbox"/>	Section 606 - Elevators, escalators and dumbwaiters
<input type="checkbox"/>	Section 607 - Duct systems
<input type="checkbox"/>	Section 701 - General fire safety requirements
<input type="checkbox"/>	Section 702 - Means of egress
<input type="checkbox"/>	Section 703 - Fire resistance ratings
<input type="checkbox"/>	Section 704 - Fire protection systems

Additional Comments	No electric
---------------------	-------------