





**Unsafe structures**

108.1.1 - Unsafe structure  
 Lacks adequate protection from fire     Contains unsafe equipment     All or part of building is likely to collapse

108.1.2 - Unsafe equipment  
 Unsafe boiler / heating equipment     Unsafe electrical wiring / device     Unsafe elevator / moving stairway  
 Flammable liquid containers within structure     Other unsafe equipment

108.1.3 - Structure unfit for human occupancy  
 Unsafe or unlawful     Unsanitary / contains filth / contamination     vermin or rat infested  
 lacks illumination     Location of structure constitutes a hazard     lacks ventilation  
 lacks heat     lacks maintenance     lacks sanitary facilities

108.1.4 - Unlawful structure  
 Occupied by more persons than permitted     Erected, altered or occupied contrary to law

108.1.5 - Dangerous structure or premises

<input type="checkbox"/> (1) Any door, aisle, passageway, stairway, or exit that does not comply to requirements for exiting the building
<input type="checkbox"/> (2) The walking surface of means of egress is so warped, worn, loose, torn or otherwise unsafe to provide means of egress.
<input checked="" type="checkbox"/> (3) Any portion of a structure damaged by fire, wind, flood, earthquake, deterioration, neglect, abandonment, vandalism or any other cause that it is likely to partially or completely collapse, or to become detached or dislodged.
<input type="checkbox"/> (4) Any portion of a building, appurtenance or ornamentations that is not of sufficient strength or stability, or is not so anchored or attached to be capable of resisting natural or artificial loads of one and one-half the original designed value.
<input type="checkbox"/> (5) The structure or part of structure because of dilapidation, deterioration, decay, faulty construction, the removal or movement of ground necessary for support or any other reason is likely to collapse or under pinning is likely to fail or give way.
<input type="checkbox"/> (6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.
<input type="checkbox"/> (7) The structure is neglected, damaged, dilapidated, unsecured or abandoned so as to become an attractive nuisance.
<input type="checkbox"/> (8) Any structure that exists or has been maintained in violation of any specific requirement or prohibition to such an extent as to present either a substantial risk of fire, building collapse or any other threat to life and safety.
<input type="checkbox"/> (9) Any structure intended to be used for dwelling purposes, due to inadequate maintenance, dilapidation, decay, damage, faulty construction, inadequate light, ventilation, mechanical or plumbing system is determined to be unsanitary, unfit for human habitation or in such a condition that it is likely to cause sickness or disease.
<input type="checkbox"/> (10) Any structure, due to lack of sufficient fire resistance rated construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause is determined to be a threat to life or health.
<input type="checkbox"/> (11) Any portion of a building remains on a site after the demolition of the structure or whenever any building or structure is abandoned so as to constitute such building or portion thereof as an attractive nuisance or hazard to the public.

Comments

Section 302 - Exterior property areas

Section 303 - Swimming Pools, Spas and Hot Tubs

**Section 304 - Exterior Structure**

304.1 - General - The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety and welfare.

304.1.1 - Unsafe conditions - The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the IBC or the IEBC as required for existing buildings.

1. The nominal strength of any structural member is exceeded by nominal loads, the load effects or the required strength.



- |                                     |  |
|-------------------------------------|--|
| <input type="checkbox"/>            | 2. The anchorage of the floor or roof to walls or columns, and of walls and columns to foundations is not capable of resisting all nominal loads or load effects.  |
| <input type="checkbox"/>            | 3. Structures or components thereof that have reached their limit state.   |
| <input type="checkbox"/>            | 4. Siding and masonry joints are not maintained, weather resistant or water tight.   |
| <input checked="" type="checkbox"/> | 5. Structural members that have evidence of deterioration or cannot safety support all nominal loads and load effects.   |
| <input type="checkbox"/>            | 6. Foundation systems that are not firmly supported by footings, are not plumb without cracks and breaks and are not properly anchored or cannot support all nominal loads and resisting all load effects.   |
| <input type="checkbox"/>            | 7. Exterior walls that are not anchored to supporting elements or are not plumb or free from holes, cracks, breaks or loose or rotting materials, are not properly anchored and not able of supporting all nominal loads and resisting load effects. |
| <input checked="" type="checkbox"/> | 8. Roofing that have defects that admit rain, roof surfaces with inadequate drainage, or any portion that is not in good repair with signs of deterioration, fatigue or without property anchorage and incapable of supporting all nominal loads.    |
| <input type="checkbox"/>            | 9. Flooring with defects that affect serviceability or that show signs of deterioration or fatigue, are not properly anchored or are incapable of supporting all nominal loads and resisting all load effects.                                       |
| <input type="checkbox"/>            | 10. Veneer, cornices, belt courses, corbels, trim , wall facings not properly anchored or that are anchored with connections not capable of supporting all nominal loads and resisting load effects.   |
| <input type="checkbox"/>            | 11. Overhang extensions or projections including trash chutes, canopies, marquees, signs, awnings, fire escapes, standpipes and exhaust ducts not properly anchored or anchored with connections unable to support all nominal loads.                |
| <input type="checkbox"/>            | 12. Exterior stairs, decks, porches, balconies and all attachments such as guards and handrails are not structurally sound, not properly anchored or anchored with connections unable to support all nominal loads and resisting all load effects.   |
| <input type="checkbox"/>            | 13. Chimneys, cooling towers, smokestacks not properly anchored or that are anchored with connections unable to support all nominal loads and resisting all load effects.  |

- |                                     |  |
|-------------------------------------|--|
| <input type="checkbox"/>            | 304.2 - Protective Treatment - Exterior surfaces, including doors, door and window frames, cornices, porches, trim, balconies, decks and fences shall be maintained in good condition. Exterior surfaces shall be protected from elements and decay by painting or other protective treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. Siding and masonry joints shall be maintained weather resistant and water tight. Metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion. |
| <input type="checkbox"/>            | 304.3 - Address identification - Buildings shall be provided with approved address identification that are legible and placed to be visible from the street fronting the property. They must contrast with their background, be numerical and a minimum of 4" tall.  |
| <input type="checkbox"/>            | 304.4 - Structural members - Structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.  |
| <input type="checkbox"/>            | 304.5 - Foundation walls - Foundation walls shall be maintained plumb and free from cracks and breaks and shall be kept n such condition so as to prevent the entry of rodents and other pests.  |
| <input type="checkbox"/>            | 304.6 - Exterior walls - Exterior walls shall be free from holes, breaks and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.  |
| <input checked="" type="checkbox"/> | 304.7 - Roofs and drainage - The roof and flashing shall be sound, tight and not have defects that admit rain. Drainage must prevent dampness or deterioration in the walls or interior portion of the structure. Drains, gutters and downspouts must be in good repair and free from obstruction. Roof water shall not be discharged in a manner that creates a public nuisance.  |
| <input type="checkbox"/>            | 304.8 - Decorative features - Cornices, belt courses, corbels, terra cotta trim, wall facing and similar decorative features shall be in good repair with proper anchorage and in safe condition.  |
| <input type="checkbox"/>            | 304.9 - Overhang extensions - Overhang extensions including canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be in good repair and properly anchored and kept in sound condition. All exposed surfaces of metal or wood shall be protected from the elements with weather coating material such as paint or similar surface treatment.   |
| <input type="checkbox"/>            | 304.10 - Stairways, decks, porches and balconies - Every exterior stairway, deck, porch and balcony shall be structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.  |
| <input type="checkbox"/>            | 304.11 - Chimneys and towers - Chimneys, cooling towers, smoke stacks, shall be structurally safe and sound and in good repair. Exposed surfaces shall be protected by paint or similar surface treatment.   |
| <input type="checkbox"/>            | 304.12 - Handrails and guards - Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.  |



- |                                     |   |
|-------------------------------------|---|
| <input type="checkbox"/>            | 304.13 - Window, skylight and door frames - Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight.   |
| <input checked="" type="checkbox"/> | 304.13.1 - Glazing - Glazing materials shall be maintained free from cracks or holes.   |
| <input type="checkbox"/>            | 304.13.2 - Openable windows - Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.   |
| <input type="checkbox"/>            | 304.14 - Insect screens - Every door, window and other outside opening required for ventilation or food preparation areas shall have tightly fitting screens of minimum 16 mesh per inch and every screen door must have self closing device is good working condition. |
| <input type="checkbox"/>            | 304.15 - Doors - Exterior doors and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door.  |
| <input type="checkbox"/>            | 304.18 - Building security - Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.  |
| <input type="checkbox"/>            | 304.18.1 - Doors - Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall have a dead bolt designed to open from the inside without a key.  |
| <input type="checkbox"/>            | 304.18.2 - Windows - Operable windows located within 6 ft. above the ground that provides access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device.                               |
| <input type="checkbox"/>            | 304.19 - Gates - Exterior gates, gate assemblies, operator systems and hardware shall be maintained in good condition.  |

Comments

- |                          |   |
|--------------------------|---|
| <input type="checkbox"/> | Section 305 - Interior Structure                    |
| <input type="checkbox"/> | Section 306 - Component Serviceability              |
| <input type="checkbox"/> | Section 307 - Handrails and guardrails              |
| <input type="checkbox"/> | Section 308 - Rubbish and garbage                   |
| <input type="checkbox"/> | Section 309 - Pest Elimination                      |
| <input type="checkbox"/> | Section 404 - Occupancy Limits                      |
| <input type="checkbox"/> | Section 502 - Required facilities                   |
| <input type="checkbox"/> | Section 503 - Toilet Rooms                          |
| <input type="checkbox"/> | Section 504 - Plumbing systems and fixtures         |
| <input type="checkbox"/> | Section 505 - Water system                          |
| <input type="checkbox"/> | Section 506 - Sanitary drainage system              |
| <input type="checkbox"/> | Section 507 - Storm drainage                        |
| <input type="checkbox"/> | Section 601 - Mechanical - General                  |
| <input type="checkbox"/> | Section 602 - Heating facilities                    |
| <input type="checkbox"/> | Section 603 - Mechanical equipment                  |
| <input type="checkbox"/> | Section 604 - Electrical Facilities                 |
| <input type="checkbox"/> | Section 605 - Electrical equipment                  |
| <input type="checkbox"/> | Section 606 - Elevators, escalators and dumbwaiters |
| <input type="checkbox"/> | Section 607 - Duct systems                          |
| <input type="checkbox"/> | Section 701 - General fire safety requirements      |
| <input type="checkbox"/> | Section 702 - Means of egress                       |
| <input type="checkbox"/> | Section 703 - Fire resistance ratings               |
| <input type="checkbox"/> | Section 704 - Fire protection systems               |



THE SUNRISE CITY  
**FORT PIERCE**  
CODE ENFORCEMENT  
*Florida*

Additional Comments

House secured, no interior inspection.

Michelle Franklin, CFA -- Saint Lucie County Property Appraiser -- All rights reserved.

**Property Identification**

Site Address: 1705 N 27th ST  
 Map ID: 24/05N  
 Parcel ID: 2405-503-0002-000-7  
 Zoning: R3  
 Account #: 18317  
 Use Type: 0100  
 Sec/Town/Range: 05/35S/40E  
 Jurisdiction: Fort Pierce

**Ownership**

John Henry Bouie  
 927 SW 106 PL  
 Micanopy, FL 32667

**Legal Description**

DUKE S/D S 65 FT OF LOTS 1 AND 2 (OR 294-2852)

**Current Values**

Just/Market: \$5,900  
 Exemptions: \$0  
 Assessed: \$5,900  
 Taxable: \$5,900

**Historical Values 3-year**

Year	Just/Market	Assessed	Exemptions	Taxable
2017	\$5,900	\$5,900	\$0	\$5,900
2016	\$5,400	\$5,400	\$0	\$5,400
2015	\$5,100	\$5,100	\$0	\$5,100

**Sale History**

Date	Book/Page	Sale Code	Deed	Grantor	Price
09-01-1978	0294 / 2852	XX01	CV		\$0

**Primary Building Information**

Finished Area of this building: 1,080 SF  
 Gross Area of this building: 1,080 SF

**Exterior Data**

View:	Roof Cover: Fibrglss Shg	Roof Structure: Gable	Building Type: HD-
Year Built: 1964	Frame:	Grade: D-	Effective Year: 1962
Primary Wall: CB Stucco	Story Height: 1 Story	No. Units: 1	Secondary Wall:

**Interior Data**

Bedrooms: 3	A/C %: 0%	Electric: MAXIMUM	Primary Int Wall:
Full Baths: 1	Heated %: 0%	Heat Type:	Avg Hgt/Floor: 0
Half Baths: 0	Sprinkled %: N/A%	Heat Fuel:	Primary Floors: Carpet



Image  
 or  
 Sketch  
 unavailable  
 for display

**Total Areas**

Finished/Under Air (SF):	1,080
Gross Area (SF):	1,080
Land Size (acres):	0.14
Land Size (SF):	6,260
Total Building Count:	1

**Special Features and Yard Items**

Type	Qty	Units	Year Blt
CHAINLINK 4'	1	260	1995

This information is believed to be correct at this time but it is subject to change and is not warranted.  
 © Copyright 2018 Saint Lucie County Property Appraiser. All rights reserved.







