BUILDING INFORMATION:
2017 FLORIDA BUILDING CODE

BUILDING AREA: 1127 S.F.

GROUP: MODERATE HAZARD FACTORY INDUSTRIAL F-1

OCCUPANT LOAD PER TABLE 1004.1.2
1127/100=11.27
TOTAL OCCUPANT LOAD 12

CONSTRUCTION TYPE: TYPE IIB

ALLOWABLE AREA PER TABLE 503:
GROUP F-1 62,000

BUILDING IS SPRINKLERED

REQUIREMENTS FOR AREA OF IMPROVEMENTS

REQUIRED EXIT WIDTH	36"
PROVIDED EXIT WIDTH PROVIDED	36"
REQUIRED NUMBER OF EXITS	1
PROVIDED NUMBER OF EXITS	1
REQUIRED ADA CORRIDOR WIDTH	42"
PROVIDED ADA CORRIDOR WIDTH	54"
TRAVEL DISTANCE ALLOWED	200'
TRAVEL DISTANCE PROVIDED	58.5'



FLOOR PLAN

1/4"

ARCHITECT

Architectonic Inc

806 DELAWARE AVENUE
FORT PIERCE, FLORIDA 34950
T: 772 460 7751
F: 772 460 4244

WWW.ARCHITECTONICINC.COM

STATE REG # AA26003348

COPYRIGHT 2017

PROJECT

PINCHUK

2610 ORANGE AVE.
FT. PIERRCE, FLORIDA

CLIENT

CONSULTANTS

REGISTRATION

MICHAEL J. SEAL, AIA
AR96898

REVISIONS

NO.	DATE	REVISION

KEY PLAN

SHEET TITLE / SHEET NUMBER

A-1 OF 1

PROJECT NUMBER C18065

DATE 10/24/18
PERMIT