



CITY OF FORT PIERCE ENGINEERING DEPARTMENT
PRELIMINARY COST ESTIMATE
Project: Avenue A (7th Street to 8th Street)

ITEM NO.	DESCRIPTION OF WORK	UNIT	QTY.
Demolition/Mobilization/MOT			
1	Mobilization/General Conditions	LS	1
2	MOT	LS	1
3	Erosion and Sediment Control	LS	1
4	Surveying/Materials Testing	LS	1
5	Cleaning/Grubbing	LS	1
6	Asphalt Pavement Removal	SY	1606
7	Curb and Gutter Removal	LF	973
8	Sidewalk Removal	SY	0
9	Driveway Removal	SY	37
Sub-Total			
Roadway Construction			
10	Mill 1.5" Depth	SY	0
11	Type SP 12.5 Structural Course (1-1/2")	TN	98.4
12	Type SP 9.5 Structural Course (1")	TN	72.16
13	Cemented Coquina Base LBR 100 (8")	SY	1,312
14	Stabilized Subgrade Type "B" (12") Repair	SY	1585
15	Signaling & Striping	LS	1
Sub-Total			
Sidewalk / Driveway			
16	Type F Curb & Gutter	LF	1010
17	4" Concrete Sidewalk	SY	250
18	6" Concrete Driveway	SY	111
19	ADA Sidewalk Ramps, complete	EA	1
Sub-Total			
Final Restoration			
20	R/W Final Grading and Bahis Sod	LS	1
21	Mailbox Replacement	EA	0
Sub-Total			




TYPICAL STREET STRIPING DETAIL

AVENUE "A"




TYPICAL ROADWAY SECTION




TYPE "F" CURB AND GUTTER WITH JOINT DETAILS

10" center to center on new curb and gutter



TYPICAL 4" SIDEWALK DETAIL



DRIVEWAY DETAIL

GENERAL CONSTRUCTION NOTES:
 1. CONCRETE STRENGTH TO BE 2500 P.S.I. AT 28 DAYS.
 2. SUBGRADE TO BE 98% DENSITY - F.A.V. 75% S.I.
 3. THE CONCRETE SHALL BE GIVEN A BROOM FINISH AND THE EDGES OF THE SIDEWALK SHALL BE FINISHED WITH A ROUND TOOL HAVING A RADIUS OF 1/2" MIN.



CITY OF FORT PIERCE
 DEPARTMENT OF ENGINEERING
 1001 W. PALM BLVD.
 FORT PIERCE, FLORIDA 34949

No.	DATE	BY	REVISIONS

AVENUE A (N. 7TH STREET TO N. 8TH STREET)
ROADWAY RESTORATION

DATE:	MAY 09, 2019
SURVEY BY:	D. SUMNER
DESIGNED BY:	I. ANDREWS
SCALE:	1" = 20'
DRAWN BY:	D. SUMNER
APPROVED BY:	

SHEET NO.
1 OF 1

0:\Engineering\0400 (Plan)\Drawing\Project\Avenue A (7th Street to 8th Street) Restoring Restorations.dwg