

Administrative Certificates of Appropriateness

Attached are Certificates of Appropriateness issued administratively in September 2019.

- COA #19-58, 909 Boston Avenue – New roof
- COA #19-59, 311 S 8th Street – Windows replacement
- COA #19-63, 403 N US Highway 1 – Windows replacement



CERTIFICATE OF APPROPRIATENESS
 TO ALTER A DESIGNATED HISTORIC SITE

COA#19-58 HISTORIC PRESERVATION BOARD APPROVAL ADMINISTRATIVE APPROVAL

Site address: 909 Boston Avenue

Contributing Non-Contributing Individually Designated

SITE ALTERATIONS:

Request	Conditions	Applicable Standards
Replace flat roof. Please see attached. Similar		Secretary of the Interior's Standards for Rehabilitation of Historic Properties, Standard 9.

APPROVED:

Board Approval

Administrative Approval

 Suzanne Boardman, Chair Date
 Historic Preservation Board



 _____ 9/10/19
 Maria Lewicka, AICP Date
 Historic Preservation Planner

This alteration meets the Secretary of the Interior's Standards for the Treatment of Historic Properties and the City of Fort Pierce Code of Ordinances.

Should you have any further questions or concerns, contact Maria Lewicka, Historic Preservation Planner, at (772) 467-3738 or via e-mail at mlewicka@cityoffortpierce.com.

Thank you for your efforts to preserve and redevelop historic Fort Pierce through your participation in the Certificate of Appropriateness Application process. Staff looks forward to working with you in the future to preserve and rehabilitate our historic neighborhoods and structures.

Provided to:	Name/Address	Via
Owner	Irene Sitaras 616 Willoughby Blvd Greensboro, NC 27408	E-Mail sophiasitarasagapion@gmail.com
Applicant	Leakbusters Roof Repair 6101 Buchanan Drive Fort Pierce, FL 34982	E-Mail richiecolletti@gmail.com



CITY OF FORT PIERCE

RECEIVED
PLANNING DEPARTMENT

SEP 09 2019

COMPREHENSIVE PLANNING ♦ DEVELOPMENT REVIEW
HISTORIC PRESERVATION ♦ URBAN DESIGN ♦ URBAN FORESTRY ♦ ZONING

CITY OF FORT PIERCE
PLANNING & ZONING

Certificate of Appropriateness Application

Building & Site Information

Address of the Site: 909 Boston Ave
Parcel ID #: 2410-706-0057-000-6
Type of Designation: Contributing Non-contributing Site within the Samuel Historic District
Coors
 Individually Designated Site, City Commission Resolution No. _____

Property Owner / Applicant Information

Property Owner(s)
Name(s): Irene Sitaras
Mailing Address: 616 Willoughby Blvd Greensboro NC 27408
Phone Number(s): 336 707 5852 Email: Sophiasitarasagapion@gmail.com

Applicant
Name(s): Leakbusters Roof Repair
Mailing Address: 1101 Buchanan Drive, Fort Pierce FL 34982
Phone Number(s): 772 332 8450 Email: richiecolleth@gmail.com

Representative
Name(s): _____
Mailing Address: _____
Phone Number(s): _____ Email: _____

Property Owner(s) Acknowledgements: This application will not be considered complete without the signature of all property owners of record, which shall serve as an acknowledgement of the submission of this application. The property owner's signature below shall also authorize the Applicant (if other than the property owner) and/or Representative to act in his/her behalf for the purposes of seeking approval for the application described herein. The undersigned consents to inspection and photographing of the subject property by the Historic Preservation staff for purposes of consideration of this Application and/or presentation to the Historic Preservation Board.

I / We, Sophia Sitaras Agapion as Owner(s) of the subject property do hereby authorize the filing of this application on my/our behalf.

Sophia S Agapion, Executive of 08-23-19
Signature of Owner Date
the State of Iowa Sitaras

Description of Requested Work

Please indicate the type of work requested:

Fence

Shed

Door(s)

Roof

Window(s)

Signage

Shutter(s)

Porch

Rehabilitation

New Construction

Demolition

Relocation

Site Improvements (describe) ReRoof

Other (describe) _____

Please provide a detailed description of the proposed work to be performed: remove existing roof down to decking, reroof to code, install new flat roof.

Have other alterations been made to the site within the last 12 months? No Yes, _____

Will the proposed work require a Zoning Variance? No Yes, Code Section(s): _____

Application Requirements

\$10.00 Application fee

Site Plan with dimensions.

Architectural Drawings:

- Drawings should show all current and proposed floor plans and elevations, fences, walls, and any other landscape features.
- Drawings should indicate materials to be used.

Photos - One (1) color photograph of the main façade of the site and photographs of any areas affected by the proposed project.

Material(s) specifications and/or sample(s)

Color samples.

Demolition - Plans for what will be taking the demolished structure's place should be submitted.

Flat Roof Material List

Address: 909 Boston Ave

SA Base - 18 Rolls

SA Cap- 17 Rolls

2x2 white drip edge- 23 Sticks

1 ¼ coiled roofing nails- 1 Box

Asphalt spray primer- 1 Can

4x5 Wall Flashing- 2 Sticks



© 2018 Google

© 2019 Google



Sitaras

909 Boston Ave. Fort Pierce

By Richie Colletti | September 10, 2019

POWERED BY





7

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:36 PM Richie Colletti



8

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:36 PM Richie Colletti



11

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:40 PM Richie Colletti



12

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:40 PM Richie Colletti



13

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:40 PM Richie Colletti



14

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:40 PM Richie Colletti



15

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:41 PM Richie Colletti



16

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:41 PM Richie Colletti



19

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:41 PM Richie Colletti



20

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:41 PM Richie Colletti



27

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:42 PM Richie Colletti



28

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:42 PM Richie Colletti



29

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:42 PM Richie Colletti



30

909 Boston Ave | Fort Pierce, FL Sep 9, 2019 | 4:43 PM Richie Colletti



CERTIFICATE OF APPROPRIATENESS
TO ALTER A DESIGNATED HISTORIC SITE

COA#19-59 HISTORIC PRESERVATION BOARD APPROVAL ADMINISTRATIVE APPROVAL

Site address: 311 S 8th Street

Contributing Non-Contributing Individually Designated

SITE ALTERATIONS:

Request	Conditions	Applicable Standards
Remove and replace six (6) windows with impact rated windows. Please see attached.		Secretary of the Interior's Standards for Rehabilitation of Historic Properties, Standard 9.

APPROVED:

Board Approval

Administrative Approval

Suzanne Boardman, Chair Date
Historic Preservation Board



Maria Lewicka, AICP 9/17/19
Historic Preservation Planner Date

This alteration meets the Secretary of the Interior's Standards for the Treatment of Historic Properties and the City of Fort Pierce Code of Ordinances.

Should you have any further questions or concerns, contact Maria Lewicka, Historic Preservation Planner, at (772) 467-3738 or via e-mail at mlewicka@city-ftpierce.com.

Thank you for your efforts to preserve and redevelop historic Fort Pierce through your participation in the Certificate of Appropriateness Application process. Staff looks forward to working with you in the future to preserve and rehabilitate our historic neighborhoods and structures.

Provided to:	Name/Address	Via
Owner	Kolyma Partners LLC 250 S Central Blvd, Ste 205 Jupiter, FL 33458	E-Mail wsnyder@allsteelproducts.com
Applicant/Representative	John Jacobs Construction 4701 Oleander Avenue Fort Pierce, FL 34982	E-Mail Jmjacobs4701@gmail.com



Bldg. Permit # 19-3113

SEP 12 2019
CITY OF FORT PIERCE
PLANNING & ZONING

COA# 19-59

Certificate of Appropriateness Application

Building & Site Information

Address of the Site: 311 S. 8th St.
 Parcel ID #: 2410-706-0049-000-7
 Type of Designation: Contributing Non-contributing Site within the _____ Historic District
 Individually Designated Site, City Commission Resolution No. _____

Property Owner / Applicant Information

Property Owner(s)
 Name(s): Kolyma Partners LLC
 Mailing Address: 250 S. Central Blvd., Ste 205
Jupiter, FL 33450
 Phone Number(s): 954-658-8154 Email: W.snyder@allsteelproducts.com

Applicant
 Name(s): John Jacobs Construction
 Mailing Address: 4701 Oleander Ave., Fort Pierce, FL 34982
 Phone Number(s): 772-882-8334 Email: jmjacobs4701@gmail.com

Representative
 Name(s): John Jacobs
 Mailing Address: 4701 Oleander Ave., Fort Pierce, FL 34982
 Phone Number(s): 772-882-8334 Email: jmjacobs4701@gmail.com

Property Owner(s) Acknowledgements:- This application will not be considered complete without the signature of all property owners of record, which shall serve as an acknowledgement of the submission of this application. The property owner's signature below shall also authorize the Applicant (if other than the property owner) and/or Representative to act in his/her behalf for the purposes of seeking approval for the application described herein. The undersigned consents to inspection and photographing of the subject property by the Historic Preservation staff for purposes of consideration of this Application and/or presentation to the Historic Preservation Board.

I / We, John Jacobs as Owner(s) of the subject property do hereby authorize the filing of this application on my/our behalf.
John Jacobs
 Signature of Owner
 Acting Agent
 Date 9/12/19



RECEIVED

SEP 12 2019

CITY OF FORT PIERCE
PLANNING & ZONING

Bldg. Permit # 19-3113

COA# _____

Certificate of Appropriateness Application

Building & Site Information

Address of the Site: 311 S. 8th St.

Parcel ID #: 2410-706-0049-000-7

Type of Designation: Contributing Non-contributing Site within the _____ Historic District

Individually Designated Site, City Commission Resolution No. _____

Property Owner/ Applicant Information

Property Owner(s)

Name(s): Kolyma Partners LLC

Mailing Address: 250 S. Central Blvd, Ste 205
Jupiter, FL 33459

Phone Number(s): 954-658-8154 Email: W.snyder@allsteelproducts.com

Applicant

Name(s): John Jacobs Construction

Mailing Address: 4701 Oleander Ave., Fort Pierce, FL 34982

Phone Number(s): 772-882-8334 Email: jmjacobs4701@gmail.com

Representative

Name(s): John Jacobs

Mailing Address: 4701 Oleander Ave., Fort Pierce, FL 34982

Phone Number(s): 772-882-8334 Email: jmjacobs4701@gmail.com

Property Owner(s) Acknowledgements:- This application will not be considered complete without the signature of all property owners of record, which shall serve as an acknowledgement of the submission of this application. The property owner's signature below shall also authorize the Applicant (if other than the property owner) and/or Representative to act in his/her behalf for the purposes of seeking approval for the application described herein. The undersigned consents to inspection and photographing of the subject property by the Historic Preservation staff for purposes of consideration of this Application and/or presentation to the Historic Preservation Board.

I / We, William L. Snyder Jr as Owner(s) of the subject property do hereby authorize the filing of this application on my/our behalf.

[Signature]
Signature of Owner

9/12/19
Date

Description of Requested Work

Please indicate the type of work requested:

Fence

Shed

Door(s)

Roof

Window(s)

Signage

Shutter(s)

Porch

Rehabilitation

New Construction

Demolition

Relocation

Site Improvements (describe) Replacing 6 windows w/ impact

Other (describe) _____

Please provide a detailed description of the proposed work to be performed: _____

Demo and Remove specified windows (6 openings)
Supply & Install new impact windows to existing openings;
White; Screens where needed; caulk & seal; Trim Out window

Have other alterations been made to the site within the last 12 months? No Yes, _____

Will the proposed work require a Zoning Variance? No Yes, Code Section(s): _____

Application Requirements

- \$10.00 Application fee
- Site Plan with dimensions.
- Architectural Drawings:
 - Drawings should show all current and proposed floor plans and elevations, fences, walls, and any other landscape features.
 - Drawings should indicate materials to be used.
- Photos - One (1) color photograph of the main façade of the site and photographs of any areas affected by the proposed project.
- Material(s) specifications and/or sample(s)
- Color samples.
- Demolition - Plans for what will be taking the demolished structure's place should be submitted.

synder 311 south 8th st

Legend
📍 311 S 8th St



Google Earth


© 2018 Google
© 2019 Google

9.90 ft



7700 Hurricane Guard™ Single Hung Window

Traditional good looks with state-of-the-art weather protection.



Features & Benefits

- Block and tackle balance for easy vent removal.**
- Bottom sill latch eliminates possible accessibility conflict.**
- Extruded aluminum snap-on glazing bead provides a strong, clean and neat appearance.**
- Tubular horizontal rails reduce bowing.**
- Single plane weathering eliminates gaps that permit air leakage.**
- Fin-seal provides highly efficient weather-stripping.**
- Recessed jamb installation holes and screw heads won't interfere with balance travel.**
- Vent lift rail provides ease of grasping vent.**
- Sill riser and vent rail are both weathered providing the most efficient defense against air and water penetration.**
- Profile extruded aluminum muntins have a pleasing appearance that matches muntins on our other impact products.**
- Frame depth is 2.6" making it a practical depth to match most commonly available wood bucks.**

Product Resources

[Download Installation Guide](#)

Windows

French Door

Low

Window

Sliding Window

Door

French Door

Window

Sliding Window

Door

French Door

Window

Sliding Window

Door

Scheck-Web

Manufacturer of Quality Windows & Doors

LAWSON
INDUSTRIES, INC

Authorized Preferred Partner

LANSING BUILDING PRODUCTS, INC
6035 Southern Blvd
Bay 500
West Palm Beach, FL 33414
ph: 561-848-9700 fx: 561-848-9844



MASTER BUILDERS
WINDOWS

Customer Quote

Snyder

Purchase Order #

Quote #

59061

Bill To:

Ship To:

Project Name

Quote Name

Quote Creation Date


Single hung option

John Jacobs


9/9/2019

Quote Notes:


	QTY	ROOM / MARK#	UNIT PRICE	EXTENSION
1	1	None Assigned	\$918.16	\$918.16




1-1	QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
	1	7700 Series Single Hung 37 x 50 1/4 2 Custom, Frame Width = 37, Frame Height = 50.25, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Vertical Field 0" thick, 50.25" length Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$287.54	\$287.54




1-2	QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
	1	7700 Series Single Hung 37 x 50 1/4 2 Custom, Frame Width = 37, Frame Height = 50.25, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Vertical Field 0" thick, 50.25" length Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$287.54	\$287.54




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
1-3 1	7700 Series Single Hung 37 x 50 1/4 2 Custom, Frame Width = 37, Frame Height = 50.25, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$287.54	\$287.54




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
1-4 1	Vertical Mull - 1 X 4 X 50 1/4 V White, With Steel, With Clips		\$27.77	\$27.77




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
1-5 1	Vertical Mull - 1 X 4 X 50 1/4 V White, With Steel, With Clips		\$27.77	\$27.77




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
2-1 3	7700 Series Single Hung 35 x 50 1/4 Custom Custom, Frame Width = 35, Frame Height = 50.25, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$325.86	\$977.58




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
3 1		None Assigned	\$1,229.30	\$1,229.30




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
3-1 1	7700 Series Single Hung 35 5/8 x 63 Custom Custom, Frame Width = 35.625, Frame Height = 63, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Vertical Field 0" thick, 63" length Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$384.52	\$384.52




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
3-2 1	7700 Series Single Hung 35 5/8 x 63 Custom Custom, Frame Width = 35.625, Frame Height = 63, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Vertical Field 0" thick, 63" length Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$384.52	\$384.52




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
3-3 1	7700 Series Single Hung 35 5/8 x 63 Custom Custom, Frame Width = 35.625, Frame Height = 63, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$384.52	\$384.52




QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
3-4 1	Vertical Mull - 1 X 4 X 63 V White, With Steel, With Clips		\$37.87	\$37.87




3-5	QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
	1	Vertical Mull - 1 X 4 X 63 V White, With Steel, With Clips		\$37.87	\$37.87




4	QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
	1		None Assigned	\$683.19	\$683.19




4-1	QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
	1	7700 Series Single Hung 36 3/4 x 50 1/4 Custom Custom, Frame Width = 36.75, Frame Height = 50.25, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Vertical Field 0" thick, 50.25" length Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$325.86	\$325.86



4-2	QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
	1	7700 Series Single Hung 36 3/4 x 50 1/4 Custom Custom, Frame Width = 36.75, Frame Height = 50.25, Sash Split = Even White 1/8 AN/ 090 Solutia Int/ 1/8 AN, NOA Glass Type = 2, Clear, Low E = No, Interlayer Color = Clear, 5/16" Sweep Lock Substrate Type = Concrete Pos DP Required = 50, Neg DP Required = 50, Calculated Positive DP = 80, Calculated Negative DP = 80	None Assigned	\$325.86	\$325.86



4-3	QTY	DESCRIPTION	ROOM / MARK#	UNIT PRICE	EXTENSION
	1	Vertical Mull - 1 X 4 X 50 1/4 V White, With Steel, With Clips		\$31.47	\$31.47





CERTIFICATE OF APPROPRIATENESS
 TO ALTER A DESIGNATED HISTORIC SITE

COA#19-63 HISTORIC PRESERVATION BOARD APPROVAL ADMINISTRATIVE APPROVAL

Site address: 403 N US Highway 1
 Contributing Non-Contributing Individually Designated

SITE ALTERATIONS:

Request	Conditions	Applicable Standards
Remove and replace non-original insulated vinyl windows (installed in 2005) with new vinyl impact rated windows with colonial grid to match existing. Please see attached.		Secretary of the Interior's Standards for Rehabilitation of Historic Properties, Standard 9.

APPROVED:

Board Approval

Administrative Approval

 Suzanne Boardman, Chair Date
 Historic Preservation Board


 _____ 10/02/19
 Maria Lewicka, AICP Date
 Historic Preservation Planner

This alteration meets the Secretary of the Interior's Standards for the Treatment of Historic Properties and the City of Fort Pierce Code of Ordinances.

Should you have any further questions or concerns, contact Maria Lewicka, Historic Preservation Planner, at (772) 467-3738 or via e-mail at mlewicka@cityoffortpierce.com.

Thank you for your efforts to preserve and redevelop historic Fort Pierce through your participation in the Certificate of Appropriateness Application process. Staff looks forward to working with you in the future to preserve and rehabilitate our historic neighborhoods and structures.

Provided to:	Name/Address	Via
Owner/Applicant	403 North US One LLC 2400 S Ocean Dr. Apt 4200 D Fort Pierce, FL 34949	E-Mail
Representative	Crist Construction Co. 4365 Gator Trace Ln Fort Pierce, FL 34982	E-Mail jimcrist@yahoo.com



RECEIVED

SEP 30 2019

COA# 19-63

Bldg. Permit # _____

CITY OF FORT PIERCE
PLANNING & ZONING

Certificate of Appropriateness Application

Building & Site Information

Address of the Site: 403 N. U.S #1, Ft. Pierce

Parcel ID #: 2410 603 0017 000 8

Type of Designation: Contributing Non-contributing Site within the _____ Historic District

Individually Designated Site, City Commission Resolution No. _____

Property Owner/ Applicant Information

Property Owner(s)

Name(s): 403 North US ONE LLC (PAT Murphy)

Mailing Address: 2400 S. OCEAN DR. Apt 4200 D, Ft. Pierce 34949

Phone Number(s): 772-461-3250 Email: _____

Applicant

Name(s): 403 N. U.S ONE

Mailing Address: 2400 S. OCEAN DR. Apt 4200 D, FT PIERCE 34949

Phone Number(s): 772-461-3250 Email: _____

Representative

Name(s): CRIST CONSTRUCTION Co.

Mailing Address: 4365 GATOR TRACE LN, FT. PIERCE 34982

Phone Number(s): 772-370-4024 Email: jimerst@yahoo.com

Property Owner(s) Acknowledgements:- This application will not be considered complete without the signature of all property owners of record, which shall serve as an acknowledgement of the submission of this application. The property owner's signature below shall also authorize the Applicant (if other than the property owner) and/or Representative to act in his/her behalf for the purposes of seeking approval for the application described herein. The undersigned consents to inspection and photographing of the subject property by the Historic Preservation staff for purposes of consideration of this Application and/or presentation to the Historic Preservation Board.

I / We, 403 North US one LLC as Owner(s) of the subject property do hereby authorize the filing of this application on my/our behalf.

[Signature]
Signature of Owner

9-30-19
Date

Description of Requested Work

Please indicate the type of work requested:

- | | | | |
|--|---|-------------------------------------|-------------------------------------|
| <input type="checkbox"/> Fence | <input type="checkbox"/> Shed | <input type="checkbox"/> Door(s) | <input type="checkbox"/> Roof |
| <input checked="" type="checkbox"/> Window(s) | <input type="checkbox"/> Signage | <input type="checkbox"/> Shutter(s) | <input type="checkbox"/> Porch |
| <input checked="" type="checkbox"/> Rehabilitation | <input type="checkbox"/> New Construction | <input type="checkbox"/> Demolition | <input type="checkbox"/> Relocation |

Site Improvements (describe) _____

Other (describe) Replacing Windows

Please provide a detailed description of the proposed work to be performed: Replace insulated vinyl windows with new vinyl/impact with colonial grid to match existing. EXISTING WINDOWS WERE ~~REPLACED~~ INSTALLED IN 2005

Have other alterations been made to the site within the last 12 months? No Yes, _____


Will the proposed work require a Zoning Variance? No Yes, Code Section(s): _____

Application Requirements

- \$10.00 Application fee
- Site Plan with dimensions.
- Architectural Drawings:
 - Drawings should show all current and proposed floor plans and elevations, fences, walls, and any other landscape features.
 - Drawings should indicate materials to be used.
- Photos - One (1) color photograph of the main façade of the site and photographs of any areas affected by the proposed project.
- Material(s) specifications and/or sample(s)
- Color samples.
- Demolition - Plans for what will be taking the demolished structure's place should be submitted.



SNS BROTHERS
EXG SYSTEM




403 N. US #1
FT. PIERCE

WINDOW REPLACEMENTS
20 WINDOWS

CRIST CONSTRUCTO
772-370-4024
1ST FLOOR

ENG BROTHERS
ENG SYSTEM



N.T.S.

403 N. U.S. #1
FT. PIERCE

WINDOW
REPLACEMENT
21 WINDOWS

CRIST CONSTRUCTION CO
772-370-4024
2ND FLOOR



EXISTING
WINDOWS



EXISTING
WINDOWS



Last Modified Date: 09/23/2019 14:10:37

PO#:6017132

Job Name:BIG BROTHER SISTER 1 ST FLOOR

Job Address: 403 N. U.S #1, FT. PIERCE
1ST FLR.

Sales Order # 1490428

Sales Person:Rob Springer

SALES AGREEMENT WITH NOTES

ShipTo: EAST COAST LUMBER & SUPPLY CO

Account#: A00271

308 AVENUE A 003708-6
FORT PIERCE, FL 34950-4417
Phone# Fax# (772) 461-5957

Customer

Account #

Phone# Fax#

Line #	Item Description	Quantity	Line Pricing	
			Sell Price	Ext Price
0001 (1.00)	PW5520 PW5520 VINYL PICTURE WINDOW	Ordered: 2.00		

Configuration: 12.625X73.25,5/8" FL,W,7/8 LIG,CL,ES Max,OUTSIDE GLZ,9/16" GBG,1V3H

	<p>Certification Type: MIAMI Frame Type: .625FLANGE Size Ref: ACTUAL Height: 73.2500 Rough Masonry Opening: 14 3/8 X 74 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Style: STD Boxing Options: N - None Acc Glass Breakage: N PositiveDesignPressure: 50.0000 PANumber: FL243 CondensationResistance: 57.0000 SolarHeatGainCoeff: 0.2100 VTCOG: 0.6300</p>	<p>NOA Selection: 17-0614.09 Size Selection: CUSTOM Width: 12.6250 Actual Size: 12 5/8 X 73 1/4 Wood Frame Opening: 12 7/8 X 73 1/2 Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Color: W Grid Pattern: - 2A4D LITES (1V3H BARS) Decralite: N CAR#: 17-0614.09 NegativeDesignPressure: 50.0000 EnergyStar: 123.0000 UF: 0.2900 VT: 0.4700</p>
--	--	--

Location: SOUTH WEST CORNER

Notes:

0002 (2.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 3.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 19.375X73.25X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,1V1H/1V1H,SGL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL

Sales 1490428
Order #

Print Date 9/30/2019

Page 1 of 5

Certification Type: MIAMI
 Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 73 1/4
 Rough Masonry: 21 1/8 X 74 1/4
 Egress Opening: 15 1/8 X 28 1/2 (2.9903 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 2A2D LITES (1V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 1.0000
 Boxing Options: N - None
 Decralite: N
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 19 3/8
 Actual Size: 19 3/8 X 73 1/4
 Wood Frame Opening: 19 5/8 X 73 1/2
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 2A2D LITES (1V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Anchor Group: A.SH5500
 Acc Glass Breakage: N
 Vent Ht: 36.2680
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: SOUTH WEST CORNER

Notes:

0003 (3.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 27.X76.5X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,1V2H/1V2H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL

Certification Type: MIAMI
 Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 76 1/2
 Rough Masonry: 28 3/4 X 77 1/2
 Egress Opening: 22 3/4 X 27 7/8 (4.3991 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 2A3D LITES (1V2H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Boxing Options: N - None
 Decralite: N
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 27.0000
 Actual Size: 27 X 76 1/2
 Wood Frame Opening: 27 1/4 X 76 3/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 2A3D LITES (1V2H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Anchor Group: A.SH5500
 Acc Glass Breakage: N
 Vent Ht: 37.8930
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: MIDDLE WEST OFFICE

Notes:

0004 (4.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 27.X76.5X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,1V2H/1V2H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL

1ST FLOOR

Certification Type: MIAMI
 Frame Type: 625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 76 1/2
 Rough Masonry: 28 3/4 X 77 1/2
 Egress Opening: 22 3/4 X 27 7/8 (4.3991 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 2A3D LITES (1V2H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Boxing Options: N - None
 Decralite: N
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 27.0000
 Actual Size: 27 X 76 1/2
 Wood Frame Opening: 27 1/4 X 76 3/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 2A3D LITES (1V2H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Anchor Group: A.SH5500
 Acc Glass Breakage: N
 Vent Ht: 37.8930
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: KITCHEN

Notes:

0005 (5.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 32.X75.X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,2V1H/2V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL

Certification Type: MIAMI
 Frame Type: 625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 75.0000
 Rough Masonry: 33 3/4 X 76
 Egress Opening: 27 3/4 X 27 1/8 (5.2214 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 3A2D LITES (2V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Boxing Options: N - None
 Decralite: N
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 32.0000
 Actual Size: 32 X 75
 Wood Frame Opening: 32 1/4 X 75 1/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 3A2D LITES (2V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Anchor Group: A.SH5500
 Acc Glass Breakage: N
 Vent Ht: 37.1430
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: NORTH OFFICE


Notes:

0006 (6.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 4.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 32.25X76.X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,2V2H/2V2H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL

Sales 1490428
 Order #
 Print Date 9/30/2019
 Page 3 of 5

1st Floor



Certification Type: MIAMI
 Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 76.0000
 Rough Masonry: 34 X 77
 Egress Opening: 28 X 27 5/8 (5.3656 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 3A3D LITES (2V2H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Boxing Options: N - None
 Decralite: N
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300


NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 32 1/4
 Actual Size: 32 1/4 X 76
 Wood Frame Opening: 32 1/2 X 76 1/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 3A3D LITES (2V2H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Anchor Group: A.SH5500
 Acc Glass Breakage: N
 Vent Ht: 37.6430
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: NORTH EAST OFFICE

Notes:

0007 (7.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 7.00	Sell Price	Est Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 32.25X75.X., STD, 5/8" FL, W, EQUAL, 7/8 LIG, CL, ES Max, 9/16" GBG, 2V1H/2V1H, DBL, SWEEP, *K-
 INSTALLED, CMFRT LFT HNDL



Certification Type: MIAMI
 Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 75.0000
 Rough Masonry: 34 X 76
 Egress Opening: 28 X 27 1/8 (5.2684 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 3A2D LITES (2V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Boxing Options: N - None
 Decralite: N
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 32 1/4
 Actual Size: 32 1/4 X 75
 Wood Frame Opening: 32 1/2 X 75 1/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 3A2D LITES (2V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Anchor Group: A.SH5500
 Acc Glass Breakage: N
 Vent Ht: 37.1430
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: S E CORNER OFFICE

Notes:

TOTAL SALE AMT:
 TOTAL CUSTOMER

Sales 1490428
 Order #
 Print Date 9/30/2019
 Page 4 of 5



SALES AGREEMENT WITH NOTES

Last Modified Date: 05/22/2019 15:32:43
 PO#:
 Job Name: **BIG BROTHER SISTER 2 ND FLOOR**
 Job Address: **403 N. U.S. 41**
 Quote # 5726085
 Sales Person: Rob Springer


ShipTo: EAST COAST LUMBER & SUPPLY CO
 Account#: A00271
 308 AVENUE A
 FORT PIERCE, FL 34950-4417
 Phone# Fax# (772) 461-5957
 003708-6

Customer ROB CONTRACTORS HOUSE
 Account # **HCM Colonial Bldg**
 Phone# Fax#


Line #	Item Description	Quantity	Line Pricing	
			Sell Price	Ext Price
0001 (1.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00		
Configuration: 31.875X67.X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,2V1H/2V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				
		Certification Type: MIAMI Frame Type: 1.375FIN Window Style: STD Size Ref: ACTUAL Height: 67.0000 Rough Masonry: 33 5/8 X 68 Egress Opening: 27 5/8 X 26 1/2 (5.078 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Location: UNIT Summary Bottom: 3A2D LITES (2V1H BARS) Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N Vent Ht: 33.1430 CAR#: 17-0630.05 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4300		
		NOA Selection: 17-0630.05 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 31 7/8 Actual Size: 31 7/8 X 67 Wood Frame Opening: 32 1/8 X 67 1/4 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Style: STD Summary Top: 3A2D LITES (2V1H BARS) Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOCD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Decralite: N Prep for Mull: N PositiveDesignPressure: 50.0000 PANumber: FL-239 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.1900 VTCOG: 0.6300		
Location:		Notes:		

0002 (2.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00	Sell Price	Ext Price
Configuration: 26.5X70.25X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,OB,9/16" GBG,1V1H/1V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				

2nd FLR

	<p>Certification Type: MIAMI Frame Type: 1.375FIN Window Style: STD Size Ref: ACTUAL Height: 70 1/4 Rough Masonry: 28 1/4 X 71 1/4 Egress Opening: 22 1/4 X 27 (4.1672 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Privacy Glass Location: UNIT Grid Style: STD Summary Top: 2A2D LITES (1V1H BARS) Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOOD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Decralite: N Prep for Mull: N PositiveDesignPressure: 50.0000 PANumber: FL-239 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.1900 VTCOG: 0.6300</p>	<p>NOA Selection: 17-0630.05 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 26 1/2 Actual Size: 26 1/2 X 70 1/4 Wood Frame Opening: 26 3/4 X 70 1/2 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: OB - OBSCURE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Location: UNIT Summary Bottom: 2A2D LITES (1V1H BARS) Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N Vent Ht: 34.7680 CAR#: 17-0630.05 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4300</p>
<p>Location: BATHROOM</p>		<p>Notes:</p>


<p>0003 (3.00)</p>	<p>SH5500 VINYL SINGLE HUNG 5500</p>	<p>Ordered: 2.00</p>	<p><u>Sell Price</u></p>	<p><u>Ext Price</u></p>
<p>Configuration: 26.375X70.25X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,OB,9/16" GBG,1V1H/1V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL</p>				

	<p>Certification Type: MIAMI Frame Type: 1.375FIN Window Style: STD Size Ref: ACTUAL Height: 70 1/4 Rough Masonry: 28 1/8 X 71 1/4 Egress Opening: 22 1/8 X 27 (4.1438 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Privacy Glass Location: UNIT Grid Style: STD Summary Top: 2A2D LITES (1V1H BARS) Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOOD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Decralite: N Prep for Mull: N PositiveDesignPressure: 50.0000 PANumber: FL-239 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.1900 VTCOG: 0.6300</p>	<p>NOA Selection: 17-0630.05 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 26 3/8 Actual Size: 26 3/8 X 70 1/4 Wood Frame Opening: 26 5/8 X 70 1/2 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: OB - OBSCURE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Location: UNIT Summary Bottom: 2A2D LITES (1V1H BARS) Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N Vent Ht: 34.7680 CAR#: 17-0630.05 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4300</p>
<p>Location: N WEST CORNER</p>		<p>Notes:</p>

<p>0004 (4.00)</p>	<p>SH5500 VINYL SINGLE HUNG 5500</p>	<p>Ordered: 3.00</p>	<p><u>Sell Price</u></p>	<p><u>Ext Price</u></p>
------------------------	--------------------------------------	--------------------------	--------------------------	-------------------------

2ND FLOOR.

Configuration: 26.375X70.25X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,OB,9/16" GBG,1V1H/1V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL



Certification Type: MIAMI
 Frame Type: 1.375FIN
 Window Style: STD
 Size Ref: ACTUAL
 Height: 70 1/4
 Rough Masonry: 28 1/8 X 71 1/4
 Egress Opening: 22 1/8 X 27 (4.1438 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN)
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Privacy Glass Location: UNIT
 Grid Style: STD
 Summary Top: 2A2D LITES (1V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 Prep for Mull: N
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300


NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 26 3/8
 Actual Size: 26 3/8 X 70 1/4
 Wood Frame Opening: 26 5/8 X 70 1/2
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: OB - OBSCURE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 2A2D LITES (1V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 34.7680
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

Location: N WEST CORNER

Notes:

0005 (5.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 32.X66.875X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,OB,9/16" GBG,2V1H/2V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL



Certification Type: MIAMI
 Frame Type: 1.375FIN
 Window Style: STD
 Size Ref: ACTUAL
 Height: 66 7/8
 Rough Masonry: 33 3/4 X 67 7/8
 Egress Opening: 27 3/4 X 26 7/16 (5.0889 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN)
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Privacy Glass Location: UNIT
 Grid Style: STD
 Summary Top: 3A2D LITES (2V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 Prep for Mull: N
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 32.0000
 Actual Size: 32 X 66 7/8
 Wood Frame Opening: 32 1/4 X 67 1/8
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: OB - OBSCURE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 3A2D LITES (2V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 33.0805
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300


Location: NORTH

Notes:

0006 (6.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 6.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

JHD FLR.

Configuration: 32.X66.5X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,OB,9/16" GBG,2V1H/2V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL



Certification Type: MIAMI
 Frame Type: 1.375FIN
 Window Style: STD
 Size Ref: ACTUAL
 Height: 66 1/2
 Rough Masonry: 33 3/4 X 67 1/2
 Egress Opening: 27 3/4 X 28 5/8 (5.5104 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Privacy Glass Location: UNIT
 Grid Style: STD
 Summary Top: 3A2D LITES (2V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 Prep for Mull: N
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300


NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 32.0000
 Actual Size: 32 X 66 1/2
 Wood Frame Opening: 32 1/4 X 66 3/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: OB - OBSCURE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 3A2D LITES (2V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 32.8930
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

Location: S E CORNER

Notes:

0007 (7.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------

Configuration: 32.X67.X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,OB,9/16" GBG,2V1H/2V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL



Certification Type: MIAMI
 Frame Type: 1.375FIN
 Window Style: STD
 Size Ref: ACTUAL
 Height: 67.0000
 Rough Masonry: 33 3/4 X 68
 Egress Opening: 27 3/4 X 26 1/2 (5.1009 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Privacy Glass Location: UNIT
 Grid Style: STD
 Summary Top: 3A2D LITES (2V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 Prep for Mull: N
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 32.0000
 Actual Size: 32 X 67
 Wood Frame Opening: 32 1/4 X 67 1/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: OB - OBSCURE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 3A2D LITES (2V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 33.1430
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

Location: EAST FRONT DOOR

Notes:

0008 (8.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00	Sell Price	Ext Price
----------------	-------------------------------	------------------	------------	-----------


Quote # 5726085

Print Date 5/22/2019

Page 4 of 5

2ND FUR

Configuration: 32 X 67 X .STD, 1-3/8" NAIL FIN, W, EQUAL, 7/8 LIG, CL, ES Max, OB, 9/16" GBG, 2V1H/2V1H, DBL, SWEEP, 1816K-INSTALLED, CMFRT LFT HNDL



Certification Type: MIAMI
 Frame Type: 1.375FIN
 Window Style: STD
 Size Ref: ACTUAL
 Height: 67.0000
 Rough Masonry: 33 3/4 X 68
 Egress Opening: 27 3/4 X 26 1/2 (5.1009 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Privacy Glass Location: UNIT
 Grid Style: STD
 Summary Top: 3A2D LITES (2V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 Prep for Mull: N
 PositiveDesignPressure: 50.0000
 PANumber: FL-239
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

NOA Selection: 17-0630.05
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 32.0000
 Actual Size: 32 X 67
 Wood Frame Opening: 32 1/4 X 67 1/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: OB - OBSCURE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 3A2D LITES (2V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 33.1430
 CAR#: 17-0630.05
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

Location: EAST FRONT DOOR

Notes:

TOTAL SALE AMT:
TOTAL CUSTOMER TAX:
NET SALE AMOUNT:

** PRICES ARE GOOD FOR 30 DAYS. --- BEFORE SIGNING OFF PLEASE VERIFY SIZES, QUANTITIES, MODEL AND PRICES. THIS IS A SPECIAL ORDER AND CANNOT BE CHANGED OR CANCELLED ONCE IT IS PLACED. SPECIAL ORDERED ITEMS ARE NOT RETURNABLE--ALL SALES ARE FINAL.
 **NOTE:IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR, ARCHITECT OR OWNER TO SELECT PRODUCTS IN COMPLIANCE WITH APPLICABLE LAWS AND BUILDING CODES.