



Property Maintenance Inspection Report

Property Address	913 Avenue B	Parcel ID #	2410-604-0167-000-7		
House Color	White	# of Units	1	Historic?	
Type of Structure	Single Family Residence	Building Occupied	No	Time to Comply	
Action to be take - Select all that apply					
<input type="radio"/> Unsafe Building - Rehab <input checked="" type="radio"/> Unsafe Building - Demo <input type="radio"/> Nuisance Abatement - Board up					
Inspector	Guillermo "Will" Carbonell	Date	03/06/2019	Property Posted?	No

Comments

- Active Code Cases NONE Active Building Permit NONE
- Lis Pendens check Rehab letter sent
- Demo letter sent Nuisance letter sent
- Title search done Affidavit recorded

Contact Information

Contact Info

Comments



Unsafe structures

108.1.1 - Unsafe structure
 Lacks adequate protection from fire Contains unsafe equipment All or part of building is likely to collapse

108.1.2 - Unsafe equipment
 Unsafe boiler / heating equipment Unsafe electrical wiring / device Unsafe elevator / moving stairway
 Flammable liquid containers within structure Other unsafe equipment

108.1.3 - Structure unfit for human occupancy
 Unsafe or unlawful Unsanitary / contains filth / contamination vermin or rat infested
 lacks illumination Location of structure constitutes a hazard lacks ventilation
 lacks heat lacks maintenance lacks sanitary facilities

108.1.4 - Unlawful structure
 Occupied by more persons than permitted Erected, altered or occupied contrary to law

108.1.5 - Dangerous structure or premises
 (1) Any door, aisle, passageway, stairway, or exit that does not comply to requirements for exiting the building
 (2) The walking surface of means of egress is so warped, worn, loose, torn or otherwise unsafe to provide means of egress.
 (3) Any portion of a structure damaged by fire, wind, flood, earthquake, deterioration, neglect, abandonment, vandalism or any other cause that it is likely to partially or completely collapse, or to become detached or dislodged.
 (4) Any portion of a building, appurtenance or ornamentations that is not of sufficient strength or stability, or is not so anchored or attached to be capable of resisting natural or artificial loads of one and one-half the original designed value.
 (5) The structure or part of structure because of dilapidation, deterioration, decay, faulty construction, the removal or movement of ground necessary for support or any other reason is likely to collapse or under pinning is likely to fail or give way.
 (6) The building or structure, or any portion thereof, is clearly unsafe for its use and occupancy.
 (7) The structure is neglected, damaged, dilapidated, unsecured or abandoned so as to become an attractive nuisance.
 (8) Any structure that exists or has been maintained in violation of any specific requirement or prohibition to such an extent as to present either a substantial risk of fire, building collapse or any other threat to life and safety.
 (9) Any structure intended to be used for dwelling purposes, due to inadequate maintenance, dilapidation, decay, damage, faulty construction, inadequate light, ventilation, mechanical or plumbing system is determined to be unsanitary, unfit for human habitation or in such a condition that it is likely to cause sickness or disease.
 (10) Any structure, due to lack of sufficient fire resistance rated construction, fire protection systems, electrical system, fuel connections, mechanical system, plumbing system or other cause is determined to be a threat to life or health.
 (11) Any portion of a building remains on a site after the demolition of the structure or whenever any building or structure is abandoned so as to constitute such building or portion thereof as an attractive nuisance or hazard to the public.

Comments

Section 302 - Exterior property areas

Section 303 - Swimming Pools, Spas and Hot Tubs

Section 304 - Exterior Structure

304.1 - General - The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety and welfare.

304.1.1 - Unsafe conditions - The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the IBC or the IEBC as required for existing buildings.

1. The nominal strength of any structural member is exceeded by nominal loads, the load effects or the required strength.



- 2. The anchorage of the floor or roof to walls or columns, and of walls and columns to foundations is not capable of resisting all nominal loads or load effects.
- 3. Structures or components thereof that have reached their limit state.
- 4. Siding and masonry joints are not maintained, weather resistant or water tight.
- 5. Structural members that have evidence of deterioration or cannot safely support all nominal loads and load effects.
- 6. Foundation systems that are not firmly supported by footings, are not plumb without cracks and breaks and are not properly anchored or cannot support all nominal loads and resisting all load effects.
- 7. Exterior walls that are not anchored to supporting elements or are not plumb or free from holes, cracks, breaks or loose or rotting materials, are not properly anchored and not able of supporting all nominal loads and resisting load effects.
- 8. Roofing that have defects that admit rain, roof surfaces with inadequate drainage, or any portion that is not in good repair with signs of deterioration, fatigue or without property anchorage and incapable of supporting all nominal loads.
- 9. Flooring with defects that affect serviceability or that show signs of deterioration or fatigue, are not properly anchored or are incapable of supporting all nominal loads and resisting all load effects.
- 10. Veneer, cornices, belt courses, corbels, trim, wall facings not properly anchored or that are anchored with connections not capable of supporting all nominal loads and resisting load effects.
- 11. Overhang extensions or projections including trash chutes, canopies, marquees, signs, awnings, fire escapes, standpipes and exhaust ducts not properly anchored or anchored with connections unable to support all nominal loads.
- 12. Exterior stairs, decks, porches, balconies and all attachments such as guards and handrails are not structurally sound, not properly anchored or anchored with connections unable to support all nominal loads and resisting all load effects.
- 13. Chimneys, cooling towers, smokestacks not properly anchored or that are anchored with connections unable to support all nominal loads and resisting all load effects.

- 304.2 - Protective Treatment - Exterior surfaces, including doors, door and window frames, cornices, porches, trim, balconies, decks and fences shall be maintained in good condition. Exterior surfaces shall be protected from elements and decay by painting or other protective treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. Siding and masonry joints shall be maintained weather resistant and water tight. Metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion.
- 304.3 - Address identification - Buildings shall be provided with approved address identification that are legible and placed to be visible from the street fronting the property. They must contrast with their background, be numerical and a minimum of 4" tall.
- 304.4 - Structural members - Structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- 304.5 - Foundation walls - Foundation walls shall be maintained plumb and free from cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- 304.6 - Exterior walls - Exterior walls shall be free from holes, breaks and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- 304.7 - Roofs and drainage - The roof and flashing shall be sound, tight and not have defects that admit rain. Drainage must prevent dampness or deterioration in the walls or interior portion of the structure. Drains, gutters and downspouts must be in good repair and free from obstruction. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.8 - Decorative features - Cornices, belt courses, corbels, terra cotta trim, wall facing and similar decorative features shall be in good repair with proper anchorage and in safe condition.
- 304.9 - Overhang extensions - Overhang extensions including canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be in good repair and properly anchored and kept in sound condition. All exposed surfaces of metal or wood shall be protected from the elements with weather coating material such as paint or similar surface treatment.
- 304.10 - Stairways, decks, porches and balconies - Every exterior stairway, deck, porch and balcony shall be structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- 304.11 - Chimneys and towers - Chimneys, cooling towers, smoke stacks, shall be structurally safe and sound and in good repair. Exposed surfaces shall be protected by paint or similar surface treatment.
- 304.12 - Handrails and guards - Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.



- | | |
|-------------------------------------|---|
| <input checked="" type="checkbox"/> | 304.13 - Window, skylight and door frames - Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight. |
| <input checked="" type="checkbox"/> | 304.13.1 - Glazing - Glazing materials shall be maintained free from cracks or holes. |
| <input checked="" type="checkbox"/> | 304.13.2 - Openable windows - Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware. |
| <input type="checkbox"/> | 304.14 - Insect screens - Every door, window and other outside opening required for ventilation or food preparation areas shall have tightly fitting screens of minimum 16 mesh per inch and every screen door must have self closing device in good working condition. |
| <input checked="" type="checkbox"/> | 304.15 - Doors - Exterior doors and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. |
| <input type="checkbox"/> | 304.18 - Building security - Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within. |
| <input type="checkbox"/> | 304.18.1 - Doors - Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall have a dead bolt designed to open from the inside without a key. |
| <input type="checkbox"/> | 304.18.2 - Windows - Operable windows located within 6 ft. above the ground that provides access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. |
| <input type="checkbox"/> | 304.19 - Gates - Exterior gates, gate assemblies, operator systems and hardware shall be maintained in good condition. |

Comments

- | | |
|-------------------------------------|--|
| <input type="checkbox"/> | Section 305 - Interior Structure |
| <input checked="" type="checkbox"/> | Section 306 - Component Serviceability |



<input type="checkbox"/>	306.1 - General - The components of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition.
<input type="checkbox"/>	306.1.1 Unsafe Conditions - Where any of the following conditions cause the component or system to be beyond its limit state, the component or system shall be determined as unsafe and shall be repaired or replaced to comply with the IBC or the IEBC as required for existing buildings.
<input type="checkbox"/>	1. Soils that have been subjected to any of the following conditions:
<input type="checkbox"/>	1.1 Collapse of footing or foundation.
<input type="checkbox"/>	1.2 Damage to footing, foundation, concrete or other structural element due to soil expansion
<input type="checkbox"/>	1.3 Adverse effects to the design strength of footing, foundation concrete or other structural element due to a chemical reaction from the soil.
<input type="checkbox"/>	1.4 Inadequate soil as determined by a geotechnical investigation.
<input type="checkbox"/>	1.5 Where the allowable bearing capacity of the soil is in doubt.
<input type="checkbox"/>	1.6 Adverse effects to the footing, foundation, concrete or other structural element due to the ground water table.
<input checked="" type="checkbox"/>	2. Concrete that has been subjected to any of the following conditions:
<input type="checkbox"/>	2.1 Deterioration
<input type="checkbox"/>	2.2 Ultimate deformation
<input checked="" type="checkbox"/>	2.3 Fractures
<input type="checkbox"/>	2.4 Fissures
<input type="checkbox"/>	2.5 Spalling
<input type="checkbox"/>	2.6 Exposed reinforcement
<input type="checkbox"/>	2.7 Detached, dislodged or failing connections
<input type="checkbox"/>	3. Aluminum that has been subjected to any of the following conditions:
<input type="checkbox"/>	3.1 Deterioration
<input type="checkbox"/>	3.2 Corrosion
<input type="checkbox"/>	3.3 Elastic deformation
<input type="checkbox"/>	3.4 Ultimate deformation
<input type="checkbox"/>	3.5 Stress or strain cracks
<input type="checkbox"/>	3.6 Joint fatigue



3.7 Detached, dislodged or failing connections

4. Masonry that has been subjected to any of the following:

4.1 Deterioration

4.2 Ultimate deformation

4.3 Fractures in masonry or mortar joints

4.4 Fissures in masonry or mortar joints

4.5 Spalling

4.6 Exposed reinforcement

4.7 Detached, dislodged or failing connections

5. Steel that has been subjected to any of the following conditions:

5.1 Deterioration

5.2 Elastic deformation

5.3 Ultimate deformation

5.4 Metal fatigue

5.5 Detached, dislodged or failing connections

6. Wood that has been subjected to any of the following conditions:

6.1 Ultimate deformation

6.2 Deterioration

6.3 Damage from insects, rodents and other vermin

6.4 Fire damage beyond charring

6.5 Significant splits and checks

6.6 Horizontal shear cracks

6.7 Vertical shear cracks

6.8 Inadequate support

6.9 Detached, dislodged or failing connections

6.10 Excessive cutting and notching

Comments

Section 307 - Handrails and guardrails

Section 308 - Rubbish and garbage

Section 309 - Pest Elimination

Section 404 - Occupancy Limits

Section 502 - Required facilities

Section 503 - Toilet Rooms

Section 504 - Plumbing systems and fixtures

Section 505 - Water system

Section 506 - Sanitary drainage system

Section 507 - Storm drainage



<input type="checkbox"/>	Section 601 - Mechanical - General
<input type="checkbox"/>	Section 602 - Heating facilities
<input type="checkbox"/>	Section 603 - Mechanical equipment
<input type="checkbox"/>	Section 604 - Electrical Facilities
<input type="checkbox"/>	Section 605 - Electrical equipment
<input type="checkbox"/>	Section 606 - Elevators, escalators and dumbwaiters
<input type="checkbox"/>	Section 607 - Duct systems
<input type="checkbox"/>	Section 701 - General fire safety requirements
<input type="checkbox"/>	Section 702 - Means of egress
<input type="checkbox"/>	Section 703 - Fire resistance ratings
<input type="checkbox"/>	Section 704 - Fire protection systems

Additional Comments