CITY PLANNING BOARD

BOARD AGENDA

Planning Board Regular Meeting - Monday, April 11, 2022 - 2:00 p.m.
City Hall - City Commission Chambers, 100 North U.S. #1, Fort Pierce, Florida

1. **CALL TO ORDER**

2. **PLEDGE OF ALLEGIANCE**

3. **ROLL CALL**

4. **CONSIDERATION OF ABSENCES**

5. **APPROVAL OF MINUTES**

   a. Minutes from the March 14, 2022 meeting

6. **NEW BUSINESS**

   a. Conditional Use and Site Plan - Fort Pierce Self Storage - 1300 S. US Highway 1

   b. Site Plan - Fort Pierce Commerce Center - Energy Lane (Southeast of Glades Cut Off Road and West of Selvitz Road) - 2431-800-0002-000-0, 2431-800-0003-000-7, 2431-800-0004-000-4, 2431-800-0005-000-1, 2431-800-0007-000-5, 2431-800-0006-000-8.

7. **COMMENTS FROM THE PUBLIC**

   Any person who wishes to comment on any subject may be heard at this time. Please limit your comments to three (3) minutes or less, as directed by the Chair, as this section of the Agenda is limited to thirty minutes. The Planning Board will not be able to take any official actions under Comments from the

Public. Speakers will address the Board and the Public with respect. Inappropriate language will not be tolerated.

8. **DIRECTOR'S REPORT**

9. **BOARD COMMENTS**

10. **ADJOURNMENT**

Any person seeking to appeal any decision by the Planning Board with respect to any matter considered at this meeting is advised that a record of proceedings is required in any such appeal and that such person may need to insure that a verbatim record of the proceedings is made including the testimony and evidence upon which the appeal is to be based.
Persons who require special accommodations under the Americans with Disabilities Act (ADA) should contact (772) 467-3729, at least five (5) days prior to the meeting. Persons who are hearing or speech impaired may use the Florida Relay System by dialing 711.

Planning Board **5. a.**

Meeting Date: 04/11/2022

Information

REQUESTED ACTION

Minutes from the March 14, 2022 meeting

LOCATION

N/A

RESPONSIBLE STAFF

Planning Staff

RECOMMENDATION

N/A

Attachments

Planning Board Minutes 3/14/22

Form Review

Form Started By: Alicia Rosenthal Started On: 03/28/2022 03:56 PM

Final Approval Date: 03/29/2022

D R A F T

CITY OF FORT PIERCE

PLANNING BOARD

Planning Board Minutes

OF THE REGULAR MEETING OF THE FORT PIERCE CITY PLANNING BOARD HELD ON MONDAY, MARCH 14, 2022, IN FORT PIERCE CITY HALL, COMMISSION CHAMBERS, 100 NORTH US HIGHWAY 1, FORT PIERCE, FLORIDA.

1. CALL TO ORDER

2. PLEDGE OF ALLEGIANCE

3. ROLL CALL

Present: Alexander Edwards; Bob Burdge; Michael Broderick; Harold Albury; Marcia Baker; Nichelle Clemons; Frank Creyaufmiller, Chairman

Staff Present: Vennis Gilmore, Senior Planner
Alicia Rosenthal, Planning and Development Organizer

4. CONSIDERATION OF ABSENCES

All members were in attendance.

5. APPROVAL OF MINUTES

a. Minutes from the February 14, 2022 meeting

Motion was made by Bob Burdge, and seconded by Nichelle Clemons to approve the minutes from the February 14, 2022 meeting.

AYE: Michael Broderick, Harold Albury, Marcia Baker, Nichelle Clemons, Alexander Edwards, Bob Burdge, Chairman Frank Creyaufmiller

Passed

6. NEW BUSINESS

a. **Conditional Use Approval - Renaissance Business Park - 4100 and 4200 Okeechobee Road**

Mr. Gilmore gave an overview of the application and answered questions from the Board.The applicant is requesting Conditional Use approval for Light Industrial Service/Manufacturing, Warehouse and Freight, Environmental Research and Education Facilities, Day Care Center (Adult/Child), College or University, Education (Elementary, Middle, High School, College/University), Medical Facilities, Social Service Institution, Self-Service Storage, Building Maintenance Facilities and Services, Microbrewery, Marine-Related Industrial, and Vehicle Storage to be located within the Renaissance Business Park (formerly the Orange Blossom Mall). The property has a Future Land Use designation of General Commercial (GC) with a compatible zoning classification of General Commercial Zone (C-3). Phase 1 consists of commercial re-use of the existing building and future plans for the subject property consists of multifamily development and additional commercial buildings. Mr. Gilmore provided examples of a few of the use restrictions that are contained in the declaration document.

Lee Dobbins, Applicant Representative, Dean Mead Law Firm stated the applicant is redeveloping 2/3 of the mall and the western section is owned by a different property owner. Mr. Dobbins explained that the mall will have flex space for different uses and since the Conditional Use process is time-consuming a menu of Conditional Uses was created. Mr. Dobbins highlighted that the mall is a unique situation of being isolated from the neighbors by a large parking lot.

Ms. Baker and Ms. Clemons asked how a microbrewery can be listed as one of the Conditional Uses when distilling is not allowed in the Declaration of Convenance. Mr. Broderick asked if the flooding mitigation has taken place on the property.

Mike O'Neil, Developer, stated the drainage has been fixed with the property owner association and the building is completely flood hardened with a flood gate on every door. Mr O'Neil said the flood proofing meets the FEMA qualifications.

Board discussion ensued on removing distilling from the Declaration of Convenance. Mr. Dobbins stated they would remove the microbrewery from the list of approved Conditional Uses.

Motion was made by Marcia Baker, and seconded by Michael Broderick to approve the requested application with the following conditions:

1. The subject Conditional Use approves only those requested uses in the subject staff report and site plan that require Conditional Use Approval. Those permitted by right do not require Conditional Use Approval.
2. The subject Conditional Use Approval is limited to Phase 1. Future Phases will require a separate Site Plan (Development and Design) Approval.
3. A certified letter of completion by a landscape architect and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate of Occupancy is approved for the site.
4. Remove microbrewery from the list of uses.

AYE: Harold Albury, Marcia Baker, Nichelle Clemons, Alexander Edwards, Bob Burdge, Michael Broderick, Chairman Frank Creyaufmiller

Passed

b. **Site Plan - Kieran Casey Warehouse and Office Building - 3621 US Highway 1**

Mr. Gilmore gave an overview of the application and answered questions from the Board. The applicant is seeking approval of a Site Plan to develop a 10,300 square foot warehouse and office building with associated site improvements on a 1.51-acre parcel of unimproved land. The subject property has a Future Land Use designation of General Commercial with a compatible zoning classification of General Commercial Zone (C-3). The proposed site plan meets the basic use standards for the C-3 zone. Careful consideration and thought has been given to the design, regarding orientation, access, landscaping, building design and budget. Mr. Gilmore noted that the influx of parking is for the possibility of a future restaurant.

Mark Landsman, Applicant Representative from Engineering, Design and Construction and Kieran Casey, Owner, introduced themselves and offered to answer any questions from the Board.

Motion was made by Bob Burdge, and seconded by Michael Broderick to approve the requested application with the following conditions:

1. Pursuant to City Code Section 123-66.(d) -Tree protection and mitigation, a final Tree Mitigation Plan shall be approved by staff prior to the issuance of a Building Permit.
2. A certified letter of completion by a landscape architect and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate of Occupancy is approved for the site.

AYE: Marcia Baker, Nichelle Clemons, Alexander Edwards, Bob Burdge, Michael Broderick, Harold Albury, Chairman Frank Creyaufmiller

Passed

7. **COMMENTS FROM THE PUBLIC**

There were no comments from the public.

8. **DIRECTOR'S REPORT**

There was no Director's Report.

9. BOARD COMMENTS

Chairman Creyaufmiller said he forgot to thank Ms. Johnson Scott for the time she spent on the Planning Board.

Chairman Creyaufmiller noted that the Short Term Rental report from the Conference Agenda meeting was positive and the efforts from the Planning Board and the Short Term Rental Task Force Committee are working.

Mr. Broderick stated the task force projections seem to be coming true.

Mr. Broderick asked if there has been any discussion requiring developers to install EV charging station facilities due to the high demand.

Mr. Broderick noted that the downtown parking assessment report, due out soon, will show the shortfall in downtown parking and the areas for vertical parking.

10. ADJOURNMENT

Planning Board **6. a.**

Meeting Date: 04/11/2022

Re: Conditional Use and Site Plan - Fort Pierce Self Storage - 1300 S. US Highway 1

Submitted For: Jennifer Hofmeister, Planning Director, Planning & Zoning

---

Information

SUBJECT:

Conditional Use and Site Plan - Fort Pierce Self Storage - 1300 S. US Highway 1

SUMMARY:

Application for Conditional Use and Site Plan (Development and Design Review) submitted by property owner, LGFTP I LLC (DBA: Fort Pierce Self Storage LLC, Daniel Abreu), and representative, Edward M. McDonald, Principal, Thomas Engineering Group, for Fort Pierce Self Storage generally located at 1300 S US Highway 1, to construct a four (4)-story storage building totaling 106,860 square feet with associated site improvements. The property is zoned General Commercial Zone (C-3). Parcel ID: 2415-602-0002-000-2

RECOMMENDATION:

The proposed Conditional Use - Site Plan (Development Review and Design Review) applications adhere to the requirements of the City Land Development Code and guidelines of the City's Comprehensive Plan and does not appear to adversely affect the public health, safety, convenience, and general welfare. Therefore, Staff recommends **APPROVAL** of the requested applications with the following condition:

1. A certified letter of completion by a landscape architect, cost estimate, and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate of Occupancy is approved for the site.

ALTERNATIVES:

- Recommend Approval with alternate conditions
- Recommend Denial

RESPONSIBLE STAFF:

Vennis Gilmore, Senior Planner

COORDINATED WITH:

Technical Review Committee

Fiscal Impact

OTHER INFORMATION:

N/A

Attachments

Staff Report and Supporting Documents

Application and Supporting Documents

Form Review

Inbox	Reviewed By	Date
City Manager	Linda Cox	04/06/2022 11:17 AM

Form Started By: Vennis Gilmore Started On: 04/05/2022 10:46 AM

Final Approval Date: 04/06/2022

THE SUNRISE CITY
FORT PIERCE
PLANNING DEPARTMENT Florida

TO:	Members of the City of Fort Pierce Planning Board
THROUGH:	Jennifer Hofmeister-Drew, AICP, LCAM, Planning Director
FROM:	Vennis Gilmore, Senior Planner
RE:	**Conditional Use & Site Plan (Development Review and Design Review)** **Fort Pierce Self Storage** **1300 S US Highway 1** **21-07000028**
BOARD DATE:	April 11, 2022

STAFF REPORT

Owner:	LGFTP I LLC (DBA: Fort Pierce Self Storage LLC, Daniel Abreu) 14011 SW 20th Street Miami, FL 33175
Representative:	Edward M. McDonald, Principal, Thomas Engineering Group 1502 W. Fletcher Avenue, Suite 101 Tampa, FL 33612
Applicant's Request:	Approval of a Conditional Use and Site Plan (Development Review and Design Review) to construct a four (4)-story storage building totaling 106,830 square feet with associated site improvements
Location(s):	1300 S. US Highway 1
Parcel ID:	2415-602-0002-000-2
Future Land Use:	General Commercial (GC)
Current Zoning:	General Commercial Zone (C-3)

Surrounding FLU:

North	East	South	West
GC	COS	GC	GC

Surrounding Zoning:

North	East	South	West
C-3	OS-1	C-3	C-3

Utilities: FPUA

Staff Analysis:

Request

In accordance with Sections 125-37, 125-313, and 125-314 of the City Code, the applicant is requesting the review and approval for a Conditional Use - Site Plan (Development Review and Design Review) to construct a four (4)-story, 106,830 square foot storage building with associated site improvements. The facility will be secured by an automated gate and fencing, with an office on-site. The subject parcel totals approximately 1.38 acres. The site is surrounded by General Commercial (C-3) businesses to the west, north, south, and a golf course to the east.

Future Land Use and Zoning

The General Commercial (GC) Future Land Use designation provides for higher intensity commercial developments or horizontal and vertical mixed-use developments. Uses allowed within this designation include multifamily residential, intensive and general commercial, retail, service, offices, tourist/entertainment facilities, hotels/motels, parks and recreation, along with compatible public, quasi-public, and special uses. Development shall include either commercial or mixed uses fronting major roadway corridors with higher intensity near major intersections.

The subject site has a zoning district classification of the General Commercial Zone (C-3) district which is primarily intended to provide for a broad variety of business activities including shoppers' goods stores, convenience goods and service establishments, offices and tourist/entertainment facilities. Many public and semi-public uses are also appropriate. Compared to the C-4 zone, this district is more suitable for uses requiring a high degree of accessibility to vehicular traffic, low intensity uses on large tracts of land, most repair services and small warehousing and wholesaling operations. Although this zone should be located along or near arterial or collector streets, it is not the intent of this district to encourage the extension of strip commercial areas. Instead, it should promote concentrations of commercial activities.

Development and Design Review
The site plan proposed will consist of the following structure:

- One four (4)-story, 106,860 square foot, climate-controlled self-storage building



Fort Pierce Self Storage Site Plan

The facility will be secured by an automated gate and fencing, with an office on-site for two (2) employees per shift (three to five employees total). Office hours are to be determined. Customers that have access codes can access their storage units from 6:00 am – 10:00 pm Monday – Sunday.

The design for the building integrates various architectural elements. The main entrance at the corner is emphasized with height, glass, window awnings, and shutters to portray a clear landmark for patrons and display the colorful accents to the grayscale structure. The awning projection wraps around the corner and provides cover. Beyond the corner entry, the length of wall includes textured concrete columns on all sides of the building and a crown finish at the parapet level.



Fort Pierce Self Storage Rendering

Overall, there are several colors; predominately shades of gray (extra white, gray screen, online, african gray, software, web gray, and orange) being utilized, all within a related grayscale neutral scheme. All the corners are highlighted with the darker tone to anchor the design. Glass and Metal awnings are additional materials that signify featured elements and function.

Landscaping

The plant schedule the applicant is proposing consists of a total of 34 trees and 18 palms. The applicant is also proposing to remove and replace trees, plant shrubs, and install irrigation. The plans will involve the following:

- Trees: 2 Orange Geiger, 11 Dahoon Holly, 18 Crepe Myrtle, and 3 Southern Like Oak.
- Palms: 12 Cabbage Palmetto and 6 Florida Thatch Palm.
- Shrubs: 214 Buttonwood, 235 Silver Buttonwood, 3 East Palatka Holly, 85 Red Tip Cocoplum, 305 Green Island Ficus, and 143 Pink Muhly Grass.
- Ground Covers: 160 Bush Seaside Tansy.
- New Irrigation will be installed.

Technical Review Committee

All affected departments have reviewed the proposed Conditional Use - Site Plan (Development Review and Design Review) with regards to the requirements of the City Code. Findings from the review by corresponding departments and the associated responses by the applicant are provided.

Staff Recommendation

The proposed Conditional Use - Site Plan (Development Review and Design Review) applications adhere to the requirements of the City Land Development Code and guidelines of the City's Comprehensive Plan and does not appear to adversely affect the public health, safety, convenience, and general welfare. Therefore, Staff recommends **APPROVAL** of the requested applications with the following condition:

1. A certified letter of completion by a landscape architect, cost estimate, and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate of Occupancy is approved for the site.



Fort Pierce Self Storage

1300 S. US Highway 1

Location Map

THE SUNRISE CITY
FORT PIERCE
Florida



Fort Pierce Self Storage
1300 S. US Highway 1
Zoning & FLU Map

THE SUNRISE CITY
FORT PIERCE
Florida

THE SUNRISE CITY
FORT PIERCE
PLANNING DEPARTMENT Florida

DEVELOPMENT REVIEW

Property address or Location NEC US 1 & Ohio Ave, FT. Pierce, FL

Parcel ID #(s) 2415-602-0002-000-2

Project description Construct a 4-story climate controlled storage facility approximately 106,860 SF

LGFTP I LLC (DBA: Fort Pierce Self Storage LLC, Daniel Abreu)	Edward M. McDonald/ Principal/ Thomas Engineering Group
Property Owner(s)	**Applicant/Representative, Title, Company**
14011 SW 20th Street	1502 W. Fletcher Ave. Suite 101
Street Address	Street Address
Miami FL 33175	Tampa FL 33612
City State Zip	City State Zip
954-755-5817	813-379-4100
Phone Number	Phone Number
rich@lginst.net	emcdonald@thomaseg.com
Email Address	Email Address

Property Owner(s) Acknowledgements: *- This application will not be considered complete without the signature of all property owners of record, which shall serve as an acknowledgement of the submission of this application. The property owner's signature below shall also authorize the Applicant (if other than the property owner) and/or Representative to act in his/her behalf for the purposes of seeking approval for the application described herein. The undersigned consents to inspection and photographing of the subject property by the Planning staff for purposes of consideration of this Application and/or presentation to the Planning Board and City Commission.*

Property Owner(s) Signature(s)

STATE OF FLORIDA -- COUNTY

The foregoing instrument was acknowledged before me this 20 day of October, 2021, by Daniel Abreu who is personally known to me or has produced _____ as identification.

Signature of Notary (seal)

NOTARY PUBLIC STATE OF FLORIDA
MAYTEE HERNANDEZ
Commission # GG 916449
Expires January 24, 2024
Bonded Thru Budget Notary Services

INTAKE MEETINGS ARE REQUIRED FOR ALL SUBMITTALS. CALL (772) 467-3729

TO BE COMPLETED BY STAFF

Zoning	Future Land Use	Total Acres	Historic District	Historic Designation
				Contributing Individual Non-Contributing None

Pre-Application Meeting Date_____

Intake Planner_____

Planner Assigned_____

Approved By_____ Date _____

Comments_____

Fees_____ Control #_____ B. Permit #_____

Intake Date Stamp

❑ DEVELOPMENT REVIEW

General Information

- ❑ Incomplete application packets cannot be accepted.
- ❑ Site Plan approval is valid for one (1) year following City Commission approval. In order to maintain site plan approval, vertical improvements, permitted by the Building Department must commence prior to the 12-month expiration date, and building permits must be maintained until site plan is completed, per plans, or approval shall lapse.

Choose Application Type:

Application Type		
■ Site Plan	■ Conditional Use with New Const.	❑ Major Amendment
❑ Conceptual Development Plan		❑ Minor Amendment

Site Information:


Site: 60,039

Non-Residential: Proposed Sq. Ft.: _____ Residential: Proposed Units: 0

Surrounding Uses: *(i.e. single family home, retail, industrial, etc.)*

North	South	East	West
Retail	Retail	OS	Retail

Application Outlook



Site Plan submittal requirements:

Submit one (1) original & thirteen (13) hard copies and one (1) CD of the following. Additional copies will be required of subsequent submittals.

- ❑ Complete notarized application
- ❑ Warranty Deed
- ❑ SLC Property Record Card
- ❑ Statements of ownership & control of proposed development. Statement describing in detail: character & intended use.
- ❑ General location map (see Section 22-58.d.2)
- ❑ Survey (see Section 22-58.d.3)
- ❑ Site Plan (see Section 22-58.d.4)
- ❑ Landscaping Plan (see Section 22-187)
- ❑ Storm Drainage Plan (see Section 22-58.d.6)
- ❑ Environmental Impact Report
- ❑ Beach/Dune System protection plan, if applicable (see Section 22-58.d.7)
- ❑ Lighting Plan (see Section 22-58.d.8)
- ❑ Design Review submittals (see Design Review application)
- ❑ Traffic Impact Report
- ❑ Concurrency Review submittals (see Concurrency Review application)

THE SUNRISE CITY
FORT PIERCE
PLANNING DEPARTMENT Florida

Design Review

Property address or Location NEC US1 & Ohio Ave, FT. Pierce, FL

Parcel ID #(s) 2415-602-0002-000-2

Project Description Construct a 4-story climate controlled storage facility approximately 106,860 SF

LGFTP I LLC (DBA: Fort Pierce Self Storage LLC, Daniel Abreu)	Thomas Engineering Group
Property Owner(s)	Applicant/Representative, Title, Company
14011 SW 20th Street	1502 W Fletcher Avenue, Suite 101
Street Address	Street Address
Miami FL 33175	Tampa FL 33612
City State Zip	City State Zip
954-755-5817	813-379-4100
Phone Number	Phone Number
rich@lginst.net	emcdonald@thomaseg.com
Email Address	Email Address

Property Owner(s) Acknowledgements: *- This application will not be considered complete without the signature of all property owners of record, which shall serve as an acknowledgement of the submission of this application. The property owner's signature below shall also authorize the Application (if other than the property owner) and/or Representative to act in his/her behalf for the purposes of seeking approval for the application described herein.*

Property Owner(s) Signature(s)

STATE OF FLORIDA -- COUNTY

The foregoing instrument was acknowledged before me this 20 day of October, 2021, by Daniel Abreu who is personally known to me or has produced _____ as identification.

MAYTEE HERNANDEZ
Commission # GG 916449
Expires January 24, 2024
Bonded Thru Budget Notary Services

Signature of Notary

(seal)

TO BE COMPLETED BY STAFF

Zoning	Future Land Use	Total Acres	Historic Districts	Historic Designation

Pre-Application Meeting Date _____ Fees _____ Control # _____ B. Permit _____

Intake Planner _____

Planner Assigned _____

Approved _____ Date _____

Comments _____

Intake Date Stamp

Design Review Application Checklist
(City Code of Ordinances 22-59)

Submittal for Administrative Approval

a. A survey (1" = 30' minimum scale) of property lines, existing topography and the location of trees meeting the tree protection regulations of section 22-194, location of bordering streets and, if applicable, wetlands and beaches.
b. A site analysis study to include a discussion of specimen trees and other natural vegetation, access, significant topography, wetlands, buffers, setbacks, views, orientation, the surrounding built environment and other site features that may influence design elements.
c. A draft written narrative describing the design intent of the project, its goals and objectives and how it reflects the site analysis study results.
d. Context photographs of neighboring uses and architectural styles.
e. Photographs and/or drawings of architectural buildings or objects that serve as a precedent for the proposed building design. Models should be taken from local exemplary buildings, either existing or demolished. Documentation of such buildings is available in the city's planning department.
f. Photographs of all existing structures located on the property. If existing structures on the property are more than fifty (50) years of age, documentation of these structures with data from the Florida Master Site File form is also required.
g. Conceptual site plan (to scale) showing proposed location of all buildings, structures, parking areas, signs and landscaping.
h. Landscape plan, at the same scale as the site plan. The planning director or designee may request enlarged plans of detailed planting areas. Planting schedule with sizes of proposed plantings must be included.
i. Accurate color rendering of proposed signs showing dimensions, type of lettering, materials and actual color samples that demonstrates cohesiveness with the project design.
j. Exterior elevations showing architectural character, external architectural features and streetscape of the proposed development, including materials, colors, shadow lines and landscaping. The street elevation shall encompass the entire proposed project and generally identify the major elements of the adjacent two (2) properties on either side of the site. If the adjacent properties are vacant or underutilized, a diagram shall be provided that identifies the mass and form that is allowable under current zoning. If the street elevation must be drawn at such a scale as to render architectural details of the building unreadable, drawings of individual buildings at a larger scale should be provided as well.
k. Design review concurrent with conceptual development plan procedure according to subsection 22-58(e) is also available.

Submittal for Board Approval

a. A written narrative describing how the project conforms to administrative approval and design review guidelines of this section.
b. A final site plan meeting the requirements of section 22-58
c. A final site lighting plan that meets the requirements of subsection 22-58(d)(8).
d. A final landscape plan that meets the requirements of Article XII, Landscaping and Trees.
e. Final floor plans and elevation drawings (1/8" = 1'-0" minimum scale), as detailed under administrative approval, showing exterior building materials and colors with architectural sections and details to adequately describe the project.
f. A color board (11"x17" maximum) containing actual color samples of all exterior finishes, keyed to the elevations, and indicating the manufacturer's name and color designation.

Building Use and Environment Narrative

for

Fort Pierce Storage Facility

S US Highway 1, Fort Pierce
St. Lucie County, Florida

Prepared for:

Leonardi Investment Group

Prepared by

1502 W. Fletcher Ave, Suite 101
Tampa, FL 33612
813-379-4100

October 15, 2021

TEG Project # FT210079

Project Name: **Fort Pierce Storage Facility**
Location: **S US Highway 1, City of Fort Pierce, St. Lucie County, FL**
Sec/Twp/Rge: **S15/T35S/R40E**
Permittee: **LGFTP I LLC (DBA Fort Pierce Self Storage LLC)**
Property Owner: **LGFTP I LLC (DBA Fort Pierce Self Storage LLC)**
Project Area: **1.38 Acres**

I. Building Narrative

The proposed building is a four-story, climate-controlled, self-storage facility located off on US Highway 1. The hours of operation may vary based on local demands. The expected hours of operation will be from 6AM to 10PM. The storage facility will employee approximately three to five people with two employees per shift.

II. Environmental Impact Statement

An environmental engineer was contacted and provided the following statement

"The most recent Phase II Environmental Site Assessment conducted during August 2021 demonstrated that petroleum hydrocarbon impacted groundwater is present at the property at levels which will require further assessment and remediation. Furthermore, Phase II ESA demonstrated that petroleum hydrocarbon concentrations in excess of the Leachability standards have been identified in the soil. Currently, our environmental consultant is working on a proposal to continue the assessment in an effort to define the extent of the impacted groundwater and soil both vertically and horizontally. In addition, interim remedial action strategies will be implemented in an effort to mitigate these impacts."

III. FDOT and SFWMD

Required permits will be submitted and approved prior to site approval.

Michelle Franklin, CFA -- Saint Lucie County Property Appraiser -- All rights reserved.

Property Identification

Site Address: TBD
Sec/Town/Range: 15/35S/40E
Parcel ID: 2415-602-0002-000-2
Jurisdiction: Fort Pierce

Use Type: 1000
Account #: 181883
Map ID: 24/15N
Zoning: General Co

Ownership

LGFTP I LLC
7307 NW 122nd AVE
Parkland, FL 33076

Legal Description

LG CENTER (PB 74-39) LOT 2 (1.38 AC - 60,113 SF)

Current Values

Just/Market Value:	$270,500
Assessed Value:	$270,500
Exemptions:	$0
Taxable Value:	$270,500

Property taxes are subject to change upon change of ownership.

- **Past taxes are not a reliable projection of future taxes.**
- **The sale of a property will prompt the removal of all exemptions, assessment caps, and special classifications.**

Taxes for this parcel: SLC Tax Collector's Office
Download TRIM for this parcel: Download PDF



Total Areas

Finished/Under Air (SF):	0
Gross Sketched Area (SF):	0
Land Size (acres):	1.38
Land Size (SF):	60,113

Building Design Wind Speed

Occupancy Category	I	II	III & IV
Speed	140	160	160

Sources/links:

Sale History

Date	Book/Page	Sale Code	Deed	Grantor	Price

Special Features and Yard Items

Type	Qty	Units	Year Blt

Current Year Values

Current Values Breakdown

Building:	$0
Land:	$270,500
Just/Market:	$270,500
Ag Credit:	$0

Current Year Exemption Value Breakdown

Save Our Homes or 10% Cap:	$0
Assessed:	$270,500
Exemption(s):	$0
Taxable:	$270,500

Current Year Special Assessment Breakdown

This does not necessarily represent the total Special Assessements that could be charged against this property. The total amount charged for special assessments is reflected on the most current tax statement and information is available with the SLC Tax Collector's Office.

Historical Values

Year	Just/Market	Assessed	Exemptions	Taxable
2020	$270,500	$270,500	$0	$270,500
2019	$270,500	$270,500	$0	$270,500
2018	$270,500	$270,500	$0	$270,500

Permits

Number	Issue Date	Description	Amount	Fee
BP17-0880	May 23, 2017	Commercial New Construction	$2,336,928	$0
BP17-0887	May 18, 2017	Site Work	$700,000	$0

Notice: This does not necessarily represent all the permits for this property.
Click the following link to check for additional permit data in Fort Pierce

All information is believed to be correct at this time, but is subject to change and is provided without any warranty.
© Copyright 2021 Saint Lucie County Property Appraiser. All rights reserved.

July 30, 2021

LETTER OF AUTHORIZATION

To Whom It May Concern:

Please accept this letter as authorization for Edward M. McDonald with Thomas Engineering Group LLC, to serve as Agent for any permitting or other governmental approvals including City of Fort Pierce, St. Lucie County, FDEP, and SFWMD, on behalf of **LGFTP I LLC.** for the proposed development located at **Enter Address Here.**
I hereby designate and authorize **Thomas Engineering Group, LLC** to act on my behalf, or on behalf of my corporation, as the agent in the processing of this application for the permit and/or proprietary authorization indicated above; and to furnish, on request, supplemental information in support of the application. In addition, I authorize the above-listed agent to bind me, or my corporation, to perform any requirements which may be necessary to procure the permit or authorization indicated above.

Signature: Rich Leonardi

Company: LGFTP I LLC

Printed Name: Rich J. Leonardi

Title: MGR

Address: 7307 NW 122nd Avenue

City: Parkland State:FL Zip:33076

Phone:954-755-5817

Email:rich@lginvest.net

STATE OF Florida COUNTY OF Broward
On this 30 day of July, 2021, before me, the undersigned Notary Public of the State of Florida, personally appeared Rich Leonardi and whose name(s) is/are subscribed to the within instrument, and acknowledge that he/she/they executed it. The individual(s) is/are ✓ personally known to me, or ___ presented the following identification: _____.

WITNESS my hand and official seal. NOTARY SEAL & COMMISSION EXPIRATION:

Notary Signature

MARTHA E. MENDIBLE
Notary Public - State of Florida
Commission # GG 280552
My Comm. Expires Nov 29, 2022
Bonded through National Notary Assn.

Electronic Articles of Organization
For
Florida Limited Liability Company

L21000321263
FILED 8:00 AM
July 14, 2021
Sec. Of State
jcmiller

Article I

The name of the Limited Liability Company is:

FORT PIERCE SELF STORAGE LLC

Article II

The street address of the principal office of the Limited Liability Company is:

14011 SW 20 STREET
MIAMI, FL. 33175

The mailing address of the Limited Liability Company is:

14011 SW 20 STREET
MIAMI, FL. 33175

Article III

The name and Florida street address of the registered agent is:

DANIEL ABREU
14011 SW 20 STREET
MIAMI, FL. 33175

Having been named as registered agent and to accept service of process for the above stated limited liability company at the place designated in this certificate, I hereby accept the appointment as registered agent and agree to act in this capacity. I further agree to comply with the provisions of all statutes relating to the proper and complete performance of my duties, and I am familiar with and accept the obligations of my position as registered agent.

Registered Agent Signature: DANIEL ABREU

Article IV

L21000321263
FILED 8:00 AM
July 14, 2021
Sec. Of State
jcmiller

The name and address of person(s) authorized to manage LLC:

Title: MBR
TPAD FORT PIERCE LLC
14011 SW 20 STREET
MIAMI, FL. 33175

Title: MBR
LGFTP I, LLC
5944 CORAL RIDGE DRIVE, SUITE 312
CORAL SPRINGS, FL. 33076

Signature of member or an authorized representative

Electronic Signature: DANIEL ABREU

I am the member or authorized representative submitting these Articles of Organization and affirm that the facts stated herein are true. I am aware that false information submitted in a document to the Department of State constitutes a third degree felony as provided for in s.817.155, F.S. I understand the requirement to file an annual report between January 1st and May 1st in the calendar year following formation of the LLC and every year thereafter to maintain "active" status.

FILE # 4297810 OR BOOK 3984 PAGE 2394, Recorded 04/13/2017 04:05:27 PM Doc Tax: $3500.00

THIS INSTRUMENT WAS PREPARED BY:

REGINA NAPPI, ESQ.
TD BANK, N.A.
75 JOHN ROBERTS ROAD, BLDG. B
SOUTH PORTLAND, ME 04106

PARCEL ID# 2415-601-0448-000-7 & 2415-601-0449-000-4

SPECIAL WARRANTY DEED

THIS INDENTURE, made this 12 day of April, 2017, between **FIRST CITIZENS PREMISES COMPANY, INC**, a Florida corporation, whose address is 2211 Okeechobee Road, Fort Pierce, FL 34950 ("Grantor"), and **LGFTP I, LLC,** a Florida limited liability company, whose address is 7307 NW 122nd Avenue, Parkland, FL 33076 ("Grantee"):

WITNESSETH THAT:

Grantor, for and in consideration of the sum of Ten and No/100 U.S. Dollars ($10.00), lawful money of the United States of America, to it in hand paid by the Grantee, at or before the ensealing and delivery of these presents, the receipt of which is hereby acknowledged, has granted, bargained, sold, alienated, remised, released, conveyed and confirmed and by these presents does grant, bargain, sell, alien, remise, release, convey and confirm unto the Grantee and its/his/her heirs or successors and assignees forever, the following parcel of land, situate, lying and being in the County of St. Lucie, State of Florida, and more particularly described as follows:

SEE **EXHIBIT A** ATTACHED HERETO AND MADE A PART HEREOF (the "Land").

SUBJECT TO AND TOGETHER WITH, HOWEVER, THE FOLLOWING:

1. Real property taxes and assessments for the year 2017 and for subsequent years.

2. Zoning and other regulatory laws and ordinances affecting the Land.

3. Easements, reservations, restrictions, rights of way, and other matters of record, if any, without re-imposing the same.

4. For a period of five (5) years from the recording hereof, the Land may not be used as a commercial bank, retail bank branch, savings bank, financial services institution, insurance company, brokerage firm, for the placement of an Automatic Teller Machine (ATM), savings and loan or credit union or affiliate thereof.

TOGETHER with all and singular the tenements, hereditaments and appurtenances thereunto belonging or in any way appertaining.

TO HAVE AND TO HOLD the same in fee simple forever.

AND the Grantor hereby covenants with said Grantee that it is lawfully seized of the Land hereby conveyed in fee simple; that it has good right and lawful authority to sell and convey said Land; that it hereby specially warrants the title to said Land and will defend the same against the lawful claims of any persons claiming by, through or under the said Grantor but against no others.

[TEXT AND SIGNATURES FOLLOW]

IN WITNESS WHEREOF, Grantor has caused these presents to be signed in its name by its proper officers and its corporate seal to be affixed, the day and year first above written.

FIRST CITIZENS PREMISES COMPANY , INC. (a Florida corporation)

By: _____
Name: Jason Lavegna
Title: Senior Vice President

_____
Witness
Sharen H Lerbuntz
Printed Name of Witness

_____
Witness
MALGORZATA CRANMER
Printed Name of Witness

STATE OF New Jersey)
) ss.:
COUNTY OF Burlington)

The foregoing Special Warranty Deed was acknowledged before me this 12 day of April, 2017, by Jason Lavegna, as Senior Vice President of **FIRST CITIZENS PREMISES COMPANY, INC.**, a Florida corporation, on behalf of the corporation, who (X) is personally known to me, or ( ) produced _____ as identification.

_____
Signature of Notary Public
Lauren Dercqu
Printed Name of Notary Public

LAUREN DERCQU
NOTARY PUBLIC OF NEW JERSEY
Comm. # 50046627
My Commission Expires 9/30/2021

EXHIBIT A

PARCEL 1:

The East 100 feet of Lots 1, 2, 3 and 4, Block 30 Pinewood Subdivision, according to the Map and Plat thereof as recorded in Plat Book 5, Page 24, of the public records of St. Lucie County Florida, less and except the South 30 feet of the above-described property as conveyed to the City of Fort Pierce, Florida by the Special Warranty Deed recorded in official records Book 2853, Page 832, of the public records of St. Lucie County, Florida.

PARCEL 2:

Lots 1, 2, 3 and 4, less and except the East 100 feet thereof of each, and all of Lots 27, 27A, 28, 28A, 29, 29A, 30 and 30A, Block 30 Pinewood Subdivision, according to the Map and Plat thereof as recorded in Plat Book 5, Page 24, of the public records of St. Lucie County, Florida; TOGETHER with all of that portion of the alley appurtenant to said lots, which alley has been vacated and closed by the City of Fort Pierce. Less and except the South 30 feet of the above-described property as conveyed to the City of Fort Pierce, Florida by the Special Warranty Deed recorded in official records Book 2853, Page 832, of the public records of St. Lucie County, Florida.

Prepared by and Return to:
Kenneth P. Wurtenberger, Esq.
Kopelowitz Ostrow P.A.
One West Las Olas Blvd., Suite 500
Fort Lauderdale, FL 33301
954-525-4100
File Number: 013354-000011

RECIPROCAL EASEMENT AGREEMENT WITH COVENANTS, CONDITIONS AND RESTRICTIONS

THIS RECIPROCAL EASEMENT AGREEMENT WITH COVENANTS, CONDITIONS AND RESTRICTIONS (the "Agreement") is made and entered into this 27th day of September, 2017, between **LGFTP I, LLC.**, a Florida limited company ("Owner") and **ALDI (FLORIDA) L.L.C.,** a Florida limited liability company ("ALDI").

RECITALS

A. Owner is the owner that certain real property situated in St. Lucie County, State of Florida, more particularly described on Exhibit "A" attached hereto and incorporated herein by this reference (the "Property").

B. Owner has leased to ALDI a portion of the Property, which is more particularly described on Exhibit "B", attached hereto and incorporated herein by reference (hereinafter referred to as "Lot 1") by that certain Aldi Ground Lease Agreement dated on or about February 20, 2017 (the "Lease").

C. Owner intends to lease to a future tenant the balance of the Property, which is more particularly described on Exhibit "C", attached hereto and incorporated herein by reference (hereinafter referred to as "Lot 2").

D. Owner and ALDI desire to impose certain easements upon Lot 1 and Lot 2, and to establish certain covenants, conditions and restrictions on Lot 1 and Lot 2, for the mutual and reciprocal benefit and complement of said future owners of Lot 1 and Lot 2 and occupants or tenants thereof, on the terms and conditions hereinafter set forth.

NOW, THEREFORE, in consideration of the above premises and of the covenants herein contained, Owner, and ALDI hereby covenant and agree that Lot 1 and Lot 2 and all present and future owners, occupants and tenants of Lot 1 and Lot 2 shall be and hereby are subject to the terms, covenants, easements, restrictions and conditions hereinafter set forth in this Agreement, so that said Parcels (as hereinafter defined) shall be maintained, kept, sold and used in full compliance with and subject to this Agreement and, in connection therewith, the parties hereto on behalf of themselves and their respective successors and assigns covenant and agree as follows:

AGREEMENTS

1. **Definitions.** For purposes hereof:

a) The term "ALDI" shall mean ALDI (FLORIDA) L.L.C., a Florida limited liability company (or any of its affiliates, subsidiaries, successors or assigns).

b) The term "Future Tenant" shall mean the tenant to which the Owner leases Lot 2 (or any of its affiliates, subsidiaries, successors or assigns).

c) The term "Easement" or "Easements" collectively shall mean the Cross Access Easement, Drainage Easement and Temporary Construction Easement, as set forth in this Agreement.

d) The term "Owner" or "Owners" shall mean the Owner of the Property and any and all successors or assigns of such persons as the owner or owners of fee simple title to all or any portion of the Property, whether by sale, assignment, inheritance, operation of law, trustee's sale, foreclosure, or otherwise, but not including the holder of any mortgage, lien or encumbrance on the Property.

e) The term "Parcel" or "Parcels" shall mean the two (2) separately identified parcels of real property that comprise the Property that is the subject of this Agreement, (i.e. Lot 1 described on Exhibit "B", and Lot 2 described on Exhibit "C").

f) The term "Permittees" shall mean the owner(s), tenant(s) or occupant(s) of a Parcel.

g) The term "Site Plan" shall mean the site plan of the Parcels attached hereto as "Exhibit "D" and by reference made a part hereof. Except as may be otherwise provided in this Agreement, the Site Plan is for identification purposes only.

h) The term "Tenant" shall mean Future Tenant or any other future tenant of Lot 1 or Lot 2.

2. **Easements.**

2.1 **Grant of Easements.** Subject to any express conditions, limitations or reservations contained herein, the Owner and ALDI hereby grant, establish, covenant and agree that the Parcels, and the Owner and Permittees of the Parcels, shall be benefitted and burdened by the following nonexclusive, perpetual easements which are hereby imposed upon the Parcels:

(a) A reciprocal easement for reasonable access, ingress and egress over the paved driveways, roadways and walkways (but not parking areas) as presently or hereafter constructed on Lot 1 and Lot 2, in the location depicted on the Site Plan and identified as the "Cross Access Easement". The Cross Access Easement shall provide for the passage of motor vehicles and pedestrians traffic.

(b) An easement for the installation, use and operation of utilities, including without limitation water, sewer, electric, telephone, and cable (each a "Utility" or collectively, "Utilities") upon, over, under and across those portions of Lot 2, which are depicted on the Site Plan as the "Drainage Easement" and to enter and access Lot 2 as necessary for the installation, maintenance, repair and replacement said Utility; provided that except in an emergency, the right of a Lot 1 Permittee to enter upon Lot 2 for the exercise of any right pursuant to such easements shall be conditioned upon providing reasonable prior advance written notice to the Owner (and, during the continuance of the Future Tenant's Lease, Future Tenant) as to the time and manner of entry. All such systems, structures, mains, sewers, conduits, lines and other public utilities shall be installed and maintained below the ground level or surface of Lot 2 (except for such parts thereof that cannot and are not intended to be placed below the surface, such as transformers and control panels, which shall be placed in such location as approved by the Permittee of Lot 2.

The Permittee of Lot 2 shall have the right at any time to relocate a Utility located upon Lot 2 upon 30-days prior written notice to all Permittees of Lot 1, including ALDI; provided, however, that such relocation shall not interfere with or diminish the utility service to Lot 1; shall not reduce or unreasonably impair the usefulness or function of such Utility; shall be performed without cost or expense to the benefitted Permittee; and shall be completed using materials and design standards which equal or exceed those originally used. Each Utility shall be installed, maintained and replaced, at the sole cost and expense of the benefitted Permittee and be kept in a good condition (except to the extent the provider of the service or a governmental or quasi-governmental authority has agreed to maintain such Utility). Any maintenance and repair of a Utility located on Lot 2 shall be performed in such a manner as to cause as little disturbance to Lot 2 as is practicable under the circumstances.

(c) A temporary construction easement over Lot 2, as necessary for ALDI to develop and construct improvements on Lot 1 (the "Temporary Construction Easement").

2.2 **Indemnification.** Each party having rights with respect to the Easements granted hereunder shall indemnify, defend, and hold the other party whose Parcel is subject to the Easements (the "Indemnified Party") harmless from and against all claims, liabilities and expenses (including reasonable attorneys' fees) relating to accidents, injuries, loss, or damage of or to any person or property arising from the negligent, intentional or willful acts or omissions of such party, its contractors, employees, tenants, agents, or others acting on behalf of such party unless caused by the act or omission of the Indemnified Party.

2.3 **Cross Access Easement Areas**. The Cross Access Easement shall in no event be blocked, closed, altered, changed or removed other than for routine maintenance or repair and shall at all times remain in place as shown on the Site Plan. The Cross Access Easement shall be properly maintained as set forth in paragraph 3.2(a). The Cross Access Easement shall be maintained to provide a smooth and level grade transition to allow the use for pedestrian and vehicular ingress and egress as set forth in paragraph 2.1 above.

3. Parking and Easements.

3.1 **Parking**. The Easements set forth herein shall not include parking; accordingly, each Parcel shall comply with applicable governmental parking ratio requirements without taking into account the parking provided on the other Parcel, such that each Parcel shall be self-sufficient for vehicular parking.

3.2 **Easements**.

(a) **Cross Access Easement.** Following possession of their respective Parcels, each Permittee and the Owner, on behalf of the Future Tenant, covenants at all times during the term hereof to operate and maintain or cause to be operated and maintained at its expense the portion of the Cross Access Easement located on its Parcel in good order, condition and repair. Following the construction of improvements thereon, maintenance of the Cross Access Easement shall include without limitation, maintaining and repairing all sidewalks and the surface of the roadway areas, removing all papers, debris and other refuse from and periodically sweeping all roadway areas to the extent necessary to maintain the same in a clean, safe and orderly condition, maintaining appropriate lighting fixtures for the Cross Access Easement areas, maintaining directional signs in good condition and repair, lines and striping as needed, maintaining landscaping, and performing any and all such other duties as are necessary to maintain such Cross Access Easements in a clean, safe and orderly condition. Except as otherwise expressly provided in this Agreement, once constructed, in the event of any damage to or destruction of all or a portion of the Cross Access Easement on any Parcel, the Tenant of such Parcel (or the Owner if there is no Tenant) shall, at its sole cost and expense, with due diligence repair, restore and rebuild such Easement to the condition that existed prior to such damage or destruction (or with such changes as shall not conflict with this Agreement). The Cross Access Easement shall not be altered, modified, reconfigured, relocated and/or removed without the written consent of the party occupying the benefited Parcel, which consent shall be given or withheld in said party's business judgment.

Notwithstanding anything herein to the contrary, for so long as ALDI is the tenant of Lot 1, the Cross Access Easement area shall be maintained and repaired by ALDI but the cost of such maintenance and repairs shall be shared equally between ALDI and the Owner. All invoices for such actual maintenance, repair and replacement costs shall be presented to the Owner with supporting documentation on a quarterly basis and shall be paid within thirty (30) days of such presentation. In the event Owner fails to timely remit payment of an invoice to ALDI, ALDI may, in Aldi's sole discretion, elect to purse either, or both, of the following remedies: (i) offset the cost for the same from any amounts owed by ALDI to Owner from time to time or (ii) bring a cause of action against Owner for damages or such other relief as is equitable in any court of competent jurisdiction or such other jurisdiction as may be agreed to between the Parties. ALDI shall also be entitled to the maximum rate of interest, notwithstanding any other rate of interest contained herein, permitted under applicable law which shall accrue beginning on the date ALDI submits the invoice to Owner and ending on the date ALDI receives payment for the same. In the event Aldi ceases to become the tenant and occupant of Lot 1, whether or not ALDI continues to remain liable under the lease, ALDI shall cease to be responsible for maintaining and repairing the Cross Access Easement area.

(b) **Drainage Easement**. The Permittee of Lot 1 shall at all times during the use of the Drainage Easement operate and maintain or cause to be operated and maintained, in good order, condition and repair, at its sole expense, any Utility serving Lot 1 and from time to time existing on Lot 2 pursuant to the Drainage Easement described herein. No Permittee of Lot 2 shall be permitted to tie in or otherwise join into a Utility in the Drainage Easement area benefitting Lot 1, whether existing on Lot 1 or Lot 2, without the prior written consent of the Permittee of Lot 1, which consent may be granted or withheld in the Permittee's reasonable discretion. The foregoing notwithstanding, the Permittee of Lot 2 shall be permitted to tie into a storm drain facility benefitting Lot 1 in the Drainage Easement area, provided that (i) the Lot 1 Permittee shall have the right to approve the location and all plans related to the construction, installation, and connection of Lot 2's storm sewer facility prior to the commencement of any work, which approval shall not be unreasonable withheld, conditioned or delayed, provided that, if the Lot 1 Permittee does not approve the location and such plans within thirty (30) days after receipt of the same then such plans shall be deemed approved by the Lot 1 Permittee; (ii) such tie in shall not interfere with or diminish the storm drain facilities to Lot 1; and (iii) the tie in shall not materially adversely affect the usefulness or function of Lot 1's storm drain facility.

No Permittee of Lot 2 shall construct or permit permanent improvements, trees, shrubs or other obstructions that would materially interfere with the usefulness and access to the Drainage Easement area or any Utility contained therein. Nor shall a Lot 2 Permittee grant the right or otherwise permit the use of the Drainage Easement area in a manner that would materially adversely affect the full use and enjoyment of the Drainage Easement by a Lot 1 Permittee.

4. Construction of Improvements.

Every building (including its appurtenant improvements located in the Easement), now or in the future constructed on Lot 1 and Lot 2, shall be constructed, operated and maintained so that the same is in compliance with all applicable governmental requirements.

5. Restrictions.

5.1 **General**. Each Parcel shall be used for lawful purposes in conformance with all restrictions imposed by all applicable governmental laws, ordinances, codes and regulations, and no use or operation shall be made, conducted or permitted on or with respect to all or any portion of a Parcel which is illegal. In addition to the foregoing, throughout the terms of this Agreement, it is expressly agreed that neither all nor any portion of Lot 1 or Lot 2 shall be used, directly or indirectly, for purposes of:

a) A use or operation that is generally considered to be an environmental risk to any portion of the Property or surrounding properties;

b) A business selling alcoholic beverages for on-premises consumption except for a restaurant with sit-down table service as its primary operation in which the sale of alcoholic beverages does not exceed 50% of its gross sales;

c) A laundry or dry cleaning establishment, provided the foregoing restriction shall not include an establishment for dry cleaning drop-off and pick-up only, with no cleaning services being performed at the subject property;

d) Any establishment which stocks, displays, sells, rents, or offers for sale or rent any merchandise or material commonly used or intended for the use with or in consumption of any narcotic, dangerous drug, or other controlled substance (provided that the foregoing is not intended and shall not be construed to prohibit a drug store).

e) Adult book store, an establishment selling or exhibiting pornographic materials or any form of adult entertainment or an operation whose principal use is an exotic dancing and/or massage parlor (provided this restriction shall not prohibit massages in connection with a beauty salon, health club or athletic facility, or a national massage chain such as Massage Envy);

f) A pool or billiard hall, arcade, night club, dance club, movie theater or cinema, gyms or health clubs greater than 5,000 square feet, schools or learning centers having more than thirty students at any one time, skating rink or bowling alley.

g) Any business or use that would negatively impact ALDI's access to parking spaces;

h) Children's play or party center, telemarketing, poling and surveying center, or office use; however, the foregoing shall be permitted if there is sufficient parking to maintain a ratio of 6 spaces per 1,000 sq. ft. of gross leaseable area.

i) An abortion clinic; Planned Parenthood;

j) A pet sore;

k) A gasoline station or an auto repair shop;

l) A lot for the sale of used automobiles;

m) A mobile home park, trailer court (except that this provision shall not prohibit the temporary use of construction trailers during any periods of construction, reconstruction or maintenance), mobile home sales lot, living quarters, hotel or apartment building;

n) Off-tract betting establishment, bingo parlor or any gambling use;

o) A business which would emit or produce noxious fumes, gases, excessive dust, dirt or loud noises;

p) An assembly, manufacturing, distilling, refining, smelting, industrial, agricultural, drilling or mining operation;

q) A junk yard, stock yard, animal raising operation, a dump or disposal or any operation for the incineration or reduction of garbage of refuse;

r) A pawn shop, a thrift store, consignment shop or "re-sell" shop, a "Good Will" or "Salvation Army" type store, flea market or a store dedicated to the sale of tobacco products;

s) A mortuary or funeral home;

t) A church or other place of worship, banquet hall, auditorium or meeting hall;

u) The outdoor display, sale or storage of seasonal merchandise (Christmas trees, pumpkins, produce, flowers, etc.) and/or the temporary or periodic (i.e., not permanent) outdoor display, sale or storage of merchandise (art work, novelties, clothing, etc.); and/or

v) Carnival amusement park, or circus.

5.2 **Additional Restrictions**.

A. No portion of Lot 2 during the term of the ALDI lease as may be extended, shall be used, directly or indirectly, for any of the following purposes: The operation of a Retail Grocery Store (the "Exclusive Use"). The term "Retail Grocery Store" means a supermarket, meat market, grocery store, fruit and vegetable store or stand, frozen or otherwise processed food store and any other store where more than 50 grocery items are sold for off-premises consumption. The term "Retail Grocery Store" shall not include a delicatessen, or any restaurant wherein prepared food is sold for on-premises consumption or for "take-out" consumption.

B. In the event of a violation of the restrictions set forth in Section 5.1 or 5.2(A) (collectively, the "Restrictions"), the Owner, ALDI or Tenant of a Parcel shall be entitled to pursue all remedies available at law or in equity, including, without limitation, injunctive relief. In the event of any litigation relating to the enforcement of the provisions contained in this Section, the prevailing party shall be entitled to recover all costs and expenses, including reasonable attorney's fees. Nothing contained herein shall be construed to limit ALDI's rights and remedies under the Lease. The Restrictions shall run with the land.

C. Owner shall have no right to grant any additional easements of any kind or nature over the Access Easement for the benefit of any other property.

5.3 **Drive-Throughs**. No improvements constructed on the Parcels for vehicular drive-up or drive-through shall be used or operated in any manner such that motor vehicles in line at such facility stop or stand onto the other Parcel, or otherwise interfere with the normal pattern and flow of vehicular traffic on and across the other Parcel.

6. Insurance. Throughout the term of this Agreement, Owner shall require and/or cause Lot 1 and Lot 2 to be covered under an insurance policy for general and/or comprehensive public liability and property damage insurance against claims for personal injury (including contractual

liability arising under the indemnity contained in paragraph 2.2 above), death or property damage occurring upon such Permittee's Parcel, with single limit coverage of not less than an aggregate of Two Million and No/100 Dollars ($2,000,000.00) including umbrella coverage, if any, and naming Owner (provided the Owner obtaining such insurance has been supplied with the name of such other Owner in the event of a change thereof), Future Tenant (during the continuance of the Future Tenant Lease) and ALDI (during the continuance of the ALDI Lease) as additional insureds. For so long as ALDI is the tenant and occupant of Lot 1, ALDI shall procure and maintain the required coverage under this paragraph 6, provided that such coverage can be obtained as permitted under the Lease.

7. No Rights in Public; No Implied Easements. Nothing contained herein shall be construed as creating any rights in the general public or as dedicating for public use any portion of Lot 1 or Lot 2. No Easements, except those expressly set forth in paragraph 2, shall be implied by this Agreement; in that regard, and without limiting the foregoing, no easements for parking or signage are granted or implied, except as specifically set forth herein.

8. Remedies and Enforcement.

8.1 **All Legal and Equitable Remedies Available.** In the event of a breach or threatened breach by any Owner or Permittee of any of the terms, covenants, restrictions or conditions hereof, the other Owner(s) and Permittee(s) shall be entitled forthwith to full and adequate relief by injunction and/or all such other available legal and equitable remedies from the consequences of such breach, including payment of any amounts due and/or specific performance.

8.2 **Self-Help.** In addition to all other remedies available at law or in equity, upon the failure of ALDI, Tenant, or Owner to cure a breach of this Agreement within thirty (30) days following receipt of written notice (unless, with respect to any such breach the nature of which cannot reasonably be cured within such 30-day period, the defaulting party commences such cure within such 30-day period and thereafter diligently prosecutes such sure to completion), any party shall have the right to perform such obligation contained in this Agreement on behalf of such defaulting party and be reimbursed by such defaulting party upon demand for the reasonable costs thereof together with interest at fifteen percent (15%). Notwithstanding the foregoing, in the event of (i) an emergency, (ii) blockage or material impairment of the easement rights, and/or (iii) the unauthorized parking of vehicles on either Parcel, ALDI, Owner or Tenant immediately may cure the same and be reimbursed by the other party upon demand for the reasonable cost thereof together with interest as above described if such blockage occurred on the parcel owned or occupied, or was caused, by the other party.

8.3 **Remedies Cumulative.** The remedies specified herein shall be cumulative and in addition to all other remedies permitted at law or in equity including the non-defaulting party's right to injunctive or other equitable relief to enjoin a violation or threat thereof.

8.4 **No Termination For Breach.** Notwithstanding the foregoing, no breach hereunder shall entitle any Owner or Tenant to cancel, rescind, or otherwise terminate this Agreement. No breach hereunder shall defeat or render invalid the lien of any mortgage

or deed of trust upon any Parcel made in good faith for value, but the Easements, covenants, conditions and restrictions shall be binding upon and effective against any Owner of a Parcel whose title is acquired by foreclosure, trustee's sale or otherwise, and its Permittees.

8.5 **Term**. Unless otherwise provided herein, the Easements, covenants, conditions and restrictions contained in this Agreement shall be effective commencing on the date of recordation of this Agreement in the office of the Clerk of Court of St. Lucie County, Florida and shall remain in full force and effect thereafter in perpetuity, unless this Agreement is modified, amended, canceled or terminated as provided in paragraph 9.2.

9. Miscellaneous.

9.1 **Attorneys' Fees**. In the event an Owner or Permittee institutes any legal action or proceeding for the enforcement of any right or obligation herein contained, the prevailing party after a final adjudication shall be entitled to recover its costs and reasonable attorneys' fees incurred in the preparation and prosecution of such action or proceeding.

9.2 **Amendment**. The parties agree that the provisions of this Agreement may be modified or amended, in whole or in part, or terminated, only by the written consent of all Permittees of Lot 1 and Lot 2, evidenced by a document that has been fully executed and acknowledged by all such Permittees and recorded in the official records of the Clerk of the Court of St. Lucie County, Florida.

9.3 **Consents**. Whenever in this Agreement the consent or approval of a Future Tenant, ALDI, Tenant or Owner is required, unless otherwise expressly provided herein, such consent or approval shall not be unreasonably withheld, delayed or conditioned. Any request for consent or approval shall: (a) be in writing; (b) specify the section hereof which requires that such notice be given or that such consent or approval be obtained; and (c) be accompanied by such background information as is reasonably necessary to make an informed decision thereon. The consent of ALDI, Future Tenant, Tenant or the Owner, to be effective, must be given, denied or conditioned expressly and in writing.

9.4 **No Waiver**. No waiver of any default of any obligation by any party hereto shall be implied from any omission by the other party to take any action with respect to such default.

9.5 **No Agency**. Nothing in this Agreement shall be deemed or construed by either party or by any third person to create the relationship of principal and agent or of limited or general partners or of joint venturers or of any other association between the parties.

9.6 **Covenants to Run with Land**. It is intended that each of the Easements, covenants, conditions, restrictions, rights and obligations set forth herein shall run with the land and create equitable servitudes in favor of the Property benefited thereby, shall bind every person having any fee, leasehold or other interest therein and shall inure to the benefit of the respective parties and their successors, assigns, heirs, and personal representatives.

9.7 **Grantee's Acceptance**. The grantee of any Parcel or any portion thereof, by acceptance of a deed conveying title thereto or the execution of a contract for the purchase

thereof, whether from an original party or from a subsequent owner of such Parcel, shall accept such deed or contract upon and subject to each and all of the easements, covenants, conditions, restrictions and obligations contained herein. By such acceptance, any such grantee shall for himself and his successors, assigns, heirs, and personal representatives, covenant, consent, and agree to and with the other party, to keep, observe, comply with, and perform the obligations and agreements set forth herein with respect to the Parcel or any portion thereof acquired by such grantee.

9.8 **Separability**. Each provision of this Agreement and the application thereof to Lot 1 and Lot 2 are hereby declared to be independent of and severable from the remainder of this Agreement. If any provision contained herein shall be held to be invalid or to be unenforceable or not to run with the land, such holding shall not affect the validity or enforceability of the remainder of this Agreement. Ownership of both Parcels by the same person or entity shall not terminate this Agreement nor in any manner affect or impair the validity or enforceability of this Agreement.

9.9 **Time of Essence**. Time is of the essence of this Agreement.

9.10 **Entire Agreement**. This Agreement contains the complete understanding and agreement of the parties hereto with respect to all matters referred to herein, and all prior representations, negotiations, and understandings are superseded hereby.

9.11 **Notices**. Notices or other communications hereunder shall be in writing and shall be sent certified or registered mail, return receipt requested, or by other national overnight courier company, or personal delivery. Notice shall be deemed given upon receipt or refusal to accept delivery. The Owner, ALDI and any Tenant of Lot 1 or Lot 2 may change from time to time their respective address for notice hereunder by like notice to the Owner, ALDI and any Tenant of Lot 1 or Lot 2. The notice addresses are as follows:

Owner:	**LGFTP I, LLC.** Attn: Richard Leonardi 7307 NW 122nd Avenue Parkland, FL 33076 Tel: (954) 755-5817 Email: rich@lginvest.net
With a copy to:	**KOPELOWITZ OSTROW P.A.** Attn: Kenneth P. Wurtenberger, Esq. One West Las Olas Blvd., Suite 500 Fort Lauderdale, FL 33301 Tel: (954) 332-4203 Fax: (954) 206-0188 Email: kwurtenberger@kolawyers.com
ALDI:	**ALDI (FLORIDA), L.L.C.** Attn: Jordan Ford, Director of Real Estate

1171 N. State Road 7
Royal Palm Beach, FL 33411
Tel: (561) 640-8000
Email: Jordan.ford@aldi.us

With a copy to:

KAYNE LAW GROUP
Attn: Adam Smith, Esq.
612 Park Street, Suite 100
Columbus, OH 43215
Tel: (614) 223-8800
Email: asmith@kaynelaw.com

9.12 **Governing Law**. The laws of the State of Florida shall govern the interpretation, validity, performance, and enforcement of this Agreement.

9.13 **Estoppel Certificates**. The Owner(s), Future Tenant, ALDI and any Tenant of Lot 1 or Lot 2, within thirty (30) days of its receipt of a written request from the Owner(s), ALDI or a future Tenant of Lot 1 or Lot 2, shall from time to time provide the requesting party, a binding certificate stating: (a) to the best of such parties' knowledge, whether any party to this Agreement is in default or violation of this Agreement and if so identifying such default or violation; and (b) that this Agreement is in full force and effect and identifying any amendments to the Agreement as of the date of such certificate.

9.14 **Bankruptcy**. In the event of any bankruptcy affecting any Owner, ALDI, or any future Tenant of Lot 1 or Lot 2, or occupant of any Parcel, the parties agree that this Agreement shall, to the maximum extent permitted by law, be considered an agreement that runs with the land and that is not rejectable, in whole or in part, by the bankrupt person or entity.

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK.
SIGNATURE PAGES TO FOLLOW.]

IN WITNESS WHEREOF, the parties have executed this Agreement as of the date first written above.

Signed, Sealed and Delivered
In the Presence of:

Witness Signature

Print Name: Mathew Leonardi

Witness Signature

Print Name: Beverly Leonardi

LGFTP I, LLC, a Florida limited liability company

By: _____
Richard Leonardi, Manager

STATE OF FLORIDA)
: SS
COUNTY OF BROWARD)

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State aforesaid and in the County aforesaid to take acknowledgements, the foregoing instrument was acknowledged before me by Richard Leonardi as Manager of LGFTP I, LLC, a Florida limited liability company, on behalf of the company, who is personally known to me.

WITNESS my hand and official seal in the County and State last aforesaid this 27 day of September, 2017.

MARTHA MENDIBLE
Notary Public - State of Florida
My comm. Expires Nov 20, 2018
Commission # FF 174607
Bonded Through National Notary Assn.

Notary Public, State of Florida

Print Name: Martha Mendible
My Commission Expires: 11/20/2018

Signed, Sealed and Delivered
In the Presence of:

Christina Nutter
Witness Signature

Print Name: Christina Nutter

Witness Signature

Print Name: LA Brooks

ALDI (FLORIDA) L.L.C., a Florida limited liability company

By: **ALDI INC.** (Pennsylvania), a Pennsylvania corporation its sole member

By: _____
Chris Hewitt, Vice President

STATE OF Florida)
COUNTY OF Palm Beach)

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State aforesaid and in the County aforesaid to take acknowledgements, the foregoing instrument was acknowledged before me by Chris Hewitt as Vice President of ALDI INC. (Pennsylvania), a Pennsylvania corporation the sole member of ALDI (FLORIDA) L.L.C., a Florida limited liability company, on behalf of the company, who is personally known to me.

WITNESS my hand and official seal in the County and State last aforesaid this 27th day of September, 2017.

Jodi Ellen Gurewitz
Notary Public, State of Florida
Print Name: Jodi Ellen Gurewitz
My Commission Expires: May 27, 2021

JODI ELLEN GUREWITZ
Notary Public – State of Florida
Commission # GG 084812
My Comm. Expires May 27, 2021
Bonded through National Notary Assn.

EXHIBIT "A"

Legal Description of Property

Lot 1 and Lot 2 of the Plat of LG Center, as recorded in Plat Book 74, Page 39 of the public records of Saint Lucie County, Florida.

EXHIBIT "B"

Legal Description of Lot 1

LOT 1 OF THE PLAT OF LG CENTER, AS RECORDED IN PLAT BOOK 74, PAGE 39, OF THE PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

PARCEL 1:
THE EAST 100 FEET OF LOTS 1, 2, 3 AND 4, BLOCK 30 PINEWOOD SUBDIVISION, ACCORDING TO THE MAP AND PLAT THEREOF AS RECORDED IN PLAT BOOK 5, PAGE 24, OF THE PUBLIC RECORDS OF ST. LUCIE COUNTY FLORIDA, LESS AND EXCEPT THE SOUTH 30 FEET OF THE ABOVE-DESCRIBED PROPERTY AS CONVEYED TO THE CITY OF FORT PIERCE, FLORIDA BY THE SPECIAL WARRANTY DEED RECORDED IN OFFICIAL RECORDS BOOK 2863, PAGE 832, OF THE PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA.

PARCEL 2:
LOTS 1, 2, 3 AND 4, LESS AND EXCEPT THE EAST 100 FEET THEREOF OF EACH, AND ALL OF LOTS 27, 27A, 28, 28A, 29, 29A, 30 AND 30A, BLOCK 30 PINEWOOD SUBDIVISION, ACCORDING TO THE MAP AND PLAT THEREOF AS RECORDED IN PLAT BOOK 5, PAGE 24, OF THE PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA; TOGETHER WITH ALL OF THAT PORTION OF THE ALLEY APPURTENANT TO SAID LOTS, WHICH ALLEY HAS BEEN VACATED AND CLOSED BY THE CITY OF FORT PIERCE. LESS AND EXCEPT THE SOUTH 30 FEET OF THE ABOVE-DESCRIBED PROPERTY AS CONVEYED TO THE CITY OF FORT PIERCE, FLORIDA BY THE SPECIAL WARRANTY DEED RECORDED IN OFFICIAL RECORDS BOOK 2863, PAGE 832, OF THE PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA.

A PORTION OF PARCEL 3 CONTAINED IN SAID LOT 1:
LOTS 5, 6, 7, 8, 9, 10, 24A, 25, 25A, 26, AND 26A, BLOCK 30, PINEWOOD SUBDIVISION, ACCORDING TO THE MAP OR PLAT THEREOF AS RECORDED IN PLAT BOOK 5, PAGE 24, PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA.
TOGETHER WITH THAT PORTION OF VACATED ALLEY CONTIGUOUS TO ABOVE DESCRIBED PARCEL, AS DESCRIBED IN ORDINANCE NO. C-118 RECORDED IN OFFICIAL RECORDS BOOK 1114, PAGE 2037, PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA.

LESS AND EXCEPT ANY PORTION OF THE PROPERTY USED FOR PUBLIC RIGHT-OF-WAY.


EXHIBIT "C"

Legal Description of Lot 2

Lot 2 of the Plat of LG Center, as recorded in Plat Book 74, Page 39 of the public records of Saint Lucie County, Florida.

EXHIBIT "D"

Site Plan of Parcels



THE SUNRISE CITY
FORT PIERCE
PLANNING DEPARTMENT
Florida

CONCURRENCY
CAPACITY ANALYSIS

I. Site Data:

	Existing Use	Future Land Use	Zoning
North	Retail	General Commercial	C-3
South	Retail	General Commercial	C-3
East	Recreational Open Space	Conservative & Open Space	OS-1
West	Retail	General Commercial	C-3

	Future Land Use	Zoning Classification	Maximum Intensity Residential: Dwelling Units per Acre Other: Square Footage	Total Acreage	Flood Zone
Current	General Commercial	C-3	60,039	1.38	"X" & "AH"
****Proposed**	General Commercial	C-3	60,039 site, 106,860 Building	1.38	N/A

II. Public Facilities Information:

A. Potable Water:	
Average Use	Residential: 100 gallons per day per person (du x 2.6= persons x 100 gpd = demand) Other: 0.125 gallons per day per square foot
Demand Analysis	Maximum
Current Zoning/FLU	Total gallons per day 0
**Proposed Zoning/FLU	Total gallons per day 13,357.5
**Change in Demand	Total gallons per day 13,357.5

B. Wastewater:	
Average Use	Residential: 100 gallons per day per person (du x 2.6= persons x 100 gpd = demand) Other: 0.1 gallons per day per square foot
Demand Analysis	Maximum
Current Zoning/FLU	Total gallons per day 0
**Proposed Zoning/FLU	Total gallons per day 10,686 gpd
**Change in Demand	Total gallons per day 10,686 gpd

C. Parks and Recreation (Residential Classifications Only):
(Du x 2.6 = persons + 44,227 = population /LOS)

Park Type	LOS	Existing Population Park Demand	Proposed Population Park Demand	Change in Demand
Regional	20 acres per 1,000 people			
Urban District	5 acres per 1,000 people			
Community	2.5 acres per 1,000 people			
Neighborhood	1.36 acres per 1,000 people			

D. Public Schools (Residential Classifications Only):
Single Family: (du x 0.405 = students/70% K-8/30% High)
Multi-family: (du x 0.207 = students/70% K-8/30% High)

	K-8	High
School Name		
City		
Distance		
Current Zoning/FLU Enrollment Demand		
****Proposed Zoning/FLU Enrollment Demand**		
****Change in Demand**		

E. Solid Waste: Residential (2 yard serves 15 units, 4 yard serves 30 units, 6 yard serves 45 units, 8 yard serves 60 units)	
Demand Analysis	Maximum
Current Zoning/FLU	
****Proposed Zoning/FLU**	
***Change in Demand**	

F. Stormwater:
Potential increase in volume discharged due to increased impervious coverage, reduced groundwater seepage or loss of surface water storage impacting Adopted LOS of 25-year 3-day storm Pre vs. Post Runoff (Storm sewers to convey 5 year- 1 day storm event; Canals to convey 3 year – 1 day storm event)

Impact	The current site is a vacant lot and the proposed site has 80% impervious coverage.

III. Transportation Analysis: *Complete ITE Trip Generation Form (Attached)*

G. Transportation Analysis: Complete ITE Trip Generation Data Form Most recent ITE Code for use; HCM Roadway Capacity		
	AADT	**AM/PM Peak Hour Trips**
Demand Analysis	Maximum	Maximum
Current Zoning/FLU	0	0
****Proposed Zoning/FLU**	18	5 PM
***Change in Demand**	Trips 18	Trips Peak Parking Weekdays at 5 PM, Saturday at 4 PM
Impact to Capacity	Minimal (ITE 151 Mini Warehouse)	

IV. Project Description

PHASING			
Is this project (phase) part of a larger project? ☐ Yes ☑ No			
If yes, enumerate each phase, the number of units or square footage in each phase and beginning/completion date.			
Total Project: Residential Units:	Single Family:	Multifamily:	
Non-residential (square footage): 106,860			
Mixed-use (describe use):			
(If this is a single phase project, name it Phase I – Total)			

RESIDENTIAL DATA					
Type	**Phase**	**Number of Units**	**Acres**	**Expected beginning date**	**Expected completion date**
Single-family, detached					
Single-family, attached					
Multi-family					
Other (specify)					

NON-RESIDENTIAL DATA					
Type(s) specify	**Phase**	**Square footage**	**Acres**	**Expecting beginning date**	**Expected completion date**
4 - story, climate controlled, self storage facility	1 of 1	Site: 60,039	1.38	10/08/2022	10/08/2024
		Bldg: 106,860			

A. Indicate whether the proposed project will be eliminating any existing recreational facilities. If yes, detail the number and type being eliminated. ☐ Yes ☑ No


B. 1. Does this application involve demolition or re-use of any structure(s)? ☐ Yes ☑ No
If yes, what is the size of the structure(s) to be demolished or re-used? N/A

2. What is the current use of the structure to be demolished or re-used? N/A

3. Are you claiming trip credits for the demolition or re-use of a structure(s) at the site? ☐ Yes ☑ No
If yes, provide estimates of credits for each previous use at the site. (Attach sheet with calculations)

C. Exemptions Requested: N/A

** Complete section if requesting a change in zoning, future land use, or expanding



SYMBOLS:

- Work Area
- Channelizing Device (See Index 102-600)
- Work Zone Sign
- Lane Identification and Direction of Traffic
- Type III Barricade

NOTES:

1. This Index applies to Two-Lane, Two-Way Roadways with temporary diversions.

2. B=Buffer Length
   X=Work Zone Sign Distance
   R=Radius of Curve
   See Index 102-600 for "B", "X", and channelizing device spacing values.
   See Plans for "R" values.

3. If the tangent distance "T" is less than 600', for each direction use a "Double Reverse Curve" sign (W24-1) instead of the first "Reverse Curve" sign (W1-4) and omit the second "Reverse Curve" sign.

11/23/2020 8:07:35 AM

LAST REVISION	REVISION	DESCRIPTION:	FDOT	FY 2021-22 STANDARD PLANS	TWO-LANE, TWO-WAY TEMPORARY DIVERSION CONNECTION	INDEX	SHEET
11/01/20						102-608	1 of 1

TRANSPORTATION ENGINEERS & PLANNERS

McMahon Associates, Inc.
2090 Palm Beach Lakes Boulevard, Suite 400
West Palm Beach, FL 33409
P. 561.840.8650
mcmahonassociates.com

September 30, 2021

VIA E-MAIL

Mr. Rich Leonardi
LGFTP I LLC
7307 NW 122 Avenue
Parkland, FL 33076

RE: Fort Pierce Self Storage Parking Analysis
McMahon Project No. N21589.01

McMahon Associates, Inc. (McMahon) has completed a parking analysis associated with the proposed development of a parcel of land located between US-1 and S. 3 Street, north of Ohio Avenue, in the City of Fort Pierce, Florida. The site is currently vacant land. The proposed development, with an anticipated buildout year of 2023, will include 106,830 square feet of a self -storage facility. This facility includes approximately 900 square feet of office space ancillary to the facility, 980 climate-controlled storage units, and a maximum of two (2) employees per shift. **Figure 1** graphically depicts the site location. The site plan is attached in **Appendix A**.

Figure 1 Site Location



Proposed On-site Parking
The site will accommodate 24 parking spaces located along the west and north sides of the building. This includes 22 standard parking spaces and two (2) handicap parking spaces. In addition, three (3) loading spaces will be provided along the north side of the building.

Fort Pierce Parking Requirement
Per the City of Fort Pierce Code of Ordinances, Section 125-315 – *Off Street Parking and Loading*, the parking requirement for warehouse establishments is one (1) space for each 600 square feet of gross floor area. The Code does not specify whether the requirement applies to the entire self-storage facility, which for this project is 106,830 square feet, or if the requirement is intended to be applied to just the ancillary office portion of the self-storage facility, which for this project is approximately 900 square feet.

As no guidance is provided, the parking requirement was calculated assuming the entire self-storage facility:

- Code parking requirement: 106,830 square feet * (1 space/600 square feet) = 178 spaces

Based on experience at other similar sites, and a comparison to the vehicular trips anticipated to be generated by the proposed self-storage facility, the parking requirement of 178 spaces appears excessive. Therefore, research was conducted to determine if the proposed number of parking spaces would be sufficient.

Parking Rates per the Institute of Transportation Engineers (ITE)

The Institute of Transportation Engineers (ITE), *Parking Generation Manual*, 5th Edition was reviewed to determine appropriate parking rates for a self-storage facility. Per Land Use 151 Mini Warehouse, the parking rates, and calculated parking requirement for the proposed development using those rates, are as follows:

- Independent variable - storage units; weekday conditions; peak demand period: 4:00 – 6:00 PM
  - Average Rate: 1.36 spaces for every 100 storage units
  - Proposed Facility = (980 units/100 units) * 1.36 = 14 required parking spaces

- Independent variable - storage units; Saturday conditions; peak demand period: 1:00 – 5:00 PM
  - Average Rate: 0.94 spaces for every 100 storage units
  - Proposed Facility = (980 units/100 units) * 0.94 = 10 required parking spaces

- Independent variable – Gross Floor Area; weekday conditions; peak demand period: 4:00 – 6:00 PM
  - Average Rate: 0.10 spaces for every 1,000 square feet
  - Proposed Facility = (106,830 sf/1,000 sf) * 0.10 = 11 required parking spaces

- Independent variable – Gross Floor Area; Saturday conditions; peak demand period: 1:00 – 5:00 PM
  - Average Rate: 0.09 spaces for every 1,000 square feet
  - Proposed Facility = (106,830 sf/1,000 sf) * 0.09 = 10 required parking spaces

Based on the rates provided in ITE, the highest required parking for the proposed self-storage facility would be 14 parking spaces. Excerpts from ITE are attached in **Appendix B**.

Parking Codes for Nearby Municipalities

For comparison purposes, parking requirements were obtained for municipalities near the City of Fort Pierce. These municipalities included Port St. Lucie, Stuart, Palm Beach Gardens, and Jupiter. Excerpts from these codes are attached in **Appendix C.** The code information is summarized in **Table 1**.

Table 1 Parking Requirement Summary for Nearby Municipalities

JURISDICTION	PARKING REQUIREMENT
Port St. Lucie	2 spaces for the residential quarters, and 1 space for each 200 square feet of GFA used as an office in the rental of storage bays and 1 customer parking space for every 100 storage bays
Stuart	1 space per employee, plus 1 space per 50 storage units
Jupiter	Minimum of 5 spaces or 1 space per 250 square feet of GFA of office uses, whichever is greater, plus 2 spaces for a manager's residential unit
Palm Beach Gardens	1 space per 75 storage spaces plus 2 spaces per security quarters plus 4 spaces per office

Based on these parking requirements, the number of parking spaces that would be required for the proposed self-storage facility would be as follows: Port St. Lucie - 15 parking spaces; Stuart - 22 parking spaces; Jupiter - 5 parking spaces, and Palm Beach Gardens - 18 parking spaces.

Comparable Site

A parking reduction was requested by another Applicant for a similar use in the Town of Pembroke Park. As part of the parking reduction request, the Applicant conducted actual counts at three (3) self-storage facilities, and referenced ITE. Based on this study, a parking rate of one (1) space per 8,734 square feet of net floor area was approved by the Town of Pembroke Park. Excerpts from the Community Development Memorandum, dated March 15, 2016, is attached in **Appendix D.** Using this rate, the parking requirement for the proposed self-storage facility would be 13 parking spaces.

Conclusion

Based on the analysis contained herein, the proposed parking of 24 spaces on-site should be sufficient to accommodate the expected parking demand for the proposed self-storage facility. Should you have any questions or comments regarding these findings, please do not hesitate to call me.

Sincerely,


NATALIA THAIS LEFCARI LICENSE No. 68205 STATE OF FLORIDA PROFESSIONAL ENGINEER

Natalia Thais Lefcari, P.E.
Professional Engineer
License No. 68205
State of Florida, Board of Professional Engineers
Certificate of Authorization No. 4908
NTL/cec - Enclosure

F:\FL\21589N_LGFTP_FtPierceSelfStorageTA\N21589_01\Reports\Parking\LtrRL093021.docx

Appendix A

Site Plan





DISTRICT REQUIREMENTS & GENERAL NOTES

APPLICANT/OWNER: LGFTPI LLC
7307 NW 122ND AVE
PARKLAND, FL 33076

PARCEL NO. 2415-602-0002-000-2

FEMA FLOOD ZONE: ZONE X PER FLOOD PANEL 120286-0187-J, DATED FEB. 16, 2012
ZONE AH (16)

LAND USE INFORMATION:

CURRENT USE:	VACANT
PROPOSED USE:	RETAIL
FUTURE LAND USE DESIGNATION:	COMMERCIAL
ZONING DESIGNATION:	C3 - GENERAL COMMERCIAL

DEVELOPMENT STANDARDS:	REQUIRED	PROPOSED
MIN. LOT AREA (S.F.)	10,000	60,039
MIN. LOT FRONTAGE (FEET):	50	206.35
MIN. LOT DEPTH (FEET):	90	288.66
MIN. SET BACKS:		
FRONT - WEST (FEET):	25	63.97'
SIDE - NORTH (FEET):	0	63.37'
SIDE - SOUTH (FEET):	0	10'
REAR - EAST (FEET):	15	19.90'
MIN. LANDSCAPE BUFFER:		
FRONT - WEST (FEET):	10	XX'
SIDE - NORTH (FEET):	10	10'
SIDE - SOUTH (FEET):	10	10'
REAR - EAST (FEET):	10	15.21'
MAX. HEIGHT (FEET):	65'	XX'
MAX. LOT COVERAGE:	0.60	0.44
MIN. PERVIOUS AREA (%)	20	20
MIN. OPEN SPACE (RATIO):	25	25.7

PARKING DATA

REQUIRED:

USE	AREA	RATIO	AMOUNT
SELF STORAGE	106,830 S.F.	--	--

PROVIDED:

	SPACES
STANDARD SPACES (MIN. 9.5' X 19')	22 (9.5' X 19')
ACCESSIBLE SPACES (MIN. 12' X 19')	2 (12' X 19')
TOTAL SPACES	24

LOADING ZONE:

REQUIRED:
GROSS FLOOR AREA 106,830 S.F. - - REQUIRED
PROVIDED: 3 SPACES

BICYCLE PARKING:

REQUIRED: 1 SPACE PER 10 MOTOR VEHICLE SPACES; 2 MINIMUM - 2 REQUIRED
PROVIDED: 2 SPACES

NOTES:

1. ALL CONSTRUCTION SHALL COMPLY WITH SECTIONS 17 AND 22 OF THE CITY OF FORT PIERCE CODE OF ORDINANCES.
2. ALL TRUNCATED DETECTABLE SURFACES SHALL BE CAST IN PLACE (ADHESIVE NOT PERMITTED) AND BE BRICK RED IN COLOR. ALL RAMPS AND FLUSH CONNECTIONS WITHIN PUBLIC RIGHT-OF-WAY OR ROAD EASEMENTS SHALL INCLUDE TRUNCATED DETECTABLE SURFACE 24" IN DEPTH CONSISTENT WITH FDOT STANDARD PLANS.

THOMAS ENGINEERING
CIVIL ENGINEERS · PROJECT MANAGERS · LAND PLANNING · LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT LAUDERDALE, FL 33309 P: 954.202.7000
1902 W. FLETCHER AVE. SUITE 101 TAMPA, FL 33612 P: 813.379.4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561.203.7903

The engineering plans and designs for this project are and shall remain the property of Thomas Engineering Group, LLC and shall not be used in whole or in part for any other project without the written authorization of Thomas Engineering Group, LLC.

REVISIONS

REV	DATE	COMMENT	BY

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast, It's free, It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079 - TITLE

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

LG FORT PIERCE

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD, P.E.
September 15, 2021
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528

SHEET TITLE: **SITE PLAN**

SHEET NUMBER: **C-5.0**
OF

Appendix B

ITE Parking Generation Manual Information

Land Use: 151 Mini-Warehouse

Description

A mini-warehouse is a building in which a number of storage units or vaults are rented for the storage of goods. They are typically referred to as “self-storage” facilities. Each unit is physically separated from other units, and access is usually provided through an overhead door or other common access point.

Time of Day Distribution for Parking Demand

The following table presents a time-of-day distribution of parking demand on a weekday (nine study sites) and a Saturday (one study site) in a general urban/suburban setting.

	Percent of Peak Parking Demand	
Hour Beginning	**Weekday**	**Saturday**
12:00–4:00 a.m.	0	–
5:00 a.m.	0	–
6:00 a.m.	0	–
7:00 a.m.	0	–
8:00 a.m.	14	–
9:00 a.m.	71	–
10:00 a.m.	50	–
11:00 a.m.	79	–
12:00 p.m.	57	–
1:00 p.m.	64	91
2:00 p.m.	64	27
3:00 p.m.	79	55
4:00 p.m.	71	100
5:00 p.m.	100	91
6:00 p.m.	14	27
7:00 p.m.	0	0
8:00 p.m.	0	–
9:00 p.m.	0	–
10:00 p.m.	0	–
11:00 p.m.	0	–


Mini-Warehouse
(151)

Peak Period Parking Demand vs: Storage Units (100)
On a: Weekday (Monday - Friday)
Setting/Location: General Urban/Suburban
Peak Period of Parking Demand: 4:00 - 6:00 p.m.
Number of Studies: 10
Avg. Num. of Storage Units (100): 4.4

Peak Period Parking Demand per Storage Unit (100)

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
1.36	1.05 - 2.38	1.18 / 2.35	***	0.43 (32%)

Data Plot and Equation



Fitted Curve Equation: Ln(P) = 0.85 Ln(X) + 0.59

R^2= 0.93

Mini-Warehouse
(151)


Peak Period Parking Demand vs: Storage Units (100)
On a: Saturday
Setting/Location: General Urban/Suburban
Peak Period of Parking Demand: 1:00 - 5:00 p.m.
Number of Studies: 2
Avg. Num. of Storage Units (100): 10

Peak Period Parking Demand per Storage Unit (100)

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
0.94	0.77 - 1.33	*** / ***	***	*** (***)

Data Plot and Equation

Caution – Small Sample Size




Mini-Warehouse
(151)

Peak Period Parking Demand vs: 1000 Sq. Ft. GFA
On a: Weekday (Monday - Friday)
Setting/Location: General Urban/Suburban
Peak Period of Parking Demand: 4:00 - 6:00 p.m.
Number of Studies: 14
Avg. 1000 Sq. Ft. GFA: 60

Peak Period Parking Demand per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
0.10	0.03 - 0.53	0.08 / 0.25	***	0.07 (70%)

Data Plot and Equation



Mini-Warehouse
(151)


Peak Period Parking Demand vs: 1000 Sq. Ft. GFA
On a: Saturday
Setting/Location: General Urban/Suburban
Peak Period of Parking Demand: 1:00 - 5:00 p.m.
Number of Studies: 3
Avg. 1000 Sq. Ft. GFA: 109

Peak Period Parking Demand per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
0.09	0.06 - 0.14	0.08 / 0.14	***	0.04 (44%)

Data Plot and Equation

Caution – Small Sample Size



Fitted Curve Equation: *

R^2= *

Appendix C

Parking Codes for Nearby Municipalities

Sec. 158.227. - Self-Service Storage Facilities.

(A) **In General.** The only commercial activities permitted on the site of self-service storage facility shall be rental of storage bays and pickup and deposit of goods and/or property in dead storage. Storage bays shall not be used to: manufacture, fabricate or process goods; service or repair vehicles, boats, small engines or electrical equipment, or to conduct similar repair activities; conduct garage sales or retail sales of any kind; or conduct any other commercial or industrial activity on the site.

(B) **Security Quarters Permitted.** Residential quarters for security purposes may be established on the site, subject to the requirements of all applicable zoning districts.

(C) **Bays Have No Legal Address.** Individual storage bays or private postal boxes within a self-service storage facility shall not be considered a premises for the purpose of assigning a legal address in order to obtain an occupational license or other governmental permit or license to do business.

(D) **Outside Storage.**

(1) Except as provided in this subsection (D), all property stored on site shall be entirely within enclosed buildings.

(2) Open storage of recreational vehicles and dry storage of pleasure boats of the type customarily maintained by private individuals for their personal use shall be permitted within a self-service storage facility provided that the following conditions are met:

a. Such storage shall take place only within a designated area. The area so designated shall be clearly delineated upon the approved site plan;

b. The open storage area shall not exceed twenty-five (25%) percent of the buildable area of the site;

c. The open storage area shall be entirely screened from view from adjacent residential areas and street rights-of-way by a solid building wall, an eight foot high opaque fence, or a masonry wall with a minimum height of eight (8) feet;

d. Vehicles shall not be stored within the area set aside for minimum building setbacks; and

e. No vehicle maintenance, washing or repair shall be permitted on site. Pleasure boats stored on the site shall be placed and maintained upon wheeled trailers. No dry stacking of boats shall be permitted on site.

(E) **Maximum and Minimum Lot Size and Building Coverage.** Please see all applicable zoning districts.

(F) **Separation Between Storage Buildings.** If separate buildings are constructed, there shall be a minimum ten (10) foot separation between individual buildings within the facility.

(G) **Maximum Bay Size.** The maximum size of a storage bay shall be five hundred (500) square feet.

(H) **Maximum Building Height.** For maximum height, please reference the applicable zoning district. In addition, a parapet wall shall be constructed to screen roof-mounted air conditioning and

other equipment, if any.

(I) **Supplemental Parking Requirements.** A minimum number of parking spaces shall be provided upon the site as follows:

(1) **Employee and Customer Parking.** Two (2) parking spaces for the residential quarters, and one (1) parking space for each two hundred (200) square feet of gross floor area used as an office in the rental of storage bays.

a. One (1) additional customer parking space for every one hundred (100), or fraction thereof, storage bays.

(2) **Interior Parking.** Interior parking shall be provided in the form of aisles adjacent to the storage bays. These aisles may be used both for circulation and temporary customer parking while using storage bays. The minimum width of these aisles shall be as follows:

a. If aisles permit two-way traffic, thirty (30) feet; and

b. If aisles permit only one-way traffic, twenty-one (21) feet.

(J) **Supplemental Landscape Requirements; Perimeter Landscape Buffers.** A self-service storage facility may dispense with the wall which is required to be erected within the required perimeter where all of the following conditions are met:

(1) The exterior facades of storage buildings present an unbroken, wall like appearance when seen from adjacent lots and rights-of-way; this shall not prevent the installation of fire access doors, if mandated by law;

(2) The exterior facades of separate storage buildings area joined by walls to give the appearance of structural continuity;

(3) The resulting area between the outer face of the buildings and the property line or right-of-way is maintained and appropriately planted as a landscape buffer;

(4) There are no aisles or other vehicle entry ways located in the area between the building and adjacent lot boundary or the right-of-way; and

(5) Either landscaping is installed in the perimeter landscape buffer or the area is maintained for vegetation preservation, provided the minimum requirements of Chapter 154 are met.

(K) **Miscellaneous Requirements.**

(1) **Outdoor Lighting.** All outdoor lighting shall be shielded away from adjacent property. Lights shall be low-intensity and the minimum necessary to discourage vandalism and theft. If a facility abuts a residential zone, outdoor lighting fixtures shall meet the requirements of subsection 158.221(B)(7).

(2) **No Loudspeakers.** Exterior loudspeakers or paging equipment shall not be permitted on the site.

(3) **Orientation of Storage Bay Doors.** Storage bay doors shall not face any abutting property which is residentially zoned, nor shall they be visible from any adjacent residential property

Pain management clinic	1 per 200 square feet (also refer to section 2.06.14.E.3)
Pool hall and billiard parlor	1 per 200 square feet, plus restaurant/bar seating requirements if applicable
Radio and/or television broadcast stations	1 per employee on largest shift
Railroad freight stations/terminals	1 per two employees
Repair services	1 per 300 square feet
Restaurant - general	1 per 3 seats based on the maximum seating capacity of the building, plus 1 space per employee
Restaurant - convenience (fast food, drive-through, or drive-in)	1 per employee on largest shift, plus 1 space per 100 square feet of service area, plus queuing spaces (refer to Section 6.01.07 for queuing requirements)
Restaurant - limited	1 per 4 seats based on the maximum seating capacity of the building, plus 1 space per employee
Retail - bulk merchandise	1 per 250 square feet
Retail - department store (freestanding)	1 per 250 square feet
Retail - furniture	1 per 500 square feet
Retail - intensive sales and service (including neighborhood retail establishment, pharmacies, gift shops, hardware stores, newsstands and similar uses)	1 per 200 square feet
Retail - non-intensive sales and service (including appliance stores, large-scale home improvement centers, lawn and garden supply centers, office equipment and supplies, super markets, farm and heavy equipment, and similar uses)	1 per 250 square feet
Retail - regional mall (greater than 50,000 square feet)	1 per 250 square feet
Retail - strip shopping center	1 per 250 square feet
Skating rink, roller or ice	1 per 200 square feet if located with retail, or 1 space per 150 square feet if located independently
Shooting range, indoor	1 space per firing point
Sign manufacturing/painting shops	1 per employee on largest shift
Studio (art, dance, music, exercise)	1 per 300 square feet
Telecommunications tower	1 space per tower
Theater	1 per 4 seats
Warehouse - mini-storage	1 per employee, plus 1 space per 50 storage units

Use Category	*Minimum Parking Space Requirements*
Restaurant, fast food	1 per 100 SF of GFA including outdoor seating areas pursuant to section 27-2795
Retail, service, and repair	1 per 250 SF of GFA
School—Elementary or junior high	1 per employee + 20 for visitors
School—Senior high (grades 9—12)	1 per 10 student stations + 1 per employee + 20 for visitors
School—Trade, vocational, college or university	1 per 2 student stations + 1 per employee + 1 per 4 seats in places of assembly + 20 for visitors
Self-service storage facilities (both types)	Minimum of 5 spaces or 1 space per 250 sq. ft. of GFA of office uses, whichever is greater plus 2 spaces for a manager's residential unit; plus
Multi-access	Parking/driving lanes shall be a minimum of 24 ft. wide when storage units open onto one side of the lane only and a minimum of 34 ft. when the storage units open onto both sides of the lane; or
Limited-access	Minimum of 5 additional spaces or 1 space per 100 storage units, whichever is greater, plus 2 12 ft. by 30 ft. loading spaces at the main entrance, plus one 12 ft. by 30 ft. loading space at each supplemental access point where loading and unloading may occur.

Marina, Commercial	1 space per two wet slips plus 1 space per 5 dry slips plus the greater of 1 space per 200 square feet of accessory uses or required parking for additional use (lounge, retail, restaurant, etc.)	
Marina, Private Mooring or Dock	None	
Massage Therapist	1 space per 250 square feet	
Motion Picture Studio	1 space per 300 square feet of office space plus 10 spaces per studio plus 1 space per 1,000 square feet	Parking study can be requested by city or provided by applicant to demonstrate overall parking demand.
Nursing Home or Convalescent Facility	1 space per 4 beds plus 1 space per 250 square feet of office space	
Painting and Decorating Contractor	1 space per 250 square feet	
Parking Lot, Commercial	None	
Picture Framing	1 space per 250 square feet	
Photo Studio and Processing	1 space per 250 square feet	
Print Shop	1 space per 250 square feet	
Self Service Storage	1 space per 75 storage spaces plus 2 spaces per security quarters plus 4 spaces per office	
Shoe Repair	1 space per 250 square feet	
Studio, Instructional	1 space per 250 square feet	
Studio, Professional	1 space per 250 square feet	
Tailor Shop	1 space per 250 square feet	
Travel Agency	1 space per 250 square feet	
Video Game and Amusement Parlor	1 space per 250 square feet	
Video Rental and Sales	1 space per 200 square feet	
OFFICE		
Business Incubator	1 space per 250 square feet	Parking study can be requested by city or provided by applicant to demonstrate overall parking demand.
Employment Office	1 space per 300 square feet	
Interior Design, including Sales	1 space per 250 square feet	
Office, Medical or Dental	1 space per 200 square feet	

Appendix D

Town of Pembroke Park Information

MICHAEL MILLER PLANNING ASSOCIATES, INC.
Land Design Municipal Planning Services Transportation Planning

TOWN OF PEMBROKE PARK
COMMUNITY DEVELOPMENT
MEMORANDUM

To: **Town of Pembroke Park**
Planning and Zoning Board

From: **Michael J. Miller, AICP**
Consultant Town Planner

Date: **March 15th, 2016**

Subject: **Off-Street Parking Reduction Request**
Proposed Self Storage Facility – Wheat Capital Management
2801 John P. Lyons Lane
Pembroke Park Acct. No. 16-284
MMPA Account No.: 00-1101-1091B

RECOMMENDED PLANNING AND ZONING BOARD ACTION

MMPA recommends the Planning and Zoning Board review the contents of this staff report, the applicant's engineering study, and if deemed acceptable, recommend **APPROVAL** of the Parking Reduction application to allow a reduction of the number of required parking spaces for the proposed self-storage warehouse use from one (1) parking space for each 600 square feet of net floor area (1:600) to one (1) parking space for each 8,734 square feet of net floor area (1:8,734).

GENERAL PROJECT INFORMATION

Land Use Designation: I - Industrial

Zoning District: M -1 Industrial District

General Location: 2801 John P. Lyons Lane

Legal Description: A portion of Parcel "B", Supreme Millwork Plat, according to the plat recorded in Plat Book 118, Page 33, of the public records of Broward County, Florida.



FORT PIERCE SELF STORAGE

S. US HIGHWAY 1, FORT PIERCE, FLORIDA

KENNETH CARLSON
ARCHITECT- P.A.
DESIGN
PLANNING
INTERIORS


SELF STORAGE
FORT PIERCE SELF STORAGE
S. US HIGHWAY 1, FORT PIERCE, FLORIDA
KENNETH CARLSON
ARCHITECT- P.A.
DESIGN
PLANNING
INTERIORS



FORT PIERCE SELF STORAGE

S. US HIGHWAY 1, FORT PIERCE, FLORIDA

KENNETH CARLSON
ARCHITECT- P.A.
DESIGN
PLANNING
INTERIORS



FORT PIERCE SELF STORAGE
S. US HIGHWAY 1, FORT PIERCE, FLORIDA

KENNETH CARLSON
ARCHITECT- P.A.
DESIGN
PLANNING
INTERIORS

FORT PIERCE SELF STORAGE


S. US HIGHWAY No.1, FORT PIERCE, FLORIDA

KENNETH CARLSON
ARCHITECT- P.A.
DESIGN
PLANNING
INTERIORS

E1- SW 7006 EXTRA WHITE
E2- SW 7071 GRAY SCREEN
E3- SW 7072 ONLINE
E4- SW 9162 AFRICAN GRAY
E5- SW 7074 SOFTWARE
E6- SW 7075 WEB GRAY
E7- ORANGE ACCENT
E8- LIGHT GRAY GLAZING
E9- MILL ALUMINUM
E11- WHITE METAL




E8




E9-E12

E11-E13







E1




E2



E3-E10




E4



E5-E14




E6




E7

SUBJECT PROPERTY LIES IN THE N.W. 1/4 OF SECTION 15, TOWNSHIP 35 SOUTH, RANGE 40 EAST CITY OF FORT PIERCE, ST. LUCIE COUNTY, FLORIDA



ABBREVIATIONS:
(P) = PLAT
MW = MONITOR WELL
INV. = INVERT
ID = IDENTIFICATION
PSM = PROFESSIONAL SURVEYOR AND MAPPER
FDOT = FLORIDA DEPARTMENT OF TRANSPORTATION
EL. = ELEVATION
——— // ——— OVERHED UTILITY LINES



LOCATION MAP: NOT TO SCALE

LEGAL DESCRIPTION:

LOT 2, LG CENTER, ACCORDING TO THE MAP OR PLAT THEREOF AS RECORDED IN PLAT BOOK 74, PAGE 39, PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA.

TITLE SEARCH REPORT:

LANDS SHOWN HEREON WERE ABSTRACTED FOR RESTRICTIONS, EASEMENTS, AND/OR RIGHTS OF WAY OF RECORD PER ATTORNEY'S TITLE FUND SERVICES, LLC, FUND FILE NUMBER: 1108940, DATE: JULY 8TH, 2021. EASEMENTS AND/OR RIGHTS OF WAY OF RECORD PER TITLE SEARCH REPORT THAT ARE PLOTTABLE ARE SHOWN ON THIS "BOUNDARY SURVEY".

RESTRICTIONS / EASEMENTS

1. RIGHTS OF THE LESSEES UNDER UNRECORDED LEASES. - NOT A SURVEY MATTER.
2. MEMORANDUM OF LEASE RECORDED IN O.R. BOOK 4053, PAGE 1331, ASSIGNMENT AND ASSUMPTION OF LEASE RECORDED IN O. R. BOOK 4085, PAGE 2902, PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA. - NOT A SURVEY MATTER.
3. ALL MATTERS CONTAINED ON THE PLAT OF LG CENTER, AS RECORDED IN PLAT BOOK 74, PAGE 39, PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA. - AFFECTS THE SUBJECT PROPERTY AS SHOWN ON SURVEY.
4. RECIPROCAL EASEMENT AGREEMENT WITH COVENANTS, CONDITIONS AND RESTRICTIONS RECORDED IN O.R. BOOK 4053, PAGE 1341, PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA. - AFFECTS THE SUBJECT PROPERTY AND IS UNPLOTTABLE.
5. ALL MATTERS CONTAINED ON THE PLAT OF PINEWOOD, AS RECORDED IN PLAT BOOK 5, PAGE 24, PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA. - DOES NOT AFFECT THE SUBJECT PROPERTY AND HAS BEEN RE-PLATTED AS LOT 2.
6. EASEMENT TO STANDARD OIL COMPANY, AS REFERENCED IN THAT CERTAIN DEED RECORDED IN O.R. BOOK 113, PAGE 205, PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA. - DOES NOT AFFECT THE SUBJECT PROPERTY.
7. MATTERS AS CONTAINED IN SPECIAL WARRANTY DEED RECORDED IN O.R. BOOK 2863, PAGE 830, PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA. - DOES NOT AFFECT THE SUBJECT PROPERTY.
8. EASEMENT SET FORTH IN QCD RECORDED IN O.R. BOOK 876, PAGE 2773, PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA. (BENEFIT) - DOES NOT AFFECT THE SUBJECT PROPERTY.

WETLAND NOTE:

LIMITS OF JURISDICTIONAL WETLANDS, DITCHES, DRAINAGE WAYS, WATER FLOWS, AND/OR BODIES OF WATER, IF ANY, ARE NOT DETERMINED BY THIS SURVEY. CLIENT IS ADVISED TO CONTACT APPROPRIATE GOVERNING AGENIES FOR POSSIBLE LIMITS OF JURISDICATION.

FLOOD ZONE NOTE:

LANDS SHOWN HEREON ARE LOCATED WITHIN AN AREA HAVING A ZONE DESIGNATION OF "X" AND "AH" BASE EL. 16.0' BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA), ON FLOOD INSURANCE RATE MAP NO. 12111C0187K, DATED FEBRUARY 19, 2020 AND IS RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM 1988.

SURVEYOR'S NOTES:

1. NO ATTEMPT WAS MADE BY THIS FIRM TO LOCATE UNDERGROUND UTILITIES ON/OR ADJACENT TO THIS SITE. THE APPROXIMATE LOCATION OF ALL UTILITIES SHOWN HEREON WERE TAKEN FROM ASBUILT DRAWINGS AND/OR ON-SITE LOCATION AND SHOULD BE VERIFIED BEFORE CONSTRUCTION.
2. NO ATTEMPT WAS MADE BY THIS FIRM TO LOCATE UNDERGROUND FOOTINGS OF BUILDINGS OR FENCES ON OR ADJACENT TO THIS SITE.
3. LANDS SHOWN HEREON WERE NOT ABSTRACTED FOR EASEMENTS AND/OR RIGHTS OF WAY OF RECORD EXCEPT AS SHOWN ON THE RECORD PLAT IF ANY.
4. THIS PROPERTY WAS SURVEYED WITHOUT THE BENEFIT OF A TITLE SEARCH.
5. THE BEARING BASE OF THIS SURVEY IS ALONG THE WEST LINE OF THE SECTION 15-35-40.
6. ALL BEARINGS AND DISTANCES SHOWN ARE PLAT AND MEASURED UNLESS OTHERWISE NOTED.
7. ADDITIONS OR DELETIONS TO SURVEY MAPS OR REPORTS BY OTHER THAN THE SIGNING PARTY OR PARTIES IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY OR PARTIES.
8. THE EXPECTED USE FOR THIS SURVEY AND MAP IS FOR COMMERICAL PURPOSES.
9. ALL MEASUREMENTS ARE IN ACCORDANCE WITH THE UNITED STATES STANDARD, IN FEET.

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY THAT THIS SURVEY MAP AND/OR REPORT WAS PREPARED UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17, FLORIDA ADMINISTRATIVE CODE AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. SURVEY MAP AND REPORT OR THE COPIES THEREOF ARE NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

CRAIG D. WATSON
PROFESSIONAL SURVEYOR & MAPPER
NO. 5647 STATE OF FLORIDA

DATE	REVISIONS

BOUNDARY AND TOPOGRAPHIC SURVEY


PREPARED FOR: LGFTP1, LLC, A FLORIDA LIMITED LIABLITY COMPANY

CRAIG WATSON AND ASSOCIATES LLC
PROFESSIONAL SURVEYING MAPPING
2240 NE DIXIE HIGHWAY - JENSEN BEACH - FLORIDA - 34957
O 772-334-0868 C 772-260-0249 craigwatsonOllive.com

2240 NE DIXIE HIGHWAY
JENSEN BEACH, FL 34957
CRAIGWATSON@LIVE.COM
PHONE 772-334-0868
CELL 772-260-0249

DATE: 7-22 THRU 8-4-21
SCALE: 1" = 20'
DWNG. BY C.D.W.
CHECKED BY: C.D.W.
JOB NUMBER: 21183

SHEET NUMBER
1 OF 1



1 A4.0 *GROUND FLOOR PLAN*

3/32"=1'-0"

NORTH

FORT PIERCE SELF-STORAGE

SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

KENNETH R. CARLSON – ARCHITECT, P.A.


1166 W. NEWPORT CENTER DR., SUITE #311 AA C001878
DEERFIELD BEACH, FLORIDA 33442
PH. (954) 427 - 8848 FAX (954) 427 - 9329
e-mail: kencarlson@bellsouth.net

Revisions:

DRAWN BY: FS
CHECKED BY: KRC
DATE: 09/23/2021
SCALE: AS NOTED
PROJECT #: 21061
CAD DWG FILE: A4.0

KENNETH R. CARLSON
AR12546

SHEET OF
A4.0
PAGE OF



1 / A4.1 *SECOND FLOOR PLAN*

3/32"=1'-0"

NORTH

FORT PIERCE SELF-STORAGE

SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

KENNETH R. CARLSON – ARCHITECT, P.A.

1166 W. NEWPORT CENTER DR., SUITE #311 AA C001878
DEERFIELD BEACH, FLORIDA 33442
PH. (954) 427 - 8848 FAX (954) 427 - 9329
e-mail: kencarlson@kencarlson.com

Revisions:


DRAWN BY: FS
CHECKED BY: KRC
DATE: 09/23/2011
SCALE: AS NOTED
PROJECT #: 2106.1
CAD DWG FILE: A4.1

KENNETH R. CARLSON
AR12546

SHEET OF

A4.1

PAGE OF



1 A4.2 *THIRD FLOOR PLAN*

3/32"=1'-0"

NORTH

FORT PIERCE SELF-STORAGE

SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

KENNETH R. CARLSON – ARCHITECT, P.A.

1166 W. NEWPORT CENTER DR., SUITE #311 AA C001878
DEERFIELD BEACH, FLORIDA 33442
PH. (954) 427 - 8848 FAX (954) 427 - 9329
e-mail: kenc@kencarlson.com

Revisions:


DRAWN BY: FS
CHECKED BY: KRC
DATE: 09/23/2011
SCALE: AS NOTED
PROJECT #: 2096
CAD DWG FILE: A4.2

KENNETH R. CARLSON
AR12546

SHEET OF

A4.2

PAGE OF



1 A4.3 *FOUTH FLOOR PLAN*

3/32"=1'-0"

NORTH

FORT PIERCE SELF-STORAGE

SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

KENNETH R. CARLSON – ARCHITECT, P.A.

1166 W. NEWPORT CENTER DR., SUITE #311 AA C001878
DEERFIELD BEACH, FLORIDA 33442
PH. (954) 427 - 8848 FAX (954) 427 - 9329
e-mail: kencarlson@bellsouth.net

Revisions:


DRAWN BY: FS
CHECKED BY: KRC
DATE: 09/23/2011
SCALE: AS NOTED
PROJECT #: 2106.1
CAD DWG FILE: A4.3

KENNETH R. CARLSON
AR12546

SHEET OF

A4.3

PAGE OF



1 A4.4 **ROOF PLAN**

3/32"=1'-0"

NORTH

FORT PIERCE SELF-STORAGE

SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

KENNETH R. CARLSON – ARCHITECT, P.A.

1166 W. NEWPORT CENTER DR., SUITE #211 AA C001878
DEERFIELD BEACH, FLORIDA 33442
PH. (954) 427 - 9848 FAX (954) 427 - 9329
e-mail: kencarlson@kencarlson.com

Revisions:


DRAWN BY: FS
CHECKED BY: KRC
DATE: 09.23.2021
SCALE: AS NOTED
PROJECT #: 21061
CAD DWG FILE: A4.4

KENNETH R. CARLSON
AR12546

SHEET OF

A4.4

PAGE OF



1 A5.0 *WEST ELEVATION*

3/32"=1'-0"

GRAPHIC SCALE


10 5 0

(in feet)

3/32 inch=1 ft

MARK	DESCRIPTION	MATCH MANUF.	CATALOG NO.	FINISH SCHEDULE COLOR	TYPE	FINISH	COATS	NOTE:	COMMON NAMES
E1	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7006	EXTRA WHITE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL10 ON TEX-COTE PRIMER - SOLVENT BASED	WHITE
E2	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7071	GRAY SCREEN	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL10 ON TEX-COTE PRIMER - SOLVENT BASED	LIGHT GRAY
E3	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7072	ONLINE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL10 ON TEX-COTE PRIMER - SOLVENT BASED	MEDIUM GRAY
E4	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 9162	AFRICAN GRAY	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL10 ON TEX-COTE PRIMER - SOLVENT BASED	GRAY
E5	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7074	SOFTWARE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL10 ON TEX-COTE PRIMER - SOLVENT BASED	DARK GRAY
E6	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7075	WEB GRAY	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL10 ON TEX-COTE PRIMER - SOLVENT BASED	DARK GRAY
E7	PAINTED MEDIUM TEXTURE	RGB	R240/G83/B35	ORANGE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL10 ON TEX-COTE PRIMER - SOLVENT BASED	ORANGE
E8	STOREFRONT GLAZING	YKK	-	LIGHT GRAY	IMPACT	-	-	IMPACT RATED	LIGHT GRAY
E9	STOREFRONT FRAME	YKK	-	MILL	ANODIZED	-	BY MANUF.	BY MANUF.	MILL
E10	PAINTED DOORS AND FRAMES	SHERWIN WILLIAMS	TO MATCH SW 7072	ONLINE	EXTERIOR ENAMEL	GLOSS	2 OVER 1 PRIMER	2 COATS SHER-CRYL HIGH PERFORMANCE ON 1 COAT KEM BOND HS PRIMER COLOR TO MATCH FINISH COAT	GRAY
E11	PREFAB. METAL CANOPY	YKK	-	WHITE	ANODIZED	-	BY MANUF.	PREFINISHED	WHITE
E12	PREFAB. METAL SHADES	YKK	-	MILL	ANODIZED	-	BY MANUF.	PREFINISHED	MILL
E13	PREFAB. METAL DECO. SHUTTERS	YKK	-	WHITE	ANODIZED	-	BY MANUF.	PREFINISHED	WHITE
E14	PREFAB. METAL CANOPY	YKK	-	TO MATCH SW7074	ANODIZED	-	BY MANUF.	PREFINISHED	DARK GRAY

3 A5.0 *FINISH SCHEDULE*



2 A5.0 *NORTH ELEVATION*

3/32"=1'-0"

GRAPHIC SCALE

10 5 0 5 10 20

(in feet)

3/32 inch=1 ft

FORT PIERCE SELF-STORAGE

SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

KENNETH R. CARLSON – ARCHITECT, P.A.

1166 W. NEWPORT CENTER DR, SUITE #311 AA C001818
DEERFIELD BEACH, FLORIDA 33442 FAX (954) 427 - 9929
PH. (954) 427 - 2848
e-mail: kenc@kencarlson.com

Revisions:

DRAWN BY: FS
CHECKED BY: KRC
DATE: 09.23.2021
SCALE: AS NOTED
PROJECT #: 21061
CAD DWG FILE: A5.0


KENNETH R. CARLSON

AR12546

SHEET OF

A5.0

PAGE 5 OF



1 A5.1 **EAST ELEVATION**

3/32"=1'-Ø"

GRAPHIC SCALE


10 5 0 5 10 20

(in feet)

3/32 inch=1 ft

MARK	DESCRIPTION	MATCH MANUF.	CATALOG NO.	FINISH SCHEDULE COLOR	TYPE	FINISH	COATS	NOTE:	COMMON NAMES
E1	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7006	EXTRA WHITE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL7Ø ON TEX-COTE PRIMER - SOLVENT BASED	WHITE
E2	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7071	GRAY SCREEN	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL7Ø ON TEX-COTE PRIMER - SOLVENT BASED	LIGHT GRAY
E3	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7072	ONLINE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL7Ø ON TEX-COTE PRIMER - SOLVENT BASED	MEDIUM GRAY
E4	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 9162	AFRICAN GRAY	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL7Ø ON TEX-COTE PRIMER - SOLVENT BASED	GRAY
E5	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7074	SOFTWARE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL7Ø ON TEX-COTE PRIMER - SOLVENT BASED	DARK GRAY
E6	PAINTED MEDIUM TEXTURE	SHERWIN WILLIAMS	SW 7075	WEB GRAY	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL7Ø ON TEX-COTE PRIMER - SOLVENT BASED	DARK GRAY
E7	PAINTED MEDIUM TEXTURE	RGB	R240/GB3/B35	ORANGE	EXTERIOR ACRYLIC	FLAT	2 OVER 1 PRIMER	TEX-COTE XL7Ø ON TEX-COTE PRIMER - SOLVENT BASED	ORANGE
E8	STOREFRONT GLAZING	YKK	-	LIGHT GRAY	IMPACT	-	-	IMPACT RATED	LIGHT GRAY
E9	STOREFRONT FRAME	YKK	-	MILL	ANODIZED	-	BY MANUF.	BY MANUF.	MILL
E10	PAINTED DOORS AND FRAMES	SHERWIN WILLIAMS	TO MATCH SW 7072	ONLINE	EXTERIOR ENAMEL	GLOSS	2 OVER 1 PRIMER	2 COATS SHER-CRYL HIGH PERFORMANCE ON 1 COAT KEM BOND HS PRIMER COLOR TO MATCH FINISH COAT	GRAY
E11	PREFAB. METAL CANOPY	YKK	-	WHITE	ANODIZED	-	BY MANUF.	PREFINISHED	WHITE
E12	PREFAB. METAL SHADES	YKK	-	MILL	ANODIZED	-	BY MANUF.	PREFINISHED	MILL
E13	PREFAB. METAL DECO. SHUTTERS	YKK	-	WHITE	ANODIZED	-	BY MANUF.	PREFINISHED	WHITE
E14	PREFAB. METAL CANOPY	YKK	-	TO MATCH SW7014	ANODIZED	-	BY MANUF.	PREFINISHED	DARK GRAY

3 A5.Ø **FINISH SCHEDULE**



2 A5.1 **SOUTH ELEVATION**

3/32"=1'-Ø"

GRAPHIC SCALE

10 5 0 5 10 20

(in feet)

3/32 inch=1 ft

FORT PIERCE SELF-STORAGE

SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

KENNETH R. CARLSON - ARCHITECT, P.A.

1166 W. NEWPORT CENTER DR. SUITE #311 AA C001816
DEERFIELD BEACH, FLORIDA 33442 FAX (954) 427 - 9929
PH. (954) 427 - 8848
e-mail: kenc@kencarlson.com

Revisions:

DRAWN BY: FS
CHECKED BY: KRC
DATE: Ø9/23/2021
SCALE: AS NOTED
PROJECT #: 21061
CAD DWG FILE: A5.1

KENNETH R. CARLSON

AR12546

SHEET OF

A5.1

PAGE 5 OF


SITE DEVELOPMENT DRAWINGS FOR:

FORT PIERCE STORAGE FACILITY

CITY OF FORT PIERCE
ST. LUCIE COUNTY, FL
SECTION 15, TOWNSHIP 35 S, RANGE 40 E

VICINITY \ AERIAL MAP

SCALE: 1"=200'



COPYRIGHT 2010 MICROSOFT CORPORATION 2010 DIGITAL GLOBE

PROJECT CONTACTS:

OWNER / DEVELOPER
FORT PIERCE SELF STORAGE LLC
14011 SW 20TH STREET,
MIAMI, FL 33175
DANIEL ABREU
DANIEL@BUILDCANDELA.COM

ARCHITECT
KENNETH CARLSON
1166 W NEWPORT CENTER DR
SUITE 311
DEERFIELD BEACH, FL 33442
FERNANDO SILVA
(954) 427.8848

CIVIL ENGINEER
THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE.
SUITE 101
TAMPA, FL 33612
EDWARD M. MCDONALD, PE
(813) 379.4100
EMCDONALD@THOMASEG.COM

GEOTECHNICAL ENGINEER
UNIVERSAL ENGINEERING SCIENCES
607 NW COMMODITY COVE
PORT ST LUCIE, FL 34986
(772) 924.3575

LANDSCAPE ARCHITECT
THOMAS ENGINEERING GROUP
6300 NW 31ST AVE
FORT LAUDERDALE, FL 33309
MICHAEL D. GROSSWIRTH, PLA, MLA, ASLA
(954) 202.7000
MGROSSWIRTH@THOMASEG.COM

LAND SURVEYOR
CRAIG WATSON & ASSOCIATES
2240 NE DIXIE HIGHWAY
JENSEN BEACH, FL 34957
CRAIG D. WATSON, PLS
(772) 334.0868
CRAIGWATSON@LLVE.COM

TRAFFIC ENGINEER
MCMAHON ASSOCIATES
NATALIA LERCARI, PE
(561) 840.8650
NLERCARI@MCMAHONASSOCIATES.COM

PREPARED BY

THOMAS ENGINEERING GROUP

1502 W FLETCHER AVE, SUITE 101
TAMPA, FL. 33612

PH: (813) 379-4100
FX: (813) 379-4040
www.ThomasEngineeringGroup.com

SHEET INDEX

PLANS BY THOMAS ENGINEERING:	
COVER SHEET	C-1.0
GENERAL NOTES	C-2.0
DEMOLITION PLAN	C-3.0
EROSION CONTROL PLAN	C-4.0
SITE PLAN	C-5.0
SITE PLAN DETAILS	C-6.0 - C-6.1
PAVING, GRADING & DRAINAGE PLAN	C-7.0
PAVING, GRADING & DRAINAGE DETAILS	C-8.0
UTILITY PLAN	C-10.0
UTILITIES DETAILS	C-11.0 - C-13.0
VEHICLE MOVEMENT PLAN	C-15.0
LANDSCAPE PLAN	L-1.0 - L-2.2
ARCHITECTURAL PLAN BY KENNETH CARLSON	A4.0 - A5.1
PHOTOMETRIC PLAN BY KENNETH CARLSON	SL-1
TRAFFIC CONTROL PLAN	1 OF 1
SURVEY	1 OF 1

LEGAL DESCRIPTION:

LOT 2, LG CENTER, ACCORDING TO THE MAP OR PLAT THEREOF AS RECORDED IN PLAT BOOK 74, PAGE 39, PUBLIC RECORDS OF SAINT LUCIE COUNTY, FLORIDA

FEMA MAP INFORMATION:

LANDS SHOWN HEREON ARE LOCATED WITHIN AN AREA HAVING A ZONE DESIGNATION OF 'X' AND 'AH' BASE EL. 16.0' BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA), ON FLOOD INSURANCE RATE MAP NO. 12111CO187K, DATED FEBRUARY 19, 2020 AND IS RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM 1988

DATUM NOTE:
ALL ELEVATIONS SHOWN HEREON ARE BASED ON NORTH AMERICAN VERTICAL DATUM OF 1988, (NAVD' 88)

CAUTION – NOTICE TO CONTRACTOR

811

CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS IS BASED ON THE RECORDS OF THE VARIOUS UTILITY COMPANIES AND, WHERE POSSIBLE MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED ON AS BEING EXACT OR COMPLETE. THE CONTRACTOR MUST CALL THE LOCAL UTILITY NOTIFICATION CENTER AT LEAST 48 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATIONS OF THE UTILITIES. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO RELOCATE ALL EXISTING UTILITIES WHICH CONFLICT WITH THE PROPOSED IMPROVEMENTS SHOWN ON THE PLANS.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE TO EXISTING IMPROVEMENTS AND UTILITIES AND SHALL REPAIR ANY DAMAGE AT HIS EXPENSE.

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS – PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE.
FT. LAUDERDALE, FL 33309
P: 954-202-7000
1502 W. FLETCHER AVE.
SUITE 206
TAMPA, FL 33612
P: 813-379-4100
125 W INDIANTOWN RD.
SUITE 201
JUPITER, FL 33458
P: 561-203-7503

THE INFORMATION, DESIGN, AND CONCEPTS CONTAINED HEREIN ARE THE PROPERTY AND COPYRIGHT OF THOMAS ENGINEERING GROUP, LLC. AND SHALL NOT BE USED IN WHOLE OR IN PART WITHOUT THE WRITTEN PERMISSION OF THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C1.0 CVR

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528

SHEET TITLE:

COVER SHEET

SHEET NUMBER:

C-1.0
OF

GENERAL NOTES

CONTRACTOR IS RESPONSIBLE FOR COMPLIANCE WITH THE NOTES AND SPECIFICATIONS CONTAINED HEREIN. CONTRACTOR SHALL BE RESPONSIBLE TO ENSURE CONFORMANCE TO THESE REQUIREMENTS BY ALL SUBCONTRACTORS.

1. THE FOLLOWING DOCUMENTS ARE INCORPORATED BY REFERENCE AS PART OF THIS SITE PLAN:

- BOUNDARY AND TOPOGRAPHIC SURVEY - CRAIG WATSON AND ASSOCIATES LLC, DATED 08-04-21.

PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL VERIFY THAT HE/SHE HAS THE LATEST EDITION OF THE DOCUMENTS REFERENCED ABOVE.

2. ALL HANDICAPPED PARKING SPACES SHALL BE CONSTRUCTED TO MEET, AT A MINIMUM, THE MORE STRINGENT OF THE REQUIREMENTS OF THE "AMERICANS WITH DISABILITIES ACT" (ADA) CODE (42 U.S.C. SEC. 12101 ET SEQ. AND 42 U.S.C. SEC. 4151 ET SEQ.) OR THE REQUIREMENTS OF THE JURISDICTION WHERE THIS PROJECT IS TO BE CONSTRUCTED.

3. PRIOR TO STARTING CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE TO ENSURE THAT ALL REQUIRED PERMITS AND APPROVALS HAVE BEEN OBTAINED. NO CONSTRUCTION OR FABRICATION SHALL BEGIN UNTIL THE CONTRACTOR HAS RECEIVED AND THOROUGHLY REVIEWED THE PERMITS TO ALL PLANS AND OTHER DOCUMENTS REVIEWED AND APPROVED BY THE PERMITTING AUTHORITIES. CONTRACTOR SHALL HAVE COPIES OF ALL PERMITS AND APPROVALS ON SITE AT ALL TIMES.

4. THE OWNER/CONTRACTOR SHALL BE FAMILIAR WITH AND RESPONSIBLE FOR THE PROCUREMENT OF ANY AND ALL CERTIFICATIONS REQUIRED FOR THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY.

5. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THESE PLANS AND SPECIFICATIONS AND ALL APPLICABLE REQUIREMENTS AND STANDARDS OF ALL GOVERNMENTAL ENTITIES HAVING JURISDICTION OVER THIS PROJECT.

6. THE GEOTECHNICAL REPORT AND RECOMMENDATIONS SET FORTH HEREIN ARE A PART OF THE REQUIRED CONSTRUCTION DOCUMENTS AND, IN CASE OF CONFLICT, SHALL TAKE PRECEDENCE UNLESS SPECIFICALLY NOTED OTHERWISE ON THE PLANS. THE CONTRACTOR SHALL NOTIFY THE ENGINEER IN WRITING OF ANY SUCH DISCREPANCY BETWEEN THE GEOTECHNICAL REPORTS AND PLANS AND SPECIFICATIONS PRIOR TO PROCEEDING WITH ANY FURTHER WORK.

7. THE BOUNDARY AND TOPOGRAPHIC SURVEY PREPARED BY CRAIG WATSON AND ASSOCIATES LLC, DATED 08-04-21, SHALL BE CONSIDERED A PART OF THESE PLANS.

8. THESE PLANS ARE BASED ON INFORMATION PROVIDED TO THOMAS ENGINEERING GROUP BY THE OWNER AND OTHERS PRIOR TO THE TIME OF PLAN PREPARATION. CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS AND NOTIFY THOMAS ENGINEERING GROUP IF ACTUAL CONDITIONS DIFFER FROM THOSE SHOWN ON THE PLAN, OR IF THE PROPOSED WORK CONFLICTS WITH ANY OTHER SITE FEATURES.

9. ALL DIMENSIONS SHOWN ON THE PLANS SHALL BE FIELD VERIFIED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION. CONTRACTOR SHALL NOTIFY ENGINEER IN WRITING IF ANY DISCREPANCIES EXIST PRIOR TO PROCEEDING WITH CONSTRUCTION. NO EXTRA COMPENSATION SHALL BE PAID TO THE CONTRACTOR FOR WORK HAVING TO BE REDONE DUE TO DIMENSIONS OR GRADES SHOWN INCORRECTLY ON THESE PLANS PRIOR TO THE GIVING OF SUCH NOTIFICATION AND THE ENGINEER'S WRITTEN AUTHORIZATION OF SUCH ADDITIONAL WORK.

10. CONTRACTOR SHALL REFER TO THE ARCHITECTURAL/BUILDING PLANS FOR EXACT LOCATIONS AND DIMENSIONS OF ENTRY/EXIT POINTS, ELEVATIONS, PRECISE BUILDING DIMENSIONS, EXACT BUILDING UTILITY LOCATIONS.

11. PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL COORDINATE THE BUILDING LAYOUT BY CAREFUL REVIEW OF THE SITE PLAN AND LATEST ARCHITECTURAL PLANS (INCLUDING, BUT NOT LIMITED TO, STRUCTURAL, MECHANICAL, ELECTRICAL, PLUMBING AND FIRE SUPPRESSION PLAN, WHERE APPLICABLE). CONTRACTOR SHALL IMMEDIATELY NOTIFY OWNER, ARCHITECT AND SITE ENGINEER OF ANY DISCREPANCIES.

12. DEBRIS SHALL NOT BE BURIED ON THE SUBJECT SITE AND ALL UNSUITABLE EXCAVATED MATERIAL AND DEBRIS (SOLID WASTE) SHALL BE DISPOSED OF IN ACCORDANCE WITH THE REQUIREMENTS OF ALL GOVERNMENTAL AUTHORITIES HAVING JURISDICTION OVER THIS PROJECT.

13. THE CONTRACTOR IS RESPONSIBLE FOR ALL SHORING REQUIRED DURING EXCAVATION (TO BE PERFORMED IN ACCORDANCE WITH CURRENT OSHA STANDARDS) AND ANY ADDITIONAL PRECAUTIONS TO BE TAKEN TO ASSURE THE STABILITY OF ADJACENT AND CONTIGUOUS STRUCTURES.

14. THE CONTRACTOR IS TO EXERCISE EXTREME CARE WHEN PERFORMING ANY WORK ACTIVITIES ADJACENT TO PAVEMENT, STRUCTURES, ETC. WHICH ARE TO REMAIN. CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING ANY DAMAGE DONE TO ANY NEW OR EXISTING CONSTRUCTION OR PROPERTY DURING THE COURSE OF CONSTRUCTION, INCLUDING BUT NOT LIMITED TO DRAINAGE, UTILITIES, PAVEMENT, STRIPING, CURB, ETC. THE CONTRACTOR SHALL BE RESPONSIBLE FOR AND SHALL REPLACE ALL SIGNAL INTERCONNECTION CABLE, WIRING CONDUITS, AND ANY UNDERGROUND ACCESSORY EQUIPMENT DAMAGED DURING CONSTRUCTION. THE REPAIR OF ANY SUCH NEW OR EXISTING CONSTRUCTION OR PROPERTY SHALL RESTORE SUCH CONSTRUCTION OR PROPERTY TO A CONDITION EQUIVALENT TO OR BETTER THAN THE EXISTING CONDITIONS, AND IN CONFORMANCE WITH APPLICABLE CODES. CONTRACTOR IS RESPONSIBLE TO DOCUMENT ALL EXISTING DAMAGE AND NOTIFY THE OWNER AND THE CONSTRUCTION MANAGER PRIOR TO THE START OF CONSTRUCTION.

16. ALL CONCRETE SHALL HAVE THE MINIMUM COMPRESSIVE STRENGTH OF 4,000 PSI AT 28 DAYS UNLESS OTHERWISE NOTED ON THE PLANS, DETAILS AND/OR GEOTECHNICAL REPORT.

17. THE ENGINEER IS NOT RESPONSIBLE FOR CONSTRUCTION METHODS / MEANS FOR COMPLETION OF THE WORK DEPICTED NEITHER ON THESE PLANS, NOR FOR ANY CONFLICTS/SCOPE REVISIONS WHICH RESULT FROM SAME. CONTRACTOR IS SOLELY RESPONSIBLE FOR DETERMINING THE METHODS/MEANS FOR COMPLETION OF THE WORK PRIOR TO THE COMMENCEMENT OF CONSTRUCTION.

18. THE ENGINEER OF RECORD IS NOT RESPONSIBLE FOR JOB SITE SAFETY NOR HAS THE ENGINEER OF RECORD BEEN RETAINED FOR SUCH PURPOSES.

19. ALL CONTRACTORS MUST CARRY THE SPECIFIED STATUTORY WORKER'S COMPENSATION INSURANCE, EMPLOYER'S LIABILITY INSURANCE AND LIMITS OF COMMERCIAL GENERAL LIABILITY INSURANCE (CGL). ALL CONTRACTORS MUST HAVE THEIR CGL POLICIES ENDORSED TO NAME THOMAS ENGINEERING GROUP, AND ITS SUB-CONSULTANTS AS ADDITIONAL NAMED INSURERS AND TO PROVIDE CONTRACTUAL LIABILITY COVERAGE SUFFICIENT TO INSURE THIS HOLD HARMLESS AND INDEMNITY OBLIGATIONS ASSUMED BY THE CONTRACTORS. ALL CONTRACTORS MUST FURNISH THOMAS ENGINEERING GROUP WITH CERTIFICATIONS OF INSURANCE AS EVIDENCE OF THE REQUIRED INSURANCE PRIOR TO COMMENCING WORK AND UPON RENEWAL OF EACH POLICY DURING THE ENTIRE PERIOD OF CONSTRUCTION. IN ADDITION, ALL CONTRACTORS WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD HARMLESS THOMAS ENGINEERING GROUP AND ITS SUB-CONSULTANTS FROM AND AGAINST ANY DAMAGES, LIABILITIES OR COSTS, INCLUDING REASONABLE ATTORNEYS' FEES AND DEFENSE COSTS, ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE PROJECT, INCLUDING ALL CLAIMS BY EMPLOYEES OF THE CONTRACTORS.

20. THOMAS ENGINEERING GROUP WILL REVIEW AND APPROVE OR TAKE OTHER APPROPRIATE ACTION ON THE CONTRACTOR SUBMITTALS, SUCH AS SHOP DRAWINGS, PRODUCT DATA, SAMPLES, AND OTHER DATA, WHICH THE CONTRACTOR IS REQUIRED TO SUBMIT, BUT ONLY FOR THE LIMITED PURPOSE OF CHECKING FOR CONFORMANCE WITH THE DESIGN INTENT AND THE INFORMATION SHOWN IN THE CONSTRUCTION CONTRACT DOCUMENTS. CONSTRUCTION MEANS AND/OR METHODS, COORDINATION OF THE WORK WITH OTHER TRADES, AND CONSTRUCTION SAFETY PRECAUTIONS ARE THE SOLE RESPONSIBILITY OF THE CONTRACTOR. THOMAS ENGINEERING GROUP'S SHOP DRAWING REVIEW WILL BE CONDUCTED WITH REASONABLE PROMPTNESS WHILE ALLOWING SUFFICIENT TIME TO PERMIT ADEQUATE REVIEW. REVIEW OF A SPECIFIC ITEM SHALL NOT INDICATE THAT THOMAS ENGINEERING GROUP HAS REVIEWED THE ENTIRE ASSEMBLY OF WHICH THE ITEM IS A COMPONENT. THOMAS ENGINEERING GROUP WILL NOT BE RESPONSIBLE FOR ANY DEVIATIONS FROM THE CONSTRUCTION DOCUMENTS NOT BROUGHT TO ITS ATTENTION, IN WRITING, BY THE CONTRACTOR. THOMAS ENGINEERING GROUP WILL NOT BE REQUIRED TO REVIEW PARTIAL SUBMISSIONS OR THOSE FOR WHICH SUBMISSIONS OF CORRELATED ITEMS HAVE NOT BEEN RECEIVED.

21. NEITHER THE PROFESSIONAL ACTIVITIES OF THOMAS ENGINEERING GROUP, NOR THE PRESENCE OF THOMAS ENGINEERING GROUP OR ITS EMPLOYEES AND SUB-CONSULTANTS AT A CONSTRUCTION / PROJECT SITE, SHALL RELIEVE THE GENERAL CONTRACTOR OF ITS OBLIGATIONS, DUTIES AND RESPONSIBILITIES INCLUDING, BUT NOT LIMITED TO, CONSTRUCTION MEANS, METHODS, SEQUENCE, TECHNIQUES OR PROCEDURES NECESSARY FOR PERFORMING, SUPERINTENDING AND COORDINATING THE WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS AND ANY HEALTH OR SAFETY PRECAUTIONS REQUIRED BY ANY REGULATORY AGENCIES. THOMAS ENGINEERING GROUP AND ITS PERSONNEL HAVE NO AUTHORITY TO EXERCISE ANY CONTROL OVER ANY CONSTRUCTION CONTRACTOR OR ITS EMPLOYEES IN CONNECTION WITH THEIR WORK OR ANY HEALTH OR SAFETY PROGRAMS OR PROCEDURES. THE GENERAL CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR JOB SITE SAFETY. THOMAS ENGINEERING GROUP SHALL BE INDEMNIFIED BY THE GENERAL CONTRACTOR AND SHALL BE NAMED AN ADDITIONAL INSURED UNDER THE GENERAL CONTRACTOR'S POLICIES OF GENERAL LIABILITY INSURANCE.

22. IF THE CONTRACTOR DEVIATES FROM THE PLANS AND SPECIFICATIONS, INCLUDING THE NOTES CONTAINED HEREIN, WITHOUT FIRST OBTAINING THE PRIOR WRITTEN AUTHORIZATION OF THE ENGINEER FOR SUCH DEVIATIONS, CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR THE PAYMENT OF ALL COSTS INCURRED IN CORRECTING ANY WORK DONE WHICH DEVIATES FROM THE PLANS, ALL FINES AND/OR PENALTIES ASSESSED WITH RESPECT THERETO AND ALL COMPENSATORY OR PUNITIVE DAMAGES RESULTING THEREFROM. THE CONTRACTOR SHALL INDEMNIFY AND HOLD THE OWNER AND ENGINEER HARMLESS FROM ALL SUCH COSTS RELATED TO SAME.

23. CONTRACTOR IS RESPONSIBLE FOR MAINTENANCE AND PROTECTION OF TRAFFIC PLAN FOR ALL WORK THAT AFFECTS PUBLIC TRAVEL EITHER IN THE R.O.W. OR ON SITE. THE COST FOR THIS ITEM SHOULD BE INCLUDED IN THE CONTRACTOR'S PRICE.

24. IF THE CONTRACTOR DEVIATES FROM THE PLANS AND SPECIFICATIONS, INCLUDING THE NOTES CONTAINED THEREON, WITHOUT FIRST OBTAINING PRIOR WRITTEN AUTHORIZATION FOR SUCH DEVIATIONS FROM THE OWNER AND ENGINEER, IT SHALL BE RESPONSIBLE FOR THE PAYMENT OF ALL COSTS TO CORRECT ANY WORK DONE, ALL FINES OR PENALTIES ASSESSED WITH RESPECT THERETO AND ALL COMPENSATORY OR PUNITIVE DAMAGES RESULTING THEREFROM. THE CONTRACTOR SHALL INDEMNIFY AND HOLD THE OWNER AND ENGINEER HARMLESS FROM ALL SUCH COSTS TO CORRECT ANY SUCH WORK AND FROM ALL SUCH FINES AND PENALTIES. COMPENSATION AND PUNITIVE DAMAGES AND COSTS OF ANY NATURE RESULTING THEREFROM.

25. CONTRACTOR SHALL CONFIRM ADA ACCESSIBILITY PRIOR TO INSTALLING FINISHING COURSES OF SIDEWALKS AND PARKING AREAS.

26. UPON THE RECEIPT OF THE "NOTICE TO PROCEED", THE CONTRACTOR SHALL CONTACT THE ENGINEER OF RECORD AND ARRANGE A RECONSTRUCTION CONFERENCE TO INCLUDE ALL INVOLVED GOVERNMENTAL AGENCIES, UTILITY OWNERS, THE OWNER AND THE ENGINEER OF RECORD.

27. ALL UTILITY EASEMENTS TO BE SECURED PRIOR TO CONSTRUCTION (IF REQUIRED) PRIOR TO CERTIFICATE OF OCCUPANCY. THESE EASEMENTS SHALL BE SKETCHED, DESCRIBED, AND RECORDED AT THE SOLE COST OF THE CONTRACTOR.

28. CONTRACTOR SHALL PROVIDE MINIMUM 48 HOUR NOTICE TO ENGINEER AND APPLICABLE AGENCIES FOR SCHEDULING INSPECTIONS.

29. PRIOR TO THEIR CONSTRUCTION OR INSTALLATION, SHOP DRAWINGS SHALL BE SUBMITTED TO AND APPROVED BY THE ENGINEER OF RECORD AND CITY OF FORT PIERCE FOR THE FOLLOWING: CATCH BASINS, FIRE HYDRANTS, VALVES, AND ALL REQUIRED ACCESSORIES. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO OBTAIN ALL OTHER AGENCY APPROVALS IF REQUIRED.

30. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ARRANGE FOR OR SUPPLY TEMPORARY WATER SERVICE, SANITARY FACILITIES AND ELECTRICITY.

31. MAINTENANCE OF TRAFFIC IN THE PUBLIC RIGHTS-OF-WAY SHALL BE IN ACCORDANCE WITH M.U.T.C.D. AND FDOT STANDARDS AND INDEX 606, LATEST EDITION, AND APPROVED BY CITY OF FORT PIERCE AND ST. LUCIE COUNTY WHERE APPLICABLE PRIOR TO IMPLEMENTATION.

32. ALL OPEN TRENCHES AND HOLES ADJACENT TO ROADWAYS OR WALKWAYS SHALL BE PROPERLY MARKED AND BARRICADED TO ASSURE THE SAFETY OF BOTH VEHICULAR AND PEDESTRIAN TRAFFIC.

33. NO TRENCHES OR HOLES NEAR WALKWAYS, IN ROADWAYS OR THEIR SHOULDERS ARE THE BE LEFT OPEN DURING NIGHTTIME HOURS WITHOUT EXPRESS PERMISSION FROM CITY OF FORT PIERCE.

34. IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR FOR ANY NECESSARY CONSTRUCTION, PAVEMENT MARKING AND SIGNAGE OR ANY PEDESTRIAN SIGNALIZATION AND/OR SIGNAL MODIFICATION TO ACCOMMODATE AN ALTERNATE SAFE WALK ROUTE. ALL RESTORED TRAFFIC CONTROL DEVICES SHALL BE IN ACCORDANCE WITH THE GOVERNING AGENCY'S TRAFFIC ENGINEERING STANDARDS.

SANITARY SEWER NOTES:

A. GENERAL:
   1. DISTANCE AND LENGTHS SHOWN ON PLANS REFERENCE THE CENTER OF STRUCTURES.

B. MATERIALS:
   1. ALL PVC SEWER PIPE AND FITTINGS SHALL BE NON-PRESSURE POLYVINYL CHLORIDE (PVC) PIPE CONFORMING TO ASTM D 3034, SDR 26, WITH PUSH-ON RUBBER GASKET JOINTS. (24" SHALL BE DR-25)
   2. DUCTILE IRON PIPE (DIP) SHALL BE CEMENT OR POLYLINED INSIDE AND SHALL HAVE A COAL TAR EPOXY COATING, MANUFACTURED IN ACCORDANCE WITH ANSI/AWWA C151/A21.51-86 OR LATEST REVISION. MINIMUM WALL THICKNESS CLASS 52 (4"-12") & CLASS 51 (14"-20") (UNLESS OTHERWISE SPECIFIED).
   3. ALL FITTINGS AND ACCESSORIES SHALL BE AS MANUFACTURED OR SUPPLIED BY THE PIPE MANUFACTURER OR APPROVED EQUAL.

C. INSTALLATION:
   1. PIPE AND FITTINGS:
      a. SEWER PIPE SHALL BE INSTALLED IN ACCORDANCE WITH ASTM D2321, AND THE UNI-BELL PLASTICS PIPE ASSOCIATION'S 'RECOMMENDED PRACTICE FOR THE INSTALLATION OF PVC SEWER PIPE".
      b. D.I.P. SHALL BE INSTALLED IN ACCORDANCE WITH ANSI/AWWA C600-93 OR LATEST REVISION.
      c. BEDDING AND INITIAL BACKFILL OVER SEWER MAINS AND SERVICES SHALL BE SAND WITH NO ROCK (PER CITY OF FORT PIERCE ENGINEERING STANDARDS.
   2. SERVICE:
      a. MINIMUM SLOPE OF ALL SERVICE LINES SHALL BE AS INDICATED IN THE FLORIDA BUILDING CODE.
      b. SERVICE LATERALS SHALL TERMINATE AT A DEPTH 30" BELOW FINISHED GRADE OR AS INDICATED ON PLUMBING PLAN.
      c. EACH SERVICE CONNECTION SHALL BE PLUGGED WATER-TIGHT WITH AN APPROVED PLUG.
      d. THE END OF EACH SERVICE CONNECTION SHALL BE MARKED WITH A 2"x4" TREATED STAKE PAINTED RED, EXTENDING 18"(MIN) ABOVE GRADE.
      e. CONTRACTOR SHALL ROUGH IN RISER TO 1 FOOT ABOVE FINISHED GRADE AND PLUG. AT PROJECT COMPLETION, CUT BACK TO FINISHED GRADE.
      f. CONNECTION OF SERVICES TO BUILDING'S PLUMBING SHALL BE COORDINATED WITH THE CITY'S BUILDING DEPARTMENT, PLUMBING SECTION.

D. TESTING:
   1. AFTER CONSTRUCTION OF THE SEWER SYSTEM, THE ENGINEER MAY REQUIRE A VISUAL INFILTRATION AND/OR EXFILTRATION TEST TO BE PERFORMED ON THE ENTIRE SYSTEM OR ANY PART THEREOF.
   2. AN AIR TEST MAY BE SUBSTITUTED FOR THE WATER EXFILTRATION TEST, UPON APPROVAL OF THE ENGINEER.
   3. MANHOLE LEAKAGE TEST SHALL NOT EXCEED FOUR GALLONS PER DAY PER UNIT. NO VISIBLE LEAKAGE ALLOWED.
   4. SEWER PIPE LEAKAGE ALLOWABLE SHALL NOT EXCEED 150 GALLONS PER DAY PER INCH DIAMETER PER MILE IN ATWO HOUR TEST PERIOD FOR ANY SECTION TESTED. NO VISIBLE LEAKAGE SHALL BE ALLOWED AND ALL LINES SHALL BE T.V. INSPECTED.
   5. SANITARY SEWER SHALL BE TELEVISED AND LAMPED AT DEVELOPER'S EXPENSE. PRIOR TO FINAL ACCEPTANCE. OWNER / CONTRACTOR IS RESPONSIBLE FOR CORRECTING ANY DEFICIENCIES PRIOR TO CERTIFICATION TO ANY AGENCY.
   6. VISIBLE INFILTRATION LEAKAGE INTO MANHOLES AND SEWER PIPE SHALL NOT BE PERMITTED.

WATER DISTRIBUTION AND/OR SANITARY SEWER FORCE MAIN SYSTEM

A. GENERAL:
   1. NO CONNECTIONS TO THE EXISTING LINES SHALL BE MADE UNTIL PRESSURE TESTS, FOR THE WATER AND SEWER FORCE MAINS, AND BACTERIOLOGICAL TESTS HAVE BEEN PERFORMED AND THE SYSTEM IS ACCEPTABLE TO THE CITY OF FORT PIERCE UTILITIES DEPARTMENT AND THE ST. LUCIE COUNTY PUBLIC HEALTH UNIT.
   2. BEDDING AND INITIAL BACKFILL FOR MAINS SHALL BE SAND WITH NO ROCK (PER CITY OF FORT PIERCE - UTILITY SYSTEMS DEPARTMENT - UTILTIY STANDARDS MANUAL 2011 EDITION.)
   3. USE "DETECTO' TAPE ON ALL PVC MAINS (18" ABOVE), AND USE "NON-DETECTO" TAPE ON ALL D.I.P. MAINS (18" ABOVE)
   4. SEPARATION REQUIREMENTS SHALL BE PER THE CITY OF WEST ST. LUCIE ENGINEERING STANDARDS.
   5. CONSTRUCTION AND MATERIALS SHALL BE IN ACCORDANCE WITH CITY OF FORT PIERCE ENGINEERING STANDARDS AND SPECIFICATIONS.

B. MATERIALS:
   1. DUCTILE IRON PIPE (DIP) SHALL BE CLASS 52 UP TO 12" SIZE & CLASS 51 FOR 14" AND LARGER WITH INTERIOR CEMENT LINING AND BITUMINOUS COATED OUTSIDE. WATER MAIN & EPOXY LINED & COATED FORCE MAIN MANUFACTURED IN ACCORDANCE WITH ANSI/AWWA C151/A21.51-91 OR LATEST REVISION. THE PIPE SHALL WITHSTAND A WORKING PRESSURE OF 350 PSI. THE JOINTS SHALL BE BELL AND SPIGOT PUSH-ON TYPE UNLESS OTHERWISE NOTED ON THE PLANS.
   2. ALL PVC MAINS SHALL BE SERIES 1120, CLASS 150 (DR 18) PRESSURE PIPE CONFORMING TO ANSI/AWWA C900-89 OR LATEST REVISION, AND SHALL HAVE PUSH-ON JOINTS, AND IRON PIPE O.D. (PVC ON-SITE ONLY)
   3. FITTINGS FOR MAINS 4" AND LARGER SHALL BE DUCTILE IRON MECHANICAL JOINT CONFORMING TO ANSI/AWWA C110/A21.10-93 OR LATEST REVISION, COMPLETE WITH GLANDS, GASKETS, BOLTS AND NUTS. ALL FITTINGS SHALL BE CEMENT LINED AND SEAL COATED WITH THE SAME MATERIALS AS THE PIPE & USE MEGALUG SERIES 1100 RESTRAINED JOINT ADAPTERS.
   4. VALVES SHALL BE GATE VALVES, IRON BODY, FULLY RESILIENT SEAT BRONZED MOUNTED NON-RISING STEM, RATED AT 200 PSI AND CONFORMING TO ANSI/AWWA C509-87 OR LATEST REVISION, AND SHALL HAVE MECHANICAL JOINTS.
      a. GATE VALVES 4" AND LARGER SHALL BE MUELLER A-2360-20, RESILIENT SEATED GATE VALVES SHALL BE AMERICAN 500/2500 LINE OR CLOW F-6100, CONFORMING TO ANSI/AWWA C509-87.
      b. TAPPING VALVES SHALL BE MUELLER H667 OR APPROVED EQUAL..
      c. GATE VALVES SHALL BE PER THE CITY OF FORT PIERCE ENGINEERING STANDARDS.
   5. TAPPING SLEEVES SHALL BE MUELLER H615 OR APPROVED EQUAL PER CITY OF FORT PIERCE.
   6. VALVE BOXES SHALL BE TYLER/UNION 461-S OR APPROVED EQUAL PER CITY OF FORT PIERCE.
   7. RETAINER GLANDS SHALL CONFORM TO ANSI/AWWA C111/A21.11-90 OR LATEST REVISION. ALL GLANDS SHALL BE MANUFACTURED FROM DUCTILE IRON ALLISTED BY UNDERWRITERS LABORATORIES FOR 250 PSI MINIMUM WATER PRESSURE RATING. GLOW CORPORATION MODEL F-1058 OR STANDARD FIRE PROTECTION EQUIPMENT COMPANY OR APPROVED EQUAL.
   8. DRESSER COUPLINGS SHALL BE REGULAR BLACK COUPLINGS WITH PLAIN GASKETS FOR GALVANIZED STEEL PIPE. THEY SHALL BE DRESSER STYLE 90. NO SUBSTITUTIONS ALLOWED.
   9. FIRE HYDRANTS SHALL HAVE A 5 1/4 " MAIN VALVE OPENING. PUMPER NOZZLE TO BE 18" FROM FINISH GRADE. ALL HYDRANTS TO BE INSTALLED WITH ANCHORING TEE AND GATE VALVE. FIRE HYDRANT SHALL COMPLY WITH ANSI/AWWA C502-85 (OR LATEST REVISION). HYDRANTS SHALL BE AMERICAN DARLING B-54-B. BLUE REFLECTIVE PAVEMENT MARKER REQUIRED IN CENTER OF NEAREST DRIVING LANE FOR FIRE HYDRANTS.

C. SERVICE CONNECTION:
   1. CORPORATION STOPS SHALL BE MANUFACTURED OF BRASS ALLOY IN ACCORDANCE WITH ASTM B-62 WITH THREADED ENDS, AS MANUFACTURED BY MUELLER OR APPROVED EQUAL.
   2. CURB STOPS SHALL BE MUELLER OR APPROVED EQUAL.
   3. METER STOPS SHALL BE 90° LOCK WING TYPE AND SHALL BE OF BRONZE CONSTRUCTION IN ACCORDANCE WITH ASTM B-62. METER STOPS SHALL BE CLOSED BOTTOM DESIGN AND RESILIENT "O" RING SEALED AGAINST EXTERNAL LEAKAGE AT THE TOP. STOPS SHALL BE EQUIPPED WITH A METER COUPLING NUT ON THE OUTLET SIDES, AS MANUFACTURED BY MUELLER OR APPROVED EQUAL.
   4. SERVICE PIPING SHALL BE POLYETHYLENE TUBING.

D. INSTALLATION:
   1. GENERAL:
      CONNECTION OF ALL NEW SYSTEMS TO EXISTING MAINS SHALL BE DONE BY USING ONE OF THE FOLLOWING METHODS:
      a. METHOD A PER ST. LUCIECOUNTY PUBLIC HEALTH UNIT STANDARDS, WHICH INVOLVES A REDUCED SIZE TEMPORARY CONNECTION BETWEEN THE EXISTING MAIN AND THE NEW ONE.
      b. METHOD B PER ST. LUCIECOUNTY PUBLIC HEALTH UNIT STANDARDS, WHICH INVOLVES A DIRECT CONNECTION BETWEEN THE NEW AND EXISTING MAINS USING TWO GATE VALVES SEPARATED BY A SLEEVE WITH A VENT PIPE.
      c. METHOD C APPROVED BY THE ST. LUCIECOUNTY PUBLIC HEALTH UNIT, WHICH INVOLVES A TAP WITH ONE GATE VALVE REQUIRING DISINFECTION OF THE NEW SYSTEM PRIOR TO CONDUCTING THE PRESSURE TEST.
   2. BEDDING:
      BEDDING AND INITIAL BACKFILL OVER SEWER MAINS AND SERVICES SHALL BE SAND WITH NO ROCK (PER CITY OF FORT PIERCE ENGINEERING STANDARDS).

3. PVC PIPE:
   a. PVC PIPE SHALL BE INSTALLED IN ACCORDANCE WITH THE UNI-BELL PLASTIC PIPE ASSOCIATION'S GUIDE FOR INSTALLATION OF PVC PRESSURE PIPE FOR MUNICIPAL WATER DISTRIBUTION SYSTEMS.
   b. PVC PIPE SHALL BE INSTALLED WITH A MINIMUM OF 36" COVER
   c. DETECTOR TAPE SHALL BE INSTALLED THE FULL LENGTH OF ALL PVC MAINS APPROXIMATELY 18" ABOVE THE PIPE, COLOR SIDE UP.
4. DUCTILE PIPE:
   a. D.I.P. SHALL BE INSTALLED IN ACCORDANCE WITH ANSI/AWWA C600-99 OR LATEST REVISION.
   b. D.I.P. SHALL BE INSTALLED WITH A MINIMUM OF 30" COVER.
   c. "NON-DETECTOR" TAPE SHALL BE INSTALLED THE FULL LENGTH OF ALL D.I.P. MAINS APPROXIMATELY 18" ABOVE THE MAIN COLOR SIDE UP.
5. VALVES:
   a. ALL VALVES SHALL BE INSTALLED WITH ADJUSTABLE CAST IRON VALVE BOXES WITH THE WORD "WATER" OR "SEWER" CAST IN THE COVER. A BRASS DISK INDICATING, SIZE, TYPE, KIND & OPERATOR INSTRUCTIONS SHALL BE INSTALLED ADJACENT TO VALVE BOX.
   b. MAIN VALVES SHALL BE LOCATED ON AN EXTENSION OF THE RIGHT-OF-WAY LINE UNLESS DIMENSIONED OTHERWISE.
   c. MAIN VALVES SHALL BE INSTALLED AWAY FROM PARKING AREAS. IF THIS IS UNAVOIDABLE, PROPER MEASURES SHALL BE TAKEN TO AVOID THE PARKING OF VEHICLES OVER THE VALVES. HYDRANT VALVES SHALL BE INSTALLED AS CLOSE TO THE MAIN AS POSSIBLE. VALVES LOCATED IN NON-PAVED AREAS OR IN PARKING STALLS REQUIRE A REFLECTIVE PAVEMENT MARKER ON THE CENTER OF THE NEAREST LANE OF ROADWAY. WHITE REFLECTORS FOR THE WATER MAIN VALVES, GREEN REFLECTORS FOR FORCE MAIN VALVES. 4 THE DISTANCE FROM THE TOP OF THE VALVE ACTUATOR NUT TO FINAL GRADE SHALL BE A MINIMUM OF 12 INCHES AND A MAXIMUM OF 18 INCHES.
6. SERVICE:
   a. COVER OVER SERVICE LINES SHALL BE 18" MINIMUM, 36" MAXIMUM BELOW FINISHED GRADE AND 36" UNDER PAVEMENT.
   b. SERVICES UP TO 2" SHALL BE POLYETHYLENE TUBING PER CITY OF FORT PIERCE.
   c. METER STOPS SHALL HAVE 9" TO 10" COVER AS REQUIRED FOR PROPER METER/BOX INSTALLATION.
   d. WATER SERVICES UNDER PAVEMENT SHALL BE ENCASED IN A SCHEDULE 80 PVC SLEEVE FOR THE FULL LENGTH OF THE PAVEMENT AND FOR 2' BEYOND THE EDGE. SLEEVE DIAMETER SHALL BE TWICE THE DIAMETER OF THE SERVICE PIPE.
   e. THE END OF EACH SERVICE CONNECTION SHALL BE MARKED WITH A 2"x4" TREATED STAKE. PAINTED BLUE EXTENDING 18" (MINIMUM) ABOVE GRADE UNLESS INDICATED OTHERWISE.
E. TESTING
   1. BEFORE ANY PHYSICAL CONNECTIONS TO THE EXISTING WATER MAINS ARE MADE, THE COMPLETE WATER SYSTEM SHALL BE PRESSURE TESTED AND DISINFECTED.HYDROSTATIC TESTING OF NEW MAINS SHALL BE PERFORMED AT A MINIMUM STARTING PRESSURE OF 150 PSI FOR TWO HOURS IN ACCORDANCE WITH ANSI/AWWA C600-99 OR LATEST REVISION, THE PRESSURE TEST SHALL NOT VARY MORE THAN ±5 P.S.I. DURING THE TEST.
   2. THE PRESSURE TEST SHALL BE WITNESSED BY A REPRESENTATIVE OF THE CITY OF FORT PIERCE AND THE ENGINEER OF RECORD.
   3. BEFORE ACCEPTANCE FOR OPERATION, THE WATER SYSTEM SHALL BE DISINFECTED IN ACCORDANCE WITH THE ANSI/AWWA C651-92; 150 PSI MINIMUM STARTING TEST PRESSURE, WITH BACTERIOLOGICAL SAMPLES APPROVED BY THE ST. LUCIE COUNTY PUBLIC HEALTH DEPARTMENT.
   4. SAMPLING POINTS SHALL BE PROVIDED AT THE LOCATIONS SHOWN ON THE PLANS.IF NOT SPECIFIED, SAMPLING POINTS SHALL BE PROVIDED AT INTERVALS OF 1500' MAXIMUM FOR LINES GREATER THAN 1500' IN LENGTH.PROVIDE A MINIMUM OF TWO SAMPLING POINTS FOR ALL OTHER TEST SEGMENTS. SAMPLE POINTS MUST BE APPROVED BY ST. LUCIECOUNTY PUBLIC HEALTH DEPARTMENT.
   5. THE ALLOWABLE LEAKAGE SHALL BE LESS THAN THE NUMBER OF GALLONS PER HOUR AS DETERMINED BY THE FORMULA:


$$L = \frac{S\,D\,P^{0.5}}{148{,}000}$$

IN WHICH:
L EQUALS THE ALLOWABLE LEAKAGE IN GALLONS PER HOUR.
S EQUALS LENGTH OF PIPE (LINEAR FEET),
D EQUALS NOMINAL DIAMETER OF PIPE (INCHES) AND
P EQUALS THE MINIMUM TEST PRESSURE (POUNDS PER SQUARE INCH).

SEPARATION OF WATER AND SEWER MAINS

SEPARATION REQUIREMENTS SHALL BE PER THE CITY OF FORT PIERCE ENGINEERING STANDARDS.

A. SANITARY SEWERS, STORM SEWERS, AND FORCE MAINS SHOULD CROSS UNDER WATER MAINS WHENEVER POSSIBLE. SANITARY SEWERS, STORM SEWERS, AND FORCE MAINS CROSSING WATER MAINS SHALL BE LAID TO PROVIDE A MINIMUM VERTICAL DISTANCE OF 18 INCHES BETWEEN THE INVERT OF THE UPPER PIPE AND THE CROWN OF THE LOWER PI



N

W E

S

20 10 5 0 20

1"= 20'

DEMOLITION NOTES:

1. THIS PLAN REFERENCES DOCUMENTS AND INFORMATION BY:
   CRAIG WATSON AND ASSOCIATES LLC
   2240 NE DIXIE HIGHWAY,
   JENSEN BEACH, FL. 34957
   DATED: 08/04/2021
2. THOMAS ENGINEERING GROUP, LLC IS NOT RESPONSIBLE FOR JOB SITE SAFETY OR SUPERVISION.
3. ALL DEMOLITION ACTIVITIES ARE TO BE PERFORMED IN ACCORDANCE WITH THESE PLANS AND SPECIFICATIONS AS WELL AS ALL FEDERAL, STATE AND LOCAL REGULATIONS. ANY DISCREPANCIES OR DEVIATIONS SHALL BE IDENTIFIED BY THE CONTRACTOR TO THOMAS ENGINEERING GROUP, LLC IN WRITING FOR RESOLUTION PRIOR TO INITIATION OF SITE ACTIVITY.
4. PRIOR TO STARTING ANY DEMOLITION CONTRACTOR IS RESPONSIBLE FOR/TO:

   A. THE CONTRACTOR SHALL OBTAIN A SUNSHINE STATE ONE CALL LOCATION CERTIFICATION PRIOR TO ANY EXCAVATION OR DEMOLITION. THE NUMBER IS 1-800-432-4770.

   B. ENSURING COPIES OF ALL PERMITS AND APPROVALS MUST BE MAINTAINED ON SITE AND AVAILABLE FOR REVIEW.

   C. INSTALLING THE REQUIRED SOIL EROSION AND SEDIMENT CONTROL MEASURES PRIOR TO SITE DISTURBANCE.

   D. LOCATE/CAP ALL UTILITIES AND SERVICES, INCLUDING BUT NOT LIMITED TO GAS, WATER, ELECTRIC, SANITARY AND STORM SEWER, TELEPHONE, CABLE, FIBER OPTIC CABLE, ETC. WITHIN THE LIMITS OF DISTURBANCE.

   E. PROTECTING AND MAINTAINING IN OPERATION, ALL ACTIVE SYSTEM THAT ARE NOT BEING REMOVED DURING ALL DEMOLITION ACTIVITIES.

   F. FAMILIARIZING THEMSELVES WITH THE APPLICABLE UTILITY SERVICE PROVIDER AND IS RESPONSIBLE FOR ALL COORDINATION REGARDING UTILITY DEMOLITION REQUIRED FOR THE PROJECT. THE CONTRACTOR SHALL PROVIDE THE OWNER WRITTEN NOTIFICATION THAT THE EXISTING UTILITIES AND SERVICES HAVE BEEN TERMINATED AND ABANDONED IN ACCORDANCE WITH JURISDICTION AND UTILITY COMPANY REQUIREMENTS.

   G. COORDINATION WITH UTILITY COMPANIES REGARDING WORKING "OFF-PEAK" HOURS OR ON WEEKENDS AS MAY BE REQUIRED TO MINIMIZE THE IMPACT ON THE AFFECTED PARTIES.

   H. A COMPLETE INSPECTION OF CONTAMINANTS BY A LICENSED ENVIRONMENTAL TESTING AGENCY, OF ALL BUILDINGS AND/OR STRUCTURES TO BE REMOVED. SAME SHALL BE PERFORMED IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL ENVIRONMENTAL REGULATIONS. ANY/ALL CONTAMINANTS SHALL BE REMOVED AND DISPOSED OF BY A FEDERALLY LICENSED CONTRACTOR IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. ALL ENVIRONMENTAL WORK INCLUDING HAZARDOUS MATERIAL, SOILS, ASBESTOS, OR OTHER REFERENCED OR IMPLIED HEREIN IS THE SOLE RESPONSIBILITY OF THE OWNER'S ENVIRONMENTAL CONSULTANT. THE FIRM OR ENGINEER OF RECORD IS NOT RESPONSIBLE FOR JOB SITE.

5. SAFETY OR SUPERVISION. CONTRACTOR IS TO PROCEED WITH THE DEMOLITION IN A SYSTEMATIC AND SAFE MANNER, FOLLOWING ALL THE OSHA REQUIREMENTS, TO ENSURE PUBLIC AND CONTRACTOR SAFETY. THE CONTRACTOR SHALL PROVIDE ALL THE "MEANS AND METHODS" NECESSARY.
6. TO PREVENT MOVEMENT, SETTLEMENT, OR COLLAPSE OF EXISTING STRUCTURES, AND ANY OTHER IMPROVEMENTS THAT ARE REMAINING ON OR OFF SITE. THE DEMOLITION CONTRACTOR IS RESPONSIBLE FOR ALL REPAIRS OF DAMAGE TO ALL ITEMS THAT ARE TO REMAIN AS A RESULT OF HIS ACTIVITIES. ALL REPAIRS SHALL USE NEW MATERIAL. THE REPAIRS SHALL RESTORE THE ITEM TO THE PRE-DEMOLITION CONDITION.
7. IN THE ABSENCE OF SPECIFICATIONS, THE CONTRACTOR SHALL PERFORM EARTH MOVEMENT ACTIVITIES, DEMOLITION AND REMOVAL OF ALL FOUNDATION WALLS, FOOTINGS, AND OTHER MATERIALS WITHIN THE LIMITS OF DISTURBANCE IN ACCORDANCE WITH DIRECTION BY OWNER'S STRUCTURAL OR GEOTECHNICAL ENGINEER.
8. EXPLOSIVES SHALL NOT BE USED WITHOUT PRIOR WRITTEN CONSENT OF BOTH THE OWNER AND APPLICABLE GOVERNMENTAL AUTHORITIES. ALL THE REQUIRED PERMITS AND EXPLOSIVE CONTROL MEASURES THAT ARE REQUIRED BY THE FEDERAL, STATE, AND LOCAL GOVERNMENTS SHALL BE IN PLACE PRIOR TO STARTING AN EXPLOSIVE PROGRAM. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL INSPECTION AND SEISMIC VIBRATION TESTING THAT IS REQUIRED TO MONITOR THE EFFECTS ON ALL LOCAL STRUCTURES.
9. CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AND GENERALLY ACCEPTED SAFE PRACTICES IN CONFORMANCE WITH: THE "MANUAL ON UNIFORM TRAFFIC CONTROL," AS WELL AS FEDERAL, STATE, AND LOCAL REGULATIONS WHEN DEMOLITION RELATED ACTIVITIES IMPACT ROADWAYS OR ROADWAY RIGHTS - OF - WAY.
10. CONDUCT DEMOLITION ACTIVITIES IN SUCH A MANNER TO ENSURE MINIMUM INTERFERENCE WITH ROADS, STREETS, SIDEWALKS, WALKWAYS, AND OTHER ADJACENT FACILITIES. STREET CLOSURE PERMITS MUST BE RECEIVED FROM THE APPROPRIATE GOVERNMENTAL AUTHORITY.
11. DEMOLITION ACTIVITIES AND EQUIPMENT SHALL NOT USE AREAS OUTSIDE THE DEFINED PROPERTY LINE WITHOUT WRITTEN PERMISSION OF THE OWNER, AND/OR APPROPRIATE GOVERNMENT AGENCY.
12. USE DUST CONTROL MEASURES TO LIMIT AIRBORNE DUST AND DIRT RISING AND SCATTERING IN THE AIR IN ACCORDANCE WITH FEDERAL, STATE, AND/OR LOCAL STANDARDS. AFTER THE DEMOLITION IS COMPLETE, ADJACENT STRUCTURES AND IMPROVEMENTS SHALL BE CLEANED OF ALL DUST AND DEBRIS CAUSED BY THE DEMOLITION OPERATIONS. THE CONTRACTOR IS RESPONSIBLE FOR RETURNING ALL ADJACENT AREAS TO THEIR "PRE-DEMOLITION" CONDITION.
13. CONTRACTOR IS RESPONSIBLE TO SAFEGUARD SITE AS NECESSARY TO PERFORM THE DEMOLITION IN SUCH A MANNER AS TO PREVENT THE ENTRY OF UNAUTHORIZED PERSONS AT ANY TIME.
14. THIS DEMOLITION PLAN IS INTENDED TO IDENTIFY THOSE EXISTING ITEMS/CONDITIONS WHICH ARE TO BE REMOVED. IT IS NOT INTENDED TO PROVIDE DIRECTION OTHER THAN THAT ALL METHODS AND MEANS ARE TO BE IN ACCORDANCE WITH STATE, FEDERAL, LOCAL, AND JURISDICTIONAL REQUIREMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL OSHA AND OTHER SAFETY PRECAUTIONS NECESSARY TO PROVIDE A SAFE WORK SITE.
15. DEBRIS SHALL NOT BE BURIED ON THE SUBJECT SITE. ALL DEMOLITION WASTES AND DEBRIS (SOLID WASTE) SHALL BE DISPOSED OF IN ACCORDANCE WITH ALL CITY, COUNTY, STATE, AND FEDERAL LAWS AND APPLICABLE CODES.

HATCH LEGEND

EXISTING ASPHALT TO BE REMOVED

EXISTING CONCRETE TO BE REMOVED

NOTES
1. CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING SITE IMPROVEMENTS AND UTILITIES. ALL DISCREPANCIES SHALL BE IDENTIFIED TO THE ENGINEER IN WRITING.
2. ALL EXISTING UTILITIES SHALL BE REMOVED BY CONTRACTOR IN ACCORDANCE WITH CITY OF FORT PIERCE AND LOCAL UTILITY COMPANY REQUIREMENTS. ALL DEMOLITON DEBRIS TO BE REMOVED BY CONTRACTOR IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.
3. CONTRACTOR SHALL REFER TO CONSTRUCTION PHASING PLANS FOR ORDER OF REMOVAL OF ANY UTILITIES AND/OR STRUCTURES.
4. EXISTING WATER SERVICES TO EXISTING RETAIL SPACE SHALL NOT BE REMOVED UNTIL PROPOSED WATER SERVICES ARE INSTALLED AND RELEASE FOR USE BY FORT PIERCE UTILITY AUTHORITY.

CONTRACTOR SHALL REFER TO LANDSCAPING PLAN FOR TREE REMOVAL

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-7000
1502 W. FLETCHER AVE. SUITE 206 UNIT NO. 1012 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503

THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE USED OR LOCKED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-3.0 DM

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER


EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528


SHEET TITLE:

DEMOLITION PLAN


SHEET NUMBER:

C-3.0
OF






SILT FENCE DETAIL
NOT TO SCALE
(PER FDOT INDEX #102)



CATCH BASIN INLET FILTER DETAIL
NOT TO SCALE



SOIL TRACKING PREVENTION MAT DETAIL
NOT TO SCALE
(PER FDOT INDEX #106)

NOTE TO SILT FENCE INSTALLERS:

TO FACILITATE "EFFECTIVE" PRESERVATION OF TREES (THOSE WITH DRIP LINES DEPICTED ON PLAN) SILT FENCE SHALL NOT BE TRENCHED IN WITHIN DRIP LINES OF TREES WHERE AVOIDABLE. IF UNAVOIDABLE THEN EITHER INSTALL SILT FENCE AT GRADE (NO TRENCHING) OR USE HAY BALES IN THESE LOCATIONS.

LEGEND:

- PROPERTY LINE
- EXISTING CATCH BASIN
- EXISTING STORM SEWER
- EXISTING SANITARY SEWER
- PROPOSED SILT FENCE / CONSTRUCTION FENCE
- PROPOSED INLET / STRUCTURE PROTECTION
- PROPOSED STORM SEWER
- PROPOSED ROOF DRAIN
- SOIL TRACKING PREVENTION MAT

EROSION AND SEDIMENT CONTROL NOTES:

1. THE CONTRACTOR IS RESPONSIBLE FOR REMOVING SILT FROM SITE IF NOT REUSABLE ON-SITE AND ASSURING PLAN ALIGNMENT AND GRADE IN ALL DITCHES AND SWALES AT COMPLETION OF CONSTRUCTION.
2. THE SITE CONTRACTOR IS RESPONSIBLE FOR REMOVING THE TEMPORARY EROSION AND SEDIMENT CONTROL DEVICES AFTER COMPLETION OF CONSTRUCTION AND ONLY WHEN AREAS HAVE BEEN STABILIZED.
3. ADDITIONAL PROTECTION - ON-SITE PROTECTION IN ADDITION TO THE ABOVE MUST BE PROVIDED THAT WILL NOT PERMIT SILT TO LEAVE THE PROJECT CONFINES DUE TO UNSEEN CONDITIONS OR ACCIDENTS.
4. CONTRACTOR SHALL INSURE THAT ALL DRAINAGE STRUCTURES, PIPES, ETC. ARE CLEANED OUT AND WORKING PROPERLY AT TIME OF ACCEPTANCE.
5. WIRE MESH SHALL BE LAID OVER THE DROP INLET SO THAT THE WIRE EXTENDS A MINIMUM OF 1 FOOT BEYOND EACH SIDE OF THE INLET STRUCTURE. HARDWARE CLOTH OR COMPARABLE WIRE MESH WITH 1/2-INCH OPENINGS SHALL BE USED. IF MORE THAN ONE STRIP OF MESH IS NECESSARY, THE STRIPS SHALL BE OVERLAPPED.
6. FDOT NO. 1 COARSE AGGREGATE SHALL BE PLACED OVER THE WIRE MESH AS INDICATED IN D-903. THE DEPTH OF STONE SHALL BE AT LEAST 12 INCHES OVER THE ENTIRE INLET OPENING. THE STONE SHALL EXTEND BEYOND THE INLET OPENING AT LEAST 18 INCHES ON ALL SIDES.
7. IF THE STONE FILTER BECOMES CLOGGED WITH SEDIMENT SO THAT IT NO LONGER ADEQUATELY PERFORMS ITS FUNCTION, THE STONES MUST BE PULLED AWAY FROM THE INLET, CLEANED AND REPLACED.
8. BALES SHALL BE EITHER WIRE-BOUND OR STRING-TIED WITH THE BINDINGS ORIENTED AROUND THE SIDES RATHER THAN OVER AND UNDER THE BALES.
9. BALES SHALL BE PLACED LENGTHWISE IN A SINGLE ROW SURROUNDING THE INLET, WITH THE ENDS OF ADJACENT BALES PRESSED TOGETHER.
10. THE FILTER BARRIER SHALL BE ENTRENCHED AND BACKFILLED. A TRENCH SHALL BE EXCAVATED TO A MINIMUM DEPTH OF 8 INCHES. AFTER THE BALES ARE STAKED, THE EXCAVATED SOIL SHALL BE BACKFILLED AND COMPACTED AGAINST THE FILTER BARRIER.
11. EACH BALE SHALL BE SECURELY ANCHORED AND HELD IN PLACE BY AT LEAST TWO STAKES OR REBARS DRIVEN THROUGH THE BALE.
12. LOOSE STRAW SHOULD BE WEDGED BETWEEN BALES TO PREVENT WATER FROM ENTERING BETWEEN BALES.
13. STRAW BALE BARRIERS SHALL BE INSPECTED IMMEDIATELY AFTER EACH RAINFALL AND AT LEAST DAILY DURING PROLONGED RAINFALL.
14. CLOSE ATTENTION SHALL BE PAID TO THE REPAIR OF DAMAGED BALES, END RUNS AND UNDERCUTTING BENEATH BALES.
15. NECESSARY REPAIRS TO BARRIERS OR REPLACEMENT OF BALES SHALL BE ACCOMPLISHED PROMPTLY.
16. ANY SEDIMENT DEPOSITS REMAINING IN PLACE AFTER THE STRAW BALE BARRIER IS NO LONGER REQUIRED SHALL BE DRESSED TO CONFORM TO THE EXISTING GRADE, PREPARED AND SEEDED.
17. SILT FENCES AND FILTER BARRIERS SHALL BE INSPECTED IMMEDIATELY AFTER EACH RAINFALL AND AT LEAST DAILY DURING PROLONGED RAINFALL. ANY REQUIRED REPAIRS SHALL BE MADE IMMEDIATELY.
18. SHOULD THE FABRIC ON A SILT FENCE OR FILTER BARRIER DECOMPOSE OR BECOME INEFFECTIVE PRIOR TO THE END OF THE EXPECTED USABLE LIFE AND THE BARRIER STILL BE NECESSARY, THE FABRIC SHALL BE REPLACED PROMPTLY.
19. SEDIMENT DEPOSITS SHOULD BE REMOVED AFTER EACH STORM EVENT. THEY MUST BE REMOVED WHEN DEPOSITS REACH APPROXIMATELY ONE-THIRD THE HEIGHT OF THE BARRIER.
20. ANY SEDIMENT DEPOSITS REMAINING IN PLACE AFTER THE SILT FENCE OR FILTER BARRIER IS NO LONGER REQUIRED SHALL BE DRESSED TO CONFORM WITH THE EXISTING GRADE, PREPARED AND SEEDED.
21. THE STRUCTURE SHALL BE INSPECTED AFTER EACH RAIN AND REPAIRS MADE AS NEEDED.
22. SEDIMENT SHALL BE REMOVED AND THE TRAP RESTORED TO ITS ORIGINAL DIMENSIONS WHEN THE SEDIMENT HAS ACCUMULATED TO 1/3 THE DESIGN DEPTH OF THE TRAP. REMOVED SEDIMENT SHALL BE DEPOSITED IN A SUITABLE AREA AND IN SUCH A MANNER THAT IT WILL NOT ERODE.
23. THE CONTRACTOR IS RESPONSIBLE FOR FOLLOWING THE BEST EROSION AND SEDIMENT CONTROL PRACTICES AS OUTLINED IN THE PLANS, SPECIFICATIONS AND THE SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT SPECIFICATIONS AND CRITERIA.
24. FOR ADDITIONAL INFORMATION ON SEDIMENT AND EROSION CONTROL REFER TO "THE FLORIDA DEVELOPMENT MANUAL - A GUIDE TO SOUND LAND AND WATER MANAGEMENT" FROM THE STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL REGULATION (F.D.E.R.) CHAPTER 6.
25. EROSION AND SEDIMENT CONTROL BARRIERS SHALL BE PLACED ADJACENT TO ALL WETLAND AREAS WHERE THERE IS POTENTIAL FOR DOWNSTREAM WATER QUALITY DEGRADATION. SEE DETAIL SHEET FOR TYPICAL CONSTRUCTION.
26. ALL DISTURBED AREAS SHALL BE GRASSED, FERTILIZED, MULCHED AND MAINTAINED UNTIL A PERMANENT VEGETATIVE COVER IS ESTABLISHED.
27. SOD SHALL BE PLACED IN AREAS WHICH MAY REQUIRE IMMEDIATE EROSION PROTECTION TO ENSURE WATER QUALITY STANDARDS ARE MAINTAINED.
28. ANY DISCHARGE FROM DEWATERING ACTIVITY SHALL BE FILTERED AND CONVEYED TO THE OUTFALL IN A MANNER WHICH PREVENTS EROSION AND TRANSPORTATION OF SUSPENDED SOLIDS TO THE RECEIVING OUTFALL.
29. DEWATERING PUMPS SHALL NOT EXCEED THE CAPACITY OF THAT WHICH REQUIRES A CONSUMPTIVE USE PERMIT FROM THE ST. JOHNS RIVER WATER MANAGEMENT DISTRICT.
30. ALL DISTURBED AREAS TO BE STABILIZED THROUGH COMPACTION, SILT SCREENS, HAY BALES, AND GRASSING. ALL FILL SLOPES 3:1 OR STEEPER TO RECEIVE STAKED SOLID SOD.
31. ALL DEWATERING, EROSION, AND SEDIMENT CONTROL TO REMAIN IN PLACE AFTER COMPLETION OF CONSTRUCTION AND REMOVED ONLY WHEN AREAS HAVE STABILIZED.
32. THIS PLAN INDICATES THE MINIMUM EROSION AND SEDIMENT MEASURES REQUIRED FOR THIS PROJECT. THE CONTRACTOR IS RESPONSIBLE FOR MEETING ALL APPLICABLE RULES, REGULATIONS AND WATER QUALITY GUIDELINES AND MAY NEED TO INSTALL ADDITIONAL CONTROLS.
33. THE CONTRACTOR SHALL BE REQUIRED TO RESPOND TO ALL WATER MANAGEMENT DISTRICT INQUIRIES, RELATIVE TO COMPLIANCE OF SJRWMD FOR EROSION AND SEDIMENTATION CONTROL. THE COST OF THIS COMPLIANCE SHALL BE PART OF THE CONTRACT.

POLLUTION PREVENTION NOTES:

A.) EROSION AND SEDIMENT CONTROL BMP'S IN ADDITION TO THOSE PRESENTED ON THESE PLANS SHALL BE IMPLEMENTED AS NECESSARY TO PREVENT TURBID DISCHARGES FROM FLOWING ONTO ADJACENT PROPERTIES OR ROADWAYS, OFF SITE STORMWATER CONVEYANCES OR RECEIVING WATERS, OR ON SITE WETLANDS AND SURFACE WATERS. BMP'S SHALL BE DESIGNED, INSTALLED, AND MAINTAINED BY THE SITE OPERATOR TO ENSURE THAT OFF SITE SURFACE WATER QUALITY REMAINS CONSISTENT WITH STATE AND LOCAL REGULATIONS. [THE OPERATOR IS THE ENTITY THAT OWNS OR OPERATES THE CONSTRUCTION ACTIVITY AND HAS AUTHORITY TO CONTROL THOSE ACTIVITIES AT THE PROJECT NECESSARY TO ENSURE COMPLIANCE.]

B.) OFF SITE SURFACE WATER DISCHARGES, OR DISCHARGES TO ONSITE WETLANDS OR SURFACE WATERS WITH TURBIDITY IN EXCESS OF 29 NEPHELOMETRIC TURBIDITY UNITS (NTU'S) ABOVE BACKGROUND LEVEL SHALL BE IMMEDIATELY CORRECTED. SUCH INCIDENTS SHALL BE REPORTED TO WATER RESOURCES WITHIN 24 HOURS OF THE OCCURRENCE. THE REPORT SHALL INCLUDE THE CAUSE OF THE DISCHARGE AND CORRECTIVE ACTIONS TAKEN.

C.) THE OPERATOR SHALL ENSURE THAT ADJACENT PROPERTIES ARE NOT IMPACTED BY WIND EROSION, OR EMISSIONS OF UNCONFINED PARTICULATE MATTER IN ACCORDANCE WITH RULE 62-296.320(4)(C)1, F.A.C., BY TAKING APPROPRIATE MEASURES TO STABILIZE AFFECTED AREAS.

D.) FUEL AND OTHER PETROLEUM PRODUCT SPILLS THAT ENTER STORMWATER DRAINS OR WATERBODIES, OR FUEL AND OTHER PETROLEUM PRODUCT SPILLS THAT ARE IN EXCESS OF 25 GALLONS SHALL BE CONTAINED, CLEANED UP, AND IMMEDIATELY REPORTED TO WATER RESOURCES. SMALLER GROUND SURFACE SPILLS SHALL BE CLEANED UP AS SOON AS PRACTICAL.

E.) IF CONTAMINATED SOIL AND/OR GROUNDWATER IS DISCOVERED DURING DEVELOPMENT OF THE SITE, ALL ACTIVITY IN THE VICINITY OF THE CONTAMINATION SHALL IMMEDIATELY CEASE, AND WATER RESOURCES SHALL BE CONTACTED.

F.) PRIOR TO DEMOLITION OF EXISTING ON SITE STRUCTURES AN ASBESTOS SURVEY AND/OR ASBESTOS NOTIFICATION MAY BE REQUIRED.

G.) NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM:
- i. NPDES CONSTRUCTION GENERIC PERMIT COVERAGE SHALL BE OBTAINED AT LEAST 48 HOURS IN ADVANCE OF CONSTRUCTION COMMENCEMENT IN ACCORDANCE WITH RULE 62-621.300(4)(a), F.A.C.
- ii. A COPY OF THE CERTIFIED NPDES NOI, OR A COPY OF THE FDEP COVERAGE CONFIRMATION LETTER SHALL BE POSTED AT THE SITE IN ACCORDANCE WITH RULE 62-621.300(4)(A) PART III.C.2, F.A.C.
- iii. A COPY OF THE CERTIFIED NPDES NOI, OR A COPY OF THE FDEP COVERAGE CONFIRMATION LETTER SHALL BE PROVIDED TO WATER RESOURCES IN ACCORDANCE WITH RULE 62-621.300(4)(a)PART III.D.1, F.A.C.
- iv. THE SWPPP SHALL BE CERTIFIED IN ACCORDANCE WITH RULE 62-621.300(4)(a)PART V.D.6, F.A.C.
- v. A COPY OF THE SWPPP, AND COPIES OF THE INSPECTION AND MAINTENANCE RECORDS SHALL BE MAINTAINED AT THE PROJECT SITE, AND SHALL BE READILY AVAILABLE TO COUNTY OR STATE INSPECTORS.

H.) THE DISCHARGE OF GROUNDWATER PRODUCED THROUGH DEWATERING, TO SURFACE WATERS, OR ANY PORTION OF THE MS4 WILL REQUIRE SEPARATE PERMITTING FROM THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (DEP). PERMIT(S) SHALL BE OBTAINED PRIOR TO THE COMMENCEMENT OF DEWATERING.

MAINTENANCE NOTES:

N.P.D.E.S. PERMIT COMPLIANCE REQUIRES INSPECTIONS EVERY 7 CALENDAR DAYS BY AN NPDES QUALIFIED INSPECTOR AND PERIODIC INSPECTIONS WITHIN 24 HOURS OF ANY RAINFALL EVENT OF 0.5 INCHES OR GREATER. THESE INSPECTIONS MAY RESULT IN RECOMMENDATIONS FOR ROUTINE MAINTENANCE OF THE SOIL EROSION CONTROL DEVICES, AS WELL AS FURTHER MAINTENANCE AS OUTLINED BELOW.

1. THROUGHOUT THE CONSTRUCTION PERIOD, ALL MUD/SILT TRACKED ONTO EXISTING FDOT ROADS FROM THE SITE DUE TO CONSTRUCTION SHALL BE IMMEDIATELY REMOVED BY THE CONTRACTOR.
2. CATCH BASIN INLET AND CONCRETE FLUME FILTERS SHALL BE MAINTAINED CLEAN AT ALL TIMES THROUGHOUT THE CONSTRUCTION PERIOD. WEEKLY INSPECTIONS WILL BE PERFORMED EVERY 7 CALENDAR DAYS. IF A FILTER HAS HOLES OR IS INUNDATED WITH SEDIMENT, THE FILTER WILL REQUIRE REPLACEMENT.
3. CONSTRUCTION ACCESS AND TRACKING MAT MUST BE MAINTAINED AS NECESSARY. REPLENISH CRUSHED AGGREGATE IF PRESENT LAYER IS FILLED WITH SEDIMENT, POOLING WATER OR HAS RUTS. A NEW LAYER MAY BE ADDED IF OLD LAYERS BECOME COMPACTED.
4. SILT FENCE IS TO BE INSPECTED DAILY BY CONTRACTOR AND EVERY 7 CALENDAR DAYS BY NPDES QUALIFIED INSPECTOR. IF REPAIRS OR REPLACEMENT IS NECESSARY, IT SHALL BE PERFORMED IMMEDIATELY. THE SILT FENCE SHOULD BE TRENCHED IN, BACK-FILLED, AND STAPLED OR STAKED ACCORDING TO THE MANUFACTURER'S SPECIFICATIONS. MAINTENANCE INCLUDES THE REMOVING OF BUILT-UP SEDIMENT. WHEN THE SEDIMENT ACCUMULATES TO 1/3 OF THE HEIGHT OF THE FENCE, CONTRACTOR MAY HAVE TO REMOVE, REPLACE, RETRENCH, OR RE-BACKFILL THE FENCE IF IT FAILS. IT WOULD ALSO BE NECESSARY TO REINSTALL IF ANY PORTION OF THE FENCING WAS DAMAGED BY CONSTRUCTION MACHINERY.
5. SEEDING OR RESEEDING MAY BE REQUIRED IMMEDIATELY TO AREAS WHICH HAVE BEEN DAMAGED BY RUNOFF.
6. REMOVE ANY VISIBLE SEDIMENT FROM THE POND BOTTOM TO KEEP THE BASIN DESIGNED INFILTRATION PERFORMANCE.
7. THE CONTRACTOR SHALL CONTINUOUSLY ENSURE THAT THE PERIMETER OF THE SITE, INCLUDING CONSTRUCTION ENTRANCES, IS SECURED FROM ALLOWING DEBRIS TO LEAVE THE SITE DUE TO CONSTRUCTION ACTIVITY OR RAINFALL EVENTS. A WEEKLY LOG SHALL BE UPDATED AND KEPT ON-SITE IN ACCORDANCE WITH THE NPDES PERMIT. BY BIDDING DOCUMENTS CONTRACTOR ACKNOWLEDGES HE/SHE IS AWARE OF NPDES GUIDELINES AND POLICIES AS WELL AS BEST MANAGEMENT PRACTICES AND ASSUMES SOLE RESPONSIBILITY FOR FINES IMPOSED BY GOVERNMENTAL AGENCIES DUE TO VIOLATIONS.

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-7000
1502 W. FLETCHER AVE. SUITE 208 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 210 JUPITER, FL 33458 P: 561-203-7593

THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED, IN WHOLE OR IN PART, OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-4.0 EC

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY


THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528

SHEET TITLE:
EROSION CONTROL PLAN

SHEET NUMBER:
C-4.0
OF



LEGEND:

- EXISTING PROPERTY LINE
- EXISTING STORM DRAINAGE LINE
- PROPOSED BUILDING
- PROPOSED CONCRETE PAVEMENT
- 2 — PROPOSED REGULAR PARKING SPACE COUNT
- 3 — PROPOSED LOADING SPACE PARKING COUNT
- PROPOSED ASPHALT PAVEMENT
- EXISTING CONCRETE PAVEMENT
- PROPOSED LIGHT (REFER TO PHOTOMETRIC PLAN)

DISTRICT REQUIREMENTS & GENERAL NOTES

APPLICANT/OWNER: LGFTPI LLC
7307 NW 122ND AVE
PARKLAND, FL 33076

PARCEL NO. 2415-602-0002-000-2

FEMA FLOOD ZONE: ZONE X PER FLOOD PANEL 120286-0187-J, DATED FEB. 16, 2012
ZONE AH (16)

LAND USE INFORMATION:

CURRENT USE:	VACANT
PROPOSED USE:	RETAIL
FUTURE LAND USE DESIGNATION:	COMMERCIAL
ZONING DESIGNATION:	C3 - GENERAL COMMERCIAL

DEVELOPMENT STANDARDS:	REQUIRED	PROPOSED
MIN. LOT AREA (S.F.)	10,000	60,039
MIN. LOT FRONTAGE (FEET):	50	208.35
MIN. LOT DEPTH (FEET):	90	288.66
MIN. SET BACKS:		
FRONT - WEST (FEET):	25	63.97'
SIDE - NORTH (FEET):	0	63.37'
SIDE - SOUTH (FEET):	0	10'
REAR - EAST (FEET):	15	19.90'
MIN. LANDSCAPE BUFFER:		
FRONT - WEST (FEET):	10	11.6'
SIDE - NORTH (FEET):	10	10'
SIDE - SOUTH (FEET):	10	10'
REAR - EAST (FEET):	10	15.21'
MAX. HEIGHT (FEET):	65'	50'
MAX. LOT COVERAGE:	0.60	0.44
MIN. PERVIOUS AREA (%)	20	20
MIN. OPEN SPACE (RATIO):	25	25.5

PARKING DATA:

REQUIRED PER CODE:

USE	AREA	RATIO	AMOUNT
SELF STORAGE	106,860 S.F.	1 SPACE / 600 S.F.	178 SPACES

PROVIDED:	SPACES
STANDARD SPACES (MIN. 9.5' X 19')	21
ACCESSIBLE SPACES (MIN. 12' X 19')	2
TOTAL SPACES	23

SEE PARKING STUDY: MAXIMUM REQUIRED PER PARKING STUDY = 22 SPACES

LOADING ZONE:

REQUIRED:
GROSS FLOOR AREA 106,830 S.F. - 3 REQUIRED
PROVIDED: 3 SPACES

BICYCLE PARKING:

REQUIRED: 1 SPACE PER 10 MOTOR VEHICLE SPACES; 2 MINIMUM - 2 REQUIRED
PROVIDED: 2 SPACES

NOTES:

1. ALL CONSTRUCTION SHALL COMPLY WITH SECTIONS 17 AND 22 OF THE CITY OF FORT PIERCE CODE OF ORDINANCES.
2. ALL TRUNCATED DETECTABLE SURFACES SHALL BE CAST IN PLACE (ADHESIVE NOT PERMITTED) AND BE BRICK RED IN COLOR. ALL RAMPS AND FLUSH CONNECTIONS WITHIN PUBLIC RIGHT-OF-WAY OR ROAD EASEMENTS SHALL INCLUDE TRUNCATED DETECTABLE SURFACE 24" IN DEPTH CONSISTENT WITH FDOT STANDARD PLANS.
3. 2 EMPLOYEES MAX PER SHIFT AT SELF STORAGE FACILITY

FEMA MAP INFORMATION:

LANDS SHOWN HEREON ARE LOCATED WITHIN AN AREA HAVING A ZONE DESIGNATION OF 'X' AND 'AH' BASE EL. 16.0' BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA), ON FLOOD INSURANCE RATE MAP NO. 12111C0187K, DATED FEBRUARY 19, 2020 AND IS RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM 1988

DATUM INFORMATION:

ALL ELEVATIONS SHOWN HEREON ARE BASED ON NORTH AMERICAN VERTICAL DATUM OF 1988, (NAVD' 88)

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-7000
1502 W. FLETCHER AVE. SUITE 206 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION PURPOSES.

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-5.0 SP

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com


EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER
EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528

SHEET TITLE:

SITE PLAN

SHEET NUMBER:

C-5.0
OF




NOTES:

1. SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".
2. SUBGRADE BELOW SIDEWALK SHALL BE COMPACTED TO 98% OF MAX. DENSITY PER A.A.S.H.T.O. T-180, (12" THICKNESS)
3. CONCRETE STRENGTH SHALL BE MIN. 3000 PSI @ 28 DAYS.
4. SIDEWALK REMOVAL & REPLACEMENTS TO CONSIST OF FULL FLAGS.
5. PROVIDE EXPANSION JOINT (TYPE 'A') AT CONNECTIONS BETWEEN NEW AND EXISTING SIDEWALK.
6. CONCRETE SIDEWALKS SHALL BE REINFORCED BY FIBER MESH.
7. ADDITION OF FIBERMESH OR 6X6 WWF FOR SIDEWALKS TO BE CONSTRUCTED IN PUBLIC RIGHT-OF-WAYS.

TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
'A'	AT CONNECTION BETWEEN NEW AND EXISTING SIDEWALK
'B'	5 FEET CENTER TO CENTER ON SIDEWALKS.

1 SIDEWALK DETAILS

SCALE: NONE




NOTE:

1. WHEN USED ON HIGH SIDE OF ROADWAYS THE CROSS SLOPE OF THE GUTTER SHALL MATCH THE CROSS SLOPE OF THE ADJACENT PAVEMENT AND THE THICKNESS OF THE LIP SHALL BE 6" INSTEAD OF 7 1/2".
2. REFER TO FDOT INDEX 300 FOR NOTES AND DETAILS
3. LIMEROCK BASE SHALL BE COMPACTED TO A 98% MAX. DENSITY PER A.A.S.H.T.O. (T-180)
4. 12" SUBGRADE BELOW SIDEWALK SHALL BE COMPACTED TO 98% OF MAX. DENSITY PER A.A.S.H.T.O. (T-180)


2 TYPE 'F' CURB & GUTTER DETAIL

SCALE: NONE



3 CONCRETE CURB (TYPE 'D') DETAIL

SCALE: NONE




NOTES:

1. THE BICYCLE RACK SHALL BE AN INVERTED "U", "A", "POST-AND-LOOP" OR OTHER TYPE THAT MEETS REQUIREMENTS CONTAINED IN SECTION XXXXX
2. THE BICYCLE RACK SHALL BE P.V.C. COATED, METAL PIPE RACK.
3. THE BICYCLE RACK SHALL BE IDENTIFIED WITH PAVEMENT MARKINGS OR SIGNAGE.
4. THE RACK MAY BE ATTACHED ACCORDING TO EITHER OF THE METHODS SHOWN USING THE FLANGE WITH ANCHOR BOLTS MAY REQUIRED ADDITIONAL CONCRETE SLAB THICKNESS, OTHER ANCHORING SYSTEM MAY BE CONSIDERED UPON APPROVAL IN ADVANCE WITH THE CITY INSPECTOR IF REQUIRED BY THE MANUFACTURER.
5. THE STRIPING AND LETTERING SHOWN SHALL BE HIGH VISIBILITY REFLECTIVE YELLOW PAINT OR THERMOPLASTIC MEETING FDOT SPECIFICATIONS.
6. THE SIGN SHALL BE PLACED 5 FEET FROM GROUND AND EITHER PLACED ON A POST OR WALL IF AVAILABLE.

4 BIKE RACK

SCALE: NONE




NOTES

1. HANDICAPPED SIGN WILL BE OF A D.O.T. (BLUE) COLOR PAVEMENT BORDER LINES (ONE ON EACH SIDE) OF THE HANDICAPPED SPACE WILL BE OF A BLUE COLOR OF A QUALITY EQUIVALENT TO SUPER STRIPE TRAFFIC PAINT SOLD BY FOX VALLEY SYSTEMS INC. OF CARY ILLINOIS, PHONE 1-800-323-4770 SHALL BE STRIPED ON THE WEARING SURFACE OF EACH SPACE DESIGNED FOR THE HANDICAPPED SPACE.


5 ACCESSIBLE PARKING SIGN

SCALE: NONE




* For BACK OF SIDEWALK CURB OR BUFFER TRANSITION And For RAMP AND SIDEWALK CURB OPTIONS See Sheet 4.

LAST REVISION	DESCRIPTION:	FDOT DESIGN STANDARDS 2013	PUBLIC SIDEWALK CURB RAMPS	INDEX NO. 304	SHEET NO. 2
01/01/11					




6 SAWCUT/MATCH ASPHALT PAVEMENT DETAIL

NONE



7 ACCESSIBLE PARKING SPACE - ADA COMPLIANT

SCALE: NONE




TYPICAL 30"x30" STOP SIGN DETAIL (R1-1)

NOT TO SCALE

STOP BAR DETAIL

NOT TO SCALE



THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-71000
1502 W. FLETCHER AVE. SUITE 206 UNIT NO. 1013 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503

THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV	DATE	COMMENT	BY
	04/20/2017	ENGINEERING COMMENTS	SKG
1	02-10-22	REV - CITY COMMENTS	JMB
2	05/10/2017	FDOT COMMENTS	JMG
		COMMENTS	

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-6.0 SP DETAILS

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528


SHEET TITLE:

SITE PLAN DETAILS

SHEET NUMBER:


C-6.0

OF




NOTES:

1. The minimum wall thickness of the pipe shall be 0.188".
2. All posts shall have 2 coats of primer and 2 coats of Yellow top coat, unless otherwise noted.
3. The primer coat shall meet the requirements of FDOT 971-5.
4. All concrete shall be FDOT class 1.




DUMPSTER WITH SIDE OPENING




WALL ELEVATION

SCALE : N.T.S



NOTES:

1. ALL CONCRETE TO BE 3,000 PSI FOR FOUNDATIONS AND 4,000 PSI FOR ALL PRECAST UNITS
2. ALL REINFORCING STEEL TO BE ASTM A615 DEFORMED BARS 60,000 PSI
3. WIND LOAD DESIGN CONFORMS TO F.B.C. 2017 AND ASCE 7-10, FOR WIND LOAD OF 170 MPH 3 SECOND GUST, EXPOSURE "C", ASD DESIGN FOR A SOLID FENCE
4. SOIL BEARING CAPACITY OF 2000 P.S.F. MIN..



SECTION 'A'

SCALE : N.T.S

PRE-CAST CONCRETE WALL

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-71000
1502 W. FLETCHER AVE. UNIT NO. 101 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION. © COPYRIGHT THOMAS ENGINEERING GROUP, LLC

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-6.0 SP DETAILS

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528


SHEET TITLE:

SITE PLAN DETAILS

SHEET NUMBER:

C-6.1

OF




PAVING, GRADING & DRAINAGE LEGEND

EXISTING	(TYP.)CAL NOTE TEXT	PROPOSED
W	UNDERGROUND WATER LINE	W
	STORM SEWER	
	SANITARY SEWER MAIN	S
	SANITARY SEWER LATERAL	SL
	CATCH BASIN	
	MANHOLE	
×	GRADE SPOT SHOT	X.XX
	FIRE HYDRANT	
	DECORATIVE LIGHTING	
	RIGHT OF WAY	
	PROPERTY LINE	
	UTILITY EASEMENT	
	FPL TRANSFORMER	T
	SLIDE GATE GRADE AREA	

HATCH LEGEND


- PROPOSED ASPHALT PAVEMENT
- PROP. CONC. PAVEMENT
- HEAVY DUTY ASPHALT
- PROP. HEAVY DUTY CONC. PAVEMENT




SECTION A-A
HORIZ. SCALE: 1"= 20'
VERT. SCALE 1"= 5'

CONSTRUCTION NOTES:


1. CONTRACTOR TO SAW-CUT AT ALL LOCATIONS OF REMOVAL OF EXISTING CONC. S/W, CONC. CURB AND ASPHALT UNLESS OTHERWISE NOTED. ALL BASE AND SUBASE MATERIAL SHALL BE REMOVED WITHIN THE PROPOSED LANDSCAPED AREA.
2. CONTRACTOR TO MATCH EXIST. GRADES AND TO CONSTRUCT A SMOOTH TRANSITION FROM EXISTING FACILITIES TO PROPOSED.
3. CONTRACTOR TO REMOVE ALL CONSTRUCTION DEBRIS FROM CONSTRUCTION SITE AND DISPOSE PER LOCAL ORDINANCES.
4. CONTRACTOR TO ENSURE ALL CONSTRUCTION IS IN ACCORDANCE WITH CITY DESIGN STANDARDS.
5. CONTRACTOR TO SOD ALL DISTURBED AREAS, SODDING INCLUDES MAINTAINING SLOPE AND SOD UNTIL COMPLETION AND ACCEPTANCE OF THE TOTAL PROJECT OR GROWTH IS ESTABLISHED WHICHEVER COMES LAST.
6. ALL EXISTING TRAFFIC SIGNS DISTURBED DURING CONSTRUCTION SHALL BE REINSTALLED WHERE APPLICABLE BY THE CONTRACTOR.
7. THESE PLANS REFLECT CONDITIONS KNOWN DURING PLAN DEVELOPMENT. IN THE EVENT THAT ACTUAL PHYSICAL CONDITIONS PREVENT THE APPLICATION OF THESE STANDARDS OR THE PROGRESSION OF THE WORK, THE CONTRACTOR SHALL NOTIFY THE ENGINEER PRIOR TO CONSTRUCTION OF AFFECTED AREA.
8. THE CONTRACTOR SHALL PROTECT ALL EXISTING STRUCTURES, STORM DRAINS, UTILITIES, AND OTHER FACILITIES TO REMAIN AND SHALL REPAIR ANY DAMAGES DUE TO HIS/HER CONSTRUCTION ACTIVITIES AT NO ADDITIONAL COST TO THE OWNER.
9. NOTIFY SUNSHINE STATE ONE CALL (1-800-432-4770) OR (811) PRIOR TO CONSTRUCTION.
10. PROJECT BASED ON DESIGN SURVEY PREPARED BY OTHERS.
11. THE CONTRACTOR SHALL NOT ENCROACH ONTO PRIVATE PROPERTY WITHOUT EASEMENTS NECESSARY FOR COMPLETION OF THE WORK.
12. THE EXISTING UNDERGROUND UTILITIES SHOWN ARE PER ABOVE GROUND SURVEY DATA AND UTILITY AS-BUILT DATA. THIS INFORMATION DOES NOT WARRANT EXACT SIZE AND LOCATION OF THE UTILITIES. ALSO, THERE MAY BE ADDITIONAL UTILITIES WITHIN THE LIMITS OF CONSTRUCTION THAT MAY BE AFFECTED. CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING AND PROTECTING EXISTING UTILITIES DURING THE COURSE OF CONSTRUCTION.
13. 2.0% MAXIMUM SLOPE ON ADA ACCESS WAYS.
14. ALL SIDEWALKS SHOULD HAVE A MAXIMUM CROSS SLOPE OF 2.0%.
15. EXISTING COVER MUST BE MAINTAINED ON ALL WATER AND SANITARY LINES.
16. EXISTING SEWER MUST REMAIN FREE FROM CONSTRUCTION DEBRIS AND FLOW MUST BE MAINTAINED.
17. ANY WORK CONDUCTED IN FDOT ROW TO BE DESIGNED AND CONSTRUCTED USING THE LATEST YEAR STANDARDS AND SPECIFICATIONS.



CONCRETE PAVEMENT DETAIL (ON SITE, STANDARD DUTY)
NOT TO SCALE



ASPHALT PAVEMENT DETAIL (ON SITE)
NOT TO SCALE



NOTES:
1. SIDEWALK SHALL BE 4" THICK EXCEPT IN THE RIGHT-OF-WAY WHERE THE THICKNESS SHALL BE 6".
2. 12" SUBGRADE BELOW SIDEWALK SHALL BE COMPACTED TO 98% OF MAX. DENSITY PER A.A.S.H.T.O. (T-180)
3. T-180, CONCRETE STRENGTH SHALL BE MIN. 3000 PSI @ 28 DAYS.
4. SIDEWALK REMOVAL & REPLACEMENTS TO CONSIST OF FULL FLAGS.
5. PROVIDE EXPANSION JOINT (TYPE 'A') AT CONNECTIONS BETWEEN NEW AND EXISTING SIDEWALK.
6. PROVIDE FIBEROUS JOINTS 20' O.C.

TYPICAL CONCRETE SIDEWALK SECTION
NOT TO SCALE

STORMWATER DATA

PERCENT IMPERVIOUS	80%
MIN. PAVEMENT ELEVATION	15.03 NAVD
MIN. BERM. ELEVATION	16.32 NAVD
MIN. FINISHED FLOOR	19.00 NAVD

FEMA MAP INFORMATION:

LANDS SHOWN HEREON ARE LOCATED WITHIN AN AREA HAVING A ZONE DESIGNATION OF 'X' AND 'AH' BASE EL. 16.0' BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA), ON FLOOD INSURANCE RATE MAP NO. 12111C0187K, DATED FEBRUARY 19, 2020 AND IS RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM 1988

DATUM INFORMATION:

ALL ELEVATIONS SHOWN HEREON ARE BASED ON NORTH AMERICAN VERTICAL DATUM OF 1988, (NAVD' 88)

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-71000
1502 W. FLETCHER AVE. SUITE 206 TAMPA, FL 33612 P: 813-379-4100
1125 W INDIANTOWN RD. SUITE 201 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLANS ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-7.0 PGD

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY


THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528


SHEET TITLE:
PAVING, GRADING, & DRAINAGE PLAN

SHEET NUMBER:
C-7.0
OF




TYPE	"A"	"B"	"C"	"D"	"E"	"F"
C-4	4'-0" Ø	8"	8"	# 4 @ 12" C.C.E.W.	# 4 @ 12" C.C.E.W.	6'-4" Ø
C-5	5'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 12" C.C.E.W.	7'-4" Ø
C-6	6'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 6" C.C.E.W.	8'-4" Ø
C-7	7'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 6" C.C.E.W.	9'-4" Ø
C-8	8'-0" Ø	10"	10"	2- W.W.M. w/ # 4 @ 12" C.C. VERT	# 5 @ 6" C.C.E.W.	10'-8" Ø

1 PRECAST CIRCULAR CATCH BASIN
SCALE: NONE




TYPE	"A"	"C"	"G"	"H"
C-4	4'-0" Ø	8"	5'-4" Ø	# 4 @ 6" C.C.E.W.
C-5	5'-0" Ø	8"	6'-4" Ø	# 5 @ 6" C.C.E.W.
C-6	6'-0" Ø	8"	7'-4" Ø	# 5 @ 6" C.C.E.W.
C-7	7'-0" Ø	8"	8'-4" Ø	# 5 @ 6" C.C.E.W.
C-8	8'-0" Ø	10"	9'-8" Ø	# 5 @ 6" C.C.E.W.

2 PRECAST CONCRETE-TOP SLAB
SCALE: NONE




TYPE	"A"	"B"	"C"	"D"	"E"	"F"
M-4	4'-0" Ø	8"	8"	# 4 @ 12" C.C.E.W.	# 4 @ 12" C.C.E.W.	6'-4" Ø
M-5	5'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 12" C.C.E.W.	7'-4" Ø
M-6	6'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 6" C.C.E.W.	8'-4" Ø
M-7	7'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 6" C.C.E.W.	9'-4" Ø
M-8	8'-0" Ø	10"	10"	2- W.W.M. w/ 4 @ 12" C.C. VERT	# 5 @ 6" C.C.E.W.	10'-8" Ø

3 PRECAST CIRCULAR DRAINAGE MANHOLE
SCALE: NONE



TYPE	"A"	"C"	"G"	"H"
M-4	4'-0" Ø	8"	5'-4" Ø	# 4 @ 6" C.C.E.W.
M-5	5'-0" Ø	8"	6'-4" Ø	# 5 @ 6" C.C.E.W.
M-6	6'-0" Ø	8"	7'-4" Ø	# 5 @ 6" C.C.E.W.
M-7	7'-0" Ø	8"	8'-4" Ø	# 5 @ 6" C.C.E.W.
M-8	8'-0" Ø	10"	9'-8" Ø	# 5 @ 6" C.C.E.W.


4 PRECAST CONCRETE-TOP SLAB FOR DRAINAGE MANHOLES
SCALE: NONE



NOTE:

1. RING AND COVER TO BE TYPE U.S.F. No. 420-C


5 MANHOLE FRAME DETAIL
SCALE: NONE




NOTES:

1. PIPES SHALL CONNECT TO ADDITIONAL CATCH BASINS AS REQUIRED.
2. BALLAST ROCK SHALL CONSIST OF 3/4" WASHED ROCK AND BE FROM FRESH WATER WASHED FREE OF DELETERIOUS MATTER.
3. TRENCH TO BE LINED WITH AMOCO PROPEX 4545 OR APPROVED EQUIVALENT TYPE FILTER FABRIC. OVERLAP TRENCH LINING MATERIAL A MINIMUM OF 2' AT TOP OF TRENCH. CLOSE ENDS AND STRAP AROUND PIPE.
4. IN AREAS OVER TRENCH WHERE THE FULL ROADWAY SECTION CANNOT BE CONSTRUCTED, THE AREA ABOVE THE TRENCH SHALL CONSIST ENTIRELY OF LIMEROCK BASE (LBR100).

6 EXFILTRATION TRENCH
SCALE: NONE




7 CONTROL STRUCTURE
N.T.S



NOTES:


1. REPLACED BASE MATERIAL OVER TRENCH SHALL BE TWICE THE THICKNESS OF THE ORIGINAL BASE, MINIMUM 8", MAXIMUM 18".
2. BASE MATERIAL SHALL BE PLACED IN 6" MAXIMUM (LOOSE MEASUREMENT) LAYERS AND EACH LAYER THOROUGHLY ROLLED OR TAMPED TO 98% OF MAXIMUM DENSITY, PER AASHTO T-180.
3. SUBGRADE MATERIAL SHALL BE GRANULAR AND ANGULAR AND SHALL HAVE A MINIMUM LBR OF 40.
4. ASPHALT CONCRETE PAVEMENT JOINTS SHALL BE MECHANICALLY SAWED PARALLEL TO OR PERPENDICULAR TO THE ROADWAY
5. SURFACE TREATED PAVEMENT JOINTS SHALL BE LAPPED.
6. SURFACE MATERIAL SHALL BE CONSISTENT WITH THE SURROUNDING SURFACE (MIMIMUM 1" THICKNESS)
7. BASE MATERIAL SHALL HAVE A MINIMUM LBR OF 100 AND A MINIMUM CARBONATE CONTENT OF 70% (60% FOR LOCAL STREETS)
8. IF THE TRENCH IS FILLED TEMPORARILY, IT SHALL BE COVERED WITH A 2" ASPHALTIC CONCRETE PATCH TO KEEP THE FILL MATERIAL FROM RAVELING UNTIL REPLACED WITH A PERMANENT PATCH.

8 PAVEMENT RESTORATION DETAIL
SCALE: NONE




TYPE	"A"	"B"	"C"	"D"	"E"	"F"
C-4	4'-0" Ø	8"	8"	# 4 @ 12" C.C.E.W.	# 4 @ 12" C.C.E.W.	6'-4" Ø
C-5	5'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 6" C.C.E.W.	7'-4" Ø
C-6	6'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 6" C.C.E.W.	8'-4" Ø
C-7	7'-0" Ø	8"	8"	# 5 @ 12" C.C.E.W.	# 5 @ 6" C.C.E.W.	9'-4" Ø
C-8	8'-0" Ø	10"	10"	2-W.W.M. w/ # 4 @ 12" C.C. VERT	# 5 @ 6" C.C.E.W.	10'-8" Ø

12 PRECAST CIRCULAR CURB INLET
SCALE: NONE



TYPE	"A"	"C"	"G"	"H"
C-4	4'-0" Ø	8"	5'-4" Ø	# 4 @ 6" C.C.E.W.
C-5	5'-0" Ø	8"	6'-4" Ø	# 5 @ 6" C.C.E.W.
C-6	6'-0" Ø	8"	7'-4" Ø	# 5 @ 6" C.C.E.W.
C-7	7'-0" Ø	8"	8'-4" Ø	# 5 @ 6" C.C.E.W.
C-8	8'-0" Ø	10"	9'-8" Ø	# 5 @ 6" C.C.E.W.

13 PRECAST CONCRETE-TOP SLAB
SCALE: NONE



INVERTED DEBRIS BAFFLE PRECAST DRAINAGE MANHOLE
SCALE: NONE

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-7000
1502 W. FLETCHER AVE. SUITE 206 UNIT NO. 1013 TAMPA, FL 33612 P: 813-379-4100
1125 W INDIANTOWN RD. SUITE 203 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONTENT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION PURPOSES. © THOMAS ENGINEERING GROUP, LLC

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.: FT210079
DRAWN BY: HR
CHECKED BY: EMM
DATE: 08/10/2021
SCALE: AS NOTED
CAD I.D.: FT210079-C-8.0 PGD DETAILS

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528


SHEET TITLE:

PAVING, GRADING & DRAINAGE DETAILS

SHEET NUMBER:


C-8.0

OF



DETAIL "A":

SCALE: 1" = 10'



LEGEND:

- PROPERTY LINE
- EXISTING STORM SEWER
- EXISTING SANITARY SEWER
- EXISTING FORCE MAIN
- EXISTING WATER MAIN
- EXISTING OVERHEAD ELECTRIC
- PROPOSED SANITARY SEWER
- PROPOSED WATER MAIN
- PROPOSED ELECTRIC CONDUIT
- PROPOSED UTILITY CROSSING
- PROPOSED LIGHT (REFER TO PHOTOMETRIC PLAN)

SANITARY SEWER NOTES:

A. GENERAL:
1. DISTANCE AND LENGTHS SHOWN ON PLANS AND PROFILE DRAWINGS ARE REFERENCED TO THE CENTER OF STRUCTURES.
2. PRIOR TO COMMENCING CONSTRUCTION, CONTRACTOR TO TELEVISE EXISTING SANITARY SEWER LINE FROM POINT OF CONNECTION THROUGH THE NEXT SEQUENTIAL DOWNSTREAM RUN OF PIPE. ADDITIONALLY, PRIOR TO COMPLETION OF CONSTRUCTION, CONTRACTOR SHALL TELEVISE THE NEWLY INSTALLED SANITARY SEWER MAIN TO ENSURE NO DIPS OR DEBRIS WITHIN LINE.
3. ALL UNDERGROUND UTILITY WORK IN THE COUNTY EASEMENT OR ROW MUST BE COMPLETED BY UNDERGROUND UTILITY CONTRACTOR LICENSED BY THE STATE OF FLORIDA.


B. MATERIALS:
1. ALL PVC SEWER PIPE AND FITTINGS SHALL BE NON-PRESSURE POLYVINYL CHLORIDE (PVC) PIPE CONFORMING TO ASTM D 3034, SDR 26, WITH PUSH-ON RUBBER GASKET JOINTS.
2. ALL FITTINGS AND ACCESSORIES SHALL BE AS MANUFACTURED OR SUPPLIED BY THE PIPE MANUFACTURER OR APPROVED EQUAL.
3. ALL SANITARY CLEANOUTS WITHIN PAVEMENT SHALL HAVE A LID THAT IS H20 LOADING.

C. INSTALLATION:
1. PIPE AND FITTINGS:
   a. SEWER PIPE SHALL BE INSTALLED IN ACCORDANCE WITH ASTM D2321, AND THE UNI-BELL PLASTICS PIPE ASSOCIATION'S "RECOMMENDED PRACTICE FOR THE INSTALLATION OF PVC SEWER PIPE".
   b. BEDDING AND INITIAL BACKFILL (12 INCHES) OVER SEWER MAINS AND SERVICES SHALL BE SAND WITH NO ROCK LARGER THAN 1" IN DIAMETER. PEA ROCK OR 3/4 " WASHED ROCK WILL BE USED IN WATER OR WHERE UNSUITABLE BEDDING EXISTS. ALL OTHER FILL SHALL NOT HAVE ROCK LARGER THAN 6" IN DIAMETER.
2. CLEANOUTS:
   a. CLEANOUTS SHALL BE SET PLUMB TO LINE AND GRADE ON FIRM CLEAN SUBGRADE PROVIDING UNIFORM BEARING UNDER THE BASE.
   b. ALL OPENINGS AND JOINTS SHALL BE SEALED WATER-TIGHT.
3. SERVICE:
   a. MINIMUM SLOPE OF ALL SERVICE LINES SHALL BE 1.04%.
   b. EACH SERVICE CONNECTION SHALL BE PLUGGED WATER-TIGHT WITH AN APPROVED PLUG.
   c. CONNECTION OF SERVICES TO BUILDING'S PLUMBING SHALL BE COORDINATED WITH THE ARCHITECTURAL DRAWINGS.

D. TESTING:
1. AFTER CONSTRUCTION OF THE SEWER SYSTEM, THE ENGINEER MAY REQUIRE A VISUAL INFILTRATION AND/OR EXFILTRATION TEST TO BE PERFORMED ON THE ENTIRE SYSTEM OR ANY PART THEREOF.
2. AN AIR TEST MAY BE SUBSTITUTED FOR THE WATER EXFILTRATION TEST, UPON APPROVAL OF THE ENGINEER.
3. SEWER PIPE LEAKAGE ALLOWABLE SHALL NOT EXCEED 150 GALLONS PER DAY PER INCH DIAMETER PER MILE IN A TWO HOUR TEST PERIOD FOR ANY SECTION TESTED. NO VISIBLE LEAKAGE SHALL BE ALLOWED.
4. CONTRACTOR IS RESPONSIBLE FOR CORRECTING ANY DEFICIENCIES PRIOR TO THE CERTIFICATION TO ANY AGENCY.

NOTES:
1. ALL ELECTRICAL WORK ON-SITE TO BE PERFORMED BY A CERTIFIED ELECTRICIAN.
2. ALL ELECTRICAL WORK SHALL BE COORDINATED WITH FPUA AND THE ELECTRICAL DRAWINGS.
3. CERTIFIED ELECTRICIAN SHALL INSTALL CONDUITS AND PULL BOXES FROM ELECTRICAL ROOM TO EACH LIGHT POLE AND ENSURE SUFFIECIENT POWER IS SUPPLIED TO EACH POLE..
4. ELECTRICIAN SHALL RUN CONDUITS AND WIRES FROM ELECTRICAL ROOM TO MONUMENT SIGN AND IRRIGATION PUMP AND ENSURE SUFFICIENT POWER IS SUPPLIED TO EACH. CONTRACTOR IS RESPONSIBLE FOR MAINTENANCE OF TRAFFIC DURING CONSTRUCTION AND PREPARING ANY MOT PLANS WHICH MAY BE NEEDED BY GOVERNMENTAL AGENCIES.
5. ANY UTILITY INSTALLATION AND TAPS / CONNECTIONS SHALL INCLUDE NECESSARY PAVEMENT, CURB AND SIDEWALK RESTORATION TO COMPLETE WORK.
6. CONTRACTOR SHOULD INSTALL ELECTRICAL CONDUITS AND EQUIPMENT IN ACCORDANCE WITH THE FPUA PLAN FOR NEW SERVICE AT 1412 S. US 1 / ALDI. THIS PLAN IS A REFERENCE OF THAT WORK HOWEVER CONSTRUCTION OF THE ELECTRICAL SYSTEM SHALL NOT BE BASED OFF THIS PLAN.

UTILITY CROSSING SCHEDULE:



CROSSING #1

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-71000
1502 W. FLETCHER AVE. SUITE 206 UNIT NO. 1013 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 210 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-10.0 UP

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF Florida PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528

SHEET TITLE:

UTILITY PLAN

SHEET NUMBER:

C-10.0
OF

Posted on Thursday, March 10, 2022 2:03 PM by Judd Brundage

FORT PIECE UTILITIES AUTHORITY
WATER DISTRIBUTION NOTES

1. ALL CONSTRUCTION MATERIAL, INSTALLATION AND TESTING SHALL CONFORM TO THE STANDARD SPECIFICATIONS OF THE FORT PIECE UTILITIES AUTHORITY.
2. WATER MAINS WHERE SPECIFIED AS POLYVINYL CHLORIDE (PVC) SHALL CONFORM TO AWWA C-900 OR C-905, PRESSURE CLASS 150 DR (18). WATER MAINS WHERE SPECIFIED AS POLYETHYLENE (PE) SHALL CONFORM TO AWWA C-901 OR C-906, STANDARD DIMENSION RATIO (SDR) 17 UNLESS NOTED OTHERWISE. PVC PIPE SHALL ATTACHED TO THE OUTSIDE OF ALL BRIDGES OR THE SIDE OF CENTERLINE OF THE PIPE SHALL NOT BE USED IN LIEU OF MARKING TAPE OR DIRECT BURY. (DB) 1" IRON DIRECTIONAL BRONZE TAPE SHALL BE USED IN LIEU OF MARKING TAPE ON THE PIPE SHALL ALSO PIPE SHALL REQUIRE THE USE OF IDENTIFICATION TAPE AND THEN WIRE.
3. WITHIN MAIN, WHERE SPECIFIED AS DUCTILE IRON PIPE, SHALL CONFORM TO ANSI/AWWA C151/A21.51 AND SHALL BE PRESSURE CLASS 250 (MINIMUM).
4. POLYVINYL CHLORIDE WATER MAIN SHALL BE BLUE IN COLOR OR WHITE IN COLOR WITH BLUE STRIPES. THE USE OF CENTERLINE TAPE ON THE PIPE SHALL NOT BE USED IN LIEU OF MARKING TAPE OR DIRECT BURY. (DB) 1" IRON DIRECTIONAL BRONZE TAPE SHALL ALSO PIPE SHALL REQUIRE THE USE OF IDENTIFICATION TAPE AND THEN WIRE.
5. FITTINGS CAST OR DUCTILE IRON CONFORMING TO ANSI/AWWA C-110/A21.10, CLASS 250 MIN. CEMENT LINED AND SEAL COATED.
6. GATE VALVES SHALL BE RESILIENT SEAT, KENNEDY KSN-SEAL, AMERICAN OR APPROVED EQUAL, VALVES SHALL CONFORM TO AWWA C-509.
7. WATER LINES SHALL BE INSTALLED AND COMPACTED IN ACCORDANCE WITH FPUA DESIGN AND CONSTRUCTION STANDARDS. THE CONTRACTOR SHALL SUBMIT CERTIFIED DENSITY TESTS AS REQUIRED BY FORT PIECE CITY, COUNTY, FDOT, OR IN CASES WHERE PAVED AREAS ARE AFFECTED. THE CONTRACTOR SHALL NOT BE PAID FOR UNLESS THE DENSITY TESTS HAVE BEEN SUBMITTED AND APPROVED.
8. ALL PIPE AND FITTINGS SHALL BE CLEANED OR DISINFECTED FROM DEBRIS OR CONTAMINATION PRIOR TO INSTALLATION. ALL PIPE AND FITTINGS SHALL BE INSPECTED FOR DEFECTS PRIOR TO INSTALLATION. ANY DEFECTIVE PIPE OR FITTINGS SHALL NOT BE INSTALLED AND SHALL BE REMOVED FROM THE SITE.
9. THE CONTRACTOR SHALL NOTIFY FPUA ENGINEERING AND CITY/COUNTY/FDOT ENGINEERING 48 HOURS PRIOR TO COMMENCING CONSTRUCTION.
10. A PRE-CONSTRUCTION CONFERENCE BETWEEN THE ENGINEER, THE CONTRACTOR, FPUA, AND CITY/COUNTY/FDOT ENGINEER SHALL BE HELD PRIOR TO COMMENCEMENT OF FORCE MAIN CONSTRUCTION.
11. TRAFFIC CONTROL, BARRICADES, ETC., SHALL BE IN ACCORDANCE WITH THE FLORIDA DEPARTMENT OF TRANSPORTATION STANDARDS AND APPROVED BY THE CITY ENGINEER.
12. DISTURBED AREAS SHALL BE SODDED WITH BAHIA SOD UNLESS OTHERWISE NOTED BY THE CITY/COUNTY/FDOT ENGINEER. PIPES WITH COVER LESS THAN 30 INCHES SHALL BE CONSTRUCTED OF DUCTILE IRON OR PVC CASING.
13. DISTURBED AREAS SHALL BE RESTORED IN CONFORMANCE WITH THE APPLICABLE PERMITTING AGENCY REQUIREMENTS.
14. EXISTING UTILITIES SHALL BE FIELD VERIFIED PRIOR TO CONSTRUCTION AND PROTECTED BY THE CONTRACTOR.
15. WATER MAINS SHALL BE TESTED AND DISINFECTED IN ACCORDANCE WITH THE APPLICABLE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION AND AWWA C-651 DISINFECTION.

NOTES:

1. THE CONTRACTOR SHALL COMPLY WITH REQUIREMENTS OF THE FLORIDA TRENCH SAFETY ACT.
2) MINIMAL BACKFILL SHALL BE HAND PLACED TO 12" ABOVE THE PIPE. BACKFILL SHALL BE MECHANICALLY TAMPED TO A MINIMUM OF 100% OF MAX. DENSITY AS DETERMINED BY AASHTO METHOD T-99.




TYPICAL TRENCH DETAIL
N.T.S.

NOTES:

1) IN CERTAIN SOIL CONDITIONS A FOUNDATION MAY BE REQUIRED.
2) BEDDING IS REQUIRED PRIMARILY TO BRING THE TRENCH BOTTOM UP TO GRADE. BEDDING MATERIALS SHALL PROVIDE A UNIFORM AND ADEQUATE LONGITUDINAL SUPPORT UNDER THE PIPE.
3) HAUNCHING MATERIAL SHALL BE HAND PLACED TO THE SPRINGLINE OF THE PIPE. MATERIAL SHALL BE CONSOLIDATED UNDER THE PIPE AND HAND TAMPED TO PROVIDE ADEQUATE SIDE SUPPORT.
4) INITIAL BACKFILL MATERIAL SHALL BE HAND PLACED 12" ABOVE THE TOP OF PIPE. THE SOIL SHALL BE COMPACTED TO 100% MAX. DENSITY (AASHTO T-99).
5) BACKFILL SHALL BE COMPACTED TO 100% OF MAX. DENSITY AS PER AASHTO T-99. TO A POINT 30" BELOW PROPOSED FINAL GRADE OR EXISTING GRADE, THE SOIL SHALL BE COMPACTED TO 95% OF MAX. DENSITY AS PER AASHTO T-180.
6) DENSITY TEST SHALL BE PERFORMED AT AREAS DETERMINED BY THE UTILITIES ENGINEER OR RESIDENT AGENCY MAKING JURISDICTION, AT THE CONTRACTORS EXPENSE.
7) CONTRACTOR TO COMPLY WITH ALL FEDERAL, STATE AND LOCAL TRENCH SAFETY REGULATIONS.

BACKFILLING REQUIREMENTS
N.T.S.



FORT PIECE UTILITIES AUTHORITY
WATER DISTRIBUTION NOTES CONTINUED

16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING EXISTING UTILITIES AND DRAINAGE.
17. THE CONTRACTOR SHALL FURNISH RECORD DRAWING INFORMATION TO THE ENGINEER CONSISTING OF THE FOLLOWING INFORMATION: PIPE MATERIAL, PIPE SIZE, PIPE LENGTH, FITTINGS, VALVES, LOCATIONS OF VALVES, SERVICE CONNECTIONS, BLOWOFFS, AIR RELEASE VALVES, AND ANY OTHER PERTINENT INFORMATION NECESSARY TO LOCATE ITEMS CONSTRUCTED UNDER THIS PROJECT, AS REQUIRED BY THE UTILITIES ENGINEER.
18. THE CONTRACTOR SHALL TAP EXISTING WATER MAINS AND SUPERVISION OF THE FORT PIECE UTILITIES LOCATIONS OF VALVES, FITTINGS, SERVICE CONNECTIONS, BLOWOFFS, AIR RELEASE VALVES, AND ANY OTHER PERTINENT INFORMATION NECESSARY TO LOCATE ITEMS CONSTRUCTED UNDER THIS PROJECT, AS REQUIRED BY THE UTILITIES ENGINEER.
19. ALL VALVES AND FITTINGS SHALL BE INSPECTED FOR DEFECTS BEFORE INSTALLATION. ANY DEFECTIVE VALVES OR FITTINGS SHALL BE REPLACED AT NO ADDITIONAL COST TO THE OWNER.
20. ALL VALVES SHALL BE OPERATED BY THE FORT PIECE UTILITIES AUTHORITY PERSONNEL ONLY AFTER TESTING AND DISINFECTION HAS BEEN COMPLETED AND APPROVED ON THE TAPPING VALVE AND SLEEVE.
21. ALL CONSTRUCTION SHALL FURNISH RECORD DRAWING INFORMATION TO THE ENGINEER CONSISTING OF THE WATER MAIN IN ACCORDANCE WITH THE FORT PIECE UTILITIES AUTHORITY SPECIFICATIONS.
22. PRIOR TO TESTING, ALL NEW 6" IN DIA. LADDER STAKES HAVE A SAMA PASSED THRU THE ENTIRE LENGTH OF THE LINE. NOTE: SAMA SHOULD BE PLACED IN THE JOINT OR NEAR END OF MAIN SHOULD BE TURNED UP AT 45¢ OR EXTENDED SO THAT MARKING AND A FULL BORE FLUSH CAN BE ACCOMPLISHED. BLOW-OFF ASSY CAN THEN BE PLACED. WHERE LINES BRANCH, SWABS WILL BE PLACED IN BRANCH LINES AND SCOURINATLY AS NEEDED.
23. A MINIMUM SIX FEET AND PREFERABLY SIX FEET HORIZONTAL SEPARATION SHALL BE MAINTAINED BETWEEN THE WATER MAIN AND ANY WASTEWATER LINES. 6 INCHES MINIMUM VERTICAL SEPARATION BETWEEN THE WATER MAIN AND WASTEWATER LINES. THE DISTANCE SHALL BE MEASURED FROM OUTSIDE OF PIPE TO OUTSIDE OF PIPE OR STRUCTURE. WHERE NO MINIMUM SEPARATION CANNOT BE MAINTAINED, THE CROSSING SHALL BE REVIEWED SO THAT THE CROSSING SATISFACTORY LENGTHS OF DIP AND/OR A MINIMUM SEPARATION OF 10 FEET BETWEEN THE OUTSIDE OF PIPE TO PROVIDE A MINIMUM OF 10 FEET OF THE CROSSING, AS MEASURED AT ALL CROSSINGS.
24. A MINIMUM SIX FEET AND PREFERABLY TEN FEET AWAY FROM GATE VALVES AS SHOWN FOR MAINTENANCE AND OPERATION.
25. WHERE A WATER MAIN IS TO BE INSTALLED BELOW A STORM DRAIN PIPE, A MINIMUM OF 6 INCHES OF VERTICAL CLEARANCE BETWEEN PIPES SHALL BE CONSTRUCTED OF DIP AT EACH CROSSING, AND SHALL BE MECHANICALLY RESTRAINED AT ALL CROSSINGS.
26. CONTRACTOR SHALL COMPLY WITH FLORIDA TRENCH SAFETY ACT REQUIREMENTS.

WATER DISTRIBUTION
G-1
NOTES

DESIGNED			REVISION	BY	APP'D	
DRAWN BY:	JAB					
CHECKED BY:						
APPROVED BY:						
DATE:	DECEMBER 2021					
SCALE:	N.T.S.					
SHEET	1	OF	2			


FT. PIERCE UTILITIES AUTHORITY

FORT PIECE UTILITIES AUTHORITY
WATER DISTRIBUTION NOTES

1. ALL CONSTRUCTION MATERIAL, INSTALLATION AND TESTING SHALL CONFORM TO THE STANDARD SPECIFICATIONS OF THE FORT PIECE UTILITIES AUTHORITY.
2. WATER MAINS WHERE SPECIFIED AS POLYVINYL CHLORIDE (PVC) SHALL CONFORM TO AWWA C-900 OR C-905, PRESSURE CLASS 150 DR (18). WATER MAINS WHERE SPECIFIED AS POLYETHYLENE (PE) SHALL CONFORM TO AWWA C-901 OR C-906, STANDARD DIMENSION RATIO (SDR) 17 UNLESS NOTED OTHERWISE. PVC PIPE SHALL ATTACHED TO THE OUTSIDE OF ALL BRIDGES OR THE SIDE OF CENTERLINE OF THE PIPE SHALL NOT BE USED IN LIEU OF MARKING TAPE OR DIRECT BURY. (DB) 1" IRON DIRECTIONAL BRONZE TAPE SHALL ALSO PIPE SHALL REQUIRE THE USE OF IDENTIFICATION TAPE AND THEN WIRE.
3. WITHIN MAIN, WHERE SPECIFIED AS DUCTILE IRON PIPE, SHALL CONFORM TO ANSI/AWWA C151/A21.51 AND SHALL BE PRESSURE CLASS 250 (MINIMUM).
4. POLYVINYL CHLORIDE WATER MAIN SHALL BE BLUE IN COLOR OR WHITE IN COLOR WITH BLUE STRIPES. THE USE OF CENTERLINE TAPE ON THE PIPE SHALL NOT BE USED IN LIEU OF MARKING TAPE OR DIRECT BURY. (DB) 1" IRON DIRECTIONAL BRONZE TAPE SHALL ALSO PIPE SHALL REQUIRE THE USE OF IDENTIFICATION TAPE AND THEN WIRE.
5. FITTINGS MAY BE DUCTILE IRON CONFORMING TO ANSI/AWWA C-110/A21.10, CLASS 250 MIN. CEMENT LINED AND SEAL COATED.
6. GATE VALVES SHALL BE RESILIENT SEAT, KENNEDY KSN-SEAL, AMERICAN OR APPROVED EQUAL, VALVES SHALL CONFORM TO AWWA C-509.
7. WATER LINES SHALL BE INSTALLED AND COMPACTED IN ACCORDANCE WITH FPUA DESIGN AND CONSTRUCTION STANDARDS. THE CONTRACTOR SHALL SUBMIT CERTIFIED DENSITY TESTS AS REQUIRED BY FORT PIECE CITY, COUNTY, FDOT, OR IN CASES WHERE PAVED AREAS ARE AFFECTED. THE CONTRACTOR SHALL NOT BE PAID FOR UNLESS THE DENSITY TESTS HAVE BEEN SUBMITTED AND APPROVED.
8. ALL PIPE AND FITTINGS SHALL BE CLEANED OR DISINFECTED FROM DEBRIS OR CONTAMINATION PRIOR TO INSTALLATION. ALL PIPE AND FITTINGS SHALL BE INSPECTED FOR DEFECTS PRIOR TO INSTALLATION. ANY DEFECTIVE PIPE OR FITTINGS SHALL NOT BE INSTALLED AND SHALL BE REMOVED FROM THE SITE.
9. THE CONTRACTOR SHALL NOTIFY FPUA ENGINEERING AND CITY/COUNTY/FDOT ENGINEERING 48 HOURS PRIOR TO COMMENCING CONSTRUCTION.
10. A PRE-CONSTRUCTION CONFERENCE BETWEEN THE ENGINEER, THE CONTRACTOR, FPUA, AND CITY/COUNTY/FDOT ENGINEER SHALL BE HELD PRIOR TO COMMENCEMENT OF FORCE MAIN CONSTRUCTION.
11. TRAFFIC CONTROL, BARRICADES, ETC., SHALL BE IN ACCORDANCE WITH THE FLORIDA DEPARTMENT OF TRANSPORTATION STANDARDS AND APPROVED BY THE CITY ENGINEER.
12. DISTURBED AREAS SHALL BE SODDED WITH BAHIA SOD UNLESS OTHERWISE NOTED BY THE CITY/COUNTY/FDOT ENGINEER. PIPES WITH COVER LESS THAN 30 INCHES SHALL BE CONSTRUCTED OF DUCTILE IRON OR PVC CASING.
13. DISTURBED AREAS SHALL BE RESTORED IN CONFORMANCE WITH THE APPLICABLE PERMITTING AGENCY REQUIREMENTS.
14. EXISTING UTILITIES SHALL BE FIELD VERIFIED PRIOR TO CONSTRUCTION AND PROTECTED BY THE CONTRACTOR.
15. WATER MAINS SHALL BE TESTED AND DISINFECTED IN ACCOMPANCE WITH THE APPLICABLE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION AND AWWA C-651 DISINFECTION.

NOTES:

1. THE CONTRACTOR SHALL COMPLY WITH REQUIREMENTS OF THE FLORIDA TRENCH SAFETY ACT.
2) MINIMAL BACKFILL SHALL BE HAND PLACED TO 12" ABOVE THE TOP OF PIPE. BACKFILL SHALL BE MECHANICALLY TAMPED TO A MINIMUM OF 100% OF MAX. DENSITY AS DETERMINED BY AASHTO METHOD T-99.




TYPICAL TRENCH DETAIL
N.T.S.

NOTES:

1) IN CERTAIN SOIL CONDITIONS A FOUNDATION MAY BE REQUIRED.
2) BEDDING IS REQUIRED PRIMARILY TO BRING THE TRENCH BOTTOM UP TO GRADE. BEDDING MATERIALS SHALL PROVIDE A UNIFORM AND ADEQUATE LONGITUDINAL SUPPORT UNDER THE PIPE.
3) HAUNCHING MATERIAL SHALL BE HAND PLACED TO THE SPRINGLINE OF THE PIPE. MATERIAL SHALL BE CONSOLIDATED UNDER THE PIPE AND HAND TAMPED TO PROVIDE ADEQUATE SIDE SUPPORT.
4) INITIAL BACKFILL MATERIAL SHALL BE HAND PLACED 12" ABOVE THE TOP OF PIPE. THE SOIL SHALL BE COMPACTED TO 100% MAX. DENSITY (AASHTO T-99).
5) BACKFILL SHALL BE COMPACTED TO 100% OF MAX. DENSITY AS PER AASHTO T-99. TO A POINT 30" BELOW PROPOSED FINAL GRADE OR EXISTING GRADE, THE SOIL SHALL BE COMPACTED TO 95% OF MAX. DENSITY AS PER AASHTO T-180.
6) DENSITY TEST SHALL BE PERFORMED AT AREAS DETERMINED BY THE UTILITIES ENGINEER OR RESIDENT AGENCY MAKING JURISDICTION, AT THE CONTRACTORS EXPENSE.
7) CONTRACTOR TO COMPLY WITH ALL FEDERAL, STATE AND LOCAL TRENCH SAFETY REGULATIONS.

BACKFILLING REQUIREMENTS
N.T.S.



FORT PIECE UTILITIES AUTHORITY
WATER DISTRIBUTION NOTES CONTINUED

16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING EXISTING UTILITIES AND DRAINAGE.
17. THE CONTRACTOR SHALL FURNISH RECORD DRAWING INFORMATION TO THE ENGINEER CONSISTING OF THE FOLLOWING INFORMATION: PIPE MATERIAL, PIPE SIZE, PIPE LENGTH, FITTINGS, VALVES, LOCATIONS OF VALVES, SERVICE CONNECTIONS, BLOWOFFS, AIR RELEASE VALVES, AND ANY OTHER PERTINENT INFORMATION NECESSARY TO LOCATE ITEMS CONSTRUCTED UNDER THIS PROJECT, AS REQUIRED BY THE UTILITIES ENGINEER.
18. THE CONTRACTOR SHALL TAP EXISTING WATER MAINS AND SUPERVISION OF THE FORT PIECE UTILITIES LOCATIONS OF VALVES, FITTINGS, SERVICE CONNECTIONS, BLOWOFFS, AIR RELEASE VALVES, AND ANY OTHER PERTINENT INFORMATION NECESSARY TO LOCATE ITEMS CONSTRUCTED UNDER THIS PROJECT, AS REQUIRED BY THE UTILITIES ENGINEER.
19. ALL VALVES AND FITTINGS SHALL BE INSPECTED FOR DEFECTS BEFORE INSTALLATION. ANY DEFECTIVE VALVES OR FITTINGS SHALL BE REMOVED FROM THE SITE AT NO ADDITIONAL COST TO THE OWNER.
20. ALL VALVES SHALL BE OPERATED BY THE FORT PIECE UTILITIES AUTHORITY PERSONNEL ONLY AFTER TESTING AND DISINFECTION HAS BEEN COMPLETED AND APPROVED ON THE TAPPING VALVE AND SLEEVE.
21. ALL CONSTRUCTION SHALL FURNISH RECORD DRAWING INFORMATION TO THE ENGINEER CONSISTING OF THE WATER MAIN IN ACCORDANCE WITH THE FORT PIECE UTILITIES AUTHORITY SPECIFICATIONS.
22. PRIOR TO TESTING, ALL NEW 6" IN DIA. LADDER STAKES HAVE A SAMA PASSED THRU THE ENTIRE LENGTH OF THE LINE. NOTE: SAMA SHOULD BE PLACED IN THE JOINT OR NEAR END OF MAIN SHOULD BE TURNED UP AT 45¢ OR EXTENDED SO THAT MARKING AND A FULL BORE FLUSH CAN BE ACCOMPLISHED. BLOW-OFF ASSY CAN THEN BE PLACED. WHERE LINES BRANCH, SWABS WILL BE PLACED IN BRANCH LINES AND SCOURINATLY AS NEEDED.
23. A MINIMUM SIX FEET AND PREFERABLY TEN FEET HORIZONTAL SEPARATION SHALL BE MAINTAINED BETWEEN THE WATER MAIN AND ANY WASTEWATER LINES. 6 INCHES MINIMUM VERTICAL SEPARATION BETWEEN THE WATER MAIN AND WASTEWATER LINES. THE DISTANCE SHALL BE MEASURED FROM OUTSIDE OF PIPE TO OUTSIDE OF PIPE OR STRUCTURE. WHERE NO MINIMUM SEPARATION CANNOT BE MAINTAINED, THE CROSSING SHALL BE REVIEWED SO THAT THE CROSSING SATISFACTORY LENGTHS OF DIP AND/OR A MINIMUM SEPARATION OF 10 FEET BETWEEN THE OUTSIDE OF PIPE TO PROVIDE A MINIMUM OF 10 FEET OF THE CROSSING, AS MEASURED AT ALL CROSSINGS.
24. A MINIMUM SIX FEET AND PREFERABLY TEN FEET AWAY FROM GATE VALVES AS SHOWN FOR MAINTENANCE AND OPERATION.
25. WHERE A WATER MAIN IS TO BE INSTALLED BELOW A STORM DRAIN PIPE, A MINIMUM OF 6 INCHES OF VERTICAL CLEARANCE BETWEEN PIPES SHALL BE CONSTRUCTED OF DIP AT EACH CROSSING, AND SHALL BE MECHANICALLY RESTRAINED AT ALL CROSSINGS.
26. CONTRACTOR SHALL COMPLY WITH FLORIDA TRENCH SAFETY ACT REQUIREMENTS.

WATER DISTRIBUTION
G-1
NOTES

DESIGNED			REVISION	BY	APP'D	
DRAWN BY:	JAB					
CHECKED BY:						
APPROVED BY:						
DATE:	DECEMBER 2021					
SCALE:	N.T.S.					
SHEET	2	OF	2			

FT. PIERCE UTILITIES AUTHORITY

FORT PIECE UTILITIES AUTHORITY
WASTEWATER CONSTRUCTION NOTES
FPUA STANDARDS

1. THE CONTRACTOR SHALL OBTAIN A COPY OF THE LATEST EDITION OF THE FPUA SPECIFICATIONS OF THE FORT PIECE UTILITIES AUTHORITY.
2. ALL MATERIALS AND WORKMANSHIP SHALL CONFORM TO THE STANDARD SPECIFICATIONS OF THE FORT PIECE UTILITIES AUTHORITY.
3. THE CONTRACTOR SHALL FURNISH RECORD DRAWING INFORMATION TO THE ENGINEER CONSISTING OF THE FOLLOWING INFORMATION: PIPE MATERIAL, PIPE SIZE, PIPE LENGTH, FITTINGS, VALVES, LOCATIONS OF VALVES, SERVICE CONNECTIONS, BLOWOFFS, AIR RELEASE VALVES, AND ANY OTHER PERTINENT INFORMATION NECESSARY TO LOCATE ITEMS CONSTRUCTED UNDER THIS PROJECT, AS REQUIRED BY THE UTILITIES ENGINEER.
4. ALL CONSTRUCTION STANDARDS THE CONSTRUCTION SHALL SUBMIT CERTIFIED DENSITY TESTS AS REQUIRED BY FORT PIECE CITY, COUNTY, FDOT, OR IN CASES WHERE PAVED AREAS ARE AFFECTED BY PAVE CROSSINGS AND CUTS. ALL SERVICE LINES SHALL BE BACKFILLED AND COMPACTED IN ACCORDANCE WITH FPUA DESIGN AND CONSTRUCTION STANDARDS. THE CONTRACTOR SHALL SUBMIT CERTIFIED DENSITY TESTS AS REQUIRED BY FPUA ENGINEERING AND CITY STANDARDS IN CASES WHERE PAVED AREAS FALL WITHIN THE JURISDICTION OF LOCAL OR STATE AGENCIES. THE CONTRACTOR SHALL NOT BE PAID FOR UNLESS THE DENSITY TESTS HAVE BEEN SUBMITTED AND APPROVED BY THE RESIDENT AGENCY.
5. THE CONTRACTOR SHALL FURNISH RECORD DRAWING INFORMATION TO THE ENGINEER CONSISTING OF PIPE SIZE, LOCATION OF SERVICE TIE INTO MAIN, AND DEPTH OF LOWER END OF SERVICE AT THE PROPERTY LINE. RIM AND INVERT ELEVATION OF ALL MANHOLES AND ANY OTHER PERTINENT INFORMATION NECESSARY TO LOCATE ITEMS CONSTRUCTED UNDER THIS PROJECT.
6. ALL SEWER MAINS AS INDICATED ON THE PLANS SHALL BE INSPECTED BY TELEVISION METHODS BEFORE FINAL ACCEPTANCE BY THE OWNER. ANY DEFECTS FOUND SHALL BE REPAIRED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE OWNER.
7. ALL SEWER MAINS SHALL BE TESTED FOR LEAKAGE BY EXFILTRATION TESTS OR LOW PRESSURE AIR TESTS AS SPECIFIED IN THE FPUA SPECIFICATIONS. ANY DEFECTS FOUND SHALL BE REPAIRED AT NO ADDITIONAL COST TO THE OWNER.
8. ALL MANHOLES SHALL HAVE SEWER MAIN CURVES INSTALLED BY FPUA ENGINEER OR REPRESENTATIVE PRIOR TO PLACING MANHOLE IN SERVICE.
9. ALL SEWER MAINS AS INDICATED ON THE PLANS SHALL BE INSPECTED BY TELEVISION METHODS AFTER FINAL ACCEPTANCE BY THE OWNER. ANY DEFECTS FOUND SHALL BE REPAIRED AT NO ADDITIONAL COST TO THE OWNER.
10. NO FIELD CHANGES OR DEVIATIONS FROM THE DESIGN SHALL BE MADE WITHOUT PRIOR APPROVAL FROM COUNTY/FDOT SHALL BE MADEWORTHY PRIOR TO THE COMMENCEMENT OF CONSTRUCTION.
11. TRAFFIC CONTROL, BARRICADES, ETC. SHALL BE AS ACCORDANCE WITH THE FLORIDA DEPARTMENT OF TRANSPORTATION STANDARDS.
12. CONTRACTOR SHALL NOTIFY FORT PIECE UTILITIES AUTHORITY 48 HOURS PRIOR TO COMMENCING CONSTRUCTION.
13. MASTEMATIX FORCE MAIN SHALL BE POLYVINYL CHLORIDE CONFORMING TO AWWA C-900, AND SHALL BE CLASS 150, DR-18.
14. MASTEMATIX FORCE MAIN SHALL BE GREEN IN COLOR.
15. FITTINGS SHALL BE DUCTILE IRON, CONFORMING TO ANSI/AWWA C-110/A21.10 CLASS 250 MIN. WITH BITUMEN EPOXY COATED.
16. MASTEMATIX FORCE MAIN SHALL BE LAID AT THE LEAST DEPTH POSSIBLE WITH A MINIMUM COVER OF 36 INCHES. WHERE IT IS NOT POSSIBLE TO MAINTAIN A VERTICAL DISTANCE OF 6 INCHES IN PARALLEL INSTALLATIONS, THE SEWER MAIN SHALL BE LAID WITH A MINIMUM HORIZONTAL DISTANCE OF 6 INCHES. THE WATER MAIN SHOULD ALWAYS BE ABOVE AND SEPARATED FROM SEWER MAINS. WHERE IT IS NOT POSSIBLE TO MAINTAIN THE MINIMUM SEPARATION, SPECIAL CONSTRUCTION MAY BE REQUIRED AS DETERMINED BY THE UTILITIES ENGINEER.
17. ALL MANHOLES SHALL HAVE SEWER MAIN CURVES INSTALLED BY FPUA ENGINEER OR REPRESENTATIVE PRIOR TO PLACING MANHOLE IN SERVICE.
18. EACH SERVICE LATERAL WILL BE MARKED WITH A LOCATOR BALL BY MANUFACTURER OR APPROVED EQUAL OR TAPE IN ACCORDANCE WITH FPUA SPECIFICATIONS.
19. ALL MANHOLES SHALL HAVE SEWER MAIN CURVES INSTALLED BY FPUA ENGINEER OR REPRESENTATIVE PRIOR TO PLACING MANHOLE IN SERVICE.
20. THE CONTRACTOR SHALL COMPLY WITH FLORIDA TRENCH SAFETY ACT REQUIREMENTS.

WASTEWATER CONSTRUCTION NOTES
FPUA STANDARDS
G-2
CONSTRUCTION NOTES

DESIGNED			REVISION	BY	APP'D	
DRAWN BY:	JAB					
CHECKED BY:						
APPROVED BY:						
DATE:	DECEMBER 2021					
SCALE:	N.T.S.					
SHEET	1	OF	1			

FT. PIERCE UTILITIES AUTHORITY

STANDARD SEPARATION STATEMENT FOR WATER / SEWER CONFLICTS

A MINIMUM 6'-0" AND PREFERABLE 10'-0" HORIZONTAL SEPARATION SHALL BE MAINTAINED BETWEEN GRAVITY OR PRESSURE TYPE SANITARY SEWER, WASTEWATER FORCE MAIN OR PNEUMATIC SEWAGE EJECTOR MAINS AND WATER MAINS. HORIZONTAL SEPARATION SHALL BE MEASURED FROM OUTSIDE OF PIPE TO OUTSIDE OF PIPE. WHERE IT IS NOT POSSIBLE TO MAINTAIN THE MINIMUM HORIZONTAL SEPARATION DISTANCE, SPECIAL CONSTRUCTION METHODS SHALL BE REVIEWED AND APPROVED BY THE UTILITIES ENGINEER.

A MINIMUM 18" VERTICAL SEPARATION SHALL BE MAINTAINED BETWEEN GRAVITY OR PRESSURE TYPE SANITARY SEWER, WASTEWATER FORCE MAIN OR PNEUMATIC SEWAGE EJECTOR MAINS AND WATER MAINS. HORIZONTAL SEPARATION SHALL BE MEASURED FROM OUTSIDE OF PIPE TO OUTSIDE OF PIPE. WHERE IT IS NOT POSSIBLE TO MAINTAIN THE MINIMUM VERTICAL SEPARATION, SPECIAL CONSTRUCTION METHODS SHALL BE REVIEWED AND APPROVED BY THE UTILITIES ENGINEER.

A MINIMUM 10'-0" HORIZONTAL SEPARATION SHALL BE MAINTAINED BETWEEN WASTEWATER FORCE MAINS, STORM SEWERS AND STORM SEWER CROSSING MATERIALS SHALL BE USED TO PROVIDE A MINIMUM SEPARATION OF 10 FEET BETWEEN TWO JOINTS. ALL JOINTS ON THE WATER MAIN SHALL BE LOCATED AS FAR APART AS POSSIBLE FROM JOINTS ON THE SEWER OR FORCE MAIN (STAGGERED JOINTS).

ALL PIPE SHALL BE PRESSURE CLASS 350 MIN. ASBESTOS PROTECTIVE MEASURES AGAINST CORROSION SHALL BE USED AS DETERMINED BY THE UTILITIES ENGINEER.

A MINIMUM 4'-0" HORIZONTAL SEPARATION SHALL BE MAINTAINED BETWEEN GRAVITY OR PRESSURE SANITARY SEWERS, WASTEWATER FORCE MAINS OR STORM SEWERS CROSSING UNDER WATER MAINS. SHALL BE LAID WITH JOINTS AS FAR APART AS POSSIBLE FROM JOINTS IN THE WATER MAIN.


THE WATER MAIN SHALL BE CONSTRUCTED OF DIP FOR THE FIRST SIX FEET (6') ON EACH SIDE OF THE CROSSING. (DIP IS NOT REQUIRED FOR STORM SEWERS.) SYMPTONIC LENGTHS OF DIP MAY BE USED TO PROVIDE A MINIMUM SEPARATION OF 10 FEET BETWEEN TWO JOINTS. ALL JOINTS ON THE WATER MAIN WITHIN 20 FEET OF THE CROSSING MUST BE MECHANICALLY RESTRAINED.

ALL CROSSINGS SHALL BE ARRANGED SO THAT THE SEWER JOINTS WILL BE AS FAR AS POSSIBLE FROM THE WATER MAIN JOINTS. WHERE A WATER MAIN CROSSES UNDER A SEWER, THE SEWER SHALL BE CONSTRUCTED OF DUCTILE IRON PIPE (DIP) WITH MECHANICAL JOINTS FOR A DISTANCE OF 10 FEET (3 m) ON BOTH SIDES OF THE CROSSING. THE WATER MAIN SHALL BE CONSTRUCTED OF DIP FOR THE FIRST SIX FEET (6') ON EACH SIDE OF THE CROSSING. (DIP IS NOT REQUIRED FOR STORM SEWERS.) SYMPTONIC LENGTHS OF DIP MAY BE USED TO PROVIDE A MINIMUM SEPARATION OF 10 FEET BETWEEN ANY TWO JOINTS. ALL JOINTS ON THE WATER MAIN WITHIN 20 FEET OF THE CROSSING MUST BE MECHANICALLY RESTRAINED.

A MINIMUM 12" VERTICAL SEPARATION SHALL BE MAINTAINED BETWEEN GRAVITY OR PRESSURE TYPE SANITARY SEWERS, WASTEWATER FORCE MAINS, OR PNEUMATIC SEWAGE EJECTOR MAINS AND WATER MAINS IN PARALLEL INSTALLATIONS WHENEVER POSSIBLE.

A MINIMUM 10'-0" HORIZONTAL SEPARATION SHALL BE MAINTAINED BETWEEN GRAVITY OR PRESSURE TYPE SANITARY SEWER, WASTEWATER FORCE MAINS OR STORM SEWERS CROSSING UNDER WATER MAINS. SHALL BE LAID WITH JOINTS AS FAR APART AS POSSIBLE FROM JOINTS IN THE WATER MAIN.

A MINIMUM 3'-0" HORIZONTAL SEPARATION SHALL BE M




NOTES:

1) BALL TYPE WASTEWATER LOCATOR BY 3M CORP. OR APPROVED EQUAL.
2) MINIMUM SLOPE OF 1/8" PER FOOT, USE GREATER SLOPE WHERE POSSIBLE.
3) SERVICE LATERAL SHALL TERMINATE WITH A CLEANOUT.
4) INSTALL CLEANOUT AT THE PROPERTY LINE. REFER TO DETAIL S-1 FOR SPECIFIC PROPERTY LAYOUT.


SERVICE CONNECTION
(N.T.S.)

SERVICE CONNECTION		S-2
WASTEWATER		
02-06 DATE:	REVISION:	BY: APPD:
DESIGNED: JJM	COMPUTER FILE # SEWER DETAIL 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING
DRAWN BY: JJM	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466-1600
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1



TERMINAL CLEANOUT DETAIL (COMMERCIAL)
(N.T.S.)

TERMINAL CLEANOUT DETAIL		S-4B
WASTEWATER		
10-06 DATE:	REVISION:	RBC BY: APPD:
DESIGNED: JJM	COMPUTER FILE # SEWER DETAIL 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING
DRAWN BY: JJM	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466-1600
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 2 OF 3



PIPE DIA.	"A"	"B"	"C"	BOT. SLAB "T"
8"-24"	4'-0"	"B"	76"	8"
30"-36"	5'-0"	"B"	88"	10"
42"-48"	6'-0"	"B"	100"	12"


TYPICAL MANHOLE DIMENSIONS

NOTES:

1) MANHOLE FRAME & COVER WITH THE WORDS " SANITARY SEWER" CAST IN THE COVER. U.S. FOUNDRY 170 OR APPROVED EQUAL.
2) ALL CONCRETE MANHOLES TO BE 4000 P.S.I. TO MEET OR EXCEED ASTM C478 ALL CEMENT TO BE TYPE II ACID RESISTANT. REINFORCING AREA OF 0.02 SQ. IN/FT FOR WALL SECTION MIN. TO MEET OR EXCEED ASTM A 185.
3) A MAXIMUM OF 2 LAYERS OF PRECAST CONCRETE RINGS, IF REQUIRED.
4) RAIN GUARDS SHALL BE INSTALLED IN MANHOLES THAT HAVE GRAVITY MAINS 12" OR LESS.

SHALLOW MANHOLE
DEPTH OF LESS THAN 5'-0"
(N.T.S.)

PRECAST MANHOLE DEPTH OF		S-6
LESS THAN 5'- 0"		
02-06 DATE:	REVISION:	BY: APPD:
DESIGNED: JJM	COMPUTER FILE # SEWER DETAIL 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING
DRAWN BY: JJM	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466-1600
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1




NOTES:

1) SEWER RAIN GUARDS SHALL BE INSTALLED ON ALL MANHOLES WHERE GRAVITY MAINS ARE 12" OR LESS AND IN AREAS DESIGNATED BY ENGINEER TO BE IN A FLOOD AREA.
2) SEWER RAIN GUARDS SHALL BE MANUFACTURED BY PARSON ENVIRONMENTAL PRODUCTS, INC., PART # PMI-23S (PARSON MANHOLE INSERTS) WITH DOUBLE VALVING, OR APPROVED EQUAL.
3) RAINGUARDS MUST BE "SNUG" FIT.

RAINGUARD DETAIL
(N.T.S.)

RAINGUARD		S-11
DETAIL		
03-09 DATE:	REVISION:	SLA JLC BY: APPD:
DESIGNED: SLA	COMPUTER FILE # SEWER DETAIL 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING
DRAWN BY: SLA	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466-1600
APPROVED: JLC	DATE: JANUARY 2009	SHEET 1 OF 1



NOTES:

1. FORCE MAIN CONNECTION SHALL CONSIST OF A 2" TAPPING SADDLE, 2" STAINLESS STEEL NIPPLE AND 2" THREADED RESILIENT SEAT GATE VALVE
2. GREEN 10 GAUGE THHN WIRE SHALL BE ATTACHED TO THE SERVICE LINE.
3. WHERE SERVICES UNDER PAVEMENT ARE REQUIRED, THE POLYETHYLENE TUBING SHALL BE INSTALLED WITHIN SCHEDULE 40 PVC CASING PIPE.
4. MINIMUM COVER IN UNPAVED AREAS SHALL BE 30", IN PAVED AREAS OR PLANNED ROADWAYS OR SWALES MIN. COVER SHALL BE 36".

GRINDER STATION CONNECTION		S-16
FPUA COMMUNITY PROUD FT. PIERCE UTILITIES AUTHORITY WASTEWATER & WATER TREATMENT 1701 SOUTH 25TH STREET FT. PIERCE, FLORIDA 34947 772-466-1600		
03-09 DATE: DESIGN	REVISION:	SLL JLC BY: APPD:
DESIGNED: JLC	COMPUTER FILE #	WATER/WASTEWATER ENGINEERING
DRAWN BY: SLL	SCALE: N.T.S. SCALE	FT. PIERCE UTILITIES AUTHORITY
APPROVED: JLC	DATE: 2010	SHEET 1 OF 1

GENERAL POLICY

WHERE COST JUSTIFIED AND OPERATIONALLY FEASIBLE, IT IS THE GENERAL POLICY OF THE F.P.U.A. TO PROVIDE WATER, ELECTRIC, SEWER AND GAS SERVICE FROM THE STREET SIDE OF A PIECE OF PROPERTY. DEPENDING ON FACTORS SUCH AS LOCATION OF EXISTING SUPPLY SOURCE FACILITIES, REAR OR SIDE LOT LINE SUPPLY MAY BE AUTHORIZED, BUT ONLY WITH PRIOR APPROVAL FROM THE F.P.U.A.



① THE PREFERRED POINT OF CONNECTION TO THE F.P.U.A. WATER METER, AREA ① SHALL BE LOCATED IN THE CORNER OF THE PROPERTY SELECTED BY THE F.P.U.A. AS THE BEST LOCATION FOR THE WATER METER. EVERY EFFORT WILL BE MADE TO SELECT THE CORNER WHERE TWO WATER SERVICES AND METERS CAN BE CONNECTED.


② IF PHYSICAL BARRIERS OR OTHER OBSTACLES PREVENT THE CONNECTION OF THE BUILDING SERVICE LINE TO THE F.P.U.A. WATER SERVICE, WITHIN AREA ① , THE F.P.U.A. ENGINEERING DEPARTMENT MAY AUTHORIZE THE CONNECTION ALONG THE PORTION OF THE R/W LINE MARKED AREA ② , OR ALONG THE PROPERTY LINES MARKED AREA ③.

NOTES:

1. HORIZONTAL SEPARATION OF WATER AND WASTEWATER SERVICES SHOULD BE A MINIMUM OF 6 FEET AND PREFERABLY 10 FEET.
2. ALL METERS SHALL BE INSTALLED IN AN UNRESTRICTED AREA FOLLOWING EASE OF ACCESS AND PROVIDING ADEQUATE PROTECTION.
3. THE F.P.U.A. SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND REPAIR OF THE WATER LATERAL WITHIN THE EASEMENT OR RIGHT-OF-WAY, UP TO THE POINT OF CONNECTION.

WATER METER PLACEMENT
(N.T.S.)

WATER METER		W-1
PLACEMENT POLICY		
DATE:	REVISION:	BY: APPD:
DESIGNED: JJM	COMPUTER FILE # WATER DETAILS 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING
DRAWN BY: JJM	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466-1600
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1




NOTES:

1. BLUE 10 GAUGE THHN WIRE SHALL BE ATTACHED TO THE SERVICE LINE.
2. WHERE SERVICES UNDER PAVEMENT ARE REQUIRED, THE POLYETHYLENE TUBING SHALL BE INSTALLED WITHIN SCHEDULE 40 PVC CASING PIPE.
3. 1" & 3/4" METER SIZES SHALL REQUIRE A LOCKABLE METER VALVE. (CURB STOP)
4. MINIMUM COVER IN UNPAVED AREAS SHALL BE 30", IN PAVED AREAS OR PLANNED ROADWAYS OR SWALES MIN. COVER SHALL BE 36".

TYPICAL SINGLE WATER SERVICE CONNECTION
(N.T.S.)

TYPICAL SINGLE WATER		W-2
SERVICE CONNECTION		
03-09 DATE:	REVISION:	BY: APPD:
DESIGNED: JJM	COMPUTER FILE # WATER DETAILS 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING
DRAWN BY: JJM	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466-1600
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1



NOTES:

1. LANDSCAPING REQUIRED PER CITY OF FORT PIERCE OR ST. LUCIE COUNTY ORDINANCE. NO PLANTS OR TREES WITHIN 18" AROUND METER OR BACKFLOW. NO SOLDER JOINTS.
2. ASSEMBLY TO BE 29" FROM FINISH GRADE TO CENTERLINE OF THE FLANGED 90° BEND.

WATER METER/BACKFLOW PREVENTER ASSEMBLY
DOMESTIC SERVICE (COMMERCIAL)
(N.T.S.)

WATER METER/BACKFLOW PREVENTER		W-8
ASSEMBLY-DOMESTIC SERVICES (METER SIZE 2" OR LESS)		
03-09 DATE: DESIGN	REVISION:	SLL JLC BY: APPD:
DESIGNED: JLC	COMPUTER FILE # WATER DETAILS 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING
DRAWN BY: SLL	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466-1600
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-7000
1502 W. FLETCHER AVE. SUITE 206 UNIT NO., 101 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 210 JUPITER, FL 33458 P: 561-203-7503

THE INFORMATION, DESIGN AND CONTENT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-11.0 UD

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528

SHEET TITLE:


UTILITY DETAILS

SHEET NUMBER:

C-12.0

OF

Printed on Thursday, March 10, 2022, 2:03 PM by Julia Burroughs G:\2021\210079 - SPANISH TRAIL\10 SITE & CIVIL\11 PERMITTING\ENGINEERING\210079-C-11.0 UD.dwg



NOTES:


1. LANDSCAPING IS REQUIRED PER CITY OF FORT PIERCE OR ST. LUCIE COUNTY ORDINANCE.
2. ASSEMBLY TO BE 29" FROM FINISH GRADE TO CENTERLINE OF THE FLANGED 90° BEND.
3. PRIOR TO POURING THE CONCRETE PAD, VERIFY THAT THE STANDPIPES ARE PLUMB, TRUE AND INSTALLED AT THE SAME ELEVATIONSIN THE PRESENCE OF AN FPUA INSPECTOR.
4. ALL CONCRETE SHALL HAVE FIBERGLASS MESH REINFORCEMENT WITH #4 REBAR 3" FROM THE OUTER PERIMETER.

SIZE	SERVICE	LENGTH
4	DOUBLE DETECTOR	53 INCHES
6	DOUBLE DETECTOR	62 INCHES
8	DOUBLE DETECTOR	69 INCHES
10	DOUBLE DETECTOR	76 INCHES

BACKFLOW PREVENTER ASSEMBLY–4"–10" FIRE SERVICE
(N.T.S.)

FPUA COMMUNITY PROUD
FT. PIERCE UTILITIES AUTHORITY
WATER/WASTEWATER/GAS ENGINEERING
1701 SOUTH 5TH STREET
FT. PIERCE, FLORIDA 34947
772-466-1600

BACKFLOW PREVENTER ASSEMBLY 4"–10" FIRE SERVICE			W–10
03–09	CONCRETE PAD	SLI	JLC
DATE:	REVISION:	BY:	APPD:
DESIGNED: JLC	COMPUTER FILE # WATER DETAILS 200602.DWG	WATER/WASTEWATER ENGINEERING	
DRAWN BY: JLC	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY	
APPROVED: JLC	DATE: 2010	SHEET 1 OF 1	



PLAN VIEW

SECTION VIEW

LIMEROCK, SAND–CLAY, SHELL, ETC.
6" LAYERS, COMPACTED THICKNESS

DENSITY REQUIREMENTS:
98% UNDER ROADWAY
95% OUTSIDE TRAVELED ROADWAY
95% BENEATH SUBGRADE
METHOD AASHTO T–99

NOTE:

RESTORATIONS FOR LONGITUDINAL CUTS IN ARTERIAL STREETS SHALL INCLUDE FULL LANE WIDTH RESURFACING FOR EACH LANE WITHIN THE LIMITS OF THE CUT. ROADWAY CUTS AT INTERSECTIONS WILL INCLUDE OVERLAY PAVEMENT THROUGHOUT TURNOUTS. (PC AND PT)
REPLACEMENT BASE SHALL BE LIMEROCK OR COQUINA (LBR=100)
UNPAVED ROADWAYS SHALL OMIT ASPHALT RECONSTRUCTION/OVERLAY


UTILITY ROAD CUT

PERMIT NO. _____

RESTORATION

PAGE _____

UTILITY PAVEMENT RESTORATION COUNTY REQUIREMENTS			R–2
DATE:	REVISION:	BY:	APPD:
DESIGNED: JLC	COMPUTER FILE # MISC. DETAILS 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING	
DRAWN BY: JLC	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466–1600	
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1	




* INITIAL BACKFILL SHALL BE PLACED TO 12" ABOVE THE PIPE IN 6" LIFTS. BACKFILL SHALL BE MECHANICALLY TAMPED TO A MINIMUM OF 95% OF MAX. DENSITY AS DETERMINED BY AASHTO METHOD T–99. UPPERMOST 12" TO BE COMPLETED TO 98% OF T–99.


** LIMEROCK OR CRUSHED COQUINA COMPACTED TO 98% OF MAX. DENSITY AS DETERMINED BY AASHTO METHOD T–99.

PAVEMENT RESTORATION DETAIL
N.T.S.

UTILITY PAVEMENT RESTORATION CITY REQUIREMENTS			R–3
03–09	SPECIFICATION	SLI	JLC
DATE:	REVISION:	BY:	APPD:
DESIGNED: JLC	COMPUTER FILE # MISC. DETAILS 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING	
DRAWN BY: JLC	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466–1600	
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1	



PLAN



SECTION A–A
N.T.S.

PAVEMENT RESTORATION DETAIL

PAVEMENT RESTORATION			R–4
DATE:	REVISION:	BY:	APPD:
DESIGNED: JLC	COMPUTER FILE # MISC. DETAILS 200602.DWG	WATER/WASTEWATER/GAS ENGINEERING	
DRAWN BY: JLC	SCALE: N.T.S.	FT. PIERCE UTILITIES AUTHORITY 113 N. 2nd STREET FT. PIERCE, FLORIDA 34948 (772) 466–1600	
APPROVED: JLC	DATE: DECEMBER 2007	SHEET 1 OF 1	

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-7000
1502 W. FLETCHER AVE. UNIT NO. 101 TAMPA, FL 33612 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED, IN WHOLE OR IN PART, OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION PURPOSES. © THOMAS ENGINEERING GROUP, LLC

REVISIONS

REV	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-11.0 UD

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com

EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528


SHEET TITLE:

UTILITY DETAILS


SHEET NUMBER:

C-13.0

OF









Fire 47.5

	feet
Width	: 10.50
Track	: 8.04
Lock to Lock Time	: 6.0
Steering Angle	: 41.5



400' REACH FROM FIRE HYDRANT



REFUSE COLLECTION

	feet
Width	: 8.00
Track	: 8.00
Lock to Lock Time	: 6.0
Steering Angle	: 30.0

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31st AVE. FT. LAUDERDALE, FL 33309 P: 954-202-7000
1502 W. FLETCHER AVE. SUITE 206 UNIT NO. 1018 TAMPA, FL 33612 P: 813-379-4100
1125 W INDIANTOWN RD. SUITE 201 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONTENT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS

REV.	DATE	COMMENT	BY
1	02-10-22	REV - CITY COMMENTS	JMB

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PERMIT SET

PROJECT No.:	FT210079
DRAWN BY:	HR
CHECKED BY:	EMM
DATE:	08/10/2021
SCALE:	AS NOTED
CAD I.D.:	FT210079-C-15.0 VMP

PROJECT:

FORT PIERCE STORAGE FACILITY FORT PIERCE, FL

FOR

FORT PIERCE SELF STORAGE LLC

SAINT LUCIE COUNTY

THOMAS ENGINEERING GROUP
1502 W. FLETCHER AVE, SUITE 101
TAMPA, FLORIDA 33612
Phone: (813) 379-4100
Fax: (813) 379-4040
www.ThomasEngineeringGroup.com


EDWARD M. McDONALD LICENSE No. 71615 STATE OF FLORIDA PROFESSIONAL ENGINEER

EDWARD M. McDONALD, P.E.
March 10, 2022
FLORIDA LICENSE No. 71615
FLORIDA BUSINESS CERT. OF AUTH. No. 27528

SHEET TITLE:
VEHICLE MOVEMENT PLAN

SHEET NUMBER:
C-15.0
OF





ALL TREES AND PALMS PLANTED SHALL BE SECURELY GUYED, BRACED, AND/OR STAKED AT THE TIME OF PLANTING UNTIL ESTABLISHMENT. ALL STABILIZATION SYSTEMS SHALL BE CLEARLY MARKED (FLAGGING, PAINTED, ETC.) TO PREVENT HAZARDS.

ALL MECHANICAL EQUIPMENT, BACKFLOW PREVENTERS, DUMPSTER ENCLOSURES, A/C UNITS, ETC., SHALL BE SCREENED IN ADDITION TO THE MINIMUM LANDSCAPE REQUIREMENTS.

ALL EXISTING INVASIVE & EXOTIC SPECIES, SHRUBS, & GROUNDCOVER NOT SHOWN ON THIS PLAN SHALL BE REMOVED FROM SITE

ANY PERVIOUS AREA TO REMAIN THAT IS DISTURBED BY CONSTRUCTION & IS NOT NOTED ON THE LANDSCAPE PLAN TO HAVE SHRUBS OR GROUNDCOVER SHALL BE SODDED

PLANT SCHEDULE

TREES	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	CAL/DBH	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	CS	2	Orange Geigar Tree	Cordia sebestena	B & B	2.5" DBH	12` Ht	5`	Yes	High	5` CT
	IC	11	Dahoon Holly	Ilex cassine	B & B	4" DBH	16` Ht	5-6`	Yes	High	5` CT
	LI	18	Crape Myrtle	Lagerstroemia indica `Tuskegee`	B & B	10" DBH	16` Ht	6-8`	No	High	5` CT; multi-trunk 5 trunks @ 2" dbh
	QV	3	Southern Live Oak	Quercus virginiana	B & B	6" dbh	18`-20` Ht	7-8`	Yes	High	5.5` CT
PALM TREES	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	CAL/DBH	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	SP	12	Cabbage Palmetto	Sabal palmetto	B & B		18-22` oa	10`	Yes	High	
	TR	6	Florida Thatch Palm	Thrinax radiata	B & B		10` oa		Yes	High	6` ct
SHRUBS	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	SPACING	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	CER	214	Buttonwood	Conocarpus erectus	NA	30"	36"	24-30"	Yes	High	
	CES	235	Silver Button Wood	Conocarpus erectus sericeus	NA	24"	36"	24"	Yes	High	full to base
	IAH	3	East Palatka Holly	Ilex attenuata	NA	30"	48"	30"	Yes	High	Full to base; Pyramidal
SHRUB AREAS	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	SPACING	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	CHR	85	Red Tip Cocoplum	Chrysobalanus icaco `Red Tip`	n/a	24"	18"	18"	Yes	High	Full to base
	FIM	305	Green Island Ficus	Ficus microcarpa	n/a	16"	16"	20"	No	Medium	Full
	MUH	143	Pink Muhly Grass	Muhlenbergia capillaris	n/a	18"	14-16"	14-16"	Yes	High	
GROUND COVERS	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	SPACING	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	BFS	160	Bush Seaside Tansy	Borrichia frutescens	n/a	16"	16"-18"	18"	Yes	High	

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31ST AVE. FT. LAUDERDALE, FL 33309 P: 954-202-1000
4950 W. KENNEDY BLVD. SUITE 600 TAMPA, FL 33609 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE DISPOSED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION

REVISIONS:

REV:	DATE:	COMMENT:	BY:

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PROJECT No.: FJ210016
DRAWN BY: JMG
CHECKED BY: JMG
DATE:
CAD I.D.: FJ210016 LANDSCAPE PLAN

PROJECT:

FORT PIERCE STORAGE FACILITY

FOR

LG FT PIERCE

FORT PIERCE
FLORIDA

THOMAS ENGINEERING GROUP
PEPWORTH PROFESSIONAL PLAZA
125 W. INDIANTOWN RD. SUITE 206
PH: (561) 203-7503
FX: (561) 203-7721
www.ThomasEngineeringGroup.com

MICHAEL D. GROSSWIRTH
LA 6666871
REGISTERED LANDSCAPE ARCHITECT
March 3, 2022
FLORIDA REG. No. LA6666871
FLORIDA BUSINESS CERTIFICATE No. 27528

SHEET TITLE:


LANDSCAPE PLAN

SHEET NUMBER:

L-2.0A

Printed on Wednesday, March 09, 2022, 8:03 AM by Laura Reguera

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MICHAEL D. GROSSWIRTH, LA6666871 ON 2019-06-24



THIS MAP IS INTENDED FOR REPRESENTING APPROXIMATE LOCATION OF EXISTING HYDRANTS AND ANY ASSOCIATED FLOW TEST DATA. IT IS NOT INTENDED TO BE USED A GRAPHICAL REPRESENTATION OF EXISTING UTILITIES FOR DESIGN. FOR RECORD DRAWING INFORMATION, PLEASE CONTACT THE FORT PIERCE UTILITIES WATER, WASTEWATER & GAS ENGINEERING DEPARTMENT AT (772) 466-1600 x3401 OR THE ADDRESS LISTED BELOW FOR AS-BUILT RECORD DRAWINGS.

Test Date:	Flow Hydrant No.	Pressure Hydrant No. 1	Pressure Hydrant No. 2
10/27/2021	H-751	H-42324	H-*
Test Time:	**Pitot Gauge**	**Static Pressure / Residual Pressure**	**Static Pressure / Residual Pressure**
9:45	GPM - 920	75 / 70	N/A / N/A
Repump No. / Repump Status	PSI - 30	**Calculated Flow at 20 PSI (Gallons per Minute)**	**Calculated Flow at 20 PSI (Gallons per Minute)**
1 na	Flow Gauge is for 2 1/2 Butt	3358	N/A
2 na			

Legend

- Flow Test Hydrants
- Completed Flow Hydrant Test
- Fire Hydrants

Watermains

- Active
- Abandoned
- Private

FPUA COMMUNITY PROUD

Fort Pierce Utilities Authority
Water/Wastewater/Gas Engineering
113 North 2nd Street (34950)
P.O. Box 3191
Fort Pierce, FLorida 34948-3191

N W E S

0 40 80


Feet

Fire Hydrant Flow Test Map

ANY PERVIOUS AREA TO REMAIN THAT IS DISTURBED BY CONSTRUCTION & IS NOT NOTED ON THE LANDSCAPE PLAN TO HAVE SHRUBS OR GROUNDCOVER SHALL BE SODDED

ALL EXISTING INVASIVE & EXOTIC SPECIES, SHRUBS, & GROUNDCOVER NOT SHOWN ON THIS PLAN SHALL BE REMOVED FROM SITE

OFF-SITE EXISTING TREES TO REMAIN AND BE PROTECTED DURING CONSTRUCTION



OFF-SITE EXISTING PALMS TO REMAIN AND BE PROTECTED DURING CONSTRUCTION

EXISTING TREE DISPOSITION CHART

STORAGE FACILITY - FT. PIERCE, FL

TREE NO.	BOTANICAL NAME	COMMON NAME	DBH	HT.	CONDITION	DISPOSITION	COMMENTS	PROTECTED
1	Quercus virginiana	Live Oak	34.5	45'	poor	remove	incl. bark at major limb connection; large cavity ar major branch connection	NO
2	Swietnia mahoganii	West Indies Mahogany	35.5	40'	poor	remove	16"/14"/5.5" multi-trunk; cavity at major branch commection; incl. bark; poor structure; splitting bark	NO
3	Swietnia mahoganii	West Indies Mahogany	26.5	40'	poor	remove	5.5"/4"/9.5"/7.5", multi-trunk; incl bark at major branch connection; poor structure; tip die-back	NO
4	Sabal palmetto	Cabbage Palm		18' ct	poor	remove		YES
5	Quercus virginiana	Live Oak	27	35'	poor	remove	heavy lean; incl bark; broken limbs in upper canopy; signs of internal rot, weak branch connectins; up-lifting of grade on opposite sied of lean	NO
6	Sabal palmetto	Cabbage Palm		12' ct	Fair	remove		YES
7	Schinus terebinthifolia	Brazilian Pepper			poor	remove	invasive exotic	NO
8	Sabal palmetto	Cabbage Palm		18' ct	Fair	REMAIN		YES
9	Sabal palmetto	Cabbage Palm		16' ct	Fair	REMAIN		YES
10	Sabal palmetto	Cabbage Palm		18' ct	Fair	REMAIN		YES
11	Sabal palmetto	Cabbage Palm		18' ct	Fair	REMAIN		YES
12	Sabal palmetto	Cabbage Palm		12' ct	Fair	REMAIN		YES
13	Schinus terebinthifolia	Brazilian Pepper			poor	remove	invasive exotic	NO
14	Schinus terebinthifolia	Brazilian Pepper			poor	remove	invasive exotic	NO
15	Sabal palmetto	Cabbage Palm			dead	remove		NO
16	Sabal palmetto	Cabbage Palm		12' ct	poor	remove	schefflera wrapped around trunk	YES
17	Sabal palmetto	Cabbage Palm		16' ct	poor	remove	brazilian pepper growing out of base	YES
18	Sabal palmetto	Cabbage Palm		18' ct	poor	remove	encased in stragler fig	YES
19	Sabal palmetto	Cabbage Palm		18' ct	Fair	REMAIN		YES
20	Sabal palmetto	Cabbage Palm		18' ct	poor	REMAIN		YES
21	Sabal palmetto	Cabbage Palm		12' ct	Fair	REMAIN		YES
22	Sabal palmetto	Cabbage Palm		15' ct	Fair	REMAIN		YES
23	Sabal palmetto	Cabbage Palm		15' ct	Fair	REMAIN		YES
24	Sabal palmetto	Cabbage Palm		12' ct	Fair	REMAIN		YES
25	Swietnia mahoganii	West Indies Mahogany	45.5	45.0	poor	remove	10"/13"/7.5"/15" multi-trunk; broken limbs in upper canopy; signes of internal rot; incl bark; insects; brazilian pepper growing at base	NO
26	Quercus virginiana	Live Oak	30	45.0	Fair	remove	broken limbs; sparse canopy	NO
27	Quercus virginiana	Live Oak	15.5	25.0	poor	remove	major trunk/limb damage; rot; hazard tree	NO
28	Sabal palmettop-	Cabbage Palm		2' ct	poor	remove		NO
29	Sabal palmetto	Cabbage Palm		20' ct	Fair	remove		YES

TOTAL DBH ON SITE:	215
TOTAL DBH TO REMAIN:	0.0
TOTAL DBH TO BE REMOVED:	199
TOTAL QUALIFIED PALMS TO BE REMOVED, REPLACED @ 1:1 :	7
TOTAL QUALIFIED PALMS TO BE RELOCATED :	0

NOTE: NATIVE TREES WITH A DBH OF 14" OR GREATER ARE REQUIRED TO BE MITIGATED @ INCH/INCH; ONLY PALMS WITH A MIN. 10' OF CLEAR TRUNK ARE PROTECTED PER SEC. 22-194.(B); FURTHERMORE, PROTECTED/RELOCATED PALMS WILL COUNT TOWARDS ANY REQUIRED PALM TREE MITIGATION AT A RATE OF ONE PALM PRESERVED/PROTECTED = ONE PALM REMOVED PER SEC. 22-194.(D).2

EXISTING TREE NOTES:

1. Contractor is responsible for determining all utility locations and installing facilities so as to not conflict. All damage to existing utilities or improvements caused by Contractor shall be repaired at no additional cost to the Owner.

2. Contractor to notify "Sunshine State One Call of Florida, Inc." at 1-800-432-4770 Two Full Business Days prior to digging for underground utility locations.

3. Contractor shall be responsible for providing final grading of all associated planting areas.

4. After final grade, area to be raked to 6" depth and all rock and foreign inorganic materials removed and disposed of properly off-site.

5. No plant material will be accepted showing evidence of cable, chain marks, equipment scars, or otherwise damaged.


6. Plant material will not be accepted when the ball of earth surrounding its roots has been cracked, broken or otherwise damaged.

7. Root-prune all trees a minimum of (8) weeks prior to planting.

8. Tree protection barricades shall be provided by Landscape Contractor around existing trees that may be impacted by the proposed construction. Prior to any construction a tree protection barricade inspection shall be conducted by the landscape architect, owner or governing municipality. Refer to landscape detail for tree preservation barricade fencing.


9. In all pedestrian areas, all trees and palms shall be maintained to allow for clear passage at an 8 foot clear trunk.

THIS PLAN WAS PREPARED BY ISA CERTIFIED ARBORIST, MICHAEL GROSSWIRTH, FL-9157A, AND SHALL SERVE AS THE ARBORIST'S REPORT FRO THIS PROJECT.



TREE PRESERVATION BARRICADE FENCING DETAIL

N.T.S.



THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LANDSCAPE ARCHITECTS
6300 NW 31ST AVE. FT. LAUDERDALE, FL 33309 P: 954-202-1000
4950 W. KENNEDY BLVD. SUITE 610 TAMPA, FL 33609 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503

THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, DATED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS:

REV:	DATE:	COMMENT:	BY:

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PROJECT No.: FJ210016
DRAWN BY: JMG
CHECKED BY: JMG
DATE:
CAD I.D.: FJ210016 LANDSCAPE PLAN

PROJECT:

FORT PIERCE STORAGE FACILITY

FOR

LG FT PIERCE

FORT PIERCE
FLORIDA

THOMAS ENGINEERING GROUP
PEPWORTH PROFESSIONAL PLAZA
125 W. INDIANTOWN RD. SUITE 206
PH: (561) 203-7503
FX: (561) 203-7721
www.ThomasEngineeringGroup.com

MICHAEL D. GROSSWIRTH
LA 6666871
STATE
REGISTERED LANDSCAPE ARCHITECT
March 8, 2022
FLORIDA REGISTRATION No. 6666871
FLORIDA BUSINESS LICENSE No. 27528

SHEET TITLE:


DISPOSITION PLAN

SHEET NUMBER:

L-1.0

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MICHAEL D. GROSSWIRTH, LA6666871 ON 2019-06-24

Printed on Tuesday, March 08, 2022, 2:31 PM by Michael Grosswirth - J:\JMG\LANDSCAPE\FJ210016 LANDSCAPE PLAN------HAWTHF 1:1.0



ALL TREES AND PALMS PLANTED SHALL BE SECURELY GUYED, BRACED, AND/OR STAKED AT THE TIME OF PLANTING UNTIL ESTABLISHMENT. ALL STABILIZATION SYSTEMS SHALL BE CLEARLY MARKED (FLAGGING, PAINTED, ETC.) TO PREVENT HAZARDS.

ALL EXISTING INVASIVE & EXOTIC SPECIES, SHRUBS, & GROUNDCOVER NOT SHOWN ON THIS PLAN SHALL BE REMOVED FROM SITE

ALL MECHANICAL EQUIPMENT, BACKFLOW PREVENTERS, DUMPSTER ENCLOSURES, A/C UNITS, ETC., SHALL BE SCREENED IN ADDITION TO THE MINIMUM LANDSCAPE REQUIREMENTS.

ANY PERVIOUS AREA TO REMAIN THAT IS DISTURBED BY CONSTRUCTION & IS NOT NOTED ON THE LANDSCAPE PLAN TO HAVE SHRUBS OR GROUNDCOVER SHALL BE SODDED

LANDSCAPE CODE COMPLIANCE CHART

FORT PIERCE - CODE OF ORDINANCES; CH. 22; ART XII

STORAGE FACILITY

TOTAL SITE AREA: 60,039 sq.ft. (1.38 AC) ZONING: C-3 GENERAL COMMERCIAL
TOTAL VUA: 17,658.48 sq.ft.
TOTAL LANDSCAPE AREA: 12,060 sq.ft. (0.28 AC) (20.1%)

SEC. 123-37 - GENERAL LANDSCAPE REQUIREMENTS

1 - Requirements for Plant Materials
Trees: Minimum 12' height x 5' width, 5' clear trunk, 2.5" dbh
Palms: 3 Palms = 1 Tree (50% MAX)
Shrubs: Min. 24" height at time of Installation

4 - Landscape Strips
Between Street R/O/W and VUA Use, Building and/or Retention Areas

		REQUIRED	PROVIDED
10' width minimum Landscape Strip		10'	10'
1 Tree/300 sq.ft. (400.99 lf x 10' = 4,009.9 sq.ft.)		14 TREES	14 TREES
36" ht. Continuous Visual Screen			

6 - Vehicular Use, Building, Retention/Detention Areas Adjacent to Other Property

10' width minimum Landscape Strip			
1 Tree/200 sq.ft. (XX lf x 10' = XX sq.ft.)	N/A - OUTPARCEL	N/A	N/A
6' Continuous Visual Screen			

7 - Interior Vehicular Use Areas

1 sq.ft. of Interior Landscape Area/15 sq.ft. of VUA		1,177.23 sf	1,177.23 sf
1 Tree/100 sq.ft. of Required Interior Landscape Area		12 TREES	12 TREES
	TOTAL	26 TREES	26 TREES

SEC 123-66 - TREE PROTECTION AND MITIGATION

(d)(2) *Native Trees with a DBH of 14" or greater Shall be Mitigated Inch:Inch* **199" Removed**
Trees Preserved on-site, which exceed minimum code, count towards mitigation **0" Preserved**
Deficit Inches: **199"**

Planted Trees in Excess of Code Count at 50% towards mitigation:
Trees Over Code Minimum: **7.5 Credits**
Total DBH over Code Minimum: **58.5"**
Total Mitigation Required: **141.5"**

When property is not suitable for on-site mitigation, the applicant's plan may, with city approval, provide for use of a site on city public lands providing that the applicant furnishes all necessary services incident to such mitigaiton on public property, including, but not limited to, funding plants material and labor. Any contributions shall be placed at the City of Fort Pierce Tree Preservation Funds.

PLANT SCHEDULE

TREES	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	CAL/DBH	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	CS	2	Orange Geiger Tree	Cordia sebestena	B & B	2.5" DBH	12` Ht	5`	Yes	High	5` CT
	IC	11	Dahoon Holly	Ilex cassine	B & B	4" DBH	16` Ht	5-6`	Yes	High	5` CT
	LI	18	Crape Myrtle	Lagerstroemia indica `Tuskegee`	B & B	10" DBH	16` Ht	6-8`	No	High	5` CT; multi-trunk 5 trunks @ 2" dbh
	QV	3	Southern Live Oak	Quercus virginiana	B & B	6" dbh	18`-20` Ht	7-8`	Yes	High	5.5` CT
PALM TREES	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	CAL/DBH	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	SF	12	Cabbage Palmetto	Sabal palmetto	B & B		18-22` oa	10`	Yes	High	
	TR	6	Florida Thatch Palm	Thrinax radiata	B & B		10` oa		Yes	High	6` ct
SHRUBS	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	SPACING	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	CER	214	Buttonwood	Conocarpus erectus	NA	30"	36"	24-30"	Yes	High	
	CES	235	Silver Button Wood	Conocarpus erectus sericeus	NA	24"	36"	24"	Yes	High	full to base
	IAH	3	East Palatka Holly	Ilex attenuata	NA	30"	48"	30"	Yes	High	Full to base; Pyramidal
SHRUB AREAS	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	SPACING	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	CHR	85	Red Tip Cocoplum	Chrysobalanus icaco `Red Tip`	n/a	24"	18"	18"	Yes	High	Full to base
	FIM	305	Green Island Ficus	Ficus microcarpa	n/a	16"	16"	20"	No	Medium	Full
	MUH	143	Pink Muhly Grass	Muhlenbergia capillaris	n/a	18"	14-16"	14-16"	Yes	High	
GROUND COVERS	CODE	QTY	COMMON NAME	BOTANICAL NAME	SPECIFICATIONS	SPACING	HEIGHT	SPREAD	NATIVE	XERIC	REMARKS
	BFS	160	Bush Seaside Tansy	Borrichia frutescens	n/a	16"	16"-18"	18"	Yes	High	

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31ST AVE. FT LAUDERDALE, FL 33309 P: 954-202-1000
4950 W. KENNEDY BLVD. SUITE 600 TAMPA, FL 33609 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503

THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION PURPOSES. © 2019 THOMAS ENGINEERING GROUP, LLC

REVISIONS:

REV:	DATE:	COMMENT:	BY:

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

N W E S

20 10 5 0 20
1"= 20'

PROJECT No.: FJ210016
DRAWN BY: JMG
CHECKED BY: JMG
DATE:
CAD I.D.: FJ210016 LANDSCAPE PLAN

PROJECT:
FORT PIERCE STORAGE FACILITY
FOR
LG FT PIERCE
FORT PIERCE FLORIDA


THOMAS ENGINEERING GROUP
PEPWORTH PROFESSIONAL PLAZA
125 W. INDIANTOWN RD. SUITE 206
PH: (561) 203-7503
FX: (561) 203-7721
www.ThomasEngineeringGroup.com

MICHAEL D. GROSSWIRTH
LA 6666871
REGISTERED LANDSCAPE ARCHITECT
March 8, 2022
LICENSE No. 6666871
FLORIDA BUSINESS CERTIFICATE OF AUTH. No. 27528

SHEET TITLE:
LANDSCAPE PLAN
SHEET NUMBER:
L-2.0


THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MICHAEL D. GROSSWIRTH, LA6666871 ON 2019-06-24

Printed on Tuesday, March 08, 2022, 2:31 PM by Michael Grosswirth
C:\...\LANDSCAPE\FJ210016 LANDSCAPE PLAN.dwg, LAYOUT: L-2.0




(2" cal. and over)
LARGE TREE PLANTING DETAIL

N.T.S.




LARGE PALM PLANTING DETAIL

N.T.S.




(2" cal. and under)
SMALL TREE PLANTING DETAIL

N.T.S.




CIGARED SABAL PALM PLANTING DETAIL

N.T.S.




MULTI- TRUNK AND SMALL TREE (2" cal. and under) PLANTING DETAIL

N.T.S.




TREE PRESERVATION BARRICADE FENCING DETAIL

N.T.S.




SHRUB / GROUNDCOVER SPACING / PLANTING DETAIL

N.T.S.



SHRUB PLANTING DETAIL

N.T.S.



Water/ Sewer
Service Line or
Edge of
Pavement

TYPICAL ROOT BARRIER APPLICATION DETAIL

Section

"Bio-Barrier" Is Manufactured By:
"Reemay, Inc." - 70 Old Hickory Blvd. - P.O.Box 511
Old Hickory, TN 37138 - Phone: 1-800-25-ROOTS

Applicable Use of Root Barriers:

If a Canopy Tree and/ or Palm Is To Be Installed Within Less Than (10') Ten Feet Separation From A Water Main (or Service) and/ or Sewer Main (or Service). The Landscape Contractor Shall Install a Root Barrier Parallel To The Utility As Required and as per This Detail. The Contractor Shall Maintain A (5') Five Feet Minimum Horizontal Distance From Outside Edge of Rootball To The Utility or any Paved or Concrete Surface.

The Landscape Contractor Shall Verify The Existing Locations of The Applicable Water Utilities, In The Field, Prior To Any Tree Installations Requiring A Root Barrier.

Suggested Installation Method:

Dig A Vertical Trench Between The Root Source of The Tree and The Surface and/ or Utility Line To Be Protected. The Trench Must Be At Least 6'-0" In Length (Centered On Tree) and Must Be at Least 4'-0" In Depth Parallel To The Applicable Surface, Service and/ or Utility. Note: For New Tree installations, Trench May Be Dug At The Same Time as The Hole For The Applicable Tree and/ or Palm.

Using Impervious Gloves, Roll Out "Bio-Barrier" and Trim To Fit The Specific Application. Insert The Barrier Vertically Into The Trench, With The Top Edge of The Barrier (6") Six Inches Below The Soil Surface.

Tamp Backfill Firmly Into Trench With 'Bio-Barrier" Contained, Eliminating Air Pockets or Soil Voids Accordingly. Dissolve The Coating and Activate The Product By Saturating The Backfill and 'Bio-Barrier" With Water. After Completed, Smooth The Soil Surface To Finish Grade, Allowing Excess Material For Soil Setting.

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31ST AVE. FT. LAUDERDALE, FL 33309 P: 954-202-1000
4950 W. KENNEDY BLVD. SUITE 600 TAMPA, FL 33609 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONTENT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED, OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION PURPOSES. ANY UNAUTHORIZED USE IS PROHIBITED.

REVISIONS:

REV:	DATE:	COMMENT:	BY:

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PROJECT No.:	FJ210016
DRAWN BY:	JMG
CHECKED BY:	JMG
DATE:	
CAD I.D.:	FJ210016 LANDSCAPE PLAN

PROJECT:

FORT PIERCE STORAGE FACILITY

FOR

LG FT PIERCE

FORT PIERCE
FLORIDA

THOMAS ENGINEERING GROUP
PEPWORTH PROFESSIONAL PLAZA
125 W. INDIANTOWN RD. SUITE 206
PH: (561) 203-7503
FX: (561) 203-7721
www.ThomasEngineeringGroup.com

MICHAEL D. GROSSWIRTH
LA 6666871
STATE
REGISTERED LANDSCAPE ARCHITECT
March 8, 2022
FLORIDA LICENSE No. 6666871
FLORIDA BUSINESS CERTIFICATE OF AUTH. No. 27528

SHEET TITLE:

LANDSCAPE DETAILS

SHEET NUMBER:

L-2.1

Printed on Tuesday, March 08, 2022, 2:31 PM by Michael Grosswirth
J:\PROJECTS\2021\FJ210016 LANDSCAPE PLAN\CIVIL\LANDSCAPE\FJ210016 LANDSCAPE PLAN-------->LAYOUT: L-2.1

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MICHAEL D. GROSSWIRTH, LA6666871 ON 2019-06-24

LANDSCAPE GENERAL NOTES

A. SCOPE OF WORK

1. THE WORK CONSISTS OF FURNISHING ALL LABOR, MATERIALS, EQUIPMENT, TOOLS, TRANSPORTATION, AND ANY OTHER APPURTENANCES NECESSARY FOR THE COMPLETION OF THIS PROJECT AS SHOWN ON THE DRAWINGS, AS INCLUDED IN THE PLANT LIST, AND AS HEREIN SPECIFIED.

2. WORK SHALL INCLUDE MAINTENANCE AND WATERING OF ALL PLANTING AREAS OF THIS CONTRACT UNTIL CERTIFICATION OF ACCEPTABILITY BY THE OWNER.

B. PROTECTION OF EXISTING STRUCTURES

1. ALL EXISTING BUILDINGS, WALKS, WALLS, PAVING, PIPING, AND OTHER ITEMS OF CONSTRUCTION AND PLANTING ALREADY COMPLETED OR ESTABLISHED SHALL BE PROTECTED FROM DAMAGE BY THIS CONTRACTOR UNLESS OTHERWISE SPECIFIED. ALL DAMAGE RESULTING FROM NEGLIGENCE SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR TO THE SATISFACTION OF THE OWNER.

C. PROTECTION OF EXISTING PLANT MATERIALS OUTSIDE LIMIT OF WORK

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL UNAUTHORIZED CUTTING OR DAMAGE TO TREES AND SHRUBS, EXISTING OR OTHERWISE, CAUSED BY CARELESS OPERATION OF EQUIPMENT, STOCKPILING OF MATERIALS, ETC. THIS SHALL INCLUDE COMPACTION BY DRIVING OR PARKING INSIDE THE DRIP – LINE OR THE SPILLING OF OIL, GASOLINE, OR OTHER DELETERIOUS MATERIALS WITHIN THE DRIP – LINE.

2. NO MATERIALS SHALL BE BURNED WHERE THE HEAT WILL DAMAGE ANY PLANT, TREES KILLED OR DAMAGED SO THAT THEY ARE MISSHAPEN AND/OR UNSIGHTLY SHALL BE REPLACED AT THE COST TO THE CONTRACTOR OF ONE HUNDRED DOLLARS ($100) PER CALIPER INCH ON AN ESCALATING SCALE WHICH ADDS AN ADDITIONAL TWENTY PERCENT (20%) PER INCH OVER FOUR INCHES (4") CALIPER AS FIXED AND AGREED LIQUIDATED DAMAGES, OR AS MAY BE REQUIRED BY THE REGULATING GOVERNMENT AGENCY, WHICHEVER IS GREATER. CALIPER SHALL BE MEASURED AT BREAST HEIGHT OR FOUR FEET (4') ABOVE SURROUNDING GROUND.

D. MATERIALS

1. SUBMITTALS: GENERAL SAMPLES OF PLANTING MATERIALS AS LISTED BELOW SHALL BE SUBMITTED FOR APPROVAL, ON THE SITE OR AS OTHERWISE DETERMINED BY THE OWNER. UPON APPROVAL OF SAMPLES, DELIVERY OF MATERIALS MAY BEGIN.
MATERIALS SAMPLE SUBMITTALS
MULCH ONE (1) CUBIC FOOT
TOPSOIL ONE (1) CUBIC FOOT
PLANTS ONE (1) REPRESENTATIVE SAMPLE OF EACH VARIETY

2. PLANT MATERIALS

A) GENERAL: PLANT SPECIES, SIZES, & QUANTITIES SHALL, AT A MINIMUM, CONFORM TO THOSE INDICATED ON THE DRAWINGS. NOMENCLATURE SHALL CONFORM TO STANDARDIZED PLANT NAMES, 1942 EDITION. ALL NURSERY STOCK SHALL BE IN ACCORDANCE WITH "GRADES AND STANDARDS FOR NURSERY PLANTS" PARTS I AND II, LATEST EDITION PUBLISHED BY THE FLORIDIE DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES. ALL PLANTS SHALL BE FLORIDA NO. 1 AS AN ABSOLUTE MINIMUM UNLESS OTHERWISE SUPERSEDED BY A FLORIDA FANCY DESIGNATION, AS DETERMINED BY THE FLORIDA DIVISION OF PLANT INDUSTRY. ALL PLANTS SHALL BE FRESHLY DUG, SOUND, HEALTHY, VIGOROUS, WELL – BRANCHED AND FREE OF DISEASE AND INSECTS, INSECT EGGS AND LARVAE, AND SHALL HAVE ADEQUATE ROOT SYSTEMS. TREES FOR PLANTING IN ROWS SHALL BE UNIFORM IN SIZE AND SHAPE. ALL MATERIALS SHALL BE SUBJECT TO APPROVAL BY THE OWNER. WHERE ANY REQUIREMENTS ARE OMITTED FROM THE PLANT LIST, THE PLANTS FURNISHED SHALL BE NORMAL FOR THE VARIETY. PLANTS SHALL BE PRUNED PRIOR TO DELIVERY ONLY UPON THE APPROVAL OF THE OWNER.

B) MEASUREMENTS: THE HEIGHT AND/OR WIDTH OF TREES SHALL BE MEASURED FROM THE TOP OF ROOT BALL (TRUNK FLARE) AND/OR ACROSS THE AVERAGE SPREAD OF BRANCHES WITH THE PLANTS IN THEIR NORMAL POSITION. THIS MEASUREMENT SHALL NOT INCLUDE THE IMMEDIATE TERMINAL GROWTH. PLANTS LARGER IN SIZE THAN THOSE SPECIFIED IN THE PLANT LIST MAY BE USED IF APPROVED BY THE OWNER. IF THE USE OF LARGER PLANTS IS APPROVED, THE BALL OF EARTH OR SPREAD OF ROOTS SHALL BE INCREASED IN PROPORTION TO THE SIZE OF THE PLANT.

C) INSPECTION: PLANTS SHALL BE SUBJECT TO INSPECTION AND APPROVAL AT THE PLACE OF GROWTH, OR UPON DELIVERY TO THE SITE, AS DETERMINED BY THE OWNER, FOR QUALITY, SIZE, AND VARIETY; SUCH PRELIMINARY APPROVAL SHALL NOT SUPERSEDE THE RIGHT OF INSPECTION AND REJECTION AT THE SITE DURING PROGRESS OF THE WORK OR AFTER COMPLETION FOR SIZE AND CONDITION OF BALLS OR ROOTS, LATENT DEFECTS OR INJURIES, PRESENCE OF INSECTS, AND OTHER CONDITIONS THAT MAY HAVE OCCURRED SINCE THE NURSERY INSPECTION. REJECTED PLANTS SHALL BE REMOVED IMMEDIATELY FROM THE SITE. NOTICE REQUESTING INSPECTION SHALL BE SUBMITTED IN WRITING BY THE CONTRACTOR AT LEAST ONE (1) WEEK PRIOR TO ANTICIPATED DATE.

D) AMENDED PLANTING SOIL: PLANTING SOIL FOR USE IN BACK FILLING PLANTING HOLES SHALL BE FORTY PERCENT (40%) TOPSOIL AND SIXTY PERCENT (60%) SAND AND BE FERTILE, FRIABLE, AND OF A LOAMY CHARACTER, WITHOUT MIXTURE OF SUBSOIL MATERIALS, AND OBTAINED FROM A WELL–DRAINED, ARABLE SITE. IT SHALL CONTAIN THREE (3) TO FIVE (5) PERCENT DECOMPOSED ORGANIC MATTER AND SHALL BE FREE FROM HEAVY CLAY, COARSE SAND, STONES, LIME, LUMPS, PLANTS, ROOTS OR OTHER FOREIGN MATERIALS, OR NOXIOUS WEEDS. IT SHALL NOT CONTAIN TOXIC SUBSTANCES WHICH MAY BE HARMFUL TO PLANT GROWTH. PH RANGE SHALL BE 5.0 TO 7.0 INCLUSIVE.

E) SAND SHALL BE CLEAN, WELL DRAINING NATIVE SAND. IF REQUESTED, CONTRACTOR SHALL AT ANY TIME AND AT NO COST TO OWNER, SUBMIT RESULTS OF SOIL TESTS FOR TOPSOIL AND SAND PROPOSED FOR USE UNDER THIS CONTRACT FOR APPROVAL BY OWNER.

E. WATER

1. WATER NECESSARY FOR PLANTING AND MAINTENANCE SHALL BE OF SATISFACTORY QUALITY TO SUSTAIN AN ADEQUATE GROWTH OF PLANTS AND SHALL NOT CONTAIN HARMFUL NATURAL OR MAN – MADE ELEMENTS DETRIMENTAL TO PLANTS. WATER MEETING THE ABOVE STANDARD SHALL BE OBTAINED ON THE SITE FROM THE OWNER, IF AVAILABLE, AND THE CONTRACTOR SHALL BE RESPONSIBLE TO MAKE ARRANGEMENTS FOR ITS USE BY HIS TANKS, HOSES, SPRINKLERS, ETC. IF SUCH WATER IS NOT AVAILABLE AT THE SITE, THE CONTRACTOR SHALL PROVIDE SUCH SATISFACTORY WATER FROM SOURCES OFF THE SITE AT NO ADDITIONAL COST TO THE OWNER.

F. COMMERCIAL FERTILIZER

1. COMMERCIAL FERTILIZER SHALL BE A COMPLETE FORMULA; IT SHALL BE UNIFORM IN COMPOSITION, DRY AND FREE FLOWING. THIS FERTILIZER SHALL BE DELIVERED TO THE SITE IN THE ORIGINAL UNOPENED CONTAINERS, EACH BEARING THE MANUFACTURER'S GUARANTEED STATEMENT OF ANALYSIS.
FIFTY PERCENT (50%) OF THE NITROGEN SHALL BE DELIVERED FROM NATURAL ORGANIC SOURCES. THE FOLLOWING FERTILIZERS SHALL BE USED AND APPLIED AT RATES AS SUGGESTED BY MANUFACTURER'S SPECIFICATIONS:
1. SHRUBS AND TREES – MILORGANITE, OR APPROVED EQUAL
2. ANNUALS AND GROUNDCOVERS – OSMOCOTE/SIERRA BLEND 14 – 14 – 14
3. SOD – 8 – 8 – 8
IN ADDITION TO SURFACE APPLIED FERTILIZERS, ALL CONTAINER GROWN AND FIELD GROWN PLANT MATERIAL SHALL RECEIVE "AGRIFORM" PLANTING TABLETS 24 – 10 – 5 FORMULA, 21 GRAM OR EQUAL. THESE TABLETS SHALL BE PLACED AT THE RATE AND DEPTH SPECIFIED BY MANUFACTURER.

G. MULCH

1. MULCH SHALL BE FROM SHREDDED WOOD DERIVED FROM MELALEUCA OR OTHER INVASIVE TREE SPECIES AND SHALL BE STERILIZED TO EFFECTIVELY ELIMINATE ALL SEEDS, SPORES, ETC. AND RENDER THEM BARREN.

2. MULCH MATERIAL SHALL BE MOISTENED AT THE TIME OF APPLICATION TO PREVENT WIND DISPLACEMENT AND APPLIED AT A DEPTH OF THREE INCHES (3"). MULCH IS TO BE KEPT 2-3" FROM THE STEM OF ALL GROUNDCOVERS & 3-6" FROM THE TRUNK OF ALL TREES & PALMS.

3. MULCH SHALL BE GRADE 'B' SHREDDED, AND SHALL BE APPLIED EVENLY AND SMOOTH TO PLANTED AREAS.

4. NO RED OR COLORED MULCH SHALL BE ACCEPTED UNLESS SPECIFIED ACCORDINGLY. NO CYPRESS MULCH OR PINE BARK SHALL BE USED.

H. DIGGING AND HANDLING

1. PROTECT ROOT SYSTEMS OR ROOT BALLS OF PLANTS AT ALL TIMES FROM SUN AND DRYING WINDS, WATER EROSION, AND OTHER HARMFUL CRITERIA AS NECESSARY UNTIL PLANTING. PLANT MATERIALS SHALL BE ADEQUATELY PACKED TO PREVENT BREAKING AND DRYING OUT DURING LOADING, TRANSIT, AND UNLOADING/PLANTING. TREES TRANSPORTED MORE THAN TEN (10) MILES OR WHICH ARE NOT PLANTED WITHIN THREE (3) DAYS OF DELIVERY TO SITE SHALL BE SPRAYED WITH AN ANTITRANSPIRANT PRODUCT ("WILTPRUF" OR EQUAL) TO MINIMIZE TRANSPIRATIONAL WATER LOSS.

2. BALLED AND BURLAPPED PLANTS (B&B) SHALL BE DUG WITH FIRM, NATURAL BALLS OF SOIL SUFFICIENT SIZE TO ENCOMPASS THE FIBROUS AND FEEDING ROOTS OF THE PLANTS, AND IN ACCORDANCE WITH "GRADES AND STANDARDS FOR NURSERY PLANTS" FLORIDA PUBLICATION. NO PLANT WITH A ROOTBALL SHALL BE PLANTED IF THE BALL IS CRACKED OR BROKEN. PLANTS BALLED AND BURLAPPED OR CONTAINER GROWN SHALL NOT BE HANDLED BY STEMS.

3. PLANTS MARKED "BR" IN THE PLANT LIST SHALL BE DUG WITH BARE ROOTS. THE ROOTS SHALL NOT BE CUT WITHIN THE MINIMUM SPREAD SPECIFIED IN THE PLANT LIST. CARE SHALL BE EXERCISED THAT THE ROOTS DO NOT DRY OUT IN MOVING AND PRIOR TO PLANTING.

4. PROTECTION OF PALMS (IF APPLICABLE): ONLY A MINIMUM OF FRONDS SHALL BE REMOVED FROM THE CROWN OF THE PALM TREES TO FACILITATE MOVING AND HANDLING. CLEAR TRUNK (CT) SHALL BE AS BY "GRADES AND STANDARDS FOR NURSERY PLANTS" FLORIDA PUBLICATION. PRUNING PRACTICED OTHER THAN MINIMAL PRUNING OF FRONDS, PRIMARILY TO REACH A "CLEAR TRUNK" SPECIFICATION, MAY CONSTITUTE REJECTION, OF ALL PALMS SUBJECTED TO SUCH PRACTICE. LIKEWISE, EXCESSIVE PRUNING OR "SHAVING" OF ROOT BALLS TO MEET "CLEAR TRUNK" CRITERIA MAY CONSTITUTE REJECTION ONSITE. ALL PALMS SHALL BE BRACED PER PALM PLANTING DETAIL ON THE PLANTING DETAILS SHEET.

5. EXCAVATION OF PLANTING HOLES SHALL BE DONE USING EXTREME CARE TO AVOID DAMAGE TO SURFACE AND SUBSURFACE ELEMENTS SUCH AS UTILITIES OR HARDSCAPE ELEMENTS, FOOTERS, AND PREPARED SUB-BASES.

I. CONTAINER GROWN STOCK

1. ALL CONTAINER GROWN MATERIAL SHALL BE HEALTHY, VIGOROUS, WELL – ROOTED PLANTS AND ESTABLISHED IN THE CONTAINER IN WHICH THEY ARE SOLD. THE PLANTS SHALL HAVE TOPS WHICH ARE OF GOOD QUALITY AND ARE IN A HEALTHY GROWING CONDITION, AND SHALL MEET MINIMUM SPECIFICATIONS IN THE PLANT LIST.

2. AN ESTABLISHED CONTAINER GROWN PLANT SHALL BE TRANSPLANTED INTO A CONTAINER AND GROWN IN THAT CONTAINER SUFFICIENTLY LONG FOR THE NEW FIBROUS ROOTS TO HAVE DEVELOPED SO THAT THE ROOT MASS WILL RETAIN ITS SHAPE AND HOLD TOGETHER WHEN REMOVED FROM THE CONTAINER. CONTAINER GOWN STOCK SHALL NOT BE HANDLED BY THEIR STEMS.

3. PLANT ROOTS BOUND IN CONTAINERS OR WITH CIRCLING ROOTS SHALL NOT BE ACCEPTABLE.

4. SUBSTITUTION OF NON-CONTAINER GROWN MATERIAL FOR MATERIAL EXPLICITLY SPECIFIED TO BE CONTAINER GROWN WILL NEED AUTHORIZATION FROM THE OWNER. LIKEWISE, SUBSTITUTION OF CONTAINER GROWN MATERIAL FOR MATERIAL EXPLICITLY SPECIFIED TO BE BALLED AND BURLAPPED/FIELD GROWN WILL NEED AUTHORIZATION FROM THE OWNER AND LA OF RECORD PRIOR TO THE ORDERING OF ANY MATERIALS.

5. ALL PLANT MATERIALS SHALL MEET THE MINIMUM SPECIFICATIONS LISTED IN THE PLANT SCHEDULE; SIZE (HEIGHT/SPREAD) SPECIFICATIONS TAKE PRECEDENCE OVER GALLON SIZES (IF GALLON SIZES ARE SPECIFIED).

J. COLLECTED STOCK

1. WHEN THE USE OF COLLECTED STOCK IS PERMITTED AS INDICATED ON THE PLANT LIST SCHEDULE, THE MINIMUM SIZES OF ROOT BALLS SHALL BE EQUAL TO THAT SPECIFIED FOR THE NEXT LARGER SIZE OF NURSERY GROWN STOCK OF THE SAME VARIETY.

K. NATIVE STOCK

1. PLANTS COLLECTED FROM WILD OR NATIVE STAND SHALL BE CONSIDERED GROWN WHEN THEY HAVE BEEN SUCCESSFULLY REESTABLISHED IN A NURSERY ROW AND GROWN UNDER REGULAR NURSERY CULTURAL PRACTICES FOR A MINIMUM OF TWO (2) GROWING SEASONS AND HAVE ATTAINED ADEQUATE ROOT AND TOP GROWTH TO INDICATE FULL RECOVERY FROM TRANSPLANTING INTO THE NURSERY ROW.

L. MATERIALS LIST

1. QUANTITIES NECESSARY TO COMPLETE THE WORK ON THE DRAWINGS SHALL BE FURNISHED. QUANTITY ESTIMATES HAVE BEEN MADE CAREFULLY, BUT THE LANDSCAPE ARCHITECT OR OWNER ASSUMES NO LIABILITY FOR OMISSIONS OR ERRORS. SHOULD A DISCREPANCY OCCUR BETWEEN A BIDDER'S TAKE OFF AND THE PLANT LIST QUANTITY, THE LANDSCAPE ARCHITECT SHALL BE NOTIFIED FOR CLARIFICATION PRIOR TO THE SUBMISSION OF BIDS. DRAWING SHALL TAKE PRECEDENCE. ALL DIMENSIONS AND/OR SIZES SPECIFIED SHALL BE THE MINIMUM ACCEPTABLE SIZE. WHERE NO GALLON SIZE IS SPECIFIED ON CONTAINERIZED SHRUBS OR GROUNDCOVERS, THE HEIGHT & SPREAD SPECIFICATIONS SHALL PREVAIL.

M. FINE GRADING

1. FINE GRADING UNDER THIS CONTRACT SHALL CONSIST OF FINAL FINISHED GRADING OF LAWN AND PLANTING AREAS THAT HAVE BEEN ROUGH GRADED BY OTHERS. BERMING AS SHOWN ON THE DRAWINGS SHALL BE THE RESPONSIBILITY OF THE LANDSCAPE CONTRACTOR, UNLESS OTHERWISE NOTED.

2. THE CONTRACTOR SHALL FINE GRADE THE LAWN AND PLANTING AREAS TO BRING THE ROUGH GRADE UP TO FINAL FINISHED GRADE ALLOWING FOR THICKNESS OF SOD AND/OR MULCH DEPTH. THIS CONTRACTOR SHALL FINE GRADE BY HAND AND/OR WITH ALL EQUIPMENT NECESSARY INCLUDING A GRADING TRACTOR WITH FRONT-END LOADER FOR TRANSPORTING SOIL WITHIN THE SITE.

3. ALL PLANTING AREAS SHALL BE GRADED AND MAINTAINED TO ALLOW FREE FLOW OF SURFACE WATER. AREAS ADJACENT TO BUILDINGS SHALL SLOPE AWAY FROM THE BUILDINGS.

N. PLANTING PROCEDURES

1. CLEANING UP BEFORE COMMENCING WORK: THE CONTRACTOR SHALL CLEAN UP WORK AND SURROUNDING AREAS OF ALL RUBBISH OR OBJECTIONABLE MATTER. ALL MORTAR, CEMENT, AND TOXIC MATERIAL SHALL BE COMPLETELY REMOVED FROM THE SITE. THESE MATERIALS SHALL NOT BE MIXED WITH THE SOIL. SHOULD THE CONTRACTOR FIND SUCH SOIL CONDITIONS BENEATH THE SOIL WHICH WILL IN ANY WAY AFFECT THE VIABILITY OF THE PLANTS TO BE INSTALLED, HE/SHE SHALL IMMEDIATELY CALL IT TO THE ATTENTION OF THE OWNER'S CONSTRUCTION MANAGER OR DESIGNEE.

2. DURING LAND ALTERATION AND CONSTRUCTION ACTIVITIES, IT SHALL BE PROHIBITED TO REMOVE VEGETATION BY GRUBBING OR TO PLACE SOIL DEPOSITS, DEBRIS, SOLVENTS, CONSTRUCTION MATERIAL, MACHINERY OR OTHER EQUIPMENT OF ANY KIND WITHIN THE DRIPLINE OF A TREE TO REMAIN ON THE SITE UNLESS OTHERWISE APPROVED BY THE JURISDICTIONAL MUNICIPALITY

3. VERIFY LOCATIONS OF ALL UTILITIES, CONDUITS, SUPPLY LINES AND CABLES. INCLUDING BUT NOT LIMITED TO: ELECTRIC, GAS (LINES AND TANKS), WATER, SANITARY SEWER, STORM WATER LINES, CABLE AND TELEPHONE. PROPERLY MAINTAIN AND PROTECT EXISTING UTILITIES.

4. SUBGRADE EXCAVATION: CONTRACTOR IS RESPONSIBLE TO REMOVE ALL EXISTING AND IMPORTED LIMEROCK AND LIMEROCK SUB-BASE FROM ALL LANDSCAPE PLANTING AREAS TO MINIMUM DEPTH OF APPROXIMATELY 20% GREATER THAN THE RECOMMENDED PLANTING SOIL DEPTH – UNLESS OTHERWISE SPECIFIED BY JURISDICATIONAL CODE. CONTRACTOR IS RESPONSIBLE TO BACKFILL THESE PLANTING AREAS TO ROUGH FINISHED GRADE WITH CLEAN TOPSOIL FROM AN ONSITE SOURCE OR AN IMPORTED SOURCE. IF LIMEROCK CONDITIONS OCCUR IN PLANTED AREAS AFTER 36" DEEP EXCAVATION BY THE CONTRACTOR, AND POSITIVE DRAINAGE CAN NOT BE ACHIEVED, CONTRACTOR SHALL UTILIZE PLANTING DETAIL THAT ADDRESSES POOR DRAINAGE OR CONTACT OWNER'S CONSTRUCTION MANAGER OR DESIGNEE FOR RESOLUTION.
CONTRACTOR IS TO ENSURE THAT ALL COMPACTED SOIL, ROAD ROCK, & EXCESS DEBRIS SHALL BE REMOVED & A 24" LAYER OF NON-LIMEROCK PLANTING SOIL FAVORABLE TO SHRUB GROWTH & SUSTAINABILITY EXISTS OVER ALL PLANTING AREAS. TREE PITS SHALL BE EXCAVATED & BACKFILLED WITH PLANTING SOIL TO A MINIMUM DEPTH OF 30".

5. RECOMMENDED PLANTING SOIL DEPTH IS GENERALLY AS FOLLOWS:
ALL TREES AND TALL SHRUBS (INDICATED AS 'SHRUBS' & 'SHRUBS AREAS' ON THE PLANT SCHEDULE) SHALL BE PLANTED WITH A MINIMUM OF 12" TOPSOIL AROUND AND BENEATH THE ROOTBALL; MINIMUM TOPSOIL SHALL BE 6" FOR LOW SHRUBS/GROUNDCOVER AREAS AND 2" FOR SODDED GRASS AREAS.
THE MINIMUM TOPSOIL DEPTHS ARE IN ADDITION TO A MINIMUM NON-LIMEROCK SOIL DEPTH OF 10"-18", CONSISTING OF EXISTING UNDISTURBED OR NATIVE SOIL THAT WAS STORED/STOCKPILED ON SITE AND REUSED, OR CLEAN IMPORTED PLANTING SOIL WITH A RANGE OF ORGANIC MATTER BETWEEN 3-5% CONTAINING NO STONES GREATER THAN AN INCH AND A HALF IN DIAMETER IN ANY DIRECTION. TOPSOIL DEPTHS PLUS PLANTING SOIL/EXISTING NATIVE SOIL MINIMUM DEPTHS ARE IN ADDITION TO ANY LIMESTONE/LIMEROCK SUBGRADE, & IN ADDITION TO EXCAVATION WIDTHS REQUIRED FOR TREE PITS AS SHOWN ON THE PLANTING DETAILS.
PURSUANT TO THE ABOVE, THE TOTAL MINIMUM DEPTH OF VIABLE NON-LIMEROCK PLANTING SOIL, INCLUDING EXISTING VIABLE UNDISTURBED/OR STOCKPILED SOIL (IF PRESENT), REQUIRED TO BE PROVIDED ABOVE ANY LIMESTONE/LIMEROCK SUBGRADE CONDITION SHALL BE 12" MINIMUM TOTAL NON-LIMEROCK SOIL DEPTH FOR SOD AREAS; 16" MINIMUM TOTAL NON-LIMEROCK SOIL DEPTH FOR GROUNDCOVERS; 24" MINIMUM TOTAL NON-LIMEROCK SOIL DEPTH FOR SHRUBS/SHRUB AREAS; AND 30" MINIMUM TOTAL NON-LIMEROCK SOIL DEPTH FOR TREE PITS. DESIGNATION OF 'TREES,' 'SHRUBS'/'SHRUB AREAS,' AND 'GROUNDCOVERS' SHALL BE CONSISTENT WITH THE LABELING OF PLANT MATERIALS SHOWN ON THE LANDSCAPE PLAN'S PLANT SCHEDULE, WITH THE EXCEPTION OF COMMON TURFGRASSES WHICH MAY BE INDICATED AS 'GROUNDCOVERS.' NONE OF THE ABOVE MINIMUMS SHALL PRECLUDE THE CONTRACTOR FROM EXCAVATING & PROVIDING SOIL IN ACCORDANCE WITH NOTE N.4 OR N.9. IMPORTED PLANTING SOIL SHALL BE IN ACCORDANCE WITH NOTE D.2.D.
IT IS THE CONTRACTORS RESPONSIBILITY TO VISIT THE SITE & TAKE REASONABLE MEASURES AS PART OF DUE DILIGENCE TO DETERMINE THE EXTENT OF EXCAVATION REQUIRED & TO DETERMINE THE AMOUNT OF PLANTING SOIL NECESSARY TO ENSURE LONG-TERM SUSTAINABILITY & SURVIVAL OF THE PLANT MATERIALS IN ACCORDANCE WITH THIS CONTRACT.

6. FURNISH NURSERY'S CERTIFICATE OF COMPLIANCE WITH ALL REQUIREMENTS AS HEREIN SPECIFIED AND REQUIRED. INSPECT AND SELECT PLANT MATERIALS BEFORE PLANTS ARE DUG AT NURSERY OR GROWING SITE.

7. GENERAL: COMPLY WITH FEDERAL, STATE, COUNTY AND LOCAL REGULATIONS GOVERNING LANDSCAPE MATERIALS AND WORK. CONFORM TO ACCEPTED HORTICULTURAL PRACTICES AS USED IN THE TRADE. PLANTS SHALL BE PROTECTED UPON ARRIVAL AT THE SITE BY BEING THOROUGHLY WATERED AND PROPERLY MAINTAINED UNTIL PLANTED. PLANTS SHALL NOT REMAIN UNPROTECTED FOR A PERIOD EXCEEDING TWENTY-FOUR (24) HOURS. AT ALL TIMES WORKMANLIKE METHODS CUSTOMARY IN GOOD HORTICULTURAL PRACTICES SHALL BE EXERCISED.

8. THE WORK SHALL BE COORDINATED WITH OTHER TRADES TO PREVENT CONFLICTS. COORDINATE THE PLANTING WITH THE IRRIGATION WORK TO ASSURE AVAILABILITY OF WATER AND PROPER LOCATION OF IRRIGATION ITEMS AND PLANTS.

9. ALL PLANTING HOLES SHALL BE EXCAVATED TO SIZE AND DEPTH IN ACCORDANCE WITH THE USA STANDARD TO NURSERY STOCK 280.1, UNLESS SHOWN OTHERWISE ON THE DRAWINGS, AND BACKFILLED WITH THE PREPARED PLANTING SOIL AS SPECIFIED HEREIN BEFORE (SEE MATERIALS, SECTION D). TEST ALL TREE PITS WITH WATER BEFORE PLANTING TO ASSURE PROPER DRAINAGE PERCOLATION IS AVAILABLE. NO ALLOWANCE WILL BE MADE FOR LOST PLANTS DUE TO IMPROPER DRAINAGE. IF POOR DRAINAGE EXISTS, UTILIZE PLANTING DETAIL THAT ADDRESSES THIS CONDITION. POOR DRAINAGE CONDITIONS TYPICALLY HAVE A PERCOLATION RATE OF 4" OR LESS PER HOUR, AS DETERMINED BY THE GEOTECHNICAL ENGINEER. TREES SHALL BE SET PLUMB AND HELD IN POSITION UNTIL THE PLANTING MIXTURE HAS BEEN FLUSHED INTO PLACE WITH A SLOW, FULL HOSE STREAM. ALL PLANTING SHALL BE PERFORMED BY PERSONNEL FAMILIAR WITH PLANTING PROCEDURE AND UNDER THE SUPERVISION OF A QUALIFIED PLANTING FOREMAN. PROPER "JETTING IN" SHALL BE ASSURED TO ELIMINATE AIR POCKETS AROUND THE ROOTS. "JET STICK" OR EQUAL RECOMMENDED.

10. TAKE ALL NECESSARY PRECAUTIONS TO AVOID DAMAGE TO BUILDINGS, CURBS, PAVING, AND OTHER HARDSCAPE MATERIALS WHILE INSTALLING TREES.

11. SOIL MIXTURE SHALL BE AS SPECIFIED IN SECTION D (MATERIALS) OF THESE SPECIFICATIONS. IN ADDITION, EACH PLANTING HOLE SHALL RECEIVE 21-GRAM "AGRIFORM" PLANTING TABLETS PER MANUFACTURER'S SPECIFICATIONS OR AS FOLLOWS:
- TWO (2) TABLETS PER 1 GAL. PLANT
- THREE (3) TABLETS PER 3 GAL. PLANT
- FOUR (4) TABLETS PER 10 GAL. PLANT
LARGER MATERIAL
-TWO (2) TABLETS PER HALF INCH (1/2") OF TRUNK CALIPER

12. TREES AND SHRUBS SHALL BE SET STRAIGHT AND AT SUCH A LEVEL THAT AFTER SETTLEMENT, THE TOP OF THE ROOT SYSTEM (FOR SHRUBS AND GROUNDCOVER) OR TRUNK FLARE (TREES AND PALMS) WILL STAND ONE (1) TO TWO (2) INCHES ABOVE FINAL GRADE. EACH PLANT SHALL BE SET IN THE CENTER OF THE PLANTING HOLE. PLANTING SOIL MIXTURE SHALL BE BACKFILLED AND THOROUGHLY TAMPED AROUND THE BALL AND SHALL BE SETTLED BY WATER AFTER TAMPING.

13. FILL HOLE WITH SOIL MIXTURE, MAKING CERTAIN ALL SOIL IS SATURATED. TO DO THIS, FILL HOLE WITH WATER AND ALLOW TO SOAK MINIMUM TWENTY (20) MINUTES, TURNING SOIL IF NECESSARY TO GET SOIL THOROUGHLY WET. PACK LIGHTLY WITH FEET OR OTHER TAMPING DEVICE. ADD MORE WET SOIL MIXTURE. DO NOT COVER TOP OF BALL WITH SOIL MIXTURE, ONLY WITH MULCH. ALL BURLAP, ROPE, WIRES, ETC., SHALL BE PULLED FROM UNDERNEATH.

14. PRUNING: FOR DAMAGED OR BROKEN LIMBS, EACH TREE SHALL BE PRUNED TO PRESERVE THE NATURAL CHARACTER OF THE SPECIES. ALL SUCKER GROWTH SHALL BE COMPLETELY REMOVED PRIOR TO DIGGING.

15. SHRUBS AND GROUNDCOVER PLANTS SHALL BE EVENLY SPACED IN ACCORDANCE WITH THE DRAWINGS AND AS INDICATED IN THE PLANT LIST. CULTIVATE ALL MASS PLANTING AREAS TO A MINIMUM DEPTH OF 6", REMOVE AND DISPOSE OF ALL DEBRIS, TILL 4" OF PLANTING SOIL MIX INTO THE NEWLY TILLED PLANTING BED FOR GENERAL NUTRIENT DISBURSEMENT. MASS PLANTING BED IS NOW READY TO RECEIVE HOLES FOR NEW PLANTS. THOROUGHLY WATER ALL PLANTS AFTER INSTALLATION.

16. TREE GUYING AND BRACING SHALL BE INSTALLED BY THE LANDSCAPE CONTRACTOR IN ACCORDANCE WITH THE PLANS TO ENSURE STABILITY AND MAINTAIN TREES IN AN UPRIGHT POSITION. TREES SHALL USE ARBORTIE AS PER DETAIL SHEET. PALMS SHALL USE WOOD BRACING PER DETAIL SHEET.

17. MULCHING: PROVIDE A THREE INCH (3") MINIMUM LAYER OF SPECIFIED MULCH OVER THE ENTIRE AREA OF EACH SHRUB BED, GROUNDCOVER AND VINE BED AND TREE PIT (FOR TREES AND PALMS, MIN. THREE INCH (3") FROM EDGE OF TRUNKS). – UNLESS OTHERWISE REQUIRED BY LOCAL CODES AND SPECIFIED AS SUCH.

18. SYSTEMIC HERBICIDE WEED CONTROL: ALL PLANT BEDS SHALL BE KEPT FREE OF NOXIOUS WEEDS UNTIL FINAL ACCEPTANCE OF WORK. IF DIRECTED BY THE OWNER OR THEIR DESIGNEE, A SYSTEMIC HERBICIDE SHALL BE APPLIED FOR WEED CONTROL BY QUALIFIED PERSONNEL TO ALL PLANTING AREAS IN SPOT APPLICATIONS PER MANUFACTURER'S PRECAUTIONS AND SPECIFICATIONS. AFTER MULCH HAS BEEN APPLIED TO PLANTING BEDS AND TREE RINGS, TREAT ALL MULCHED AREAS WITH AN APPROVED PRE-EMERGENT HERBICIDE AT AN APPLICATION RATE RECOMMENDED BY THE MANUFACTURER.

O. LAWN SODDING

STENOTAPHRUM SECUNDATUM, V. 'FLORITAM' UNLESS OTHERWISE NOTED. (ST. AUGUSTINE SOLID SOD).
1. THE WORK CONSISTS OF LAWN BED PREPARATION, SOIL PREPARATION, AND SODDING:
COMPLETE IN STRICT ACCORDANCE WITH THE SPECIFICATIONS AND THE APPLICABLE DRAWINGS TO PRODUCE A GRASS LAWN ACCEPTABLE TO THE OWNER AND GOVERNING AGENCIES.

2. LAWN BED PREPARATION: ALL AREAS THAT ARE TO BE SODDED SHALL BE CLEARED OF ANY ROUGH GRASS, WEEDS, AND OTHER DEBRIS, AND THE SOIL BROUGHT TO AN EVEN PREPARED GRADE TO ALLOW FOR SOIL PREPARATION BELOW.


3. SOIL PREPARATION: PREPARE LOOSE BED FOUR INCHES (4") DEEP. APPLY FERTILIZER AT A RATE OF TWENTY (20) POUNDS PER ONE THOUSAND (1000) SQUARE FEET. APPLICATION SHALL BE UNIFORM, UTILIZING COMMERCIAL BROADCAST SPREADERS. MIX FERTILIZER THOROUGHLY WITH THE SOIL TO A DEPTH OF THREE INCHES (3"). HAND RAKE UNTIL ALL BUMPS AND DEPRESSIONS ARE REMOVED. WET PREPARED AREA THOROUGHLY TO PREPARE FOR SOD INSTALLATION.

4. SODDING- THE CONTRACTOR SHALL SOD ALL THE PERVIOUS AREAS THAT ARE NOT PAVED OR PLANTED AS DESIGNATED ON THE DRAWINGS WITHIN THE CONTRACT LIMITS TO CREATE A UNIFORM, NEW TURF BLANKET FOR THE SITE. ALL PERVIOUS AREAS TO REMAIN THAT ARE DISTURBED BY CONSTRUCTION & NOT SHOWN TO HAVE SHRUBS OR GROUNDCOVER ON THE LANDSCAPE PLAN SHALL BE SODDED BY CONTRACTOR. ALL SOD OFF-SITE OR IN THE RIGHT-OF-WAY (DEDICATED OR OTHERWISE) SHALL BE BAHIA 'ARGENTINE' SOLID SOD UNLESS OTHERWISE NOTED.

A) THE SOD SHALL BE CERTIFIED TO MEET FLORIDA STATE BOARD SPECIFICATIONS, ABSOLUTELY TRUE TO VARIETY TYPE, AND FREE FROM WEEDS, FUNGUS, INSECTS, AND DISEASE OF ANY KIND, SOD PANELS SHALL BE LAID TIGHTLY TOGETHER TO MAKE A SOLID, SODDED LAWN AREA.

B) SOD SHALL BE LAID IN ROWS WITH EVERY OTHER ROW STAGGERED HALFWAY BETWEEN THE NEXT TO INSURE NO CONTINUOUS STACKED JOINTS. SEW JOINTS OF SOD TO INSURE A TIGHT FIT AT JOINTS, WITH GAPS NO GREATER THAN 1" BETWEEN SOD PANELS.


C) SOD SHALL BE LAID UNIFORMLY AGAINST THE EDGES OF ALL CURBS AND OTHER HARDSCAPE ELEMENTS, PAVED AND PLANTED AREA




IRRIGATION SCHEDULE

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY	PSI
EST LCS RCS CST SST	Rain Bird 1806-PRS 15 Strip Series Turf Spray 6" popup with pressure regulator.	22	30
Q T H F	Rain Bird 1806-PRS 8 Series MPR Turf Spray 6" popup with pressure regulator.	55	30
Q T H F	Rain Bird 1806-PRS 10 Series MPR Turf Spray 6" popup with pressure regulator.	18	30
Q T H TT TQ F	Rain Bird 1806-PRS 12 Series MPR Turf Spray 6" popup with pressure regulator.	20	30
Q T H TT TQ F	Rain Bird 1806-PRS 15 Series MPR Turf Spray 6" popup with pressure regulator.	2	30
4 6 8 10 12 15 18	Rain Bird 1806-PRS ADJ Turf Spray 6" popup with pressure regulator.	17	30
1402 1408 1401 1404	Rain Bird 1804-1400 Flood Flood Bubbler 4" popup	50	40

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY
	Rain Bird PEB Electric Remote Control Valve	7
C	Rain Bird ESP-13Mi Modular Controller, 13 stations, indoor model.	1
R	Rain Bird RSD-BEx Rain Sensor, with bracket, extension wire	1
POC H	Point of Connection 2 HP CENTRIFUGAL PUMP @34 GPM, 50 PSI & 4" CASED WELL	1
	Irrigation Lateral Line: Polyethylene and PVC Class 160 Polyethylene SDR-7 up to 1-1/4, then PVC Class 160 SDR 26 for 1-1/2" and larger. Only lateral transition pipe sizes 3/4" and above are indicated on the plan, with all others being 1/2" in size.	2,931 l.f.
	Irrigation Mainline: Polyethylene and PVC Class 200	380.9 l.f.
	Pipe Sleeve: PVC Schedule 80 Typical pipe sleeve for irrigation pipe. Pipe sleeve size shall allow for irrigation piping and their related couplings to easily slide through sleeving material. Extend sleeves 18 inches beyond edges of paving or construction.	248.5 l.f.



PLEASE REFER TO SHEET L-3.1 FOR IRRIGATION SCHEDULES, L-3.2 FOR LANDSCAPE GENERAL NOTES.



THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31ST AVE. SUITE 206 FT. LAUDERDALE, FL 33309 P: 954-202-1000
4950 W. KENNEDY BLVD. SUITE 600 TAMPA, FL 33609 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION.

REVISIONS:

REV:	DATE:	COMMENT:	BY:

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PROJECT No.: FJ210016
DRAWN BY: JMG
CHECKED BY: JMG
DATE:
CAD I.D.: FJ210016 IRRIGATION PLAN

PROJECT:

FORT PIERCE STORAGE FACILITY

FOR

LG FT PIERCE

FORT PIERCE
FLORIDA

THOMAS ENGINEERING GROUP
PEPWORTH PROFESSIONAL PLAZA
125 W. INDIANTOWN RD. SUITE 206
PH: (561) 203-7503
FX: (561) 203-7721
www.ThomasEngineeringGroup.com

MICHAEL D. GROSSWIRTH
LA 6666871
STATE
REGISTERED LANDSCAPE ARCHITECT
March 8, 2022
FLORIDA LICENSE No. LA6666871
FLORIDA BUSINESS CERTIFICATE OF AUTH. No. 27528

SHEET TITLE:

IRRIGATION PLAN

SHEET NUMBER:

L-3.0

Printed on Tuesday, March 08, 2022, 2:31 PM by Michael Grosswirth
J:\FJ210016 LG FT PIERCE\LDSC\LDSC.APE\FJ210016 IRRIGATION PLAN------XLAYOUT, L-3.0

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MICHAEL D. GROSSWIRTH, LA6666871 ON 2019-06-24

IRRIGATION NOTES

1. ALL LOCAL MUNICIPAL AND STATE LAWS, RULES AND REGULATIONS GOVERNING OR RELATING TO ANY PORTION OF THIS WORK ARE HEREBY INCORPORATED INTO AND MADE A PART OF THESE SPECIFICATIONS AND THEIR PROVISIONS SHALL BE CARRIED OUT BY THE CONTRACTOR.
2. THE CONTRACTOR SHALL VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES, STRUCTURES AND SERVICES BEFORE COMMENCING WORK. THE LOCATIONS OF UTILITIES, STRUCTURES AND SERVICES SHOWN IN THESE PLANS ARE APPROXIMATE ONLY. ANY DISCREPANCIES BETWEEN THESE PLANS AND ACTUAL FIELD CONDITIONS SHALL BE REPORTED TO THE OWNER'S REPRESENTATIVE.
3. THE CONTRACTOR SHALL OBTAIN THE PERTINENT ENGINEERING OR ARCHITECTURAL PLANS BEFORE BEGINNING WORK.
4. THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS REQUIRED TO PERFORM THE WORK INDICATED HEREIN BEFORE BEGINNING WORK.
5. THIS DESIGN IS DIAGRAMMATIC. ALL EQUIPMENT SHOWN IN PAVED AREAS IS FOR DESIGN CLARITY ONLY AND IS TO BE INSTALLED WITHIN PLANTING AREAS.
6. THE CONTRACTOR SHALL NOT WILLFULLY INSTALL ANY EQUIPMENT AS SHOWN ON THE PLANS WHEN IT IS OBVIOUS IN THE FIELD THAT UNKNOWN CONDITIONS EXIST THAT WERE NOT EVIDENT AT THE TIME THESE PLANS WERE PREPARED. ANY SUCH CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER'S REPRESENTATIVE PRIOR TO ANY WORK OR THE IRRIGATION CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY FOR ANY FIELD CHANGES DEEMED NECESSARY BY THE OWNER.
7. INSTALL ALL EQUIPMENT AS SHOWN IN THE DETAILS AND SPECIFICATIONS. CONTRACTOR SHALL BE RESPONSIBLE TO COMPLY WITH LOCAL CITY, COUNTY AND STATE REQUIREMENTS FOR BOTH EQUIPMENT AND INSTALLATION.
8. ACTUAL LOCATION FOR THE INSTALLATION OF THE BACKFLOW PREVENTER AND THE AUTOMATIC CONTROLLER IS TO BE DETERMINED IN THE FIELD BY THE OWNER'S AUTHORIZED REPRESENTATIVE.
9. CONTRACTOR IS TO PROVIDE AN ADDITIONAL PILOT WIRE FROM CONTROLLER ALONG ENTIRETY OF MAIN LINE TO THE LAST RCV ON EACH AND EVERY LEG OF MAIN LINE. LABEL SPARE WIRES AT BOTH ENDS.
10. ALL PIPE UNDER PAVED AREAS TO BE INSTALLED IN SLEEVING TWICE THE DIAMETER OF THE PIPE CARRIED. SEE LEGEND FOR TYPE. ALL WIRE UNDER PAVED AREAS TO BE INSTALLED IN A SCH. 40 SLEEVE THE SIZE REQUIRED TO EASILY PULL WIRE THROUGH. ALL SLEEVES TO BE INSTALLED WITH A MINIMUM DEPTH AS SHOWN ON THE SLEEVING DETAILS. SLEEVES TO EXTEND AT LEAST 12" PAST THE EDGE OF THE PAVING.
11. ALL QUICK COUPLER AND REMOTE CONTROL VALVES TO BE INSTALLED IN SHRUB OR GROUND COVER AREAS WHERE POSSIBLE. ALL QUICK COUPLER AND REMOTE CONTROL VALVES TO BE INSTALLED AS SHOWN ON THE INSTALLATION DETAILS. INSTALL ALL QUICK COUPLER AND REMOTE CONTROL VALVES WITHIN 18" OF HARDSCAPE.
12. ALL HEADS ARE TO BE INSTALLED WITH THE NOZZLE, SCREEN AND ARCS SHOWN ON THE PLANS. ALL HEADS ARE TO BE ADJUSTED TO PREVENT OVERSPRAY ONTO BUILDINGS, WALLS, FENCES AND HARDSCAPE. THIS INCLUDES, BUT NOT LIMITED TO, ADJUSTMENT OF DIFFUSER PIN OR ADJUSTMENT SCREW, REPLACEMENT OF PRESSURE COMPENSATING SCREENS, REPLACEMENT OF NOZZLES WITH MORE APPROPRIATE RADIUS UNITS AND THE REPLACEMENT OF NOZZLES WITH ADJUSTABLE ARC UNITS.
13. THE CONTRACTOR SHALL USE PROPER GROUNDING TECHNIQUES FOR GROUNDING THE CONTROLLER AND RELATED EQUIPMENT PER MANUFACTURERS SPECIFICATIONS. THOMAS ENGINEERING GROUP RECOMMENDS MEASURING FOR PROPER GROUND AT LEAST ONCE ANNUALLY, AND NECESSARY ADJUSTMENTS MADE TO COMPLY WITH MANUFACTURER SPECIFICATIONS.

NOTE A:
POINT OF CONNECTION SHALL BE A 2 HP SUBMERSIBLE AND A 4" CASED WELL. VERIFY THE ACTUAL LOCATION, SIZE AND WATER PRESSURE IN THE FIELD PRIOR TO STARTING WORK. IF ANY OF THE POC INFORMATION SHOWN ON THESE DRAWING IS FOUND TO BE DIFFERENT THAN THE ACTUAL POC INFORMATION GATHERED IN THE FIELD, IMMEDIATELY NOTIFY THE LANDSCAPE ARCHITECT AND IRRIGATION CONSULTANT. SHOULD THE CONTRACTOR FAIL TO VERIFY THE POC INFORMATION ANY CHANGES REQUIRED BY LOW PRESSURE OR VOLUME SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR.

MINIMUM PRESSURE REQUIRED: 36.8 PSI @ POC
DESIGN WATER PRESSURE: 50 PSI
MAXIMUM SYSTEM DEMAND: 33.98 GPM

NOTE B:
CONTROLLER SHALL BE AS NOTED. FINAL LOCATION OF CONTROLLER AND ELECTRICAL POC SHALL BE CONFIRMED WITH OWNER'S AUTHORIZED REPRESENTATIVE PRIOR TO STARTING WORK. CONTROLLER MAY BE EXISTING WITHIN PUMP HOUSE. REUSE EXISTING CONTROLLER IF POSSIBLE.

NOTE C:
MAINLINE AND RELATED EQUIPMENT SHOWN WITHIN PAVING FOR CLARITY ONLY, ACTUAL MAINLINE AND RELATED EQUIPMENT LOCATION TO BE WITHIN PLANTERS AND A MINIMUM OF 18" OFF ADJACENT HARDSCAPE AND OTHER OBSTACLES TYP.

NOTE D:
CONTRACTOR SHALL ADJUST ALL HEADS AS REQUIRED TO ACCOMMODATE ANY VERTICAL OBSTRUCTIONS THAT MAY OCCUR, INCLUDING BUT NOT LIMITED TO LIGHT POLES, FIRE HYDRANTS, ETC. VERIFY ALL HEAD LAYOUT WITH OWNER'S AUTHORIZED REPRESENTATIVE PRIOR TO STARTING WORK.

NOTE E:
BUBBLERS AND LATERAL LINES ARE SHOWN WITHIN PAVING FOR CLARITY ONLY, ACTUAL LOCATION TO BE WITHIN PLANTER. BUBBLERS SHALL BE ALIGNED WITH TREES AND AS DIRECTED BY OWNER'S AUTHORIZED REPRESENTATIVE. CONFIRM ALL LAYOUT IN FIELD WITH OWNER'S AUTHORIZED REPRESENTATIVE PRIOR TO STARTING WORK.

VALVE SCHEDULE

NUMBER	MODEL	SIZE	TYPE	GPM	HEADS	WIRE	FRICTION LOSS	PSI	PSI @ POC	PRECIP
1	Rain Bird PEB	1-1/2"	Turf Spray	33.48	30	337.1	2.02	35.58	43.24	0.83 in/h
2	Rain Bird PEB	1-1/2"	Turf Spray	33.74	30	278.8	2.65	36.21	42.67	1.01 in/h
3	Rain Bird PEB	1"	Bubbler	7.25	29	267.6	4.35	46.09	46.45	7.66 in/h
4	Rain Bird PEB	1-1/2"	Turf Spray	32.37	28	158.3	2.31	35.89	36.8	0.78 in/h
5	Rain Bird PEB	1-1/2"	Turf Spray	33.60	28	118.1	3.35	36.91	39.71	1.19 in/h
6	Rain Bird PEB	1"	Bubbler	5.25	21	118.1	8.04	49.75	49.78	7.66 in/h
7	Rain Bird PEB	1-1/2"	Turf Spray	33.98	18	170.7	2.22	35.78	37.07	0.88 in/h
	Common Wire					380.9				

WATERING SCHEDULE

NUMBER	MODEL	TYPE	PRECIP	IN./WEEK	MIN./WEEK	GAL./WEEK	GAL./DAY
1	Rain Bird PEB	Turf Spray	0.83 in/h	1	73	2,444	
2	Rain Bird PEB	Turf Spray	1.0 in/h	1	60	2,024	
3	Rain Bird PEB	Bubbler	7.66 in/h	1	8	58	
4	Rain Bird PEB	Turf Spray	0.78 in/h	1	78	2,525	
5	Rain Bird PEB	Turf Spray	1.19 in/h	1	51	1,714	
6	Rain Bird PEB	Bubbler	7.66 in/h	1	8	42	
7	Rain Bird PEB	Turf Spray	0.88 in/h	1	69	2,344	
		TOTALS:			347	11,151	

CRITICAL ANALYSIS

Generated:	2022-02-22 13:50
P.O.C. NUMBER: 01	
Water Source Information:	2 HP CENTRIFUGAL PUMP @34 GPM, 50 PSI & 4" CASED WELL
FLOW AVAILABLE	
Custom Max Flow:	34 GPM
Flow Available	34 GPM
PRESSURE AVAILABLE	
Static Pressure at POC:	50.00 PSI
Pressure Available:	50.00 psi
DESIGN ANALYSIS	
Maximum Station Flow:	33.98 GPM
Flow Available at POC:	34 GPM
Residual Flow Available:	0.02 GPM
Critical Station:	6
Design Pressure:	40 PSI
Friction Loss:	7.29 PSI
Fittings Loss:	0.75 PSI
Elevation Loss:	0 PSI
Loss through Valve:	1.71 PSI
Pressure Req. at Critical Station:	49.76 PSI
Loss for Fittings:	0 PSI
Loss for Main Line:	0.02 PSI
Loss for POC to Valve Elevation:	0 PSI
Loss for Backflow:	0 PSI
Critical Station Pressure at POC:	49.78 PSI
Pressure Available:	50 PSI
Residual Pressure Available:	0.22 PSI

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31ST AVE. FT. LAUDERDALE, FL 33309 P: 954-202-1000
4950 W. KENNEDY BLVD. SUITE 600 TAMPA, FL 33609 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503

THE INFORMATION, DESIGN, AND CONCEPTS OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION PURPOSES. © 2021 THOMAS ENGINEERING GROUP, LLC

REVISIONS:

REV:	DATE:	COMMENT:	BY:

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PROJECT No.: FJ210016
DRAWN BY: JMG
CHECKED BY: JMG
DATE:
CAD I.D.: FJ210016 IRRIGATION PLAN

PROJECT:

FORT PIERCE STORAGE FACILITY

FOR

LG FT PIERCE

FORT PIERCE
FLORIDA

THOMAS ENGINEERING GROUP
PEPWORTH PROFESSIONAL PLAZA
125 W. INDIANTOWN RD. SUITE 206
PH: (561) 203-7503
FX: (561) 203-7721
www.ThomasEngineeringGroup.com


MICHAEL D. GROSSWIRTH
LA 6666871
REGISTERED LANDSCAPE ARCHITECT
March 8, 2022
FLORIDA LICENSE No. LA6666871
FLORIDA BUSINESS CERTIFICATE OF AUTH. No. 27528

SHEET TITLE:
IRRIGATION NOTES & SCHEDULES

SHEET NUMBER:
L-3.1

Printed on Tuesday, March 08, 2022, 2:31 PM by Michael Grosswirth
C:\USERS\MGROSSWIRTH.CLYDEMOLLANDSC.APEX\FJ210016 IRRIGATION PLAN - - - - XLAYOUT: L-3.1


THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MICHAEL D. GROSSWIRTH, LA6666871 ON 2019-06-24



NOTE:
INSTALL SPRINKLER HEADS 6" FROM PAVING EDGE IN SHRUB AND GROUND COVER AREAS.
INSTALL SPRINKLER HEADS 12" FROM THE FACE OF BUILDING WALLS OR WINDOWS.
INSTALL SPRINKLER HEADS 4" FROM PAVING EDGE IN TURF AREAS.

INSTALL SPRINKLER HEADS PLUMB. ADJUST SPRAYS OR NOZZLE STREAM TO COVER LANDSCAPE AREA WITHOUT OVERSPRAY ONTO PAVING, FENCES, WALLS OR BUILDINGS.


Ⓐ POP-UP SPRINKLER




NOTE:
USE STANDARD OPENINGS PROVIDED IN VALVE BOX FOR PIPE, DO NOT CUT BOX.

USE SCH 80 PVC 45 DEGREE ELLS TO ACHIEVE MAINLINE DEPTH AS REQUIRED.

Ⓒ FLOW SENSOR




Ⓓ BALL VALVE




NOTE:
USE AN APPROVED, NON-HARDENING, TEFLON ASSEMBLY PASTE ON ALL THREADED FITTINGS.


Ⓔ QUICK COUPLER VALVE




Ⓕ REMOTE CONTROL VALVE




Ⓖ DRIP RCV ASSEMBLY



Ⓘ GROUND ROD INSTALLTION



Ⓙ DRIPLINE TUBING




RECOMMENDED INSTALLATION: * AS PER LANDSCAPE DRAWINGS

TO INSURE EVEN PARALLEL AND LEVEL TUBING ROWS IT IS RECOMMENDED THAT THE SOIL LEVEL IN THE PLANTER AREAS BE BROUGHT TO 4.5" BELOW FINISHED GRADE AND PROPERLY COMPACTED AS PER THE LANDSCAPED DRAWINGS PRIOR TO THE INSTALLATION OF THE TUBING.

INSTALL TUBING AS INDICATED ON THESE DRAWINGS AND SECURE TO GRADE USING WIRE HOOP STAKES AT 5 FEET ON CENTER SPACING.


BACKFILL FINAL 4.5" OF SOIL/BARK MULCH OVER THE TUBING AFTER INSTALLATION OF THE TUBING AND OBSERVATION BY THE OWNER'S AUTHORIZED REPRESENTATIVE.

Ⓚ DRIPLINE CONNECTION(SECTION)




INSTALL DRIP FLUSH VALVE PER DETAIL AT THE END OF EACH TUBING SECTION PER PLAN
INSTALL AIR RELIEF VALVES PER DETAIL AT HIGH POINTS OF EACH TUBING SECTION PER PLAN.
RUN AIR/VACUUM RELIEF BLANK TUBING LATERAL ALONG HIGH POINT OF MOUND OR BERM.
ATTACH ALL IN-LINE DRIP TUBING TO BLANK LATERAL. MORE THAN TWO RELIEF VALVES MAY NEED TO BE INSTALLED PER SECTION


Ⓛ DRIPLINE CONNECTION(PLAN)



Ⓜ DRIP FLUSH VALVE




Ⓝ DRIP AIR RELIEF VALVE




DIMENSION	A	B	C
1/2" TO 2-1/2" IN SIZE	18"	12"	4"
3" TO 6" IN SIZE	24"		4"

Ⓞ PIPE INSTALLATION



DIMENSION	A	B	C	D
1 1/2" TO 6" IN SIZE	36"	24"	24"	4"

Ⓟ SLEEVE INSTALLATION




NOTE:
WIRE CONNECTOR SHALL BE A 3M DBY-6 DIRECT BURY SPLICE KIT.

KIT SHALL INCLUDE A SCOTCHLOK Y SPRING CONNECTOR, A POLYPROPYLENE TUBE AND A WATERPROOF SEALING GEL. TUBE SHALL BE SUPPLIED PREFILLED WITH GEL.

DIRECT BURY SPLICE KIT SHALL BE USED TO ELECTRICALLY CONNECT 2 - 3 #14 OR 2 #12 PRE-STRIPPED COPPER WIRES. LARGER WIRES OR GREATER QUANTITIES OF WIRES SHALL REQUIRE A LARGER APPROVED WIRE CONNECTION.

Ⓠ WIRE CONNECTION



Ⓡ THRUST BLOCKING

NOTE: DISCHARGE PIPES & HEADER TO IRRIGATION MAIN SHALL BE SCHED 40 GALVANIZED STEEL PIPE WITH GALV. ROLL GROOVE FITTINGS. PUMP DROP PIPE SHALL BE HDPE HEAT FUSED OR SCHED 40 GALV. STEEL SET PUMP 60' ON 2" PIPE. INSTALL MOTOR CABLE SPLICE BETWEEN MOTOR AND CONTROL PANEL IN NEMA 4X JUNCTION BOX ADJACENT TO WELL IN ACCORDANCE WITH ELECTRICAL CODES.


WELL DRILLER SHALL NOTIFY THE PUMP SYSTEM MANUFACTURER IN WRITING WITHIN 24 HOURS OF DEVELOPING THE WELL IF THE WELL PUMPING LEVEL IS GREATER THAN 50' BELOW FINISHED GRADE AFTER 8 HOURS OF CONTINUOUS PUMPING AT 150% OF THE DESIGN FLOW BELOW.

PROVIDE MINIMUM OF 4' CLEARANCE ON ALL SIDES OF PUMP SYSTEM

* OPTIONAL FEATURES ARE INCLUDED IF MARKED WITH AN "X"

X VARIABLE FREQUENCY DRIVE
_ IRRIGATION CONTROLLER _ STATIONS, WITH RAIN SENSOR ON 8' POLE
_ PRESSURE TANK FOR PRESSURE DEMAND SYSTEM

SAFETY FEATURES:
CLOCK START:
-LOSS OF PRIME
-OVERHEAT
-TRANSIENT SURGE



MAINTAIN 3.5' CLEARANCE IN FRONT OF CONTROL PANEL AND 4' ALL SIDES OF PUMP SYSTEM.

1 3' X 3' FIBERGLASS REINFORCED ENCLOSURE (OPTIONAL) FOREST GREEN GELCOAT FINISH
2 48" X 48" REINFORCED CONCRETE PAD (4" THICK)
3 JUNCTION BOX WITH 110VAC POWER AND PUMP START CIRCUIT FOR CUSTOMER FURNISHED AND INSTALLED IRRIGATION CONTROLLER
4 WELL SEAL
5 WELL, JUNCTION BOX & DISCHARGE PIPE
6 SUBMERSIBLE PUMP MOTOR ASSEMBLY 3 HP (NOT SHOWN)
7 CHECK VALVE
8 GALV. STEEL DISCHARGE
9 VARIABLE FREQUENCY DRIVE
10 FLOW METER OUTSIDE ENCLOSURE ON DISCHARGE
11 PRESSURE TRANSDUCER
12 CONTROL PANEL ASSEMBLY UL LISTED MAINTAIN 42" CLEARANCE MOUNTED ON BACK OF ENCLOSURE
13 DISCHARGE VALVE
14 3" x 36" PVC SCH 40 GROOVED NIPPLE FOR FOR TIE-IN TO IRRIGATION MAINLINE
15 LOCKABLE HANDLE

PLAN VIEW NTS

ELECTRIC SERVICE TO BE, IN ORDER OF PREFERENCE:
460V 3-PHASE, 230V CLOSED-DELTA 3-PHASE, 208 WYE 3-PHASE,
230 1-PHASE, 208V 1-PHASE, 230 OPEN-DELTA 3-PHASE.

PUMP PERFORMANCE
34 GPM @ 120 TDH, 50 PSI DISCHARGE PRESSURE
MINIMUM FLOW 12 GPM

FRANKLIN PUMPING MODEL: #35FA3S4-PE
Pompano Beach, Florida, Tel: 954-971-7350
OR APPROVED EQUAL

SUBMERSIBLE PUMP SYSTEM DETAIL

FIBERGLASS ENCLOSED SINGLE WELL SUCTION
VARIABLE FREQUENCY DRIVE (VFD) CLOCK START
OR APPROVED EQUAL

THOMAS ENGINEERING GROUP
CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS
6300 NW 31ST AVE. SUITE 602 FT. LAUDERDALE, FL 33309 P: 954-202-71000
4950 W. KENNEDY BLVD. SUITE 600 TAMPA, FL 33609 P: 813-379-4100
125 W INDIANTOWN RD. SUITE 206 JUPITER, FL 33458 P: 561-203-7503
THE INFORMATION, DESIGN, AND CONCEPT OF THIS PLAN ARE PROPRIETARY AND SHALL NOT BE COPIED OR USED FOR ANY PURPOSE WITHOUT PRIOR WRITTEN AUTHORIZATION FROM THOMAS ENGINEERING GROUP, LLC. ONLY APPROVED, SIGNED AND SEALED PLANS SHALL BE UTILIZED FOR CONSTRUCTION

REVISIONS:

REV:	DATE:	COMMENT:	BY:

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG
It's fast. It's free. It's the law.
www.callsunshine.com

PROJECT No.: FJ210016
DRAWN BY: JMG
CHECKED BY: JMG
DATE:
CAD I.D.: FJ210016 IRRIGATION PLAN

PROJECT:

FORT PIERCE STORAGE FACILITY

FOR

LG FT PIERCE

FORT PIERCE
FLORIDA

THOMAS ENGINEERING GROUP
PEPWORTH PROFESSIONAL PLAZA
125 W. INDIANTOWN RD. SUITE 206
PH: (561) 203-7503
FX: (561) 203-7721
www.ThomasEngineeringGroup.com

MICHAEL D. GROSSWIRTH
LA 6666871
STATE
REGISTERED LANDSCAPE ARCHITECT
March 8, 2022
LICENSE No. 6666871
FLORIDA BUSINESS No. LC26000471
MICHAEL D. GROSSWIRTH, No. 27528

SHEET TITLE:

IRRIGATION DETAILS

SHEET NUMBER:

L-3.2

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MICHAEL D. GROSSWIRTH, LA6666871 ON 2019-06-24

Printed on Tuesday, March 08, 2022, 2:31 PM by Michael Grosswirth
C:\USERS\MGROSSWIRTH\DOCUMENTS\CLIENTWORK\LANDSCAPE\FJ210016 IRRIGATION PLAN-----JAARVIR L-3.2

Project		Catalog #		Type	S1
Prepared by		Notes		Date	



McGraw-Edison

GALN Galleon II

Area / Site Luminaire

Typical Applications

Outdoor • Parking Lots • Walkways • Roadways • Building Areas

Interactive Menu

- Ordering Information page 2
- Mounting Details page 3
- Optical Distributions page 5
- Product Specifications page 5
- Energy and Performance Data page 6
- Control Options page 10

Product Certifications

Resources

Quick Facts


- Lumen packages range from 3,300 - 73,500 (33W - 552W)
- 16 optical distributions
- Efficacy up to 159 lumens per watt

Connected Systems

- WaveLinx Lite
- WaveLinx

Dimensional Details

Standard Arm



Number of Light Squares	Width "A"	Housing Length "B"	Weight with Standard or QM Arm	EPA with Standard or QM Arm
1-4	16"	22"	29 lb	0.55
5-6	22"	22"	39 lb	0.95
7-9	22"	28 1/8"	48 lb	1.1

NOTES:
*For arm selection requirements and additional line art, see Mounting Details section.

COOPER Lighting Solutions

PS500052EN page 1
August 2, 2021 1:53 PM

Project		Catalog #		Type	W1-2
Prepared by		Notes		Date	



McGraw-Edison

GWC Galleon Wall

Wall Mount Luminaire

Typical Applications

Exterior Wall • Walkway

Interactive Menu

- Ordering Information page 2
- Product Specifications page 2
- Optical Configurations page 3
- Energy and Performance Data page 4
- Control Options page 6

Product Certifications


Quick Facts


- Choice of thirteen high-efficiency, patented AccuLED Optics™
- Downward and inverted wall mounting configurations
- Eight lumen packages from 3,215 up to 17,056
- Efficacies up to 154 lumens per watt

Connected Systems

- WaveLinx
- Enlighted

Dimensional Details






COOPER Lighting Solutions

PS500045EN page 1
April 12, 2021 1:55 PM

2 SL1 *LIGHTING FIXTURES*
N.T.S.

Luminaire Schedule							
Symbol	Qty	Label	Arrangement	Total Lamp Lumens	LLF	Description	Lum. Watts
□	1	W1	SINGLE	N.A.	0.900	GWC-AF-02-LED-E1-SL4	113
□	3	W2	SINGLE	N.A.	0.900	GWC-AF-02-LED-E1-T4FT-1200	129
•	4	S1	SINGLE	N.A.	0.900	GALN-SA2C-740-U-T4FT-HSS	108

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
PARKING AND DRIVELANE	Illuminance	Fc	2.97	7.8	0.9	3.30	8.67
PROPERTY LINE	Illuminance	Fc	0.06	0.3	0.0	N.A.	N.A.



3 SL1 *LIGHT/TREE SPACING*
NTS


1. ILLUMINANCE IS GIVEN IN HORIZONTAL FOOTCANDLES
2. LIGHTING DESIGN DERIVED FROM PUBLISHED IES PHOTOMETRIC FILES

CROSS VERIFY VOLTAGE / PHASE W/ PROJECT CONDITIONS PRIOR TO ORDERING W/ ARCHITECT / OWNER. LIGHTING FIXTURES MARKED WITH (•) ARE PRODUCT SPECIFIC AND ARE NOT TO BE SUBSTITUTED WITHOUT SPECIFIC APPROVAL WITH ARCHITECT / OWNER PRIOR TO START OF CONSTRUCTION. THESE FIXTURES ARE PART OF A LIGHTING ANALYSIS FOR THE EXTERIOR OF THE BUILDING. FOR ADDITIONAL INFORMATION REGARDING LIGHTING PRODUCTS CONTACT: "MATT MARSHALL" AT "LIGHTING DYNAMICS, INC." 1835 W. COMMERCIAL BLVD. TAMARAC, FL. 33351 (954) 944-0286

SUBMITTALS OF ALTERNATE LIGHT FIXTURES REQUIRE COMPLETE PHOTOMETRICS SIGNED AND SEALED BY FLORIDA REGISTERED, LICENSED ELECTRICAL ENGINEER FOR ARCHITECTS REVIEW AND IF ACCEPTABLE SUBMITTAL TO BUILDING DEPARTMENT FOR PERMIT REVISION BY GENERAL CONTRACTOR AT CONTRACTOR'S EXPENSE.

NOTE:

AN OUTDOOR LIGHTING INSTALLATION SHALL NOT BE PLACED IN PERMANENT USE UNTIL A LETTER OF COMPLIANCE SIGNED AND SEALED BY A REGISTERED ENGINEER OR ARCHITECT IS PROVIDED TO THE CITY STATING THE THE LIGHTS HAVE BEEN FIELD-TESTED AND MEET THE STANDARDS OF THIS CODE.



1 SL-1 *SITE PHOTOMETRIC*
SCALE: 1" = 30'-0"

NORTH

GRAPHIC SCALE
30 0 15 30 60
(in feet)
1 inch=30 ft

KENNETH R. CARLSON – ARCHITECT, P.A.
1166 W. NEWPORT CENTER DR., SUITE #11
DEERFIELD BEACH, FLORIDA 33442
PH. (954) 427 - 9848 FAX (954) 427 - 9329
e-mail: kenc@kencarlson.com
AA C00818

FORT PIERCE SELF-STORAGE
SOUTH U.S. HIGHWAY
FORT PIERCE, SAINT LUCIE COUNTY, FL.

Revisions:
07/07/22 CITY COMMENTS

DRAWN BY: FS
CHECKED BY: KRC
DATE: 09/23/2021
SCALE: AS NOTED
PROJECT #: 21061
CAD DWG FILE: SL-1

KENNETH R. CARLSON
AR12546

SHEET OF
SL-1
PAGE OF

Planning Board **6. b.**

Meeting Date: 04/11/2022

Re: Site Plan - Fort Pierce Commerce Center - Energy Lane, southeast of Glades Cu Off Road and west of Selvitz Road

Submitted For: Jennifer Hofmeister, Planning Director, Planning & Zoning

---

Information

SUBJECT:

Site Plan - Fort Pierce Commerce Center - Energy Lane (Southeast of Glades Cut Off Road and West of Selvitz Road) - 2431-800-0002-000-0, 2431-800-0003-000-7, 2431-800-0004-000-4, 2431-800-0005-000-1, 2431-800-0007-000-5, 2431-800-0006-000-8.

SUMMARY:

Pursuant to City Code Sections, 215-313 and 215-314, the subject application is a request for Site Plan (Development and Design Review) to develop 1.25 million square feet of warehouse use on six (6) lots that total approximately 108.78-acres generally located on Energy Lane, southeast of Glades Cut Off Road and west of Selvitz Road. The property currently has a Future Land Use designation of Industrial with a compatible zoning classification of Light Industrial Zone (IL).

RECOMMENDATION:

The proposed Site Plan (Development Review and Design Review) application adheres to the requirements of the City Land Development Code and guidelines of the City's Comprehensive Plan and does not appear to adversely affect the public health, safety, convenience, and general welfare. Therefore, Staff recommends APPROVAL of the requested application with the following conditions:

1. Pursuant to City Code Section 123-66.(d) -Tree protection and mitigation, a final Tree Mitigation Plan shall be approved by staff prior to the issuance of a Building Permit.
2. A certified letter of completion by a landscape architect and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate of Occupancy is approved for the site.
3. A Unity of Title with the St. Lucie County Clerk of Courts and a Parcel Combination with the St. Lucie County Property Appraiser shall be conducted before the issuance of a Building Permit.
4. Prior to the issuance of a Building Permit, a parking in lieu fee for the 1,467 parking spaces not provided on site shall be paid.

ALTERNATIVES:

Recommend Approval with changes to the Conditions
Disapprove

RESPONSIBLE STAFF:

Jennifer Hofmeistser-Drew, AICP, LCAM, Planning Director

COORDINATED WITH:

Technical Review Committee

Fiscal Impact

Budgeted Y/N: n/a
Fiscal Year: n/a
Account: n/a
Amount: n/a
OTHER INFORMATION:
n/a

Attachments

staff report and supporting documentation
application and supporting documentation

Form Review

Inbox	Reviewed By	Date
City Manager	Linda Cox	04/06/2022 11:17 AM

Form Started By: Jennifer Hofmeister
Started On: 04/05/2022 02:07 PM
Final Approval Date: 04/06/2022

THE SUNRISE CITY
FORT PIERCE
PLANNING DEPARTMENT Florida

TO: Members of the City of Fort Pierce Planning Board

FROM: Jennifer Hofmeister-Drew, AICP, LCAM, Planning Director

RE: **Site Plan (Development and Design Review)**
Fort Pierce Commerce Center
21-07000030

MEETING DATE: April 11, 2022

STAFF REPORT

Owner: St. Lucie Commerce Center, LLC
30 S. Hope Chapel RD
Jackson, NJ 08527

Representative: Michael D. Miles, P.E., Regional Manager/Senior Principal
Dynamic Engineering Consultants PC
100 NE 5th Avenue, Suite B-2
Delray Beach, FL 33438

Applicant's Request: Approval of a Site Plan (Development and Design Review) to develop six (6) warehouse buildings totaling 1,215,000 square feet with associated site improvements on an approximate 108.78-acre parcel of unimproved land

Location: The subject parcel is generally located southeast of Glades Cut Off Road and west of Selvitz Road

Size: 108.78 +/- acres

Parcel ID(s): 2431-800-0002-000-0, 2431-800-0003-000-7, 2431-800-0004-000-4
2431-800-0005-000-1, 2431-800-0007-000-5, 2431-800-0006-000-8

Future Land Use: Industrial (I)

Current Zoning: Light Industrial (IL)


Utilities: FPUA

	North	East	South	West
Surrounding FLU:	Industrial (I) and Heavy Industrial (HI)	Public Facility (PF) SLC	Agriculture Residential (AR-1) SLC	Industrial (I) and Institutional (INST)
Surrounding Zoning:	Heavy Industrial (I-3) Light Industrial Zone (I-1)	Institutional (I) SLC	Industrial (IND) and Mixed Use (MXD) SLC	(I-1)
Utilities: FPUA				

Staff Analysis:

Request

Pursuant to City Code Sections, 215-313 and 215-314, the subject application is a request for Site Plan (Development and Design Review) to develop 1.25 million square feet of warehouse use on six (6) lots that total approximately 108.78-acres generally located on Energy Lane, southeast of Glades Cut Off Road and west of Selvitz Road. The property currently has a Future Land Use designation of Industrial with a compatible zoning classification of Light Industrial Zone (IL). To the north are properties zoned Heavy and Light Industrial, to the west is Light Industrial and Institutional land, to the south and east are properties within St. Lucie County. The land to the south consists of both Heavy Industrial and Agricultural Residential and to the east is Institutional. Further east is property within Fort Pierce that is zoned Planned Development



Future Land Use and Zoning


The subject properties have an underlying Future Land Use designation of Industrial (I): The Industrial designation is intended for parcels suitable for industrial development and to promote the City's position as a major employment center. The uses allowed under this designation include light manufacturing and processing facilities; storage and distribution facilities; warehousing; general and

intensive commercial uses; research corporate parks, large business parks and mixed-use office parks; office, retail, and service uses that provide support to employees; and compatible public, quasi-public, and special uses. This land use designation allows a maximum FAR of 1.5.

The subject site has a compatible zoning district classification of Light Industrial (IL). The purpose of this district is to provide for industrial and related uses with limited objectionable external effects in areas that are suitable for such operations due to the desirability of site characteristics, adequacy of utilities, appropriateness of transportation facilities and other factors. Acceptable manufacturing, warehousing, heavy commercial and similar uses are encouraged. Uses in the district may perform a support role for uses in other industrial areas.

Development Review (Site Plan)

The subject property currently consists of undeveloped land located at the intersection of Selvitz Road and Energy Lane approximately 0.9 miles north of Midway Road.



Proposed Site Plan Aerial

In conformance with Code Sections 125-313 and 125-314, the applicant is proposing six (6) warehouse distribution buildings totaling 1,215,000 square feet with associated site features consisting of parking, landscaping, lighting, stormwater management and utilities. Pursuant to Code Section 125-204, the proposed site plan meets the basic use standards for the I-1 zone that requires a minimum lot width and depth to 100 feet and the minimum yard depth for portions of the property abutting a public right-of-way or nonindustrial district to be 15 feet.

The site features proposed include the following:

a. Six (6) Warehouse buildings totaling 1,215,000 SF
b. A total of 586 vehicle parking spaces
c. A total of 262 loading spaces
d. A total of 232 trailer storage spaces
e. A total of 28 bicycle parking spaces
f. One proposed freestanding sign at the south-east corner of Lot 1
g. Access to site is provided via one full movement driveway on Selvitz Road
h. Dry detention stormwater management areas
i. Wet detention stormwater management areas
j. Westland Conservation Easement
k. Private lift station providing sewer service with a direct connection to the City's force main.
l. No potential hazards, problems or public nuisances are foreseen to be generated due to the proposed development. Additional proposed site features for site design security measures are as follows:

1. Natural Surveillance: the proposed Project consists of a well-lit public outdoor area including parking areas and pedestrian walkways.
2. Natural Access Control: the proposed Project design has clear visibility maintained from the building to the street, parking areas, outdoor display areas, pedestrian walkways and passing vehicles.
3. Territorial Reinforcement: The proposed design for the Project includes landscaping to distinguish the project site as private property.

<u>Parking Requirements</u>


The parking requirement is based upon the current ITE standard that sets forth an average peak parking demand of 0.39 vehicles per 1,000 SF of gross floor area (GFA). This equates to a demand of 474 parking spaces. The applicant is providing 586 parking spaces. Additionally, 28 bicycle parking spaces will be available onsite.

<u>Traffic Analysis</u>

A Traffic Study was conducted that conclude 224 net new AM peak hour trips and 235 net new PM peak hour trips. Additionally, all links and intersections were evaluated and concluded that they will operate at acceptable levels of service with the existing and committed roadway network with the exception of Midway Road between East Torino and west of Selvitz. This is a backlogged link with long term cost feasible improvements. Therefore, the project meets the requirements for concurrency.

Design Review (Architecture)

Pursuant to City Code Section 125-314, Design Review, the applicant has provided architectural renderings of the proposed warehouse buildings. The paint color scheme proposed is a base color of white with accent colors to include shell white, light and dark grey.



Technical Review Committee

All affected departments have reviewed the proposed Site Plan (Development Review and Design Review) with regards to the requirements of the City Code. Findings from the review by corresponding departments and the associated responses by the applicant are provided.

Staff Recommendation


The proposed Site Plan (Development Review and Design Review) application adheres to the requirements of the City Land Development Code and guidelines of the City's Comprehensive Plan and does not appear to adversely affect the public health, safety, convenience, and general welfare. Therefore, Staff recommends APPROVAL of the requested application with the following conditions:

1. Pursuant to City Code Section 123-66.(d) -Tree protection and mitigation, a final Tree Mitigation Plan shall be approved by staff prior to the issuance of a Building Permit.

2. A certified letter of completion by a landscape architect and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate of Occupancy is approved for the site.

3. A Unity of Title with the St. Lucie County Clerk of Courts and a Parcel Combination with the St. Lucie County Property Appraiser shall be conducted before the issuance of a Building Permit.

FUTURE LAND USE MAP




Fort Pierce Commerce Center

2431-800-0002-000-0
2431-800-0003-000-7
2431-800-0004-000-4
2431-800-0005-000-1
2431-800-0007-000-5
2431-800-0006-000-8

THE SUNRISE CITY FORT PIERCE Florida

N W E S

LOCATION MAP




Fort Pierce Commerce Center

2431-800-0002-000-0
2431-800-0003-000-7
2431-800-0004-000-4
2431-800-0005-000-1
2431-800-0007-000-5
2431-800-0006-000-8

THE SUNRISE CITY
FORT PIERCE
Florida

N
W E
S

ZONING MAP



Fort Pierce Commerce Center

2431-800-0002-000-0
2431-800-0003-000-7
2431-800-0004-000-4
2431-800-0005-000-1
2431-800-0007-000-5
2431-800-0006-000-8

THE SUNRISE CITY FORT PIERCE Florida

N W E S

THE SUNRISE CITY
FORT PIERCE
PLANNING DEPARTMENT
Florida

January 20, 2022 added Engineering comments 1-27-2022


Michael Miles, Dynamic Engineering Consultants PC
100 NE 5th Avenue, Suite B-2
Delray Beach, FL, 33438

Subject: **Technical Review Committee (TRC)- Site Pan (Development and Design Review)**
Fort Pierce Commerce Center - At or near Energy Lane
PCN(s): 2431-800-0002-000-0
2431-800-0003-000-7
2431-800-0004-000-4
2431-800-0005-000-1
2431-800-0007-000-5
2431-800-0006-000-8

Dear Michael,

Below please find a summary of the preliminary comments for the City of Fort Pierce TRC meeting:

Pursuant to City Code Sections, 215-313 and 215-314, the subject application is a request for Site Plan (Development and Design Review) to develop 1.25 million square feet of warehouse use on six (6) lots that total approximately 108.78-acres generally located on Energy Lane, southeast of Glades Cut Off Road and west of Selvitz Road. The property currently has a Future Land Use designation of Industrial with a compatible zoning classification of Light Industrial Zone (IL). To the immediate north, south, east, and west, are light industrial zoned properties. However, residential development is in close proximity.



The purpose of the Light Industrial Zoning district (IL) is to provide for industrial and related uses with limited objectionable external effects in areas that are suitable for such operations due to the desirability of site characteristics, adequacy of utilities, appropriateness of transportation facilities and other factors. Acceptable

manufacturing, warehousing, heavy commercial and similar uses are encouraged. Uses in the district may perform a support role for uses in other industrial areas.

Fort Pierce Planning Department

1. Please provide a justification statement for the requested use that includes a description of daily work activity as this area is adjacent to residential and the truck activity will be exorbitant.

2. The Code does not call out flex space, please define the flex space proposed.

3. Please confirm walkways are providing around the wetland/conservation areas.

4. Littoral plantings will be required.

5. Please provide the anticipated trunk route as surrounding residential development will be affected. Attention to this detail is required.

6. Please consider providing an area for employs to gather outside surrounding the wetlands that is covered.

7. Will this project be developed in one or multiple phases?

8. Please remove the location of monument signs on the site plan. Signage will be reviewed and approved in a separate application.

9. A Unity of Title and Lot Combination will be required.

10. Colored architectural renderings are required prior to moving past the TRC review.

11. Landscaping will be key to the compatibility with the surrounding area and the overall appearance of the property.

12. Please schedule a site visit with Planning staff and the Tree Arborist.

13. Please note, the following conditions are standard and will be noted on the staff report:
    a. Pursuant to City Code Section 123-66.(d) -Tree protection and mitigation, a final Tree Mitigation Plan shall be approved by staff prior to the issuance of a Building Permit.

    b. A certified letter of completion by a landscape architect and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate of Occupancy is approved for the site.

14. Further comments may be provided at the TRC meeting.

Fort Pierce Engineering Department
See attached

Fort Pierce Code Enforcement Division
See attached. No Comments

Fort Pierce Building Department
See attached

Fort Pierce Tree Arborist

- Tree survey and mitigation looks good.
- Preserved areas and transplanted tree require tree protection barriers.
- Landscape buffer and existing trees to be saved need to be inspected prior to starting the project.

Fort Pierce Police Department
See below and attached

Included in the packet submittal (packet # 2, pages 73 – 91) are renderings of the Kings Highway Business Center. After conferring with this projects' planner Mr. V. Gilmore, it is my understanding those renderings are to simulate proposed building designs for this project. Therefore, I shall echo the same comments I submitted in May 2021 for the Kings Highway Business Park, found below in italics.

> *In the schematic renderings of the proposed development and construction of the two warehouse buildings, I observed what was labeled "screen wall" on the rendering that depicts the rear, loading docks area of the warehouse. From the design rendering, it appears that the "screen wall" is constructed by erecting nine (9) solid panels with a lighting gap between each piece. I am presuming that the reason for the screen wall is to shield the comparatively unsightly "business end" of the warehouse and maybe also to allow for some sound deadening. That, in and of its own is a great addition to the project. However, if practical, please consider a more transparent or opaque design to minimize any possibility of concealment of persons. A more transparent or opaque design also allows for better "natural surveillance" which aides in reduction of potential crime or undesired behaviors and activity.*

Fort Pierce Utility Authority (FPUA)

FPUA W/WW Engineering: Concept approved.
Water and wastewater services are available to serve the subject properties. To connect to these services please submit Utility Plan (2 complete sets) along with a completed plan review and commercial service application to FPUA's Water and Wastewater Engineering department, at 1701 S 37th Street Fort Pierce Florida 34947. Please see the Developer's Responsibilities page on the FPUA website for important steps to guide through the entire process including utility details and permit applications (see link). Details and Specifications can be found at W/WW Engineering Page. For any additional questions please contact Shane Ostrander sostrander@fpua.com.
FPUA Electric & Gas Engineering: Approved.
Electric - The property is not in the FPUA electric service area. Located in FPL service area.
Gas – Service is available to the site (From Selvitz Rd). Please provide a copy of the gas riser diagram with the anticipated load (if developer is interested in natural gas service to the propose site). For more information and incentive available, please contact Billy Dupre. Attached below is a copy of the FPUA GIS map.

SLC Fire

1. ~~Please submit a completed application for Development/Site Plan Review (St. Lucie County Fire District Development & Site Plan Review Application). This form is available on-line at https://www.slcfd.com~~ Received 01/05/2022
2. ~~Fire District review fees are due at the time of submittal. An abbreviated fee schedule is included on the application form.~~ Received 01/05/2022
3. ~~Please send the Fire District electronic plans for the site and buildings.~~ Received 01/05/2022

4. A separate review and permit is required for Underground Fire Mains connected to standpipes or sprinkler systems.

5. Fire hydrants (shall be) are provided for buildings other than detached one-and-two-family dwellings IAW both of the following 1) The maximum distance to a fire hydrant from the closest point in the building shall not exceed 400 feet. 2) The maximum distance between fire hydrants shall not exceed 500 feet. NFPA 1:18.5.3. Please provide fire flow calculations for hydrants.

6. An approved water supply capable of supplying the required fire flow for fire protection (shall be) is identified to all premises upon which facilities, buildings, or portions of buildings which are to be constructed or moved into the jurisdiction. The approved water supply shall be in accordance with NFPA 1:18.4. See "Needed NFPA Fire Flow Calculator Spreadsheet".

7. Per NFPA 1114 Chapter 9, Section 1.3. Prior to the final occupancy of any building, the permitted water supply for fire protection, including fire hydrants and fire suppression systems, shall be installed, tested, and acceptable to the AHJ (SLCFD).

8. Security gates must either be manned 24 hour/day or provide an access control key switch on the control panel to allow for Fire Department entry in an emergency. Security gates must maintain a clear width of 12 feet when open and provide a means to open the gates manually upon loss of power.

9. Per the St. Lucie County Fire District Fire Prevention Code Resolution 647-17. At Least 13 feet 6 inches nominal vertical clearance shall be provided and maintained over the full width of all means of access. Including, but not limited to trees, canopies, etc.

10. Fire department connections shall be located on the street side of buildings and shall be located and arranged so that hose lines can be readily attached to the inlets without interference from any nearby objects, including buildings, fences, landscaping, or other fire department connections. The locations of connections shall be based upon the access requirement s of the fire department.

11. The distance allowed between the fire department connection and a fire hydrant shall be no more than one hundred fifty (150) feet as a vehicle travels.

12. Be advised: Dimensions of largest vehicle are as follows: 38 tons or 77k lbs, 47.5 ft. total length, 21.5 ft. wheel base, 10.5 ft. total width, 41.5 degree turning radius.

13. Two-Way Radio Enhancement Systems/BDAS shall be installed, inspected and operationally tested in accordance with the manufacturer's published requirements, by the local fire department, and comply with the most current edition of the Florida Fire Prevention Code and its incorporated standards and

codes. Pre-surveys of radio signal strength shall be submitted to the Fire Marshal in the form of heat signature mapping or a certification document of radio signal strength provided by a licensed engineer.

14. Minimum Size of Water Mains
    a. The minimum size of water mains for supplying water for firefighting purposes shall be six (6) inches. b. The minimum size of water mains supplying hydrants on a dead end main shall be eight (8) inches. c. The maximum number of hydrants located on a dead end main shall be one (1). d. Grid or Tee systems shall be supplied by a minimum of an eight (8) inch looped main. Exceptions may be granted based on the capacity of the water distribution system but in no case shall the main size be less than six (6) inches. e. The minimum size water main(s) shall be determined by the needed fire flow as established by the Fire Marshal and based on the current Insurance Service Office (ISO) requirements.


Florida DOT
Maybe forthcoming

SLC Planning
See below and attached

A third-party traffic review is requested for the proposed project to evaluate impacts to adjacent links and intersections, with emphasis at Glades Cut-off and Selvitz and Selvitz and Edwards.

Background: St. Lucie County has site plan history for this business park, with particular attention relating the wetland conservation areas and buffering. The County's Approved/Regulatory Plans for the site are enclosed for reference. The proposed plan does not detail the proposed stormwater plan for the new development or display any required/existing retention serving Energy Drive.

Simply a note: A prior site plan design explored the connection of Energy Drive to Post Office Road/South Jenkins, which does not appear feasible in the future with FMP's plant design.



SLC Public Works
See below and attached

The following comments are offered by SLC PW - Engineering:

1. Selvitz Road is identified on the County's Right-Of-Way Protection Plan. A ROW Dedication of 30 FT will be required along Selvitz Road.
2. A Traffic Report is required for review by the County's outside traffic consultant at the cost of the applicant. Please provide a traffic report directly to the County for review.
3. Selvitz Road is identified on the County's Greenways and Trails Master Plan. A 10 to 12 FT wide Multi-Use path will be required along the Selvitz Road frontage.
4. A permit for access and drainage outfall from the County prior to initiation of site improvements is required. Please remit a Site Development Permit application, an electronic set of plans and a minimum of one hard copy of all necessary plans and documents to the Engineering Division of the County. The application may be found on the County's website, Public Works Department link.
5. For discussion regarding these comments and response, please contact me at 772-462-2741, chambersg@stlucieco.org or David Hays at 772-462-1491, haysd@stlucieco.org.

THE SUNRISE CITY
FORT PIERCE
BUILDING DEPARTMENT
Florida

BUILDING DEPARTMENT
TECHNICAL REVIEW COMMITTEE (TRC)
COMMENT FORM

Meeting Date: 1.20.22
Property Address: Site Plan - Fort Pierce Commerce Center - At or near Energy Lane

Please be advised that the project may trigger the requirements indicated below:

☑ 1. Building Official or his representative has no comment at the time of this meeting, but reserves submission of comments upon completion of the official plan review.

☐ 2. Pre-construction meeting with the City's Building Department is requested.

☑ 3. Any construction will need to meet the requirements of the Florida Building Code 7th Edition.

☐ 4. Means of egress is required.

☐ 5. Means of ingress is required.

☐ 6. Must meet the following Accessibility requirements:

- ☐ Accessible route
- ☐ Handicapped parking spaces
- ☐ Means of egress

☐ 7. Change of Use required

- ☐ to include a signed and sealed Life Safety Plan
- ☐ to include a signed and sealed detailed comprehensive building plan.

☐ 8. Property exists in Special Flood Hazard Area. All Federal and State requirements shall be addressed.

☐ 9. Flood Development Permit required.

☑ 10. Building Permit required.

☑ 11. Signed and sealed construction drawings required.

☑ 12. Will need to meet the Fire Code.

☐ 13. Sprinkler system is required.

☐ 14. Smoke alarm system is required.

☑ 15. Other

Additional Comments/Requirements:

Flex Space is Not defined in the FL Bldg Code. All areas of the Bldg shall be given a designation that matches the Appropriate Use & Occupancy per the F.B.C. & comply with the Fire Prevention Code

Building Official's or Representative's Signature _____ Date: 1/14/22

Jennifer Hofmeister

From: Peggy Arraiz
Sent: Tuesday, January 18, 2022 5:15 PM
To: Alicia Rosenthal
Cc: Jennifer Hofmeister; Vennis Gilmore
Subject: RE: New Item Added - TRC Comments Due for 1/20/22 City of Ft. Pierce TRC Meeting

Good afternoon,

Code Enforcement has reviewed all the items on the agenda and does not have any comments.

Best Regards,

Margaret M. (Peggy) Arraiz | Director of Community Response | City of Fort Pierce
Community Response Department
Code Enforcement * Animal Control * Parking Enforcement
Phone: 772.467.3148▪ Fax: 772.468.0457▪ 100 North U.S. 1 Fort Pierce, FL 34950

Website | Facebook | Survey

-----Original Appointment-----
From: Alicia Rosenthal <arosenthal@cityoffortpierce.com>
Sent: Friday, January 07, 2022 3:25 PM
To: Alicia Rosenthal; Ben Balcer ; ChambersG@stlucieco.org; David Hays; Deborah Savrda; deklem; Diane Hobley-Burney; Dingy; djohnson; dspotts@fppd.org; Eric Meyer; FPUA; J Nentwick; Jacolby Washington; Jason Mittler; jcarnes@fpua.com; jcisneros@fpua.com; Kenny Norris; Keymail FPUA; Kori Benton; larry.hymowitz@dot.state.fl.us; lbianco@fpua.com; Leslie Olson; Linda Cox; Linda Pendarvis; Lydia Santiago (lsantiago@fpua.com); Marvin Sanders; Mike Reals; Paul Bertram; Paul Brege DOT; Paul Jakubczak; Paul Laguerre; Paul Langel; Paul Thomas; Peggy Arraiz; Peter Buchwald; R Ridle; ReedR@stlucieco.org; RevordJ@stlucieco.org; Sergeant Fasanello; Thierry Sydne; Tracy Telle; Venetia Barnes; Wayne Boyer
Cc: Planning Department; Julie Bye; Karen Murphy; Joshua Revord; Maria Lewicka; Jennifer Hofmeister
Subject: New Item Added - TRC Comments Due for 1/20/22 City of Ft. Pierce TRC Meeting
When: Tuesday, January 18, 2022 8:30 AM-9:00 AM (UTC-05:00) Eastern Time (US & Canada).
Where:

Please accept this invitation as a reminder that TRC Comments are due today for the Thursday, January 20, 2022, City of Ft. Pierce Technical Review Committee meeting. Please send comments to the respective planner. Thank you.

The meeting will be held in person or virtually via Microsoft TEAMS in the 2nd floor, **William Dannahower Conference Room at 10:00 AM.**

Click on the hyperlink below to go directly to the agenda on the public web site.

01/20/22 Technical Review Committee

The Microsoft TEAMS link is included on the TRC monthly calendar invite and is shown below.

Microsoft Teams meeting

Join on your computer or mobile app

Click here to join the meeting

Learn More | Meeting options

THE SUNRISE CITY
FORT PIERCE
Florida
POLICE DEPARTMENT
"In Honor We Serve"

Technical Review Committee meeting

January 20, 2022

Case # 21-07000030

Planner: Vennis Gilmore

Site Plan / Design Review / Capacity Analysis

Fort Pierce Commerce Center, Energy Lane, Fort Pierce, FL

Comments:

Included in the packet submittal (packet # 2, pages 73 – 91) are renderings of the Kings Highway Business Center. After conferring with this projects' planner Mr. V. Gilmore, it is my understanding those renderings are to simulate proposed building designs for this project. Therefore, I shall echo the same comments I submitted in May 2021 for the Kings Highway Business Park, found below in italics.

> *In the schematic renderings of the proposed development and construction of the two warehouse buildings, I observed what was labeled "screen wall" on the rendering that depicts the rear, loading docks area of the warehouse. From the design rendering, it appears that the "screen wall" is constructed by erecting nine (9) solid panels with a lighting gap between each piece. I am presuming that the reason for the screen wall is to shield the comparatively unsightly "business end" of the warehouse and maybe also to allow for some sound deadening. That, in and of its own is a great addition to the project. However, if practical, please consider a more transparent or opaque design to minimize any possibility of concealment of persons. A more transparent or opaque design also allows for better "natural surveillance" which aides in reduction of potential crime or undesired behaviors and activity.*

Officer Damian Spotts

Crime Prevention Practitioner

Fort Pierce Police Department.

Fort Pierce Utilities Authority
Water/Wastewater Engineering
1701 South 37th Street
Fort Pierce, FL 34947
772.466.1600

Technical Review Committee Meeting

January 20, 2022

TECHNICAL REVIEW PROJECT # 21-07000030
Ft Pierce Commerce Center- Energy Lane
Comments

FPUA W/WW Engineering: Concept approved.

Water and wastewater services are available to serve the subject properties. To connect to these services please submit Utility Plan (2 complete sets) along with a completed plan review and commercial service application to FPUA's Water and Wastewater Engineering department, at 1701 S 37th Street Fort Pierce Florida 34947. Please see the Developer's Responsibilities page on the FPUA website for important steps to guide through the entire process including utility details and permit applications (see link). Details and Specifications can be found at W/WW Engineering Page. For any additional questions please contact Shane Ostrander sostrander@fpua.com.

FPUA Electric & Gas Engineering: Approved.


Electric - The property is not in the FPUA electric service area. Located in FPL service area.

Gas – Service is available to the site (From Selvitz Rd). Please provide a copy of the gas riser diagram with the anticipated load (if developer is interested in natural gas service to the propose site). For more information and incentive available, please contact Billy Dupre. Attached below is a copy of the FPUA GIS map.



Billy Dupre
Business Development Representative
Gas Operations

1701 S. 37th Street, Fort Pierce, FL 34947
Bdupre@fpua.com
Office: (772)-466-1600 Ext.4705



Legend

- Electric Primary Wire
- Transmission Wire
- Gas Main
- Fiber Optic Cable
- Potable Water Main
- Raw Water Main
- Wastewater Force Main
- WW Gravity Main

- Pole
- Fuse

Transformers
- Overhead
- Pad Mount

Valves
- Gas
- Water
- Raw Water
- Waste Water

- Fire Hydrant
- Well
- PS Lift Station

Disclaimer:

The data contained herein is offered "as is", with no claim or warranty as to its accuracy or completeness. The data is for reference only and should not be considered to be of survey precision. Due to formatting restrictions, the information provided in the map may not be represented in the legend.

811 Know what's below. Call before you dig.

Date: 12/28/2020

FPUA COMMUNITY PROUD

N

1 inch = 455 feet

FPUA Web Map

Created By:
FPUA

(772) 466-1600
FAX (772) 461-1938

ST. LUCIE COUNTY FIRE DISTRICT
Community Risk Reduction Division
Office of the Fire Marshal

Telephone: **(772) 621-3322**
Fax: **(772) 621-3604**

BUREAU OF FIRE PREVENTION

SITE PLAN REVIEW

TO: Site Plan Applicant

SITE PLAN: Ft. Pierce Commerce Center

REVIEW DATE: 1/5/2022

PLANNER: MICHAEL MILES

REVIEWED BY: Captain Wayne Boyer, Lieutenant Salomon Rincon

Site Plan Approved: _____

Site Plan Approved with conditions: ___X____

Site Plan Approval withheld pending written acknowledgement of conditions: _____

Site Plan Rejected: _____

The Following Revisions Are Necessary:

1. ~~**Please submit a completed application for Development/Site Plan Review (St. Lucie County Fire District Development & Site Plan Review Application). This form is available on-line at https://www.slcfd.com**~~ **Received 01/05/2022**
2. ~~**Fire District review fees are due at the time of submittal. An abbreviated fee schedule is included on the application form.**~~ **Received 01/05/2022**
3. ~~**Please send the Fire District electronic plans for the site and buildings.**~~ **Received 01/05/2022**
4. **A separate review and permit is required for Underground Fire Mains connected to standpipes or sprinkler systems.**

ST. LUCIE COUNTY FIRE DISTRICT
Community Risk Reduction Division
Office of the Fire Marshal

Telephone: **(772) 621-3322**
Fax: **(772) 621-3604**

5. **Fire hydrants (shall be) are provided for buildings other than detached one-and-two-family dwellings IAW both of the following 1) The maximum distance to a fire hydrant from the closest point in the building shall not exceed 400 feet. 2) The maximum distance between fire hydrants shall not exceed 500 feet. NFPA 1:18.5.3. Please provide fire flow calculations for hydrants.**

6. **An approved water supply capable of supplying the required fire flow for fire protection (shall be) is identified to all premises upon which facilities, buildings, or portions of buildings which are to be constructed or moved into the jurisdiction. The approved water supply shall be in accordance with NFPA 1:18.4. See "Needed NFPA Fire Flow Calculator Spreadsheet".**

7. **Per NFPA 1114 Chapter 9, Section 1.3. Prior to the final occupancy of any building, the permitted water supply for fire protection, including fire hydrants and fire suppression systems, shall be installed, tested, and acceptable to the AHJ (SLCFD).**

8. **Security gates must either be manned 24 hour/day or provide an access control key switch on the control panel to allow for Fire Department entry in an emergency. Security gates must maintain a clear width of 12 feet when open and provide a means to open the gates manually upon loss of power.**

9. **Per the St. Lucie County Fire District Fire Prevention Code Resolution 647-17. At Least 13 feet 6 inches nominal vertical clearance shall be provided and maintained over the full width of all means of access. Including, but not limited to trees, canopies, etc.**

10. **Fire department connections shall be located on the street side of buildings and shall be located and arranged so that hose lines can be readily attached to the inlets without interference from any nearby objects, including buildings, fences, landscaping, or other fire department connections. The locations of connections shall be based upon the access requirement s of the fire department.**

11. **The distance allowed between the fire department connection and a fire hydrant shall be no more than one hundred fifty (150) feet as a vehicle travels.**

12. **Be advised: Dimensions of largest vehicle are as follows: 38 tons or 77k lbs, 47.5 ft. total length, 21.5 ft. wheel base, 10.5 ft. total width, 41.5 degree turning radius.**

ST. LUCIE COUNTY FIRE DISTRICT
Community Risk Reduction Division
Office of the Fire Marshal

Telephone: **(772) 621-3322**
Fax: **(772) 621-3604**

13. **Two-Way Radio Enhancement Systems/BDAS shall be installed, inspected and operationally tested in accordance with the manufacturer's published requirements, by the local fire department, and comply with the most current edition of the Florida Fire Prevention Code and its incorporated standards and codes. Pre-surveys of radio signal strength shall be submitted to the Fire Marshal in the form of heat signature mapping or a certification document of radio signal strength provided by a licensed engineer.**

14. **Minimum Size of Water Mains**
    a. The minimum size of water mains for supplying water for firefighting purposes shall be six (6) inches. b. The minimum size of water mains supplying hydrants on a dead end main shall be eight (8) inches. c. The maximum number of hydrants located on a dead end main shall be one (1). d. Grid or Tee systems shall be supplied by a minimum of an eight (8) inch looped main. Exceptions may be granted based on the capacity of the water distribution system but in no case shall the main size be less than six (6) inches. e. The minimum size water main(s) shall be determined by the needed fire flow as established by the Fire Marshal and based on the current Insurance Service Office (ISO) requirements.

Selvitz Road Widening
from Glades Cut Off Road to Edwards Road

County Project Number: 19107

January 2022


St. Lucie County Board of County Commissioners invites you to a Public Information Meeting to learn about the proposed widening for Selvtiz Road from Glades Cut Off Road to Edwards Road in St. Lucie County, Florida. The purpose of this project is to widen Selvitz Road to improve capacity, safety, and accommodate additional users. The proposed typical section consists of a four-lane urban roadway with buffered bike lanes, a 12-foot shared use path on the east and a six-foot sidewalk on the west.

The Public Information Meeting will be held **Thursday, January 27, 2022 from 5:30 pm to 7:00 pm** at the **Oxbow Eco-Center, 5400 NE St James Drive, Port St. Lucie, FL 34983**. The meeting will have an open house format and staff will be available to answer questions and provide assistance at any time during the meeting. If you require further information, please contact the Project Manager using the information provided below:

Contact Information

Selena Griffett, P.E.
St. Lucie County Board of County Commissioners
Engineering Division
2300 Virginia Ave.
Fort Pierce, FL 34982

Phone: (772) 462-2153
Email: griffetts@stlucieco.org



Selvitz Road Widening
from Glades Cut Off Road to Edwards Road

County Project Number: 19107

January 2022


St. Lucie County Board of County Commissioners invites you to a Public Information Meeting to learn about the proposed widening for Selvtiz Road from Glades Cut Off Road to Edwards Road in St. Lucie County, Florida. The purpose of this project is to widen Selvitz Road to improve capacity, safety, and accommodate additional users. The proposed typical section consists of a four-lane urban roadway with buffered bike lanes, a 12-foot shared use path on the east and a six-foot sidewalk on the west.

The Public Information Meeting will be held **Thursday, January 27, 2022 from 5:30 pm to 7:00 pm** at the **Oxbow Eco-Center, 5400 NE St James Drive, Port St. Lucie, FL 34983**. The meeting will have an open house format and staff will be available to answer questions and provide assistance at any time during the meeting. If you require further information, please contact the Project Manager using the information provided below:

Contact Information

Selena Griffett, P.E.
St. Lucie County Board of County Commissioners
Engineering Division
2300 Virginia Ave.
Fort Pierce, FL 34982

Phone: (772) 462-2153
Email: griffetts@stlucieco.org



Jennifer Hofmeister

From: Kori Benton <bentonk@stlucieco.org>
Sent: Thursday, January 20, 2022 12:03 AM
To: Alicia Rosenthal; Vennis Gilmore; Jennifer Hofmeister
Subject: RE: New Item Added - TRC Comments Due for 1/20/22 City of Ft. Pierce TRC Meeting

SECURITY WARNING: This email originated outside of the City of Fort Pierce systems. Please use caution when clicking links or opening attachments. For questions or concerns please contact IT immediately. .

1/20* Meeting.

From: Kori Benton
Sent: Thursday, January 20, 2022 12:03 AM
To: 'Alicia Rosenthal' <arosenthal@cityoffortpierce.com>; Vennis Gilmore <vgilmore@cityoffortpierce.com>; Jennifer Hofmeister <jhofmeister@cityoffortpierce.com>
Subject: RE: New Item Added - TRC Comments Due for 1/20/22 City of Ft. Pierce TRC Meeting

Good evening,

The following comments are provided in review of the TRC Agenda Packet for the 1/21 meeting.

1. **New Business:**

a. Future Land Use, Rezoning, Planned Development and Site Plan - Savannah Preserve - 2426-333-0015-000-5 *Click*

SLC Planning Comments: Staff is awaiting the updated Traffic Impact Report (post meeting with the applicant

b. Site Plan and Conditional Use - Renaissance Business Park - 4100 Okeechobee Road *Click to View*

• The proposal includes petitions for Conditional Use allowance (not a rezoning) for a broad set of uses without highli
service/last mile distribution hub with concentrated vehicular trips), intersection LOS, hours of operation, limitations of

The following uses proposed should have greater specificity within a "Conditional Use" request to consider po
adjacent properties.

• light industrial/manufacturing
Warehouse and Freight
• Social Service Institution
• Antenna Support Structure

The applicant is encouraged to continue landscape buffering along the entirety of the road rights-of


c. Site Plan and Conditional Use - Ballarena Townhomes - 4701 Regina Drive *Click to View*

The applicant is encouraged to preserve native trees within the PUD plan, while providing greater buffering/physical s
coordinate with St. Lucie County Public Works regarding any right-of-way requests, or sidewalk requirements/proposa

With the proposed development, and increased infill along Weather Road, the City is encouraged to consider low leve

Good evening,

The following comments are provided in review of the TRC Agenda Packet for the 1/21 meeting.



d. Site Plan and Conditional Use – Fort Pierce Storage Facility – 2415-602-0002-000-2 - At or near the NE Corner of US

As the subject site was previously impacted/developed, is the City requiring full mitigation of impacts to remaining feasible, providing foundational plantings adjacent to the structure and shade trees adjacent to 3rd Street/sidewalk

Advisory note: With recent development adjacent to 3rd Street, it appears increased stormwater run-off may be m

e. Site Plan and Conditional Use – U-Haul – 3602 S. US Highway 1 (Resubmittal) *Click to View*

The attention to detail/architectural features along the US 1 corridor is noted. The applicant is encouraged to provide the façade/pocket landscape inserts exhibited.

f. Site Plan and Conditional Use - Flagship Self Storage - St. James and US Highway 1 *Click to View*

The applicant is encouraged to provide foundational plantings along the façade expanse.

g. Site Plan - Fort Pierce Commerce Center - At or near Energy Lane *Click to View*


A third-party traffic review is requested for the proposed project to evaluate impacts to adjacent links and intersections

Background: St. Lucie County has site plan history for this business park, with particular attention relating the wetland enclosed for reference. The proposed plan does not detail the proposed stormwater plan for the new development, or

Good evening,

The following comments are provided in review of the TRC Agenda Packet for the 1/21 meeting.

Simply a note: A prior site plan design explored the connection of Energy Drive to Post Office Road/South Jenkins, w



h. Site Plan - Kieran Casey - 3621 US Highway 1 *Click to View*
No comments.

i. Site Plan - ABS Gas & Go - 3810 S. US Highway 1 *Click to View*

The applicant is encouraged to integrate foundational plantings along the building facades. Additional buffering (poter
plan does not demonstrate the potential spill-over to adjacent land uses as reading detail terminates at the landscape



j. Variances - Chris Sante - 601 Hernando Street *Click to View*
No comments.

-----Original Appointment-----
From: Alicia Rosenthal <arosenthal@cityoffortpierce.com>
Sent: Friday, January 7, 2022 3:25 PM
To: Alicia Rosenthal; Ben Balcer ; ChambersG@stlucieco.org; David Hays; Deborah Savrda; deklem; Diane Hobley-Burney; Dingy; djohnson; dspotts@fppd.org; Eric Meyer; FPUA; J Nentwick; Jacolby Washington; Jason Mittler; jcarnes@fpua.com; jcisneros@fpua.com; Kenny Norris; Keymail FPUA; Kori Benton; larry.hymowitz@dot.state.fl.us; lbianco@fpua.com; Leslie Olson; Linda Cox; Linda Pendarvis; Lydia Santiago (lsantiago@fpua.com); Marvin Sanders; Mike Reals; Paul Bertram; Paul Brege DOT; Paul Jakubczak; Paul Laguerre; Paul Langel; Paul Thomas; Peggy Arraiz; Peter Buchwald; R Ridle; ReedR@stlucieco.org; RevordJ@stlucieco.org; Sergeant Fasanello; Thierry Sydne; Tracy Telle; Venetia Barnes; Wayne Boyer
Cc: Planning Department; Julie Bye; Karen Murphy; Joshua Revord; Maria Lewicka; Jennifer Hofmeister
Subject: New Item Added - TRC Comments Due for 1/20/22 City of Ft. Pierce TRC Meeting
When: Tuesday, January 18, 2022 8:30 AM-9:00 AM (UTC-05:00) Eastern Time (US & Canada).
Where:

SECURITY WARNING: This email originated from outside the County systems. Please show caution when clicking links or opening attachments unless you recognize the sender and know the content is safe.

Please accept this invitation as a reminder that TRC Comments are due today for the Thursday, January 20, 2022, City of Ft. Pierce Technical Review Committee meeting. Please send comments to the respective planner. Thank you.

The meeting will be held in person or virtually via Microsoft TEAMS in the 2nd floor, **William Dannahower Conference Room at 10:00 AM.**

Click on the hyperlink below to go directly to the agenda on the public web site.

01/20/22 Technical Review Committee

The Microsoft TEAMS link is included on the TRC monthly calendar invite and is shown below.

Microsoft Teams meeting

Join on your computer or mobile app
Click here to join the meeting
Learn More | Meeting options

Please Note: Florida has very broad public records laws. Most written communications to or from County officials regarding County business are public records available to the public and media upon request. It is the policy of St. Lucie County that all County records shall be open for personal inspection, examination and / or copying. Your e-mail communications will be subject to public disclosure unless an exemption applies to the communication. If you received this email in error, please notify the sender by reply e-mail and delete all materials from all computers.

January 18, 2022

PROJECT: Fort Pierce Commerce Center

REF: TRC App. #

TO: Vennis Gilmore

FROM: Grant Chambers

The following comments are offered by SLC PW - Engineering:

1. Selvitz Road is identified on the County's Right-Of-Way Protection Plan. A ROW Dedication of 30 FT will be required along Selvitz Road.
2. A Traffic Report is required for review by the County's outside traffic consultant at the cost of the applicant. Please provide a traffic report directly to the County for review.
3. Selvitz Road is identified on the County's Greenways and Trails Master Plan. A 10 to 12 FT wide Multi-Use path will be required along the Selvitz Road frontage.
4. A permit for access and drainage outfall from the County prior to initiation of site improvements is required. Please remit a Site Development Permit application, an electronic set of plans and a minimum of one hard copy of all necessary plans and documents to the Engineering Division of the County. The application may be found on the County's website, Public Works Department link.
5. For discussion regarding these comments and response, please contact me at 772-462-2741, chambersg@stlucieco.org or David Hays at 772-462-1491, haysd@stlucieco.org.

Cc: Alicia Rosenthal

THE SUNRISE CITY
FORT PIERCE
Florida
ENGINEERING
DEPARTMENT

TO : Vennis Gilmore, Senior Planner

FROM : John R. Andrews, P.E., City Engineer

RE : Site Plan & Design Review – FP Commerce Center – Energy Lane
TRC No. 21-07000030

DATE : January 19, 2022

This is to advise you that we have completed the review of the following documents as received by this office on January 10, 2022:

- [x] Site Plan Application
- [ ] Test Reports & Related Documents
- [ ] Record Drawings
- [ ] Clearances from all applicable Local, State and Federal Agencies
- [ ] Building Construction Plans
- [ ] Certificate of Completion
- [ ] Permits from applicable Local, State & Federal Agencies

Based on our reviews and appropriate site final inspection, we

- [ ] Recommend
- [x] Do Not Recommend

- [x] Site Plan Approval
- [ ] Building Permit
- [ ] C/O

Developer, Owner, Engineer, Contractor and other members of the Development Team must be aware, the above recommendation is based only on the construction requirements of the engineering plans and other engineering documentation approved by this department. The Development Team shall be responsible for the compliance with other City department requirements and all approved documents, as well as Local, State and Federal regulations. The development requirements for this project may necessitate additional construction requirements that are not subject to this department's review for approval.

- [x] See attached for comments

\\2500FS01\City Hall Share 01\Engineering\ENGINEERING\Site Development Projects\F\Fort Pierce Commerce Center\Site Plan\Submittal No. 1 - 010722\SP Comments - 011822.docx

ENGINEERING COMMENTS:

1. Site Plan C, reconfigure the proposed dry detention/retention area away from the Selvitz Road public right of way in accordance with the City of Fort Pierce Code of Ordinance Section 119-9.
2. Relocate any proposed trees from the limits of the dry detention/retention area bottom.

ADVISORY COMMENTS:

1. A permit shall be required to discharge to North Saint Lucie River Water Control District (NSLRWCD) Canals 101 and 102.
2. A South Florida Water Management District (SFWMD) permit modification shall be required.
3. The project shall have all State and Federal permits in place prior to conducting any land clearing operations as the submitted Environmental Assessment indicates that wetlands are present on the site.
4. Saint Lucie County (SLC) shall advise for required sidewalks, turn lanes and any further roadway improvements in the Selvitz Road right of way.
5. A Unity of Title shall be required for the two parcels that the proposed Warehouse Building B is situated across.
6. The drainage plan was reviewed conceptually and will be reviewed in depth at time DPCR application.

JRA/VB/vb

100 NORTH US 1, FORT PIERCE, FLORIDA 34950 ▪ CITYOFFORTPIERCE.COM ▪ TEL: 772.467.3000 ▪ FAX: 772.460.6847

DYNAMIC
ENGINEERING EARTH SURVEY TRAFFIC

Dynamic Engineering Consultants, PC
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T. 561-921-8570

February 18th, 2022

City of Fort Pierce
Fort Pierce Planning Department
100 North U.S. 1
Fort Pierce, FL 34950
Attn: Jennifer Hofmeister-Drew

RE: Ft Pierce Commerce Center
Energy Lane Commerce Center
Ft Pierce, FL 34891
DEC # 3342-99-005
TRC #21-07000030

Dear Ms. Hofmeister-Drew,

On behalf of our client St. Lucie Commerce Center, LLC, the following contains our responses to the comments received for the above-mentioned project. The responses have been provided in bold for your reference:

Fort Pierce Planning Division

1. Please provide a justification statement for the requested use that includes a description of daily work activity as this area is adjacent to residential and the truck activity will be exorbitant.

   Response: A revised justification statement has been included on this resubmittal package. See Section F 'Typical Daily Work Activity for Industrial Buildings'.

2. The Code does not call out flex space, please define the flex space proposed.

   Response: Flex space is a smaller scale operation consistent with the other large-scale warehousing uses on the site. The flex spaces are anticipated to serve in the same way, with a combination of warehouse and office/retail space. They are smaller in scale as compared to the large-scale warehouse uses and can be divisible for smaller tenants that don't require such intense loading operations. Typically, these would have a lower interior clear height than the larger spaces due to the reduced loading requirements.

   Potential occupants would include local service businesses, auto shops, HVAC companies, cabinet makers, contractors, flooring companies, etc. Local trades would likely be the most interested tenants in this type of use. Per our initial discussions with St. Lucie County

Economic Development Council, this type of product is in demand within this area. Any of the local users are anticipated to be those permitted by right in the I-1 district.

3. Please confirm walkways are providing around the wetland/conservation areas.

   Response: Walkways around the conservation areas for the existing wetlands are not proposed. Per conversations with Jennifer Hoffmeister-Drew, Planning Department Director, the applicant is proposing seating areas in place of the suggested walkways. These picnic areas have views to the proposed detention areas to provide recreational spaces for employees.

4. Littoral plantings will be required.

   Response: Littoral plantings are proposed as required by the South Florida Water Management and will follow the City of Fort Pierce land development code requirements. See Sheet L1.09 Littoral Details.

5. Please provide the anticipated truck route as surrounding residential development will be affected. Attention to this detail is required.

   Response: See attached truck route exhibit.

6. Please consider providing an area for employs to gather outside surrounding the wetlands that is covered.

   Response: Per conversations with Jennifer Hoffmeister-Drew, Planning Department Director, the applicant is proposing seating areas with view to the proposed detention areas to provide recreational spaces for employees.

7. Will this project be developed in one or multiple phases?

   Response: The applicant's intent is to develop the project's infrastructure in one phase and to develop each building as tenants are contracted.

8. Please remove the location of monument signs on the site plan. Signage will be reviewed and approved in a separate application.

   Response: The location of monument signs on the site plan have been removed and will be submitted for permit on a separate application.

9. A Unity of Title and Lot Combination will be required.

   Response: Acknowledged.

10. Colored architectural renderings are required prior to moving past the TRC review.

    Response: See attached architectural colored elevations for all buildings as requested.

11. Landscaping will be key to the compatibility with the surrounding area and the overall appearance

    Response: Acknowledged.

12. Please schedule a site visit with Planning staff and the Tree Arborist.

    Response: A site visit was held with Planning staff and Tree Arborist on Wednesday February 2nd, 2022.

13. Please note, the following conditions are standard and will be noted on the staff report:

    a. Pursuant to City Code Section 123-66.(d) -Tree protection and mitigation, a final Tree Mitigation Plan shall be approved by staff prior to the issuance of a Building Permit.

    b. A certified letter of completion by a landscape architect and landscape bond pursuant to City Code 123-6 shall be required before the Final Certificate

    Response: Acknowledged.

14. Further comments may be provided at the TRC meeting.

    Response: Acknowledged, no further comments were provided at TRC meeting.

Fort Pierce Building Department

1. Any construction will need to meet the requirements of the Florida Building Code 7t Edition.

   Response: Acknowledged.

2. Building Permit required

   Response: Acknowledged.

3. Signed and sealed construction drawings required

   Response: Acknowledged.

4. Will need to meet with Fire Code

   Response: Acknowledged.

5. Other

   Response: Acknowledged.

6. Flex Space is not defined in the FL Bldg Code. All areas of the Bldg shall be given a designation that matches the appropriate Use & Occupancy per the F.B. E. and comply with the Fire Prevention Code.

   Response: Flex space is a smaller scale operation consistent with the other large-scale warehousing uses on the site. The flex spaces are anticipated to serve in the same way, with a combination of warehouse and office/retail space. They are smaller in scale as compared to the large-scale warehouse uses and can be divisible for smaller tenants that don't require such intense loading operations. Typically, these would have a lower interior clear height than the larger spaces due to the reduced loading requirements.

   Potential occupants would include local service businesses, auto shops, HVAC companies, cabinet makers, contractors, flooring companies, etc. Local trades would likely be the most interested tenants in this type of use. Per our initial discussions with St. Lucie County Economic Development Council, this type of product is in demand within this area. Any of the local users are anticipated to be those permitted by right in the I-1 district.

Fort Pierce Code Enforcement Division

No comments.

Response: Acknowledged.

Fort Pierce Tree Arborist

1. Tree survey and mitigation looks good.

   Response: Acknowledged.

2. Preserve areas and transplanted tree require tree protection barriers.

   Response: This note was added to the Tree Disposition Plan sheet T1.00.

3. Landscape buffer and existing trees to be saved need to be inspected prior to starting the project.

   Response: This note was added to the Tree Disposition Plan sheet T1.00.

Fort Pierce Police Department

1. Included in the packet submittal (packet # 2, pages 73 – 91) are renderings of the Kings Highway Business Center. After conferring with this projects' planner Mr. V. Gilmore, it is my understanding those renderings are to simulate proposed building designs for this project. Therefore, I shall echo the same comments I submitted in May 2021 for the Kings Highway Business Park, found below in italics.

   In the schematic renderings of the proposed development and construction of the two warehouse buildings, I observed what was labeled "screen wall" on the rendering that

depicts the rear, loading docks area of the warehouse. From the design rendering, it appears that the "screen wall" is constructed by erecting nine (9) solid panels with a lighting gap between each piece. I am presuming that the reason for the screen wall is to shield the comparatively unsightly "business end" of the warehouse and maybe also to allow for some sound deadening. That, in and of its own is a great addition to the project. However, if practical, please consider a more transparent or opaque design to minimize any possibility of concealment of persons. A more transparent or opaque design also allows for better "natural surveillance" which aides in reduction of potential crime or undesired behaviors and activity.

Response: This comment was deemed non-applicable to the Fort Pierce Commerce Center project during the TRC meeting held on January 20th, 2022, as the applicant is not proposing solid panels.

Fort Pierce Utility Authority (FPUA)

1. FPUA W/WW Engineering: Concept approved.

   Response: Acknowledged.

2. Water and wastewater services are available to serve the subject properties. To connect to these services please submit Utility Plan (2 complete sets) along with a completed plan review and commercial service application to FPUA's Water and Wastewater Engineering department, at 1701 S 37th Street Fort Pierce Florida 34947. Please see the Developer's Responsibilities page on the FPUA website for important steps to guide through the entire process including utility details and permit applications (see link). Details and Specifications can be found at W/WW Engineering Page. For any additional questions please contact Shane Ostrander sostrander@fpua.com.

   Response: Acknowledged.

Fort Pierce Electric & Gas

1. FPUA Electric & Gas Engineering: Approved.

   Response: Acknowledged.

2. Electric - The property is not in the FPUA electric service area. Located in FPL service area.

   Response: Acknowledged.

3. Gas – Service is available to the site (From Selvitz Rd). Please provide a copy of the gas riser diagram with the anticipated load (if developer is interested in natural gas service to the propose site). For more information and incentive available, please contact Billy Dupre. Attached below is a copy of the FPUA GIS map.

   Response: Acknowledged.

Florida DOT

Maybe forthcoming

SLC Planning

1. A third-party traffic review is requested for the proposed project to evaluate impacts to adjacent links and intersections, with emphasis at Glades Cut-off and Selvitz and Selvitz and Edwards.

   Response: Acknowledged, traffic review was submitted for on January 26th, 2022. Comments were received on February 11, 2022 see SLC Traffic Review section of this document.

2. Background: St. Lucie County has site plan history for this business park, with particular attention relating the wetland conservation areas and buffering. The County's Approved/Regulatory Plans for the site are enclosed for reference. The proposed plan does not detail the proposed stormwater plan for the new development or display any required/existing retention serving Energy Drive.

   Response: Please see sheets C2.00 to C2.07 Paving, Grading & Drainage Plans.

3. Simply a note: A prior site plan design explored the connection of Energy Drive to Post Office Road/South Jenkins, which does not appear feasible in the future with FMP's plant design.

   Response: Acknowledged.

SLC Public Works

1. Selvitz Road is identified on the County's Right-Of-Way Protection Plan. A ROW Dedication of 30 FT will be required along Selvitz Road.

   Response: The applicant is proposing a 30 feet right-of-way dedication along the eastern boundary adjacent to Selvitz Road right-of-way. See sheets C1.00 Overall Site Plan, C1.03 Site Plan C.

2. A Traffic Report is required for review by the County's outside traffic consultant at the cost of the applicant. Please provide a traffic report directly to the County for review. Selvitz Road is identified on the County's Greenways and Trails Master Plan. A 10 to 12 FT wide Multi-Use path will be required along the Selvitz Road frontage.

3. **Response: Acknowledged, traffic review was submitted for on January 26th, 2022. Dynamic Engineering Consultants, PC has requested a Typical Cross Section for the Selvitz Road expansion and SLC Public Works has stated that there is not an established Typical Section, once the traffic report is reviewed the Department will request the necessary right-of-way improvements associated to the Fort Pierce Commerce Center proposed development.**

4. A permit for access and drainage outfall from the County prior to initiation of site improvements is required. Please remit a Site Development Permit application, an electronic set of plans and a minimum of one hard copy of all necessary plans and documents to the Engineering Division of the County. The application may be found on the County's website, Public Works Department link.

   Response: Acknowledged.

5. For discussion regarding these comments and response, please contact me at 772-462-2741, chambersg@stlucieco.org or David Hays at 772-462-1491, haysd@stlucieco.org.

   Response: Acknowledged.

Engineering Comments

1. Site Plan C, reconfigure the proposed dry detention/retention area away from the Selvitz Road public right of way in accordance with the City of Fort Pierce Code of Ordinance Section 119-9.

   Response: Sheet C1.03 Site Plan C, Lot 1 has been revised to not include a dry detention area to comply with City of Fort Pierce Code of Ordinance Section 119-9.C

2. Relocate any proposed trees from the limits of the dry detention/retention area bottom.

   Response: Proposed and existing trees locations within detention areas have been revised to comply with this comment. See Sheets L1.00 Overall Landscape Plan and L1.01 – L1.08 Landscape Plan.

3. A permit shall be required to discharge to North Saint Lucie River Water Control District (NSLRWCD) Canals 101 and 102.

   Response: Acknowledged.

4. A south Florida Water Management District (SFWMD) permit modification shall be required.

   Response: Acknowledged.

5. The project shall have all State and Federal permits in place prior to conducting any land clearing operations as the submitted Environmental Assessment indicates that wetlands are present on the site.

   Response: Acknowledged.

6. Saint Lucie County (SLC) shall advise for required sidewalks, turn lanes and any further roadway improvements in the Selvitz Road right of way.

   Response: Acknowledged.

7. A Unity of Title shall be required for the two parcels that the proposed Warehouse Building B is situated across.

   Response: Acknowledged.

8. The drainage plan was reviewed conceptually and will be reviewed in depth at time DPCR application.

   Response: Acknowledged.

SLC Traffic Review Comments

1. Sidewalks: The renderings of the proposed development appear to depict a sidewalk network throughout the proposed development. However, neither a connected sidewalk network nor a sidewalk along Selvitz Road appear to be included on the plans. A connected sidewalk network throughout the proposed development and a sidewalk along Selvitz Road should be included on the plans.

   Response: The applicant has revised the sidewalk network design to reflect a sidewalk connection to Selvitz Road right-of-way and a 12 feet wide sidewalk along Selvtiz Road. See Sheet C1.03 Site Plan C.

2. Historical Growth Rate: The Traffic Analysis identifies the use of an annual growth rate that exceeds 2.5 percent but does not specify the growth rate. In addition, the background traffic tables included in Appendix C are illegible. The growth rate that was used should be specified, and legible background traffic tables should be provided to confirm that the specified growth rate is appropriate.

   Response: Acknowledged. Revisions will be submitted separately via email.

Sincerely,
Dynamic Engineering Consultants, P.C.

Michael D. Miles, P.E.
Regional Manager/Senior Principal



THIS MAP IS INTENDED FOR REPRESENTING APPROXIMATE LOCATION OF EXISTING HYDRANTS AND ANY ASSOCIATED FLOW TEST DATA. IT IS NOT INTENDED TO BE USED A GRAPHICAL REPRESENTATION OF EXISTING UTILITIES FOR DESIGN. FOR RECORD DRAWING INFORMATION, PLEASE CONTACT THE FORT PIERCE UTILITIES WATER, WASTEWATER & GAS ENGINEERING DEPARTMENT AT (772) 466-1600 x3401 OR THE ADDRESS LISTED BELOW FOR AS-BUILT RECORD DRAWINGS.

Test Date:	Flow Hydrant No.	Pressure Hydrant No. 1	Pressure Hydrant No. 2
02/04/2022	H-1687	H-1686	H-*
Test Time:	**Pitot Gauge**	**Static Pressure / Residual Pressure**	**Static Pressure / Residual Pressure**
8:55 AM	GPM - 1060	66 / 52	N/A / N/A
Repump No. / Repump Status	PSI - 40	**Calculated Flow at 20 PSI (Gallons per Minute)**	**Calculated Flow at 20 PSI (Gallons per Minute)**
1 na	Flow Gauge is for 2 1/2 Butt	2017	N/A
2 na			

Legend

- Flow Test Hydrants
- Completed Flow Hydrant Test
- Fire Hydrants

Watermains

- Active
- Abandoned
- Private

FPUA COMMUNITY PROUD

Fort Pierce Utilities Authority
Water/Wastewater/Gas Engineering
113 North 2nd Street (34950)
P.O. Box 3191
Fort Pierce, FLorida 34948-3191


N W E S

0 80 160

Feet

Fire Hydrant Flow Test Map


DEVELOPMENT REVIEW PLANS
FOR
FORT PIERCE COMMERCE CENTER



SELVITZ ROAD & ENERGY LANE
FORT PIERCE , FLORIDA 34981

PREPARED FOR:
ST. LUCIE COMMERCE CENTER, LLC
DECEMBER 2021

PROJECT LOCATION



VICINITY MAP
SCALE: AS NOTED
SECTION 31, TOWNSHIP 35S, RANGE 40E

GRAPHIC SCALE
0 500 1000 2000
(IN FEET)

PROJECT CONTACTS:

ARCHITECT/GENERAL CONTRACTOR:
ARCO DESIGN/BUILD INDUSTRIAL
200 N. WARNER ROAD, SUITE 430
KING OF PRUSSIA, PA 19406
(610) 234-0070
CONTACT: DANIEL ZEIDERS

ENGINEER OF RECORD/CONSULTANT:
DYNAMIC ENGINEERING CONSULTANTS, P.C.
100 NE 5TH AVE, SUITE B2
DELRAY BEACH, FL 33483
(561) 921-8570
CONTACT: MICHAEL D. MILES, P.E.

LANDSCAPE ARCHITECT:
SCOTT BARBER DESIGNS, P.A.
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263
CONTACT: SCOTT BARBER, R.L.A.

SURVEYOR:
RITZEL-MASON
5119 BENCHWOOD ROAD
DELRAY BEACH, FL 33484
(786) 472-0358
CONTACT: DENNIS RITZEL, PSM

DEVELOPER/OWNER/APPLICANT:
ST. LUCIE COMMERCE CENTER, LLC
30 S HOPE CHAPEL ROAD
JACKSON, NJ 08527
(561) 921-8570
CONTACT: STEVE TRESS

TRAFFIC ENGINEER:
O'ROURKE ENGINEERING & PLANNING
22 SE SEMINOLE STREET
STUART, FL 34994
(772) 781-7918
CONTACT: SUSAN O'ROURKE, P.E.

GEOTECHNICAL ENGINEER:
DYNAMIC EARTH, LLC
100 NE 5TH AVE, SUITE A1
DELRAY BEACH, FL 33483
(561) 921-8570
CONTACT: HANNA KHOURI

ENVIRONMENTAL ENGINEER:
ATWELL, LLC
11770 N US1, SUITE 308 E
PALM BEACH GARDENS, FL 33408
(866) 850-4200
CONTACT: CHARLES W. MILLAR JR.

AGENCY CONTACTS:

PLANNING AND ZONING:
CITY OF FORT PIERCE PLANNING DEPARTMENT
100 N. US1
FORT PIERCE, FL 34950
(772) 467-3730
CONTACT: JENNIFER HOFFMEISTER-DREW

FIRE RESCUE:
SAINT LUCIE COUNTY FIRE DISTRICT
5160 NW MILNER DRIVE
PORT ST. LUCIE, FL 34983
(772) 621-3400
CONTACT: WAYNE BOYER

UTILITIES:
FORT PIERCE UTILITY AUTHORITY
206 S 6TH STREET
FORT PIERCE, FL 34950
(772) 466-1600 EXT. 3468
CONTACT: SHANE OSTRANDER

ENGINEERING:
CITY OF FORT PIERCE ENGINEERING DEPARTMENT:
100 N US1
FORT PIERCE, FL 34950
(772) 467-3782
CONTACT: JOHN R. ANDREWS, P.E.

DRAWING INDEX	
C0.00	COVER SHEET
C1.00	OVERALL SITE PLAN
C1.01 – C1.07	SITE PLAN A – G
C1.08	FIRE TRUCK ROUTING PLAN
C2.00	OVERALL PAVING, GRADING & DRAINAGE PLAN
C2.01 – C2.07	PAVING, GRADING & DRAINAGE PLAN A – G
C3.00	OVERALL UTILITY PLAN
C3.01 – C3.07	UTILITY PLAN A – G
C4.00	OVERALL PHOTOMETRIC PLAN
C4.01 – C4.07	PHOTOMETRIC PLAN A – G
C4.08	PHOTOMETRIC DETAILS
SHEETS BY OTHERS	
L1.00	OVERALL LANDSCAPE PLAN
L1.01–L1.07	LANDSCAPE PLAN A – G
L1.08	LANDSCAPE DETAILS
L1.09	LITTORAL DETAILS
T1.00	OVERALL TREE DISPOSITION PLAN
T1.01–T1.07	TREE DISPOSITION PLAN A – G
T1.08 – T1.09	TREE IDENTIFICATION TABLES
1–11	ALTA/NSPS SURVEY
A01	CONCEPTUAL FLOOR PLAN – BUILDING A
A02	CONCEPTUAL ELEVATIONS – BUILDING A
B01	CONCEPTUAL FLOOR PLAN – BUILDING B
B02	CONCEPTUAL ELEVATIONS – BUILDING B
C01	CONCEPTUAL FLOOR PLAN – BUILDING C
C02	CONCEPTUAL ELEVATIONS – BUILDING C
D01	CONCEPTUAL FLOOR PLAN – BUILDING D
D02	CONCEPTUAL ELEVATIONS – BUILDING D
E01	CONCEPTUAL FLOOR PLAN – BUILDING E
E02	CONCEPTUAL ELEVATIONS – BUILDING E
F01	CONCEPTUAL FLOOR PLAN – BUILDING F
F02	CONCEPTUAL ELEVATIONS – BUILDING F

PREPARED BY
DYNAMIC ENGINEERING CONSULTANTS, P.C.
100 N.E. 5th AVENUE - SUITE B2
DELRAY BEACH, FLORIDA 33483
WWW.DYNAMICEC.COM

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:03 PM By: smcdermott
File: P:\DECPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\U3342990055K1.dwg, ---> C0.00 COVER SHEET

DYNAMIC ENGINEERING • EARTH • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SRM | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Forest, New Jersey • T: 732.974.0198
Orlando, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.792.7200
Toms River, New Jersey • T: 732.478.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.233.4888
Bethlehem, Pennsylvania • T: +1.(.)48.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: (281.799.6400
Austin, Texas • T: 512.646.2646
Palm Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: COVER SHEET

SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C0.00 | Rev. #: 1







HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE 'D' CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

SITE DATA

PARCEL NO.:	2431-800-0005-000-1
	2431-800-0004-000-4
	2431-800-0002-000-0
	2431-800-0006-000-8
	2431-800-0007-000-5
	2431-800-0003-000-7
ADDRESS:	ENERGY LANE, FT. PIERCE, FL 34981
OWNER:	ST. LUCIE COMMERCE CENTER, LLC
PROJECT NAME:	FORT PIERCE COMMERCE CENTER
APPLICANT NAME:	ST. LUCIE COMMERCE CENTER, LLC
EXISTING ZONING:	I-1 (LIGHT INDUSTRIAL)
EXISTING USE:	VACANT
PROPOSED ZONING:	I-1 (LIGHT INDUSTRIAL)
FUTURE LAND USE:	INDUSTRIAL
DEVELOPMENT TYPE:	INDUSTRIAL
LEGAL DESCRIPTION:	LOTS 1 THROUGH 6, TREASURE COAST BUSINESS PARK, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 64, PAGES 36 THROUGH 42, OF THE PUBLIC RECORDS OF ST. LUCIE COUNTY, FLORIDA
ADJACENT ZONING:	NORTH: I-1 (LIGHT INDUSTRIAL) AND I-3 (HEAVY INDUSTRIAL)
	SOUTH: IND (INDUSTRIAL) AND MXD (MIXED USE) UNINCORPORATED
	EAST: I (INSTITUTIONAL) UNINCORPORATED
	WEST: I-1 (LIGHT INDUSTRIAL)
ADJACENT FUTURE LAND USE:	NORTH: I (INDUSTRIAL) AND HI (HEAVY INDUSTRIAL)
	SOUTH: AR-1 (AGRICULTURE RESIDENTIAL) UNINCORPORATED
	EAST: PIF (PUBLIC FACILITY) UNINCORPORATED
	WEST: I (INDUSTRIAL) AND INST. (INSTITUTIONAL)

DEVELOPMENT DATA

LOT COVERAGE	EXISTING (SF)	PROPOSED (SF)	PROPOSED (AC)	PERCENTAGE (%)
PROJECT SITE AREA:	4,738,491	4,721,227	108.38	100.00%
BUILDING GFA:	0	1,215,000	27.89	25.73%
PAVEMENT AREA:	79,182	1,208,334	27.74	25.59%
SIDEWALKS:	0	28,096	0.64	0.60%
WET STORMWATER MANAGEMENT AREA*:	0	165,602	3.80	3.51%
WETLAND SURFACE AREA:	763,607	763,607	17.53	16.17%
TOTAL IMPERVIOUS (INCLUDES BUILDING):	842,789	2,457,430	56.41	52.05%
DRY STORMWATER MANAGEMENT AREA**:	0	117,542	2.70	2.49%
LANDSCAPING/OPEN SPACE:	3,895,702	1,217,046	27.94	25.78%
TOTAL PERVIOUS:	3,895,702	2,263,797	51.97	47.95%

* CALCULATED FROM CONTROL WATER ELEVATION
** CALCULATED FROM BOTTOM OF DRY DETENTION AREA

BUILDING SETBACKS

	EXISTING	REQUIRED	PROPOSED
NORTH:	N/A	N/A	20.0'
SOUTH:	N/A	15'	250.4'
EAST:	N/A	15'	157.2'
WEST:	N/A	N/A	25.0'

PARKING

PARKING RATIO:	REQUIRED (PER ITE)	TYPE	EXISTING	PROPOSED
0.39 SPACES/1,000 SF GFA	474 SPACES	STANDARD	0	561
		ADA	0	25
BICYCLE RACKS:		TOTAL	0	586
1 BIKE RACK SPACE/20 PARKING SPACES	28 BIKE RACK SPACES			28

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING CONSULTANTS, PC
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: FORT PIERCE COMMERCE CENTER
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Channel, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.679.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.235.4885
Bethlehem, Pennsylvania • T: 610.289.4400
Allen, Texas • T: 972.534.2700
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2046
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: OVERALL SITE PLAN


SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C1.00 | Rev. #: 1

Plotted: 02/18/22 – 12:03 PM, By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005S1.dwg, ----> C1.00 OVERALL SITE PLAN

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED







HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE 'D' CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

PARKING LEGEND

(X) PROPOSED CAR PARKING

(X) PROPOSED LOADING DOCK (FINAL CONFIGURATION & DOCK POSITIONS TO BE DETERMINED AT TIME OF PERMITTING)

[X] PROPOSED TRAILER STORAGE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:03 PM By: smcdermott
File: P:\DEC\PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\P3342990055S1.dwg, ----> C1.01 SITE PLAN A

DYNAMIC ENGINEERING
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, ST. LUCIE COUNTY, FL 34981
PART OF SECTIONS 31 & 32, TOWNSHIP 35S, RANGE 40E
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Cherry Hill, New Jersey • T: 856.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.283.4888
Bethlehem, Pennsylvania • T: 610.849.4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2446
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: SITE PLAN A

SCALE: (H) A.S (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C1.01
Rev. #: 1







HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE "D" CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

PARKING LEGEND

- (X) PROPOSED CAR PARKING
- (X) PROPOSED LOADING DOCK (FINAL CONFIGURATION & DOCK POSITIONS TO BE DETERMINED AT TIME OF PERMITTING)
- [X] PROPOSED TRAILER STORAGE

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE
FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Clarke, New Jersey • T: 732.714.0778
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: 610.419.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: **SITE PLAN B**


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: **C1.02**
Rev. #: 1


811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

Plotted: 02/18/22 – 12:03 PM, By: smcdermott
File: P:\JEC\PC PROJECTS\3342 Sterling Education Group, LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990055S1.dwg, ----> C1.02 SITE PLAN B

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED







HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE 'D' CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

PARKING LEGEND

(X) PROPOSED CAR PARKING

(X) PROPOSED LOADING DOCK (FINAL CONFIGURATION & DOCK POSITIONS TO BE DETERMINED AT TIME OF PERMITTING)

[X] PROPOSED TRAILER STORAGE

DYNAMIC ENGINEERING
• ENGINEERING • EARTH • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Country, New Jersey • T: 732.719.0178
Orlando, New Jersey • T: 908.879.9329
Newark, New Jersey • T: 973.753.7200
Toms River, New Jersey • T: 732.470.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4888
Bethlehem, Pennsylvania • T: +1.(.)88.44KID
Allen, Texas • T: 972.534.2100
Houston, Texas • T: (281.799.6400
Austin, Texas • T: 512.646.2646
Fort Lauderdale, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: SITE PLAN C

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C1.03
Rev. #: 1


811 Know what's below Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED


Plotted: 02/18/22 – 12:03 PM By: amcdermott
File: P:\DEC/PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\3342990055S1.dwg, ---> C1.03 SITE PLAN C


MATCHLINE A | MATCHLINE B
MATCHLINE D

MATCHLINE E
MATCHLINE D



MATCHLINE D
MATCHLINE G





HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE 'D' CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

PARKING LEGEND

(X) PROPOSED CAR PARKING

◇X◇ PROPOSED LOADING DOCK (FINAL CONFIGURATION & DOCK POSITIONS TO BE DETERMINED AT TIME OF PERMITTING)

[X] PROPOSED TRAILER STORAGE

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: _

PROJECT: FORT PIERCE COMMERCE CENTER
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Liberty Corner, New Jersey • T: 732.714.0788
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.757.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.237.4888
Bethlehem, Pennsylvania • T: 610.868.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6480
Austin, Texas • T: 512.646.2644
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: SITE PLAN D

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C1.04
Rev. #: 1

Plotted: 02/18/22 – 12:03 PM, By: smcdermett
File: P:_DEC/PC PROJECTS\3342 Sterling Education Group, LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03434990055S1.dwg, ----> C1.04 SITE PLAN D


COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED


MATCHLINE A
MATCHLINE E

MATCHLINE E
MATCHLINE D



MATCHLINE E
MATCHLINE F





HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE 'D' CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

PARKING LEGEND

(X) PROPOSED CAR PARKING

(X) PROPOSED LOADING DOCK (FINAL CONFIGURATION & DOCK POSITIONS TO BE DETERMINED AT TIME OF PERMITTING)

[X] PROPOSED TRAILER STORAGE

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: _

PROJECT: FORT PIERCE COMMERCE CENTER
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
CITY OF FORT PIERCE, ST. LUCIE COUNTY, FL
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Long Valley, New Jersey • T: 732.714.0798
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.233.4888
Bethlehem, Pennsylvania • T: 610.868.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6480
Austin, Texas • T: 512.646.2644
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: SITE PLAN E


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C1.05
Rev. #: 1

Plotted: 02/18/22 – 12:03 PM, By: smcdermett
File: P:_DEGPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990055S1.dwg, ---> C1.05 SITE PLAN E

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED







HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE 'D' CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

PARKING LEGEND

(X) PROPOSED CAR PARKING

◇X◇ PROPOSED LOADING DOCK (FINAL CONFIGURATION & DOCK POSITIONS TO BE DETERMINED AT TIME OF PERMITTING)

[X] PROPOSED TRAILER STORAGE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: _

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE
FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Clarke, New Jersey • T: 732.714.0778
Chester, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: 610.289.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: SITE PLAN F


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C1.06
Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:03 PM, By: gmcdermott
File: P:\02CPC PROJECTS\3342 Sterling Education Group, LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990055S1.dwg, ----> C1.06 SITE PLAN F







HORIZONTAL CONTROL & STRIPING NOTES

1. ALL DIMENSIONS SHOWN, OTHER THAN LANDSCAPE DIMENSIONS, ARE TO FACE OF CURB FOR TYPE 'D' CURB OR EDGE OF PAVEMENT FOR NO CURB, UNLESS OTHERWISE NOTED. LANDSCAPE DIMENSIONS ARE SHOWN TO BACK OF CURB.
2. ALL CURB RAMPS AND SIDEWALKS ENTERING PARKING OR TRAVEL WAYS SHALL HAVE DETECTABLE WARNING SURFACES 2' DEEP AND THE WIDTH OF THE SIDEWALK. REFER TO THE LATEST FDOT STANDARD PLANS & INDEXES.
3. ALL STOP BARS, DIRECTIONAL ARROWS AND CROSSWALKS SHALL BE THERMOPLASTIC. ALL OTHER PAVEMENT MARKINGS ARE PAINT, UNLESS OTHERWISE NOTED.
4. ALL RADII ARE 3' UNLESS OTHERWISE NOTED ON PLANS.

PARKING LEGEND

(X) PROPOSED CAR PARKING

(X) PROPOSED LOADING DOCK (FINAL CONFIGURATION & DOCK POSITIONS TO BE DETERMINED AT TIME OF PERMITTING)

[X] PROPOSED TRAILER STORAGE

811 Know what's below Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:03 PM By: amcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990055S1.dwg, ---> C1.07 SITE PLAN G

DYNAMIC ENGINEERING • CIVIL • LAND PLANNING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Forest, New Jersey • T: 732.974.0198
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.478.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4888
Bethlehem, Pennsylvania • T: 610.266.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: SITE PLAN G

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C1.07
Rev. #: 1







VEHICLE LEGEND:

CHASSIS ENVELOPE

VEHICLE BODY ENVELOPE

Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • EARTH • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN IS TO BE USED FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: _

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC

SELVITZ ROAD & ENERGY LANE
FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Orlando, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.875.0005
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4886
Bethlehem, Pennsylvania • T: (+1).484.4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **FIRE TRUCK ROUTING PLAN**


SCALE: (H) A:S (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: **C1.08**
Rev. #: 1

Plotted: 02/18/22 – 12:04 PM By: smclemott
File: P:\DEC\PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\P3342990005SV1.dwg, ---> C1.08 FIRE TRUCK ROUTING PLAN

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED







PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4" -24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48"Ø AND SMALLER SHALL BE 2-2/3"x1/2" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064"
      54"Ø AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079"
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294. JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE "D " OR TYPE "F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 — PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) — MATCH EXISTING GRADES
- HP: 18.50 — PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 — PROPOSED CONTOUR
- 15 OR 14 — EXISTING CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- ×14.5 — EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Orlando, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.283.4888
Bethlehem, Pennsylvania • T: (+1).484.4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **OVERALL PAVING, GRADING & DRAINAGE PLAN**


SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C2.00** | Rev. #: 1

Plotted: 02/18/22 – 12:04 PM By: smcdermott
File: P:\DEC\PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\P3342990055G1.dwg, ----> C2.00 OVERALL PAVING GRADING & DRAINAGE PLAN

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED





PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4" -24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48" D AND SMALLER SHALL BE 2-2/3"x1/2" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064"
      54"D AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079"
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294 JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE " D " OR TYPE " F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) MATCH EXISTING GRADES
- HP: 18.50 PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 PROPOSED CONTOUR
- 15 EXISTING MAJOR CONTOUR
- 14 EXISTING MINOR CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- X14.15 EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • PLANNING • SURVEY • TRAFFIC •

BY	COMMENTS	DATE	REV.
KAK	PER CITY OF FT. PIERCE COMMENTS	02/01/22	1

THIS PLAN IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Long Branch, New Jersey • T: 732.574.0778
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.793.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.233.4888
Bethlehem, Pennsylvania • T: 610.289.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2846
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **PAVING, GRADING & DRAINAGE PLAN A**


SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C2.01** | Rev. #: 1

Plotted: 02/18/22 – 12:04 PM, By: emcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990055G1.dwg, ----> C2.01 PAVING GRADING & DRAINAGE PLAN A

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED





PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4"-24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48"Ø AND SMALLER SHALL BE 2-2/3"x1/2" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064"
      54"Ø AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079"
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294. JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE "D " OR TYPE "F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 = PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) = MATCH EXISTING GRADES
- HP: 18.50 = PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 = PROPOSED CONTOUR
- 15 = EXISTING MAJOR CONTOUR
- 14 = EXISTING MINOR CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- X14.6 = EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE, ANYWHERE, IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/07/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Cherry Hill, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4886
Bethlehem, Pennsylvania • T: +1.(484).440.0330
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2846
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **PAVING, GRADING & DRAINAGE PLAN B**


SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: **C2.02** | Rev. #: 1

Plotted: 02/18/22 – 12:04 PM By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005S01.dwg, ----> C2.02 PAVING GRADING & DRAINAGE PLAN B

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED







PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4"-24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48" Ø AND SMALLER SHALL BE 2-2⅔"x½" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064"
      54"Ø AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079"
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294. JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE "D " OR TYPE "F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 — PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) — MATCH EXISTING GRADES
- HP: 18.50 — PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 — PROPOSED CONTOUR
- 15 — EXISTING MAJOR CONTOUR
- 14 — EXISTING MINOR CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- ×14.15 — EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:04 PM, By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005SG1.dwg, ---> C2.03 PAVING GRADING & DRAINAGE PLAN C

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Cobb, New Jersey • T: 732.914.0196
Channel, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.679.5000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4888
Bethlehem, Pennsylvania • T: 610.998.4400
Allen, Texas • T: 972.534.3700
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2644
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 16TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: **PAVING, GRADING & DRAINAGE PLAN C**

SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C2.03** | Rev. #: 1





PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4" -24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48"Ø AND SMALLER SHALL BE 2-2/3"x1/2" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064"
      54"Ø AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079"
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294. JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE " D " OR TYPE " F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 — PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) — MATCH EXISTING GRADES
- HP: 18.50 — PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 — PROPOSED CONTOUR
- 15 — EXISTING MAJOR CONTOUR
- 14 — EXISTING MINOR CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- ×14.15 — EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • PLANNING • SURVEY • TRAFFIC •

BY	DATE	REV.	COMMENTS
KAK	02/01/22	1	PER CITY OF FT. PIERCE COMMENTS

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: FORT PIERCE COMMERCE CENTER
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
PARCEL ID: 1435-701-0000-000-1
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Cobb, New Jersey • T: 732.974.0196
Channel, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.679.5000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4880
Bethlehem, Pennsylvania • T: 610.998.4400
Allen, Texas • T: 972.534.3700
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 16TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: PAVING, GRADING & DRAINAGE PLAN D

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C2.04
Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:05 PM, By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990050S01.dwg, ---> C2.04 PAVING GRADING & DRAINAGE PLAN D



N
W D E
S

GRAPHIC SCALE
0 25 50 100
(IN FEET)

A B C
E D
F G

PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4"-24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48"ø AND SMALLER SHALL BE 2-2/3"x1/2" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064"
      54"ø AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079"
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294. JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE "D " OR TYPE "F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) MATCH EXISTING GRADES
- HP: 18.50 PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 PROPOSED CONTOUR
- 15 EXISTING MAJOR CONTOUR
- 14 EXISTING MINOR CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- X 44.15 EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING CONSULTANTS, PC
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Worth, New Jersey • T. 732.974.0198
Chester, New Jersey • T. 908.879.9229
Newark, New Jersey • T. 973.733.7200
Toms River, New Jersey • T. 732.678.0000
Newtown, Pennsylvania • T. 267.685.0276
Philadelphia, Pennsylvania • T. 215.231.4888
Bethlehem, Pennsylvania • T. 610.289.4400
Allen, Texas • T. 972.534.2100
Princeton, Texas • T. 281.799.4400
Austin, Texas • T. 512.646.2646
Delray Beach, Florida • T. 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: PAVING, GRADING & DRAINAGE PLAN E


SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C2.05 | Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 03/18/22 – 12:05 PM By: emodemott
File: P:\DECPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\U3342990005SG1.dwg, ----> C2.05 PAVING GRADING & DRAINAGE PLAN E







PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4" -24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48"Ø AND SMALLER SHALL BE 2-2/3"x1/2" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064"
      54"Ø AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079"
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294. JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE "D " OR TYPE "F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 — PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) — MATCH EXISTING GRADES
- HP: 18.50 — PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 — PROPOSED CONTOUR
- 15 — EXISTING MAJOR CONTOUR
- 14 — EXISTING MINOR CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- x 14.5 — EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING CONSULTANTS, PC
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

BY	DATE	REV.
KAK	PER CITY OF FT. PIERCE COMMENTS	02/07/22	1

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

PROJECT: FORT PIERCE COMMERCE CENTER
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL. 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Oriental, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.judge.me
Bethlehem, Pennsylvania • T: (+1).484.4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: PAVING, GRADING & DRAINAGE PLAN F


SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C2.06 | Rev. #: 1

Plotted: 02/18/22 – 12:05 PM By: smclermont
File: P:\DEC/PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\P3342990055G1.dwg, ---> C2.06 PAVING GRADING & DRAINAGE PLAN F

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED





PAVING, GRADING & DRAINAGE NOTES

1. ALL PAVING, CONSTRUCTION, MATERIALS, AND WORKMANSHIP WITHIN PUBLIC RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH LOCAL, COUNTY OR FDOT REQUIREMENTS.
2. ALL ELEVATIONS ON THE PLANS OR REFERENCED IN THE SPECIFICATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88).
3. THE CROSS SLOPE ON ADA ACCESSIBLE ROUTES SHALL NOT EXCEED 2.0%. THE LONGITUDINAL SLOPE ON ADA ACCESSIBLE ROUTES (NOT INCLUDING RAMPS) SHALL NOT EXCEED 5.0%. THE LONGITUDINAL SLOPE FOR RAMPS SHALL NOT EXCEED 1V:12H (8.3%). ACCESSIBLE PARKING SPACES SHALL NOT EXCEED 2.0% IN ANY DIRECTION (INCLUDING DIAGONAL).
4. ALL CATCH BASINS AND DRAINAGE COLLECTION STRUCTURES SHALL BE DESIGNED WITH AN TWENTY-FOUR INCH (24") VERTICAL SUMP FROM THE INVERT ELEVATION (OR BOTTOM OF BAFFLE) TO THE BOTTOM OF THE STRUCTURE. IN ADDITION, A TWELVE INCH (12") DIAMETER OPEN SUMP, FILLED WITH WASHED GRADE ROCK, NO LARGER THAN ONE AND ONE HALF INCHES (1½") SHALL BE PLACED IN THE BASE OF THE STRUCTURE.
5. DRAINAGE STRUCTURES SHALL BE CONSTRUCTED USING FLORIDA DEPARTMENT OF TRANSPORTATION STANDARD (FDOT) AND/OR U.S. FOUNDRY (USF) PRODUCTS AS SPECIFIED OR APPROVED EQUAL. ALL STORM DRAINAGE STRUCTURES MUST COMPLY WITH JURISDICTIONAL AGENCY DETAILS AND REGULATIONS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION OF STRUCTURES AND COMMENCEMENT OF CONSTRUCTION.
6. ROOF DRAIN CONNECTIONS TO DRAINAGE PIPE SHALL BE AS FOLLOWS:
   a. FOR ADS N-12 CORRUGATED POLYETHYLENE DRAINAGE PIPE USE ADS DUAL WALL FABRICATED REDUCING SADDLE TEE 4" -24 " DIAMETER
   b. FOR RCP DRAINAGE PIPE MAKE CONNECTION PER FDOT INDEX 430-001, CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE DETAIL
   c. NOTIFY ENGINEER FOR CONNECTION METHOD TO STEEL PIPE.
7. ALL RAMPS SHALL COMPLY WITH THE LATEST FDOT INDEX STANDARDS.
8. STORM DRAIN PIPE SHALL BE AS FOLLOWS:
   a. RCP CLASS III PER ASTM C-76
   b. ALUMINIZED STEEL TYPE 2 ULTRA FLO
      48"Ø AND SMALLER SHALL BE 2-2/3"x1/2" CORRUGATION
      16 GA WITH A MINIMUM THICKNESS OF 0.064
      54"Ø AND LARGER SHALL BE 5"x1" CORRUGATION
      14 GA WITH A MINIMUM THICKNESS OF 0.079
   c. CORRUGATED POLYETHYLENE PIPE PER AASHTO M294. JOINTS SHALL BE WATER TIGHT
   d. ANY STORM PIPE USED MUST BE APPROVED BY LOCAL AUTHORITIES. CONTRACTOR SHALL SELECT THE MOST ECONOMICAL PRODUCT.
9. CONTRACTOR SHALL CLEAN ALL PROPOSED DRAINAGE STRUCTURES AND PIPES UPON COMPLETION OF CONSTRUCTION.
10. PROPOSED ELEVATIONS OF CURB REPRESENT FACE OF CURB OR EDGE OF PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED.
11. PROPOSED ELEVATIONS IN ALL PERVIOUS AREAS REPRESENT FINISHED TOP OF SOD/GRASS OR ANY OTHER LANDSCAPING MATERIAL.
12. ALL DRAINAGE STRUCTURES SHALL CONFORM TO THE LATEST FDOT INDEX STANDARDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER PRIOR TO COMMENCEMENT OF CONSTRUCTION.
13. ALL STRIPING IS TO BE PAINTED IN ACCORDANCE WITH FDOT REQUIREMENTS UNLESS OTHERWISE NOTED.
14. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE BOXES, ETC. TO PROPOSED GRADE IN VICINITY OF PAVEMENT RECONSTRUCTION AND GRADE CHANGES.
15. INLETS CONSTRUCTED ON-SITE IN PAVEMENT OR GRASS AREAS SHALL BE USF (OR APPROVED EQUAL) FRAME 4132 AND GRATE 6429 UNLESS OTHERWISE SPECIFIED.
16. INLETS CONSTRUCTED ON-SITE IN TYPE " D " OR TYPE " F " CURB SHALL BE USF (OR APPROVED EQUAL) FRAME 5130 AND GRATE 6168.
17. STORM MANHOLES CONSTRUCTED ON-SITE SHALL BE USF (OR APPROVED EQUAL) #170 RING WITH DOUBLE COVER.
18. GRATES IN PAVED AREAS SHALL BE SET AT GRADE. GRATES IN GRASS AREAS SHALL BE SET 0.15 FEET ABOVE GRADE & HAVE A CONCRETE APRON.
19. ALL PAVEMENT MARKING AND STRIPING, EXCLUDING PARKING STALL STRIPING, SHALL BE INSTALLED WITH THERMOPLASTIC MATERIALS. ALSO, PAVER BRICKS OF APPROPRIATE COLOR SHALL BE USED ON PAVER BRICK AREAS IN LIEU OF PAINT OR THERMOPLASTIC MATERIAL.
20. ALL EXISTING AND PROPOSED RIM ELEVATIONS SHALL BE SET TO FINISHED SURFACE GRADE, UNLESS OTHERWISE SPECIFICALLY NOTED ON THE PLAN. THIS SHALL INCLUDE ALL UTILITY, SEWER, WATER AND DRAINAGE STRUCTURES, MANHOLES, INLETS, VAULTS, VALVES AND OTHER APPURTENANCES.
21. ALL STORM DRAINAGE FACILITIES SHALL CONFORM TO CHAPTERS 32 & 121 AND THE STANDARD SPECIFICATIONS ADOPTED BY THE CITY COMMISSION ON FEBRUARY 13, 1973, AS AMENDED.

LEGEND

- = STANDARD DUTY ASPHALT PAVEMENT
- = HEAVY DUTY ASPHALT PAVEMENT
- = STANDARD DUTY CONCRETE PAVEMENT
- = HEAVY DUTY CONCRETE PAVEMENT
- 18.50 — PROPOSED SPOT ELEVATIONS
- 18.50 (M.E.) — MATCH EXISTING GRADES
- HP: 18.50 — PROPOSED HIGH POINT GRADES
- GRADE BREAK
- 14 — PROPOSED CONTOUR
- 15 — EXISTING MAJOR CONTOUR
- 14 — EXISTING MINOR CONTOUR
- TOP/BOTTOM OF WET POND/DRY DETENTION
- CONTROL WATER ELEVATION (15.51)
- PROPOSED SWALE
- x 14.15 — EXISTING GRADES
- PROPOSED DRAINAGE PIPE
- PROPOSED DRAINAGE STRUCTURE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:05 PM By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990005SG1.dwg, ----> C2.07 PAVING GRADING & DRAINAGE PLAN G

DYNAMIC ENGINEERING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
TOWNSHIP 34 S., TOWNSHIP 35S., RANGE 40E.
SECTION 31,

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Orlando, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.753.7200
Toms River, New Jersey • T: 732.478.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4688
Bethlehem, Pennsylvania • T: +1.2.285.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2846
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **PAVING, GRADING & DRAINAGE PLAN G**

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C2.07**
Rev. #: 1







KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

- S — S — PROP. 8" PVC SANITARY MAIN
- 4"SS — PROP. 4" SANITARY LATERAL
- 6"WL — PROP. 6" DIP FIRE SERVICE
- 8"WL — PROP. 8" PVC WATER MAIN
- 12"W — 12"W — EXISTING 12" PVC WATER MAIN
- FM — FM — EXISTING 12" PVC SANITARY FORCE MAIN
- 8"SS — 8"SS — EXISTING 8" PVC SANITARY MAIN
- OH — OH — EXISTING OVERHEAD UTILITY LINES
- PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL. 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Chantal, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.875.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.283.4888
Bethlehem, Pennsylvania • T: (+1).484.4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **OVERALL UTILITY PLAN**

SCALE: (H) A:S (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C3.00** | Rev. #: 1

Plotted: 02/18/22 – 12:05 PM By: smclemmett
File: P:\DEC/PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\P3342990055U1.dwg, ----> C3.00 OVERALL UTILITY PLAN

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED



N


W D E

S

GRAPHIC SCALE

0 25 50 100

(IN FEET)



KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

S S	– PROP. 8" PVC SANITARY MAIN
4"SS	– PROP. 4" SANITARY LATERAL
6"WL	– PROP. 6" DIP FIRE SERVICE
8"WL	– PROP. 8" PVC WATER MAIN
12"W 12"W	– EXISTING 12" PVC WATER MAIN
FM FM	– EXISTING 12" PVC SANITARY FORCE MAIN
8"SS 8"SS	– EXISTING 8" PVC SANITARY MAIN
OH OH	– EXISTING OVERHEAD UTILITY LINES
	– PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Chesnut, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: +1.(484).4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: UTILITY PLAN A


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C3.01
Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:05 PM By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005SU1.dwg, ----> C3.01 UTILITY PLAN A







KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

- S — S — PROP. 8" PVC SANITARY MAIN
- 4"SS — PROP. 4" SANITARY LATERAL
- 6"WL — PROP. 6" DIP FIRE SERVICE
- 8"WL — PROP. 8" PVC WATER MAIN
- 12"W — 12"W — EXISTING 12" PVC WATER MAIN
- FM — FM — EXISTING 12" PVC SANITARY FORCE MAIN
- 8"SS — 8"SS — EXISTING 8" PVC SANITARY MAIN
- OH — OH — EXISTING OVERHEAD UTILITY LINES
- PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Clarke, New Jersey • T: 732.719.0178
Chester, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0579
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: 610.289.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6480
Austin, Texas • T: 512.646.2846
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: UTILITY PLAN B


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C3.02
Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:05 PM By: gmcdermott
File: P:\ZECPC PROJECTS\3342 Sterling Education Group, LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990005U1.dwg, ----> C3.02 UTILITY PLAN B







KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

S S	– PROP. 8" PVC SANITARY MAIN
4"SS	– PROP. 4" SANITARY LATERAL
6"WL	– PROP. 6" DIP FIRE SERVICE
8"WL	– PROP. 8" PVC WATER MAIN
12"W 12"W	– EXISTING 12" PVC WATER MAIN
FM FM	– EXISTING 12" PVC SANITARY FORCE MAIN
8"SS 8"SS	– EXISTING 8" PVC SANITARY MAIN
OH OH	– EXISTING OVERHEAD UTILITY LINES
	– PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Chantilly, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.283.4888
Bethlehem, Pennsylvania • T: +1.(484).4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: **UTILITY PLAN C**

SCALE: (V) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C3.03**
Rev. #: 1

Plotted: 02/18/22 – 12:06 PM By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990055U1.dwg, ----> C3.03 UTILITY PLAN C

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

MATCHLINE A | MATCHLINE B
MATCHLINE D

MATCHLINE E
MATCHLINE D

CONSERVATION EASEMENT NO. 1
O.R.B. 2642, PG. 2285, S.L.C.R.

LIMITS OF WETLAND

25.0' BUFFER

D.E. PER P.B. 64, PG. 36, S.L.C.R.

PROP. 8" PVC SANITARY MAIN

PROP. 8" PVC WATER MAIN

PROP. SANITARY MANHOLE SS-10

PROP. SANITARY MANHOLE SS-9

PROP. 8" 45° BEND

PROP. FIRE HYDRANT

PROP. 8"x6" TEE & 6" GV

PROP. 6" DIP FIRE SERVICE

PROP. 23.0' FPUA EASEMENT

PROP. SANITARY MANHOLE SS-11

PROP. 8" PVC WATER MAIN

PROP. FIRE HYDRANT

PROP. 8"x6" TEE & 6" GV

PROP. 6" DIP FIRE SERVICE

PROP. 8" PVC SANITARY MAIN

PROP. SANITARY MANHOLE SS-12

PROPOSED WAREHOUSE
BUILDING D
585,000 SF
187 PARKING SPACES
94 LOADING SPACES
116 TRAILER STORAGE SPACES
10 BIKE PARKING SPACES

LOT 5

PROP. 12' FPUA EASEMENT

PROP. FIRE HYDRANT

PROP. 6" DIP FIRE SERVICE

PROP. 8"x6" TEE & 6" GV

PROP. 8" PVC WATER MAIN

12' U.E. PER P.B. 64, PG. 36, S.L.C.R.

PROP. 12' FPUA EASEMENT

PROP. FIRE HYDRANT

PROP. 6" DIP FIRE SERVICE

PROP. 8"x6" TEE & 6" GV

PROP. 12' FPUA EASEMENT

PROP. FIRE HYDRANT

PROP. 6" DIP FIRE SERVICE

PROP. 8"x6" TEE & 6" GV

PROP. 8" PVC WATER MAIN

MATCHLINE D
MATCHLINE G

N
W
E
S

GRAPHIC SCALE
0 25 50 100
(IN FEET)

A | B | C
E | D
F | G

KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

- S — S — PROP. 8" PVC SANITARY MAIN
- 4"SS — PROP. 4" SANITARY LATERAL
- 6"WL — PROP. 6" DIP FIRE SERVICE
- 8"WL — PROP. 8" PVC WATER MAIN
- 12"W — 12"W — EXISTING 12" PVC WATER MAIN
- FM — FM — EXISTING 12" PVC SANITARY FORCE MAIN
- 8"SS — 8"SS — EXISTING 8" PVC SANITARY MAIN
- OH — OH — EXISTING OVERHEAD UTILITY LINES
- PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:06 PM By: gmcdermott
File: P:\JECPC PROJECTS\3342 Sterling Education Group, LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\03342990005SU1.dwg, ----> C3.04 UTILITY PLAN D

DYNAMIC ENGINEERING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN IS UP TO PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Clarke, New Jersey • T: 732.714.0778
Chester, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.753.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: 610.898.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: **UTILITY PLAN D**

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: **C3.04**
Rev. #: 1


MATCHLINE A
MATCHLINE E



MATCHLINE E
MATCHLINE F

MATCHLINE E
MATCHLINE D





KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

S S	– PROP. 8" PVC SANITARY MAIN
4"SS	– PROP. 4" SANITARY LATERAL
6"WL	– PROP. 6" DIP FIRE SERVICE
8"WL	– PROP. 8" PVC WATER MAIN
12"W 12"W	– EXISTING 12" PVC WATER MAIN
FM FM	– EXISTING 12" PVC SANITARY FORCE MAIN
8"SS 8"SS	– EXISTING 8" PVC SANITARY MAIN
OH OH	– EXISTING OVERHEAD UTILITY LINES
	– PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Cobb, New Jersey • T: 732.974.0196
Chanel, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.679.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4887
Bethlehem, Pennsylvania • T: 610.399.4400
Allen, Texas • T: 972.534.2700
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2644
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: UTILITY PLAN E


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C3.05
Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:06 PM, By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005SU1.dwg, ----> C3.05 UTILITY PLAN E







KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

S S	– PROP. 8" PVC SANITARY MAIN
4"SS	– PROP. 4" SANITARY LATERAL
6"WL	– PROP. 6" DIP FIRE SERVICE
8"WL	– PROP. 8" PVC WATER MAIN
12"W 12"W	– EXISTING 12" PVC WATER MAIN
FM FM	– EXISTING 12" PVC SANITARY FORCE MAIN
8"SS 8"SS	– EXISTING 8" PVC SANITARY MAIN
OH OH	– EXISTING OVERHEAD UTILITY LINES
	– PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:06 PM By: amcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\U3342990005SU1.dwg, ---> C3.06 UTILITY PLAN F

DYNAMIC ENGINEERING • LAND DEVELOPMENT • SURVEY • TRAFFIC

BY	COMMENTS	DATE	REV.
KAK	PER CITY OF FT. PIERCE COMMENTS	02/01/22	1

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Forest, New Jersey • T: 732.719.0778
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.753.7200
Toms River, New Jersey • T: 732.478.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4688
Bethlehem, Pennsylvania • T: 610.286.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: UTILITY PLAN F

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C3.06
Rev. #: 1







KEY MAP

UTILITY NOTES

1. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY PIPE AND FITTINGS TO TRANSITION PIPE MATERIALS WHEN REQUIRED AND TO CONNECT TO BUILDING PLUMBING.
2. ALL MANHOLES, VALVES, CLEANOUTS AND OTHER SUCH BOXES IN PAVEMENT OR SIDEWALKS SHALL BE SET FLUSH WITH PAVEMENT TO MATCH THE PROPOSED SLOPE AND SHALL BE H-20 TRAFFIC RATED.
3. ANY TREES OR SHRUBS PLACED WITHIN WATER, SEWER, OR DRAINAGE EASEMENTS SHALL CONFORM TO THE FT. PIERCE UTILITIES AUTHORITY STANDARD DETAILS.
4. NO PROPOSED IMPROVEMENTS, BUILDINGS OR ANY KIND OF CONSTRUCTION CAN BE PLACED ON OR WITHIN ANY WATER, SEWER, OR DRAINAGE EASEMENTS, UNLESS APPROVED BY THE CITY OF FT. PIERCE CITY ENGINEER.
5. NO PROPOSED STRUCTURES SHALL BE INSTALLED WITHIN A HORIZONTAL DISTANCE OF 10-FEET FROM ANY EXISTING OR PROPOSED WATER, SEWER, OR DRAINAGE FACILITIES, UNLESS APPROVED BY THE FT. PIERCE UTILITIES AUTHORITY ENGINEER.
6. ALL WATER MAIN (WM) SPECIFIED TO BE PVC SHALL BE AWWA C-900 DR-18 OR C-900 DR-18 UNLESS OTHERWISE NOTED. ALL WATER MAIN (WM) SPECIFIED TO BE PE SHALL BE AWWA C-901 OR C-906 W/ STANDARD CODE DESIGNATION AS PE 408 PIPE, CLASS 200 DR-17.
7. ALL WATER MAIN SHALL HAVE A MINIMUM 36" COVER OVER THE TOP OF THE PIPE UNLESS OTHERWISE NOTED. WATER AND FIRE MAINS SHALL HAVE MIN. 6" VERTICAL SEPARATION FROM EACH OTHER.
8. ALL FITTINGS FOR WATER MAIN AND FIRE MAIN SHALL BE DUCTILE IRON MECHANICAL JOINT FITTINGS UNLESS OTHERWISE NOTED.
9. PIPE DEFLECTION OF WATER MAIN AND FIRE MAIN SHALL NOT EXCEED MANUFACTURER'S RECOMMENDATIONS.
10. ALL GRAVITY SEWER MAINS SHALL BE PVC SDR-26 UNLESS OTHERWISE NOTED
11. ALL GRAVITY SEWER LATERALS SHALL BE PVC SDR-35 UNLESS OTHERWISE NOTED.
12. CONTRACTOR SHALL COORDINATE UNDERGROUND ELECTRIC SERVICE CONNECTION WITH FPUA FOR CONDUIT SIZE AND BURIED DEPTH REQUIREMENT.
13. WATER METER SIZES SHALL BE DESIGNED BY ENGINEER OF RECORD AND SHALL BE CHECKED AND AUTHORIZED BY THE FT. PIERCE UTILITIES AUTHORITY.
14. ALL SEWER LATERALS SHALL BE CONNECTED TO SEWER MAIN AND NOT DIRECTLY INTO SEWER MANHOLES.
15. THE FT. PIERCE UTILITIES AUTHORITY MUST BE GIVEN AT LEAST 48 HOURS NOTIFICATION PRIOR TO ANY SHUT-DOWN AND/OR REMOVAL OF EXISTING WATER MAIN OR SANITARY SEWER LINES.
16. A MINIMUM HORIZONTAL DISTANCE OF 10 FEET MUST BE PROVIDED BETWEEN WATER MAINS AND STORM OR SANITARY SEWERS.
17. PRIOR TO ANY SANITARY SEWER SERVICE CONNECTION, REMOVAL AND/OR ABANDONMENT THE EXISTING SEWER LINE WILL BE TELEVISED AND CD SUBMITTED TO THE FT. PIERCE UTILITIES AUTHORITY.
18. PROPOSED WATER AND SEWER IMPROVEMENTS IN PRIVATE PROPERTY SHALL MEET ST. LUCIE COUNTY HEALTH DEPARTMENT SEPARATION REQUIREMENTS, THESE CONFLICTS WILL BE ADDRESS DURING CONSTRUCTION AND WON'T AFFECT THE PUBLIC SAFETY
19. CITY MAINTAINED UTILITIES WILL NEED TO BE TESTED AND PROTECTED (IE. PAVED AT LEAST UP TO FIRST LIFT, IF NOT ROADWAY) PRIOR TO ISSUANCE OF CERTIFICATION OF OCCUPANCY.

LEGEND:

- S —— S —— – PROP. 8" PVC SANITARY MAIN
- 4"SS – PROP. 4" SANITARY LATERAL
- 6"WL – PROP. 6" DIP FIRE SERVICE
- 8"WL – PROP. 8" PVC WATER MAIN
- 12"W – 12"W – EXISTING 12" PVC WATER MAIN
- FM – FM – EXISTING 12" PVC SANITARY FORCE MAIN
- 8"SS – 8"SS – EXISTING 8" PVC SANITARY MAIN
- OH – OH – EXISTING OVERHEAD UTILITY LINES
- – PROPOSED DRAINAGE PIPE

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:06 PM By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\3342990055U1.dwg, ---> C3.07 UTILITY PLAN G

DYNAMIC ENGINEERING
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

BY	COMMENTS	DATE	REV.
KAK	PER CITY OF FT. PIERCE COMMENTS	02/01/22	1

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Forest, New Jersey • T: 732.719.0778
Orlando, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.753.7200
Toms River, New Jersey • T: 732.478.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4888
Bethlehem, Pennsylvania • T: 610.266.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **UTILITY PLAN G**

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C3.07**
Rev. #: 1







GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.
2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPRESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.
3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.
4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.
5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

LIGHTING LUMINAIRE SCHEDULE

SYMBOL	QUANTITY	LABEL	MOUNTING HEIGHT	ARRANGEMENT	LIGHT LOSS FACTOR	MANUFACTURER	DESCRIPTION	IES FILE
	1	A-FT	25 FT	SINGLE	1.000	COOPER LIGHTING SOLUTIONS	McGRAW EDISON GLEON GALLEON POLE MOUNT FORWARD THROW AREA LIGHT	GLEON-5A0D-830-U-T4FT.ies
	27	A-FT-HSS	30 FT	SINGLE	1.000	COOPER LIGHTING SOLUTIONS	McGRAW EDISON GLEON GALLEON POLE MOUNT FORWARD THROW AREA LIGHT W/ HOUSE SIDE SHIELD	GLEON-5A0D-830-U-T4FT-HSS.ies
	56	A-4W	25 FT	SINGLE	1.000	COOPER LIGHTING SOLUTIONS	McGRAW EDISON GLEON GALLEON POLE MOUNT TYPE 4 WIDE AREA LIGHT	GLEON-5A8B-830-U-T4W.ies
	29	A-4W-HSS	25 FT	SINGLE	1.000	COOPER LIGHTING SOLUTIONS	McGRAW EDISON GLEON GALLEON POLE MOUNT TYPE 4 WIDE AREA LIGHT W/ HOUSE SIDE SHIELD	GLEON-5A8B-830-U-T4W-HSS.ies
	1	A-4W-290	25 FT	2 @ 90°	1.000	COOPER LIGHTING SOLUTIONS	McGRAW EDISON GLEON GALLEON POLE MOUNT TYPE 4 WIDE AREA LIGHT	GLEON-5A8B-830-U-T4W.ies
	2	WA-1	20 FT ABOVE FINISHED FLOOR	SINGLE	1.000	COOPER LIGHTING SOLUTIONS	McGRAW EDISON GLEON GALLEON WALL MOUNT FORWARD THROW AREA LIGHT	GLEON-5A8A-830-U-T4FT.ies
	107	WP-1	20 FT ABOVE FINISHED FLOOR	SINGLE	1.000	COOPER LIGHTING SOLUTIONS	McGRAW EDISON OWC GALLEON FORWARD THROW WALLPACK	OWC-5A2D-830-U-T4FT.ies

(FM) – FLUSH MOUNT FOUNDATION (PED) – PEDESTAL FOUNDATION
THE CALCULATIONS SHOWN WERE MADE UTILIZING ACCEPTED PROCEDURES OF THE ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA. VARIATIONS IN LAMP OUTPUT, BALLAST OUTPUT, LINE VOLTAGE, DIRT DEPRECIATION, AND OTHER FACTORS MAY AFFECT ACTUAL RESULTS. UNLESS OTHERWISE STATED, ALL RESULTS ARE MAINTAINED VALUES, UTILIZING ACCEPTED LIGHT LOSS FACTORS (LLF).

STATISTICAL AREA SUMMARY

LABEL	CALC TYPE	UNITS	AVERAGE	MAXIMUM	MINIMUM	AVG./MIN.	MAX./MIN.
ALL POINTS	ILLUMINANCE	FC	2.01	14.8	0.0	N/A	N/A
ALL PAVED AREAS	ILLUMINANCE	FC	3.12	13.0	1.0	3.12	13.00

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN IS TO BE USED FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: _

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
PARCEL 1, PARCEL 2, PARCEL 3 LOT
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Orlando, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.875.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: +1.(.888.4400
Allen, Texas • T: 972.534.2720
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2446
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: **OVERALL PHOTOMETRIC PLAN**

SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: **C4.00** | Rev. #: 1

Plotted: 02/18/22 – 12:06 PM, By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\3342990005I1.dwg, ----> C4.00 OVERALL PHOTOMETRIC PLAN

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED



N

W D E

S

GRAPHIC SCALE

0 25 50 100

(IN FEET)

A B C

E D

F G

GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.
2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPRESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.
3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.
4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.
5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

SEE SHEET C4.00 FOR LUMINAIRE SCHEDULE & CALCULATION SUMMARY

SEE SHEET C4.08 FOR PHOTOMETRIC DETAILS

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH • SURVEY • TRAFFIC •

REV.	DATE	COMMENTS	BY
1	02/07/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
PORTIONS OF SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Cobb, New Jersey • T: 732.974.0196
Channel, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.9300
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4888
Bethlehem, Pennsylvania • T: 610.395.4400
Allen, Texas • T: 972.534.2700
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 16TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: PHOTOMETRIC PLAN A


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C4.01
Rev. #: 1

Plotted: 02/18/22 – 12:06 PM, By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005S1.dwg, ----> C4.01 PHOTOMETRIC PLAN A
COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED







GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.
2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPRESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.
3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.
4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.
5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

SEE SHEET C4.00 FOR LUMINAIRE SCHEDULE & CALCULATION SUMMARY

SEE SHEET C4.08 FOR PHOTOMETRIC DETAILS

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • EARTH • SURVEY • TRAFFIC

BY	DATE	REV.	COMMENTS
KAK	02/07/22	1	PER CITY OF FT. PIERCE COMMENTS

THIS PLAN IS TO BE USED FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Orlando, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.0000
Newtown, Pennsylvania • T: 267.685.0274
Philadelphia, Pennsylvania • T: 215.253.4888
Bethlehem, Pennsylvania • T: 717.688.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: PHOTOMETRIC PLAN B


SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C4.02 | Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:06 PM By: smcdermott
File: P:\DEC\PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\3342990005SI1.dwg, ---> C4.02 PHOTOMETRIC PLAN B







GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.

2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPRESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.

3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.

4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.

5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

SEE SHEET C4.00 FOR LUMINAIRE SCHEDULE & CALCULATION SUMMARY

SEE SHEET C4.08 FOR PHOTOMETRIC DETAILS

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC ENGINEERING
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: _

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Chanel, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.0000
Newtown, Pennsylvania • T: 267.685.0274
Philadelphia, Pennsylvania • T: 215.255.4888
Bethlehem, Pennsylvania • T: 1.10.688.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2446
*Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: PHOTOMETRIC PLAN C

SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005


SHEET No: C4.03 | Rev. #: 1

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:07 PM By: smcdermott
File: P:\DEC\PC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\3342990005ti1.dwg, ----> C4.03 PHOTOMETRIC PLAN C


MATCHLINE A | MATCHLINE B
MATCHLINE D


MATCHLINE E
MATCHLINE D




PROPOSED WAREHOUSE
BUILDING D
585,000 SF
187 PARKING SPACES
94 LOADING SPACES
116 TRAILER STORAGE SPACES
10 BIKE PARKING SPACES

LOT 5







GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.
2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPRESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.
3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.
4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.
5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

SEE SHEET C4.00 FOR LUMINAIRE SCHEDULE & CALCULATION SUMMARY

SEE SHEET C4.08 FOR PHOTOMETRIC DETAILS

MATCHLINE D
MATCHLINE G

Plotted: 02/18/22 – 12:07 PM, By: smcdermett
File: P:_DEC/PC PROJECTS\3342 Sterling Education Group, LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005S1.dwg, ---> C4.04 PHOTOMETRIC PLAN D

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

DYNAMIC
• ENGINEERING • EARTH •
• SURVEY • TRAFFIC •

BY	COMMENTS	DATE	REV.
KAK	PER CITY OF FT. PIERCE COMMENTS	02/01/22	1

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Long Branch, New Jersey • T: 732.774.0788
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.761.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: 610.868.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6480
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: PHOTOMETRIC PLAN D

SCALE: (H) AS (V) NOTED | DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C4.04 | Rev. #: 1

MATCHLINE A
MATCHLINE E



MATCHLINE E
MATCHLINE F

MATCHLINE E
MATCHLINE D

N
W
E
S
GRAPHIC SCALE
0 5 10 20
(IN FEET)

A B C
E D
F G

GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.
2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPRESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.
3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.
4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.
5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

SEE SHEET C4.00 FOR LUMINAIRE SCHEDULE & CALCULATION SUMMARY

SEE SHEET C4.08 FOR PHOTOMETRIC DETAILS

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

Plotted: 02/18/22 - 12:07 PM, By: emodemott
File: P:_DECPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\033429900S501.dwg, ----> C4.05 PHOTOMETRIC PLAN E

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

DYNAMIC ENGINEERING CONSULTANTS, PC
• ENGINEERING • EARTH • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	02/01/22	PER CITY OF FT. PIERCE COMMENTS	KAK

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Long Valley, New Jersey • T: 732.974.0198
Chester, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.761.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.233.4888
Bethlehem, Pennsylvania • T: 610.289.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2846
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: PHOTOMETRIC PLAN E

SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C4.05
Rev. #: 1







GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.
2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPRESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.
3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.
4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.
5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

SEE SHEET C4.00 FOR LUMINAIRE SCHEDULE & CALCULATION SUMMARY

SEE SHEET C4.08 FOR PHOTOMETRIC DETAILS

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:07 PM, By: smcdermott
File: P:\DEPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\D3342990005S1.dwg, ---> C4.06 PHOTOMETRIC PLAN F

DYNAMIC ENGINEERING • SURVEY • TRAFFIC

BY	COMMENTS	DATE	REV.
KAK	PER CITY OF FT. PIERCE COMMENTS	02/01/22	1

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE, FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Cobb, New Jersey • T: 732.974.0198
Channel, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.9300
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.225.4851
Bethlehem, Pennsylvania • T: 610.398.4400
Allen, Texas • T: 972.534.3700
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.346.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 16TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:


TITLE: PHOTOMETRIC PLAN F


SCALE: (H) AS (V) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C4.06
Rev. #: 1

MATCHLINE D
MATCHLINE G
MATCHLINE F
MATCHLINE G







GENERAL NOTES

1. THIS LIGHTING PLAN ILLUSTRATES ILLUMINATION LEVELS CALCULATED FROM LABORATORY DATA TAKEN UNDER CONTROLLED CONDITIONS IN ACCORDANCE WITH ILLUMINATING ENGINEERING SOCIETY OF NORTH AMERICA (IESNA) APPROVED METHODS. ACTUAL SITE ILLUMINATION LEVELS AND PERFORMANCE OF LUMINARIES MAY VARY DUE TO VARIATIONS IN WEATHER, ELECTRICAL VOLTAGE, TOLERANCE IN LAMPS, AND OTHER RELATED VARIABLE FIELD CONDITIONS.
2. ALL EXISTING CONDITIONS LIGHTING LEVELS ARE REPPESENTATIVE OF AN APPROXIMATION UTILIZING LABORATORY DATA FOR SIMILAR FIXTURES AND/OR ACTUAL FIELD MEASUREMENTS TAKEN WITH A LIGHT METER. DUE TO FACTORS SUCH AS FIXTURE MAINTENANCE, EQUIPMENT TOLERANCES, WEATHER CONDITIONS, ETC., ACTUAL LIGHTING LEVELS MAY DIFFER AND THE LIGHTING LEVELS DEPICTED ON THIS PLAN SHOULD BE CONSIDERED AS APPROXIMATE.
3. CONDUITS SHALL BE INSTALLED A MINIMUM OF 2 FEET BEHIND GUIDERAIL POSTS.
4. ALL WIRING METHODS AND EQUIPMENT CONSTRUCTION SHALL CONFORM TO THE CURRENT NATIONAL ELECTRICAL CODE.
5. REFER TO ARCHITECTURAL PLANS FOR SITE LIGHTING DIAGRAM.

SEE SHEET C4.00 FOR LUMINAIRE SCHEDULE & CALCULATION SUMMARY

SEE SHEET C4.08 FOR PHOTOMETRIC DETAILS

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

COPYRIGHT © 2021 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED

Plotted: 02/18/22 – 12:07 PM By: smcdermott
File: P:\DEC\Pc PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Entitlements\3342990005ti1.dwg, ----> C4.07 PHOTOMETRIC PLAN G

DYNAMIC ENGINEERING
• ENGINEERING • EARTH • SURVEY • TRAFFIC

BY	COMMENTS	DATE	REV.
KAK	PER CITY OF FT. PIERCE COMMENTS	02/01/22	1

THIS PLAN IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Chernb, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.675.0000
Newtown, Pennsylvania • T: 267.685.0274
Philadelphia, Pennsylvania • T: 215.353.4888
Bethlehem, Pennsylvania • T: 215.688.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
*Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: PHOTOMETRIC PLAN G

SCALE: (H) AS (H) NOTED
DATE: 12/03/2021
PROJECT No: 3342-99-005

SHEET No: C4.07
Rev. #: 1

Project		Catalog #		Type	
Prepared by		Notes		Date	



McGraw-Edison

GLEON Galleon

Area / Site Luminaire

Product Features

LumenSafe Technology · Light Whitelines™

Product Certifications

DLC · DLC · DLC · 3G VIB · IP66 · CERTIFIED · IDA · BAA · 5 YEAR


Interactive Menu

- Ordering Information page 2
- Mounting Details page 3
- Optical Distributions page 4
- Product Specifications page 4
- Energy and Performance Data page 4
- Control Options page 9

Quick Facts

- Lumen packages range from 4,200 - 80,800 (34W - 640W)
- Efficacy up to 156 lumens per watt
- Options to meet Buy American and other domestic preference requirements

Dimensional Details



NOTES:
1. Visit https://www.designlights.org/search/ to confirm qualification. Not all product variations are DLC qualified.
2. IDA Certified for 3000K CCT and warmer only.

Connected Systems

- WaveLinx
- Enlighted

Number of Light Squares	"A" Width	"B" Standard Arm Length	"B" Extended Arm Length[1]	"B" Quick Mount Arm Length	"B" Quick Mount Extended Arm Length
1-4	15-1/2"	7"	10"	10-5/8"	16-9/16"
5-6	21-5/8"	7"	10"	10-5/8"	16-9/16"
7-8	27-5/8"	7"	13"	10-5/8"	--
9-10	33-3/4"	7"	16"	--	--

NOTES:
For arm selection requirements and additional line art, see Mounting Details section.

McGraw-Edison

GLEON Galleon

Ordering Information

SAMPLE NUMBER: **GLEON-SA4C-740-U-T4FT-GM**

Product Family [1, 2]	Light Engine: Configuration	Light Engine: Drive Current	Color Temperature	Voltage	Distribution	Mounting	Finish
GLEON–Galleon **BAA-GLEON**–Galleon, Buy American Act Compliant [36] **TAA-GLEON**–Galleon, Trade Agreements Act Compliant [36]	**SA1**–1 Square **SA2**–2 Squares **SA3**–3 Squares **SA4**–4 Squares **SA5**–5 Squares [4] **SA6**–6 Squares **SA7**–7 Squares [4] **SA8**–8 Squares [4] **SA9**–9 Squares [4] **SA9**–10 Squares [4]	**A**–600mA **B**–800mA **C**–1000mA **D**–1200mA [36]	**722**–70CRI, 2200K **727**–70CRI, 2700K **730**–70CRI, 3000K **735**–70CRI, 3500K **740**–70CRI, 4000K **750**–70CRI, 5000K **760**–70CRI, 6000K **827**–80CRI, 2700K **830**–80CRI, 3000K **AMB**–Amber, 590nm [5, 6]	**U**=120-277V **1**=120V **2**=208V **3**=240V **4**=277V **8**=480V [7, 8] **9**=347V [7]	**T2**–Type II **T2R**–Type II Roadway **T3**–Type III **T3R**–Type III Roadway **T4FT**–Type IV Forward Throw **T4W**–Type IV Wide **SNQ**–Type V Narrow **SNQ**–Type V Square Medium **SLQ**–Type V Square Wide **SL2**–Type II w/Spill Control **SL3**–Type III w/Spill Control **SL4**–Type IV w/Spill Control **SLL**–90° Spill Light Eliminator Left **SLR**–90° Spill Light Eliminator Right **RW**–Rectangular Wide Type I **AFL**–Automotive Frontline	**[Blank]**–Arm for Round or Square Pole **EA**–Extended Arm [9] **MA**–Mast Arm Adapter [10] **WM**–Wall Mount **QM**–Quick Mount Arm (Standard Length) [11] **QML**–Quick Mount Arm (Standard Length, Large) [9] **QMEA**–Quick Mount Arm (Extended Length) [9]	**AP**–Grey **BZ**–Bronze **BK**–Black **DP**–Dark Platinum **GM**–Graphite Metallic **WH**–White **RALXX**–Custom Color

Options (Add as Suffix)	Controls and Systems Options (Add as Suffix)	Accessories (Order Separately)[14]
DIM–External 0-10V Dimming Leads [14, 28] **F**–Single Fuse (120, 277 or 347V Specify Voltage) **FF**–Double Fused (208, 240 or 480V. Must Specify Voltage) **20K**–Series 20kV UL 1449 Surge Protective Device **DL**–Two Circuits [14] **DMG**–Ground Ambient **HSS**–Installed House Side Shield [29] **GBSBK**–Glare Reducing Shield, Black [29] **GBSWH**–Glare Reducing Shield, White [29] **LCF**–Light Square Trim Painted to Match Housing [29] **MT**–Installed Mesh Top **TH**–Tool-less Door Hardware **HA**–50°C High Ambient [30] **LSV**–Optics Rotated 90° Left **R90**–Optics Rotated 90° Right **CE**–CE Marking [36] **AHD145**–After Hours Dim, 5 Hours [6] **AHD265**–After Hours Dim, 6 Hours [6] **AHD255**–After Hours Dim, 7 Hours [6] **AHD355**–After Hours Dim, 8 Hours [6] **DALI**–DALI Drivers	**BPC**–Button Type Photocontrol **PR**–NEMA 3-PIN Photocontrol Receptacle **PR7**–NEMA 7-PIN Photocontrol Receptacle [6] **SPR2**–Dimming Occupancy Sensor with Bluetooth Interface, 8' - 20' Mounting [14] **SPR4**–Dimming Occupancy Sensor with Bluetooth Interface, 21' - 40' Mounting [14] **MS**–Motion Sensor for ON/OFF Operation, 8' - 20' Mounting Height [14] **MS-L40W**–Motion Sensor for ON/OFF Operation, 21' - 40' Mounting Height [14] **MSX-L20**–Bi-Level Motion Sensor, 9' - 20' Mounting Height [14, 24] **MSX-L40W**–Bi-Level Motion Sensor, 21' - 40' Mounting Height [14, 24] **MS/DIM-L20**–Motion Sensor for Dimming Operation, 9' - 20' Mounting Height [24] **MS/DIM-L40W**–Motion Sensor for Dimming Operation, 21' - 40' Mounting Height [24] **ZW**–WaveLinx Module and 4-PIN Receptacle **ZD**–WaveLinx Module with DALI driver and 4-PIN Receptacle [14, 24] **SWPDXXX**–WaveLinx Sensor Only, 7'-15' [14, 24] **SWPDXXX-BL**–WaveLinx Sensor Only, 7'-15' Bluetooth [14, 24] **WOBXX**–WaveLinx Sensor with Bluetooth, 15'-40' [14, 24] **WOFXX**–WaveLinx Sensor with Bluetooth, 15'-40' [14, 24] **LWR-L20**–Enlighted Wireless Sensor, Wide Lens for 8'-16' Mounting Height [14, 24] **LWR-L40**–Enlighted Wireless Sensor, Narrow Lens for 16'-40' Mounting Height [14, 24, 31]	**OA/RA1016**–NEMA Photocontrol Multi-Tap - 105-285V **OA/RA1027**–NEMA Photocontrol - 480V **OA/RA1201**–NEMA Photocontrol - 347V **OA/RA1013**–Photocontrol Shorting Cap **OA/RA1014**–120V Photocontrol **MA1027-XX**–480V Mast Arm Adapter Replacement **MA1028-XX**–Single Tenon Adapter for 2-3/8" O.D. Tenon **MA1037-XX**–Dp(180° Tenon Adapter for 2-3/8" O.D. Tenon **MA1197-XX**–Dp(120° Tenon Adapter for 2-3/8" O.D. Tenon **MA1188-XX**–4p(90° Tenon Adapter for 2-3/8" O.D. Tenon **MA1189-XX**–2p(90° Tenon Adapter for 2-3/8" O.D. Tenon **MA1190-XX**–3p(90° Tenon Adapter for 2-3/8" O.D. Tenon **MA1191-XX**–Dp(120° Tenon Adapter for 2-3/8" O.D. Tenon **MA1038-XX**–Single Tenon Adapter for 3-1/2" O.D. Tenon **MA1039-XX**–Dp(180° Tenon Adapter for 3-1/2" O.D. Tenon **MA1192-XX**–Dp(120° Tenon Adapter for 3-1/2" O.D. Tenon **MA1193-XX**–4p(90° Tenon Adapter for 3-1/2" O.D. Tenon **MA1194-XX**–2p(90° Tenon Adapter for 3-1/2" O.D. Tenon **MA1195-XX**–3p(90° Tenon Adapter for 3-1/2" O.D. Tenon **FSIR-100**–Wireless Configuration Tool for Occupancy Sensor [14] **GLEON-MT1**–Field Installed Mesh Top for 1-4 Light Squares **GLEON-MT2**–Field Installed Mesh Top for 5-6 Light Squares **GLEON-MT3**–Field Installed Mesh Top for 7-8 Light Squares **GLEON-MT4**–Field Installed Mesh Top for 9-10 Light Squares **GLEON-QM**–Quick Mount Arm Kit **GLEON-QMEA**–Quick Mount Extended Arm Kit [11] **LSNISS**–Field Installed House Side Shield [29, 32] **LSIGRSBK**–Glare Reducing Shield, Black [29, 32] **LSIGRSWH**–Glare Reducing Shield, White [29, 32] **LSIPSBK**–Perimeter Shield, Black [29, 32] **LSIPSWH**–Perimeter Shield, White [29, 32] **WOLC-7P-10A**–WireLinx Outdoor Control Module [14, 24] **SWPD4-XX**–Wavelinx Wireless Sensor, 7'-15 Mounting Height [14, 24, 33, 34] **SWPD5-XX**–Wavelinx Wireless Sensor, 15'-40' Mounting Height [14, 24, 33, 34]

NOTES:
1. Luminaire is responsible for engineering analysis to confirm pole and fixture compatibility for all applications. Refer to our white paper WP0150126 for additional support information.
2. Per Design Lights Consortium® Qualified. Refer to www.designlights.org Qualified Products List under Family Models for details.
3. Coastal construction finish salt spray tested to over 6,000 hours per ASTM B117, with a scribe rating of 9 per ASTM D1654. Available with SNQ, SNQ, SL2, SL3 and SL4 distributions. Can be used with HSS option.
4. Not available with HA option.
5. Coastal construction finish salt spray tested to over 5,000 hours per ASTM B117, with a scribe rating of 9 per ASTM D1654.
6. Require the use of a step down transformer. Not available in combination with sensor options at 1200mA.
7. 480V not to be used with ungrounded or impedance grounded systems.
8. DuroVolt drivers feature added protection from power quality issues such as loss of neutral, transients and voltage fluctuations. Visit www.eaton.com/duravolt for more information.
9. Cannot be used with other control options.
10. Low voltage control leads extended 18" from fixture.
11. Not available in 1200mA. When used with CBP or HA options, only available with single light square.
12. Not available in 1200mA, LPS or CBP options. Available with single light square.
13. Not available with SL2, SL3, SL4, NL, DBT, PR or PR7.
14. Rated for -40°C to +40°C ambient. Cannot be used in -30°C to +40°C. Backbox is non-IP rated. Control option limited to BPC.
15. Compatible with standard 3-PIN photocontrols, 5-PIN or 7-PIN ANSI controls.
16. Requires the use of BPC photocontrol or the PR7 or PR photocontrol receptacle with photocontrol accessory. See After Hours Dim supplemental guide for additional information.
17. The FSIR-100 configuration tool is required to adjust parameters such as high and low modes, sensitivity, time delay and cutoff. Consult your lighting representative at Cooper Lighting Solutions for more information.
18. Replace LK# with L38 (+8' mounting), L20 (8'-20' mounting) or L40W (21'-40' mounting.)
19. Includes integral photosensor.
20. Enlighted wireless sensors are factory installed requiring network components in appropriate quantities.
21. White sensor shipped on all housing color options.
22. Not available with HSS or SRS options.
23. Not for use with SNQ, SNQ, SWQ or RW optics. The light square trim plate is painted black when the HSS option is selected.
24. CE is not available with the 120V, DALI, LWR, NEL, MS/DIM, BPC, PR or PR7 options. Available in 120-277V only.
25. One required for each light square.
26. Requires PR7.
27. Not for use with T4FT, T4W or SL4 optics.
28. Cannot be used in conjunction with additional photocontrol or other controls systems (BPC, PR, PR7, NEL, LWR).
29. Not available with house side shield (HSS).
30. WAC Gateway required to enable field-configurability: Order WAC-PoE and WPOE-120 (10V to PoE injector) power supply if needed.
31. Requires ZW or ZD receptacle.
32. Replace EA with sensor color (BK, BZ, or BK).
33. Specify 120V or 277V.
34. Consult factory for mobile application required to change system defaults. See controls section for details.
35. Only product configurations with these designated prefixes are built to be compliant with the Buy American Act of 1933 (BAA) or Trade Agreements Act of 1979 (TAA), respectively. Please refer to DOMESTIC PREFERENCES website for more information. Components shipped separately may be separately analyzed under domestic preference requirements.
36. For BAA or TAA requirements, Accessories sold separately will be separately analyzed under domestic preference requirements. Consult factory for further information.
37. Not available in 1 square configuration at 800mA or below.

Product Specifications

Construction
- Driver enclosure thermally isolated from optics for optimal thermal performance
- Die-cast aluminum heat sinks
- IP66 rated housing
- 1.5G vibration rated

Optics
- Patented, high-efficiency injection-molded AccuLED Optics technology
- 13 optical distributions
- IDA Certified (3000K CCT and warmer only)

Electrical
- LED driver assembly mounted for ease of maintenance
- Standard with 0-10V dimming
- Optional 10kV or 20kV surge module
- Suitable for operation in -40C to 40C ambient environments. Optional 50C high ambient (HA) configuration.

Mounting
- Gasketed and zinc plated rigid steel mounting attachment
- "Hook-N-Lock" mechanism for easy installation

Finish
- Housing finished in super durable TGIC polyester powder coat paint, 2.5 mil nominal thickness
- Heat sink is powder coated black
- RAL and custom color matches available
- Coastal Construction (CC) option available

Typical Applications
- Exterior Wall, Walkway

Warranty
- Five-year warranty

Project		Catalog #		Type	
Prepared by		Notes		Date	



McGraw-Edison

GWC Galleon Wall

Wall Mount Luminaire

Product Features

Light Whitelines™

Product Certifications

DLC · DLC · DLC · CERTIFIED · FC · IP66 · IDA · 5 YEAR · BAA


Interactive Menu

- Ordering Information page 2
- Product Specifications page 2
- Optical Configurations page 3
- Energy and Performance Data page 4
- Control Options page 6

Quick Facts

- Choice of thirteen high-efficiency, patented AccuLED Optics™
- Downward and inverted wall mounting configurations
- Eight lumen packages from 3,215 up to 17,056
- Efficacies up to 154 lumens per watt

Dimensional Details



NOTES:
1. Visit https://www.designlights.org/search/ to confirm qualification. Not all product variations are DLC qualified.
2. IDA Certified for 3000K CCT and warmer only.

Connected Systems

- WaveLinx
- Enlighted

McGraw-Edison

GWC Galleon Wall

Ordering Information

SAMPLE NUMBER: **GWC-SA2C-740-U-T4FT-GM**

Product Family [1]	Light Engine: Configuration	Light Engine: Drive Current	Color Temperature	Voltage	Distribution	Finish
GWC–Galleon Wall **BAA-GWC**–Galleon Wall, Buy American Act Compliant [36] **TAA-GWC**–Galleon Wall, Trade Agreements Act Compliant [36]	**SA1**=1 Square **SA2**=2 Squares [2]	**A**=615mA **B**=800mA **C**=1000mA **D**=1200mA [4]	**722**=70CRI, 2200K **727**=70CRI, 2700K **730**=70CRI, 3000K **735**=70CRI, 3500K **740**=70CRI, 4000K **750**=70CRI, 5000K **760**=70CRI, 6000K **827**=80CRI, 2700K **830**=80CRI, 3000K **AMB**=Amber, 590nm [3, 4]	**U**=120-277V **1**=120V **2**=208V **3**=240V **4**=277V **8**=480V [4, 5] **9**=347V [4] **DV**=277-480V DuroVolt Drivers [3, 4, 5]	**T2**=Type II **T3**=Type III **T4FT**=Type IV Forward Throw **T4W**=Type IV Wide **SL2**=Type II w/Spill Control **SL3**=Type III w/Spill Control **SL4**=Type IV w/Spill Control **SLL**=90° Spill Light Eliminator Left **SLR**=90° Spill Light Eliminator Right **RW**=Rectangular Wide Type I **SNQ**=Type V Square Narrow **SNQ**=Type V Square Medium **SWQ**=Type V Square Wide	**AP**=Grey **BZ**=Bronze **BK**=Black **DP**=Dark Platinum **GM**=Graphite Metallic **WH**=White

Options (Add as Suffix)	Controls and Systems Options (Add as Suffix)	Accessories (Order Separately)[14]
F=Single Fused (120, 277 or 347V. Must Specify Voltage) **FF**=Double Fused (208, 240 or 480V. Must Specify Voltage) **10K**=10kV Surge Module **20K**=Series 20kV UL 1449 Surge Protective Device **DMG**=Two-Circuit Light Engine **DIM**=External 0-10V Dimming Leads [14, 28] **CBP**=Battery Pack with Back Box, Cold Weather Rated [1, 6, 14, 28] **CBP-CEC**=Battery Pack with Back Box, Cold Weather Rated, CEC compliant [1, 6, 28] **LSV**=Optics Rotated 90° Left **R90**=Optics Rotated 90° Right **HSS**=Installed House Side Shield [29] **GBSBK**=Glare Reducing Shield, Black [29] **GBSWH**=Factory Installed Glare Shield, BK [1, 27] **GBSWH**=Factory Installed Glare Shield, WH [1, 27] **UPL**=Uplight Housing [29] **HA**=50°C High Ambient [30] **LCF**=Light Square Trim Plate Painted to Match Housing [29] **MT**=Factory Installed Mesh Top **CC**=Coastal Construction finish [4] **CE**=CE Marking and Small Terminal Block [36] **AHD145**=After Hours Dim, 5 Hours [6] **AHD265**=After Hours Dim, 6 Hours [6] **AHD255**=After Hours Dim, 7 Hours [6] **AHD355**=After Hours Dim, 8 Hours [6] **DALI**=DALI Driver [31]	**BPC**=Button Type Photocontrol (120, 208, 240 or 277V. Must Specify Voltage) **PR**=NEMA 3-PIN Twistlock Photocontrol Receptacle [6] **PR7**=NEMA 7-PIN Twistlock Photocontrol Receptacle [6] **SPR1**=Dimming Occupancy Sensor with Bluetooth Interface, <8' Mounting [14, 24] **SPR2**=Dimming Occupancy Sensor with Bluetooth Interface, 8'-20' Mounting [14, 24] **SPR4**=Dimming Occupancy Sensor with Bluetooth Interface, 21'-40' Mounting [14, 24] **MS**=Motion Sensor for ON/OFF Operation, 8' - 20' Mounting [14, 24] **MS-L40W**=Motion Sensor for ON/OFF Operation, 21' - 40' Mounting [14, 24] **MSX-L20**=Bi-Level Motion Sensor, 9' - 20' Mounting [14, 24, 25] **MSX-L40W**=Bi-Level Motion Sensor, 21' - 40' Mounting [14, 24, 25] **MS/DIM-L20**=Motion Sensor for Dimming Operation, 9' - 20' Mounting [14, 24] **MS/DIM-L40W**=Motion Sensor for Dimming Operation, 21' - 40' Mounting [14, 24] **ZW**=WaveLinx Module and 4-PIN Receptacle **ZD**=WaveLinx Module with DALI driver and 4-PIN Receptacle [14, 24] **SWPDXXX**=WaveLinx Sensor Only, 7'-15' [14, 24] **SWPDXXX-BL**=WaveLinx Sensor Only, 7'-15' Bluetooth [14, 24] **WOBXX**=WaveLinx Sensor with Bluetooth, 7'-15' [14, 24] **WOFXX**=WaveLinx Sensor with Bluetooth, 15'-40' [14, 24] **LWR-L20**=Enlighted Wireless Sensor, Wide Lens for 8'-16' Mounting Height [14, 24] **LWR-L40**=Enlighted Wireless Sensor, Narrow Lens for 16'-40' Mounting Height [14, 24, 32]	**OA/RA1013**=Photocontrol Shorting Cap [14] **OA/RA1016**=NEMA Photocontrol - Multi-Tap 105-285V [14] **OA/RA1027**=NEMA Photocontrol - 480V [14] **OA/RA1201**=NEMA Photocontrol - 347V [14] **OA/RA1014**=120V Photocontrol [14] **MA1027-XX**=480V Mast Arm Adapter Replacement [14] **MA1028-XX**=Single Tenon Adapter for 2-3/8" O.D. Tenon [14] **MA1037-XX**=Dp(180° Tenon Adapter for 2-3/8" O.D. Tenon [14] **MA1197-XX**=Dp(120° Tenon Adapter for 2-3/8" O.D. Tenon [14] **MA1188-XX**=4p(90° Tenon Adapter for 2-3/8" O.D. Tenon [14] **MA1189-XX**=2p(90° Tenon Adapter for 2-3/8" O.D. Tenon [14] **MA1190-XX**=3p(90° Tenon Adapter for 2-3/8" O.D. Tenon [14] **MA1191-XX**=Dp(120° Tenon Adapter for 2-3/8" O.D. Tenon [14] **MA1038-XX**=Single Tenon Adapter for 3-1/2" O.D. Tenon [14] **MA1039-XX**=Dp(180° Tenon Adapter for 3-1/2" O.D. Tenon [14] **MA1192-XX**=Dp(120° Tenon Adapter for 3-1/2" O.D. Tenon [14] **MA1193-XX**=4p(90° Tenon Adapter for 3-1/2" O.D. Tenon [14] **MA1194-XX**=2p(90° Tenon Adapter for 3-1/2" O.D. Tenon [14] **MA1195-XX**=3p(90° Tenon Adapter for 3-1/2" O.D. Tenon [14] **FSIR-100**=Wireless Configuration Tool for Occupancy Sensor [14] **GWC-MT**=Field Installed Mesh Top **GWC-QM**=Quick Mount Arm Kit **GWC-QMEA**=Quick Mount Extended Arm Kit [11] **LSNISS**=Field Installed House Side Shield [29, 32] **LSIGRSBK**=Glare Reducing Shield, Black [29, 32] **LSIGRSWH**=Glare Reducing Shield, White [29, 32] **LSIPSBK**=Perimeter Shield, Black [29, 32] **LSIPSWH**=Perimeter Shield, White [29, 32] **WOLC-7P-10A**=WireLinx Outdoor Control Module [14, 24] **SWPD4-XX**=Wavelinx Wireless Sensor, 7'-15 Mounting Height [14, 24, 33, 34] **SWPD5-XX**=Wavelinx Wireless Sensor, 15'-40' Mounting Height [14, 24, 33, 34]

NOTES:
1. Design Light Consortium® Qualified. Refer to www.designlights.org, Qualified Products List under Family Models for details.
2. Two light squares with CBP options limited to 25°C. CBP not available in combination with sensor options at 1200mA.
3. Narrow-band 590nm +/- 5nm for wildlife and observatory use. Choose drive current A, supplied at 560mA drive current only. Available with SWQ, SNQ, SL2, SL3 and SL4 distributions. Can be used with HSS option.
4. Not available with HA option.
5. Coastal construction finish salt spray tested to over 5,000 hours per ASTM B117, with a scribe rating of 9 per ASTM D1654.
6. Require the use of a step down transformer. Not available in combination with sensor options at 1200mA.
7. 480V not to be used with ungrounded or impedance grounded systems.
8. DuroVolt drivers feature added protection from power quality issues such as loss of neutral, transients and voltage fluctuations. Visit www.eaton.com/duravolt for more information.
9. Cannot be used with other control options.
10. Low voltage control leads extended 18" from fixture.
11. Not available in 1200mA. When used with CBP or HA options, only available with single light square.
12. Not available in 1200mA, LPS or CBP options. Available with single light square.
13. Not available with SL2, SL3, SL4, NL, DBT, PR or PR7.
14. Rated for -40°C to +40°C ambient. Cannot be used in -30°C to +40°C. Backbox is non-IP rated. Control option limited to BPC.
15. Compatible with standard 3-PIN photocontrols, 5-PIN or 7-PIN ANSI controls.
16. Requires the use of BPC photocontrol or the PR7 or PR photocontrol receptacle with photocontrol accessory. See After Hours Dim supplemental guide for additional information.
17. The FSIR-100 configuration tool is required to adjust parameters such as high and low modes, sensitivity, time delay and cutoff. Consult your lighting representative at Cooper Lighting Solutions for more information.
18. Replace LK# with L38 (+8' mounting), L20 (8'-20' mounting) or L40W (21'-40' mounting.)
19. Includes integral photosensor.
20. Enlighted wireless sensors are factory installed requiring network components in appropriate quantities.
21. White sensor shipped on all housing color options.
22. Not available with HSS or SRS options.
23. Not for use with SNQ, SNQ, SWQ or RW optics. The light square trim plate is painted black when the HSS option is selected.
24. CE is not available with the 120V, DALI, LWR, NEL, MS/DIM, BPC, PR or PR7 options. Available in 120-277V only.
25. One required for each light square.
26. Requires PR7.
27. Not for use with T4FT, T4W or SL4 optics.
28. Cannot be used in conjunction with additional photocontrol or other controls systems (BPC, PR, PR7, NEL, LWR).
29. Not available with house side shield (HSS).
30. WAC Gateway required to enable field-configurability: Order WAC-PoE and WPOE-120 (10V to PoE injector) power supply if needed.
31. Requires ZW or ZD receptacle.
32. Replace EA with sensor color (BK, BZ, or BK).
33. Specify 120V or 277V.
34. Consult factory for mobile application required to change system defaults. See controls section for details.
35. Only product configurations with these designated prefixes are built to be compliant with the Buy American Act of 1933 (BAA) or Trade Agreements Act of 1979 (TAA), respectively. Please refer to DOMESTIC PREFERENCES website for more information. Components shipped separately may be separately analyzed under domestic preference requirements.
36. For BAA or TAA requirements, Accessories sold separately will be separately analyzed under domestic preference requirements. Consult factory for further information.
37. Not available in 1 square configuration at 800mA or below.

Product Specifications

Construction
- Driver enclosure thermally isolated from optics for optimal thermal performance
- Die-cast aluminum heat sinks
- IP66 rated housing
- 1.5G vibration rated

Optics
- Patented, high-efficiency injection-molded AccuLED Optics technology
- 13 optical distributions
- IDA Certified (3000K CCT and warmer only)


Electrical
- LED driver assembly mounted for ease of maintenance
- Standard with 0-10V dimming
- Optional 10kV or 20kV surge module
- Suitable for operation in -40C to 40C ambient environments. Optional 50C high ambient (HA) configuration.

Mounting
- Gasketed and zinc plated rigid steel mounting attachment
- "Hook-N-Lock" mechanism for easy installation

Finish
- Housing finished in super durable TGIC polyester powder coat paint, 2.5 mil nominal thickness
- Heat sink is powder coated black
- RAL and custom color matches available
- Coastal Construction (CC) option available

Typical Applications
- Exterior Wall, Walkway

Warranty
- Five-year warranty



NOTE:
1. CONTRACTOR TO CONFIRM ALL LIGHT POLE & FIXTURE DIMENSIONS PRIOR TO CONSTRUCTION.
2. CONTRACTOR TO PROVIDE ADJUSTED POLE HEIGHT RESULTING IN MOUNTING HEIGHT 'A', TAKING INTO CONSIDERATION PEDESTAL (PED) OR FLUSH MOUNT (FM) FOUNDATION DESIGNATION AT EACH POLE LOCATION.
3. PROPOSED CONCRETE FOUNDATION AND POLE TO BE CONSTRUCTED WITHIN SUBJECT PROPERTY UNLESS OTHERWISE NOTED. SETBACK FROM CURB IS PREFERRED BUT TO BE ADJUSTED AS NEEDED TO PREVENT ENCROACHMENT OVER PROPERTY LINE.
4. BASE PLATE & ANCHOR BOLTS PER POLE MANUFACTURER. LARGER FOOTING DIAMETER AND/OR ALTERNATE ARANCEMENT OF REINFORCING STEEL MAY BE REQUIRED TO ACCOMMODATE ANCHOR BOLT CONFIGURATION. CONTRACTOR RESPONSIBLE TO COORDINATE DIMENSIONAL REQUIREMENTS FOR BASE PLATE, ANCHOR BOLTS & REINFORCING STEEL PRIOR TO CONSTRUCTION.

LIGHT POLE FOUNDATION SCHEDULE

MOUNTING HEIGHT ABOVE GRADE 'A'	24'–25'	26'–30'
POLE DIA. 'B'	6" SQUARE (OR PER MANUFACTURER)	6" SQUARE (OR PER MANUFACTURER)
# OF FIXTURES	SINGLE OR DOUBLE	SINGLE OR DOUBLE
FOUNDATION DIAMETER 'C'	18" DIA. ROUND	18" DIA. ROUND
FOUNDATION DEPTH 'D'	7.5'	8.0'
REINFORCING TIES 'E'	#4 @ 12" O.C.	#4 @ 12" O.C.
VERTICAL REINFORCEMENT 'F'	(6) #6 BARS EQUALLY SPACED	(6) #6 BARS EQUALLY SPACED

SOIL NOTES
1. FOOTING DESIGN BASED ON ASSUMED MAXIMUM ALLOWABLE SOILS BEARING CAPACITY OF 2,000 PSF. CONTRACTOR RESPONSIBLE TO VERIFY ADEQUACY OF ASSUMED BEARING CAPACITY PRIOR TO CONSTRUCTION. ENGINEER TO BE NOTIFIED IF INCONSISTENCIES EXIST.
2. SUBGRADE TO BE FREE OF ORGANICS AND BE SUITABLE, COMPACTED MATERIAL.

CONCRETE NOTES
1. CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4,000 PSI AT 28 DAYS WITH A MINIMUM CEMENT CONTENT OF 600 POUNDS PER CUBIC YARD FOR ALL FOOTINGS.
2. ALL CONCRETE SHALL HAVE A SLUMP OF NO GREATER THAN 4" TO WITHIN A TOLERANCE OF 1".
3. ALL EXPOSED CONCRETE SHALL BE AIR-ENTRAINED (WITHIN 1% TOLERANCE), CONFORMING TO ASTM C260.
4. REINFORCING FRAMEWORK AND PLACEMENT OF CONCRETE SHALL COMPLY WITH GOOD CONSTRUCTION PRACTICES AND BE IN ACCORDANCE WITH ALL LOCAL GOVERNING CODES AND REGULATIONS AS WELL AS THE ACI AND UNIFORM BUILDING CODE.

AREA LIGHT FOUNDATION DETAIL

NOT TO SCALE

DYNAMIC ENGINEERING CONSULTANTS, PC
• ENGINEERING • PLANNING • SURVEY • TRAFFIC

BY	KAK
COMMENTS	PER CITY OF FT. PIERCE COMMENTS
DATE	02/01/22
REV.	1

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: KAK | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: --

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E


DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Edison, New Jersey • T: 732.719.8118
Chester, New Jersey • T: 908.879.9329
Newton, New Jersey • T: 973.703.7200
Toms River, New Jersey • T: 732.678.0000
Horsham, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: 610.849.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6480
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313
DATE: FEBRUARY 18TH, 2022


ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047
DATE:

TITLE: PHOTOMETRIC DETAILS

SCALE: (H) NOT TO (V) SCALE |







LANDSCAPE CALCULATIONS:

- VEHICULAR USE AREA (VUA) LANDSCAPE (1,207,021 SF):
  REQUIRED - 1 SF LANDSCAPE AREA / 30 SF VUA = 40,234 SF
  REQUIRED - 1 TREE PER 100 SF OF REQUIRED AREA = 402 TREES
  INCLUDES 1 TREE PER PARKING ISLAND (98 ISLANDS) = 98 TREES
  REQUIRED - GRASS, GROUNDCOVER OR SHRUBS
  PROPOSED - 402 NEW TREES, 88 MITIGATION TREES, LAWN GRASS
- PERIMETER BUFFERS:
  NORTH - 10' (INTERIOR PARKING BUFFER) (1,535 LF)
  REQUIRED - 1 TREE / 200 SF + 36" CONTINUOUS HEDGE AT INSTALL = 77 TREES
  PROPOSED - 77 TREES, 36" TALL CONTINUOUS HEDGE

  EAST - 10' (ROADWAY BUFFER) (495 LF) (UNDER OVERHEAD WIRES)
  REQUIRED - 1 TREE / 300 SF + 36" CONTINUOUS HEDGE AT INSTALL = 17 TREES
  PROPOSED - 17 TREES, 36" TALL CONTINUOUS HEDGE

  SOUTH - 10' (INTERIOR PARKING (VUA) BUFFER) (582 LF)
  REQUIRED - 1 SHADE TREE / 200 SF + 36" CONTINUOUS HEDGE AT INSTALL = 30 TREES
  PROPOSED - 30 TREES, 36" TALL CONTINUOUS HEDGE

  WEST (LOT 4) - 10' (INTERIOR PARKING BUFFER) (318 LF)
  REQUIRED - 1 SHADE TREE / 200 SF + 24" CONTINUOUS HEDGE AT INSTALL = 16 TREES
  PROPOSED - 19 TREES, 36" TALL CONTINUOUS HEDGE

  WEST (LOT 6) - 10' (INTERIOR PARKING BUFFER) (579 LF)
  REQUIRED - 1 SHADE TREE / 200 SF + 24" CONTINUOUS HEDGE AT INSTALL = 29 TREES
  PROPOSED - 29 NEW TREES, 36" TALL CONTINUOUS HEDGE
- DROUGHT TOLERANT PLANT MATERIALS
  PROPOSED - 100% NATIVE TREES, 98% NATIVE SHRUBS

PLANT KEY LEGEND:

BU - BUFFER BL - BUILDING FOUNDATION
VUA - PARKING

SITE DATA:

ZONING: LI - LIGHT INDUSTRIAL
SITE AREA: 4,738,490 SF (108.78 AC)
BUILDING 1 AREA: 127,500 SF
BUILDING 2 AREA: 192,500 SF
BUILDING 3 AREA: 50,000 SF
BUILDING 4 AREA: 50,000 SF
BUILDING 5 AREA: 210,000 SF
BUILDING 6 AREA: 585,000 SF
VEHICLE USE AREA: 1,207,021 SF
OPEN SPACE: 1,365,110 SF

IRRIGATION PERFORMANCE NOTES:

1. SAN UNDERGROUND AUTOMATIC IRRIGATION SYSTEM WILL BE INSTALLED, PROVIDING 100 PERCENT COVERAGE WITH 50 PERCENT OVERLAP FOR ALL LANDSCAPE. THE WATER SOURCE WILL BE A WELL AND PUMP AT EACH LOT. THE SYSTEMS WILL INCLUDE THE INSTALLATION OF A RAIN SENSORS, AND WILL OPERATE FROM 10 PM TO 6 AM.
2. THE IRRIGATION SYSTEM IS DESIGNED WITH HYDRO-ZONES, BASED ON PLANT WATERING NEEDS. TURF, SHRUBS, AND TREES WILL BE WATERED BY SEPARATE ZONES, AND ALL TREES WILL HAVE BUBBLER HEADS. MICRO-IRRIGATION WILL BE UTILIZED WHERE PRACTICAL.

UPLAND PLANT SCHEDULE (CONTRACTOR TO VERIFY PLANT QUANTITIES)

SYMBOL	QTY.	BOTANICAL NAME	COMMON NAME	SPECIFICATIONS (Minimums)	NATIVE	DROUGHT TOLL.
TREES (100% NATIVE MIN)						
AR	12	Acer Rubrum	Red Maple	12' Ht x 5' Spr, 2.5" DBH, 4.5' CT	Y	High
IL	100	Ilex x attenuata 'Eagleston'	Eagleston Holly	12' Ht x 5' Spr, 2.5" DBH, 4.5' CT	Y	High
LS	64	Liquidambar styracifula	Sweetgum	12' Ht x 5' Spr, 2.5" DBH, 4.5' CT	Y	High
QV	246	Quercus virginiana	Live Oak	12' Ht x 5' Spr, 2.5" DBH, 4.5' CT	Y	High
PE	33	Pinus elliottii 'Densa'	Densa Slash Pine	12' Ht x 5' Spr, 2.5" DBH, 4.5' CT	Y	High
TD	49	Taxodium distichum	Bald Cypress	12' Ht x 5' Spr, 2.5" DBH, 4.5' CT	Y	High
SHRUBS (25% NATIVE MIN)						
CHR	1557	Chrysobalanus icaco 'Red Tip'	Red Tip Cocoplum	10G, 36" Ht x 24", 36" On Center, Hedge	Y	High
LOR	138	Loropetalum chinense 'PD'	Plum Delight Loropetalum	3G, 18" Ht x 18", 24" On Center	N	Med
SOD (DROUGHT TOLERANT SPECIES)						
SOD	*	Paspalum notatum	Argentine Bahia	Tight Joints, Neat, Level		
MULCH					N	High
MULCH	TBD**	3" Florimulch - 100% Melaleuca or approved equal - No Cypress Used				

* CONTRACTOR TO VERIFY SQUARE FOOTAGE. SEEDING IS AN OPTION REQUIRING OWNER APPROVAL.
** CONTRACTOR TO VERIFY CUBIC YARDS

LANDSCAPE AND ROOT BARRIER NOTES:

SEE DETAIL 4 ON SHEET L-1.08 FOR ROOT BARRIER REQUIREMENTS

LITTORAL PLANTING NOTES:

SEE SHEETS L-1.04, L-1.06 & L-1.07 FOR LITTORAL PLANTING AREAS

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T. 973.615.6178
Chanel, New Jersey • T. 908.879.9329
Newark, New Jersey • T. 973.732.7200
Toms River, New Jersey • T. 732.478.8000
Newtown, Pennsylvania • T. 267.685.0374
Philadelphia, Pennsylvania • T. 215.333.4988
Bethlehem, Pennsylvania • T. 610.849.4400
Allen, Texas • T. 972.534.2100
Houston, Texas • T. 281.799.6400
Austin, Texas • T. 512.646.2644
Delray Beach, Florida • T. 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION


DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: TREASURE COAST BUSINESS PARK
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

TITLE: OVERALL LANDSCAPE PLAN

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: L1.00
Rev. #: 0



EXISTIGN TREE LEGEND

PINE PALM OAK

N


W E

S

GRAPHIC SCALE

0 25 50 100

(IN FEET)



REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC

SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Country, New Jersey • T: 732.974.0198
Chennai, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.253.4888
Bethlehem, Pennsylvania • T: 610.849.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


REGISTERED LANDSCAPE ARCHITECT SCOTT J. BARBER LA-0001660 STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

TITLE:
LANDSCAPE PLAN SHEET 'A'

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: L1.01
Rev. #: 0



EXISTIGN TREE LEGEND

PINE PALM OAK

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Florida Certificate of Authorization No. 32535
www.dynamicec.com

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
811 Know what's below. Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


TITLE: **LANDSCAPE PLAN SHEET 'B'**


SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005


SHEET No: L1.02
Rev. #: 0

REGISTERED LANDSCAPE ARCHITECT SCOTT J. BARBER LA-0001660 STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263







EXISTIGN TREE LEGEND

PINE PALM OAK

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T. 732.974.6218
Orlando, Florida • T. 407.965.2472
Tampa, Florida • T. 813.514.1788
Fort Myers, Florida • T. 239.690.1644
Stuart, Florida • T. 772.781.1280
Jupiter, Florida • T. 561.203.1110
Naples, Florida • T. 239.330.2338
Hawthorne, New Jersey • T. 973.423.2191
Toms River, New Jersey • T. 732.797.1177
Newtown, Pennsylvania • T. 267.685.0276
Philadelphia, Pennsylvania • T. 215.525.1333
Bethlehem, Pennsylvania • T. 610.419.6715
Allen, Texas • T. 972.908.7355
Houston, Texas • T. 281.810.1422
Austin, Texas • T. 512.772.3760
Delray Beach, Florida • T. 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


TITLE:
LANDSCAPE PLAN SHEET 'C'

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: L1.03
Rev. #: 0



EXISTIGN TREE LEGEND

PINE PALM OAK

LITTORAL PLANT SCHEDULE (WET POND 'A') (LIVE PLANTS)

SYMBOL	QTY.	BOTANICAL NAME	COMMON NAME	SPECIFICATIONS
TRANSITION ZONE (Control Elevation +1') 885 PLANTS				
TZ*	295	Stachytarpheta jamaicensis	Blue Porterweed	Bare Root, 2' On Center
	295	Muhlenbergia capillaris	Muhly Grass	Bare Root, 2' On Center
	295	Bacopa monnieri	Bacopa	Bare Root, 2' On Center
EMERGENT ZONE 1 (Control Elevation to -1') 835 PLANTS				
EZ1*	167	Canna flaccida	Golden Canna	Bare Root, 2' On Center
	167	Juncus effusus	Softrush	Bare Root, 2' On Center
	167	Panicum hemitomon	Maidencane	Bare Root, 2' On Center
	167	Sagitaria latifolia	Duck Potato	Bare Root, 2' On Center
	167	Thalia geniculata	Fire Flag	Bare Root, 2' On Center
EMERGENT ZONE 2 (-1' to -2') 609 PLANTS				
EZ2**	87	Iris hexagonia savannarum	Blue Flag Iris	Bare Root, 2' On Center
	87	Sagitaria lancifolia	Common Arrowhead	Bare Root, 2' On Center
	87	Scirpus robustus	Saltmarsh Bulrush	Bare Root, 2' On Center
	87	Pondeteria cordata	Pickerelweed	Bare Root, 2' On Center
	87	Eleocharis interstincta	Southern Jointed Spikerush	Bare Root, 2' On Center
	87	Peltandra virginica	Arrow Arum	Bare Root, 2' On Center
	87	Eleocharis cellulosa	Spikerush	Bare Root, 2' On Center
DEEP ZONE (-2' to -5') 75 PLANTS				
DZ***	25	Nuphar advena	Spatterdock	Container or Bare Root, 8' On Cen.
	25	Nymphaea odorata	White Water Lily	Container or Bare Root, 8' On Cen.
	25	Nymphoides aquatica	Floating Hearts	Container or Bare Root, 8' On Cen.

* ALTERNATE SPECIES IN GROUPS UP TO 25
** ALTERNATE SPECIES IN GROUPS UP TO 20
*** ALTERNATE SPECIES IN GROUPS OF 5

WET POND 'A' LITTORAL CALCULATIONS:

SFWMD LITTORAL PLANTING REQUIREMENTS
REQUIRED - 20% OF WATER SURFACE (73,296 SF) = 14,659 SF
PROPOSED - 14,659 SF / 17' WIDE LITTORAL AREAS = 862 LF

SEE SHEET L1.09 FOR DETAILS AND SPECIFICATIONS.

LITTORAL PLANTING LEGEND

TZ TRANSITION PLANTING ZONE
EZ2 EMERGENT PLANTING ZONE 2
EZ1 EMERGENT PLANTING ZONE 1
DZ DEEP PLANTING ZONE

REGISTERED LANDSCAPE ARCHITECT SCOTT J. BARBER LA-0001660 STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC ENGINEERING & SURVEY • TEAM

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E


DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Toms River, New Jersey • T: 732.974.0198
Chester, New Jersey • T: 908.879.9229
Hillsdale, New Jersey • T: 973.731.7200
Toms River, New Jersey • T: 732.678.3000
Newtown, Pennsylvania • T: 267.685.0379
Philadelphia, Pennsylvania • T: 215.243.4888
Bethlehem, Pennsylvania • T: 610.865.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

TITLE:
LANDSCAPE PLAN SHEET 'D'


SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: L1.04
Rev. #: 0



N
W
E
S

GRAPHIC SCALE
0 25 50 100
(IN FEET)



EXISTIGN TREE LEGEND

PINE PALM OAK

DYNAMIC ENGINEERING
SERVICES, LLC
SURVEY • PLANS

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
CHECKED BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC

SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Long Branch, New Jersey • T: 732.974.0198
Chester, New Jersey • T: 908.879.9229
Neptune, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.253.4888
Bethlehem, Pennsylvania • T: 610.849.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


TITLE:
LANDSCAPE PLAN SHEET 'E'


REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA


SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: L1.05
Rev. #: 0







EXISTIGN TREE LEGEND

PINE PALM OAK

LITTORAL PLANT SCHEDULE (WET POND 'B') (LIVE PLANTS)

SYMBOL	QTY.	BOTANICAL NAME	COMMON NAME	SPECIFICATIONS
TRANSITION ZONE (Control Elevation +1') 600 PLANTS				
TZ*	200	Stachytarpheta jamaicensis	Blue Porterweed	Bare Root, 2' On Center
	200	Muhlenbergia capillaris	Muhly Grass	Bare Root, 2' On Center
	200	Bacopa monnieri	Bacopa	Bare Root, 2' On Center
EMERGENT ZONE 1 (Control Elevation to -1') 575 PLANTS				
EZ1*	115	Canna flaccida	Golden Canna	Bare Root, 2' On Center
	115	Juncus effusus	Softrush	Bare Root, 2' On Center
	115	Panicum hemitomon	Maidencane	Bare Root, 2' On Center
	115	Sagitaria latifolia	Duck Potato	Bare Root, 2' On Center
	115	Thalia geniculata	Fire Flag	Bare Root, 2' On Center
EMERGENT ZONE 2 (-1' to -2') 420 PLANTS				
EZ2**	60	Iris hexagonia savannarum	Blue Flag Iris	Bare Root, 2' On Center
	60	Sagitaria lancifolia	Common Arrowhead	Bare Root, 2' On Center
	60	Scirpus robustus	Saltmarsh Bulrush	Bare Root, 2' On Center
	60	Pondeteria cordata	Pickerelweed	Bare Root, 2' On Center
	60	Eleocharis interstincta	Southern Jointed Spikerush	Bare Root, 2' On Center
	60	Peltandra virginica	Arrow Arum	Bare Root, 2' On Center
	60	Eleocharis cellulosa	Spikerush	Bare Root, 2' On Center
DEEP ZONE (-2' to -5') 51 PLANTS				
DZ***	17	Nuphar advena	Spatterdock	Container or Bare Root, 8' On Cen.
	17	Nymphaea odorata	White Water Lily	Container or Bare Root, 8' On Cen.
	17	Nymphoides aquatica	Floating Hearts	Container or Bare Root, 8' On Cen.

* ALTERNATE SPECIES IN GROUPS UP TO 25
** ALTERNATE SPECIES IN GROUPS UP TO 20
*** ALTERNATE SPECIES IN GROUPS OF 5

WET POND 'B' LITTORAL CALCULATIONS:

SFWMD LITTORAL PLANTING REQUIREMENTS
REQUIRED - 20% OF WATER SURFACE (90,914 SF) = 18,183 SF
PROPOSED - 18,183 SF / 17' WIDE LITTORAL AREAS = 1,069 LF

SEE SHEET L1.07 FOR EASTERN PORTION OF THE WET POND
SEE SHEET L1.09 FOR DETAILS AND SPECIFICATIONS.

LITTORAL PLANTING LEGEND

TZ — TRANSITION PLANTING ZONE
EZ2 — EMERGENT PLANTING ZONE 2
EZ1 — EMERGENT PLANTING ZONE 1
DZ — DEEP PLANTING ZONE

REGISTERED LANDSCAPE ARCHITECT — SCOTT J. BARBER — LA-0001660 — STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC ENGINEERING · SURVEY · PLANNING

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: TREASURE COAST BUSINESS PARK
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E


DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Chernal, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.735.7200
Toms River, New Jersey • T: 732.476.9300
Newtown, Pennsylvania • T: 267.685.0374
Philadelphia, Pennsylvania • T: 215.515.4888
Bethlehem, Pennsylvania • T: (610)868.4400
Allen, Texas • T:972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T:512.646.2444
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


TITLE:
LANDSCAPE PLAN
SHEET 'F'

SCALE: (H) AS NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: L1.06
Rev. #: 0







EXISTIGN TREE LEGEND

PINE PALM OAK

LITTORAL PLANT SCHEDULE (WET POND 'A') (LIVE PLANTS)

SYMBOL	QTY.	BOTANICAL NAME	COMMON NAME	SPECIFICATIONS
TRANSITION ZONE (Control Elevation +1') 510 PLANTS				
TZ*	170	Stachytarpheta jamaicensis	Blue Porterweed	Bare Root, 2' On Center
	170	Muhlenbergia capillaris	Muhly Grass	Bare Root, 2' On Center
	170	Bacopa monnieri	Bacopa	Bare Root, 2' On Center
EMERGENT ZONE 1 (Control Elevation to -1') 485 PLANTS				
EZ1*	97	Canna flaccida	Golden Canna	Bare Root, 2' On Center
	97	Juncus effusus	Softrush	Bare Root, 2' On Center
	97	Panicum hemitomon	Maidencane	Bare Root, 2' On Center
	97	Sagitaria latifolia	Duck Potato	Bare Root, 2' On Center
	97	Thalia geniculata	Fire Flag	Bare Root, 2' On Center
EMERGENT ZONE 2 (-1' to -2') 357 PLANTS				
EZ2**	51	Iris hexagonia savannarum	Blue Flag Iris	Bare Root, 2' On Center
	51	Sagitaria lancifolia	Common Arrowhead	Bare Root, 2' On Center
	51	Scirpus robustus	Saltmarsh Bulrush	Bare Root, 2' On Center
	51	Pondeteria cordata	Pickerelweed	Bare Root, 2' On Center
	51	Eleocharis interstincta	Southern Jointed Spikerush	Bare Root, 2' On Center
	51	Peltandra virginica	Arrow Arum	Bare Root, 2' On Center
	51	Eleocharis cellulosa	Spikerush	Bare Root, 2' On Center
DEEP ZONE (-2' to -5') 45 PLANTS				
DZ***	15	Nuphar advena	Spatterdock	Container or Bare Root, 8' On Cen.
	15	Nymphaea odorata	White Water Lily	Container or Bare Root, 8' On Cen.
	15	Nymphoides aquatica	Floating Hearts	Container or Bare Root, 8' On Cen.

* ALTERNATE SPECIES IN GROUPS UP TO 25
** ALTERNATE SPECIES IN GROUPS UP TO 20
*** ALTERNATE SPECIES IN GROUPS OF 5

LITTORAL PLANTING LEGEND

TZ TRANSITION PLANTING ZONE
EZ2 EMERGENT PLANTING ZONE 2
EZ1 EMERGENT PLANTING ZONE 1
DZ DEEP PLANTING ZONE

REGISTERED LANDSCAPE ARCHITECT SCOTT J. BARBER LA-0001660 STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC ENGINEERING
SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T. 973.615.6178
Chanal, New Jersey • T. 908.879.9329
Newark, New Jersey • T. 973.732.7200
Toms River, New Jersey • T. 732.478.0000
Newtown, Pennsylvania • T. 267.685.0274
Philadelphia, Pennsylvania • T. 215.333.4988
Bethlehem, Pennsylvania • T. 610.849.4400
Allen, Texas • T. 972.534.2100
Houston, Texas • T. 281.799.6400
Austin, Texas • T. 512.346.2444
Delray Beach, Florida • T. 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

TITLE:
LANDSCAPE PLAN SHEET 'G'

SCALE: (H) AS (V) NOTED
DATE: 10/22/2021
PROJECT No: 3342-99-005

SHEET No: L1.07
Rev. #: 0

NOTES:
1. CONTRACTOR SHALL ENSURE FREE DRAINAGE/PERCOLATION OF ALL PLANTING PITS/BEDS PRIOR TO INSTALLATION.
2. ALL PLANTING PITS SHOULD HAVE VERTICAL SIDES AND BE APPROXIMATELY TWO TIMES LARGER THAN ROOT BALL
3. PLANT MATERIAL SHALL BE INSTALLED 2" HIGH WITH SOIL MOUNDING UP TO THE TOP OF ROOT BALL.
4. WHERE GROUND COVERS ARE USED IN MASSES, THE ENTIRE BED SHALL BE EXCAVATED PRIOR TO RECEIVING PLANT MATERIAL AND PLANTING SOIL EXCEPT WHERE SPECIFIED.
5. ALL PLANT MATERIAL MASSES TO USE TRIANGULAR SPACING EXCEPT WHERE NOTED. REFER TO PLANT LIST FOR INDIVIDUAL PLANT SPACING 'X'.
6. PLANT MATERIAL INSTALLED ADJACENT TO STRAIGHT EDGES SHALL BE SPACED IN ROWS PARALLEL TO THE STRAIGHT EDGE. THOSE INSTALLED ADJACENT TO CURVED EDGES SHALL BE PLANTED IN ROWS PARALLEL TO THE CURVED EDGE



1 SHRUB AND GROUND COVER
SCALE: NTS

GENERAL LANDSCAPE NOTES:


1. NO REFERENCE TO ENGINEERING SHOULD BE MADE FROM THIS SHEET. THIS PLAN IS TO BE UTILIZED FOR LANDSCAPE PURPOSES ONLY.
2. IF ANY, TEMPORARY BARRICADES SHALL BE REMOVED PROMPTLY UPON COMPLETION OF THE WORK.
3. EXCAVATIONS AND DISTURBANCES CAUSED TO TURF AND LANDSCAPED AREAS ON SITE SHALL BE BACKFILLED AND GRADED SO AS TO BE FREE OF TRIPPING HAZARDS.
4. CONTRACTOR IS RESPONSIBLE TO REPLACE AND RESTORE DAMAGED SITE LIGHTING, DEAD OR DYING LANDSCAPE MATERIALS/PLANTS, PARKING LOT PAVING, SIDEWALK PAVING, CURBS, SIGNS, IRRIGATION EQUIPMENT OR ANY OTHER DAMAGED ITEMS DUE TO CONSTRUCTION ACTIVITIES.
5. THE CONTRACTOR SHALL KEEP ALL PROPERTY FREE OF CONSTRUCTION MATERIALS, DEBRIS, AND ANY RELATED ITEMS AT ALL TIMES. AREAS WHERE SOIL, MUD OR SAND HAS BEEN DEPOSITED ONTO THE PROPERTY DUE TO CONSTRUCTION ACTIVITIES SHALL BE CLEANED IMMEDIATELY.
6. EXCAVATIONS AND DISTURBANCES CAUSED TO LANDSCAPED AREAS SHALL BE BACKFILLED AND GRADED SO AS TO BE FREE OF TRIPPING HAZARDS.
7. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE PLANS AND WRITTEN SPECIFICATIONS. NO SUBSTITUTIONS SHALL BE MADE WITHOUT WRITTEN APPROVAL BY THE OWNER'S REP.
8. THE LANDSCAPE PLANTINGS SHALL BE INSTALLED IN COMPLIANCE WITH EXISTING CODES AND APPLICABLE DEED RESTRICTIONS OR REQUIREMENTS.
9. CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL MATERIALS AND QUANTITIES PRIOR TO BIDDING, AND NOTIFY OWNER'S REP OF ANY PLAN DISCREPANCIES PRIOR TO CONSTRUCTION. RESOLUTION OF DISCREPANCIES FOUND DURING CONSTRUCTION SHALL BE IN FAVOR OF THE OWNER.
10. ANY DEVIATION FROM PLANT QUANTITY, SIZE OR GRADE MAY JEOPARDIZE THE CERTIFICATE OF OCCUPANCY.
11. WRITTEN DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. DIMENSIONS ARE MINIMUMS ONLY. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB. OWNER'S REP SHALL BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN ON THE PLANS.
12. CONTRACTOR TO NOTIFY SUNSHINE STATE ONE CALL OF FLORIDA, INC AT 800-432-4770 TWO FULL BUSINESS DAYS PRIOR TO DIGGING FOR UNDERGROUND UTILITY LOCATIONS.
13. THE HEALTHY, NEAT, AND ORDERLY APPEARANCE OF ALL REQUIRED LANDSCAPING MATERIALS IS THE CONTINUAL RESPONSIBILITY OF THE PROPERTY OWNER AFTER FINAL ACCEPTANCE.

TREE RELOCATION PROCEDURES:

1. THE TREE MOVING CONTRACTOR SHALL DETERMINE IN THE FIELD IF THE TREE OR PALM IS THE CORRECT SIZE FOR TREE SPADE RELOCATION OR IF A CRANE IS NECESSARY, AND REPORT TO THE LANDSCAPE ARCHITECT THE CHOSEN METHOD OF TREE RELOCATION FOR APPROVAL PRIOR TO DIGGING. PALMS MAY BE HAND DUG BASED ON INDUSTRY STANDARDS AND DETAILS ON THIS SHEET.
2. PREPARATION FOR TREE RELOCATION (TREES TOO LARGE FOR A TREE SPADE)
   a. BY HAND, REMOVE ALL OTHER VEGETATION AWAY FROM THE TRUNK OUT TO THE DRIPLINE
   b. INSTALL A TEMPORARY IRRIGATION SYSTEM OVER THE ROOT ZONE
   c. IRRIGATE ROOT ZONE DAILY WITH 1/2 INCH OF WATER UNTIL RELOCATION. KEEP WATER OFF THE TRUNK
   d. MULCH AREA OF CLEARED VEGETATION, RANGING DEPTH FROM 3" AT DRIP LINE TO 1" AT THE TRUNK
   e. FERTILIZE THE ROOT ZONE WITH A 8-2-12 FERTILIZER AT THE RATE: 1/3 LB. NITROGEN PER 1,000 SF
   f. CUT THE ROOTS AT THE DRIPLINE WITH AN AIR SPADE ALONG 1/4 OF THE DISTANCE OF THE CIRCUMFERENCE OF THE DRIPLINE
   g. MAKE THE SAME CUT THE OPPOSITE 1/4 DISTANCE
   h. OUTSIDE THE CUT DRIPLINE, EXCAVATE A 1' WIDE TRENCH 3 FEET DEEP
   i. ANY ROOTS ENCOUNTERED MUST BE CUT CLEANLY WITH LOPPERS, AND DAMAGED ROOTS TRACED BACK AND CUT CLEAN
   j. BACKFILL TRENCH WITH MULCH, AND WATER DAILY FOR 60 DAYS
   k. IN 30 DAYS REPEAT THE STEPS 6 THRU 9 ON THE REMAINING QUARTERS OF THE DRIP LINE
   l. EACH TRENCH SHALL BE WATERED FOR 30 DAYS MINIMUM AND NEVER LET DRY
   m. CONSIDER CANOPY CROWN REDUCTION, PER ANSI A300 STANDARDS, TO REDUCE WEIGHT DURING RELOCATION
3. RELOCATION PROCEDURES
   a. MOVE TREE ONE TIME FOR BEST SURVIVABILITY RATE
   b. AFTER THE ROOT BALL PREPARATION PROCESS, REMOVE MULCH WITHIN THE ROOT BALL TRENCH
   c. TIGHTLY WRAP BURLAP AROUND THE EXPOSED ROOT BALL SIDES TO RETAIN ROOT BALL SOIL DURING RELOCATION
   d. UNDERCUT THE ROOT BALL TO REDUCE DAMAGE WHEN LIFTING TREE
   e. RECOMMEND UTILIZING A CRANE FOR LIFTING TREES GREATER THAN 8 INCHES IN CALIPER
   f. DIG HOLE TO RECEIVE THE ROOT BALL, 3 FEET LARGER IN DIAMETER
   g. DIG HOLE TO RECEIVE THE ROOT BALL WITH SIMILAR DEPTH AS ROOT BALL
   h. INSTALL TREE AND BACKFILL WITH 70/30 TOPSOIL MIX, AND WATER IN, DO NOT COMPACT BACKFILL
   i. DO NOT BACKFILL SOIL OVER ORIGINAL GRADE OF ROOT BALL, AND INSTALL 1 INCH OF MULCH COVER OVER ROOT BALL
   j. INSTALL TEMPORARY IRRIGATION SYSTEM OVER ROOT BALL
   k. WATER ENTIRE ROOT BALL DAILY WITH ONE INCH OF WATER FOR ONE MONTH PER INCH CALIPER (ESTABLISHMENT PERIOD)
   l. INSTALL TREE PROTECTION BARRICADE AROUND THE OUTSIDE OF THE BACKFILLED AREA, UNTIL END OF CONSTRUCTION
4. AFTER THE ESTABLISHMENT PERIOD, WATER AND MAINTAIN TREES AND PALMS AS SPECIFIED FOR NEW PLANTS.

CANOPY TREE PLANTING NOTES:

1. EACH TREE SHALL RECEIVE SIX "AGRIFORM" 21 GRAM TABLETS PER MANUFACTURER'S DIRECTIONS.
2. ALL TREES SHALL HAVE A MINIMUM CLEARANCE OF 15' FROM LIGHT POLES, AND SHALL NOT BE INSTALLED WITHIN 10 FT. OF ANY ABOVE GROUND UTILITIES OR WITHIN 30 FT. OF THE FACE OF A STOP SIGN.
3. ALL TREE TRIMMING SHALL BE IN ACCORDANCE WITH LOCAL CODES AND THE AMERICAN NATIONAL STANDARD INSTITUTE (ANSI)A-300 PRUNING STANDARDS.




2 CANOPY TREE
SCALE: NTS

NOTES:
1. ALL MULCH SHALL BE PEST AND INSECT FREE.
2. COMPLETELY REMOVE EXISTING SOD AS REQUIRED PRIOR TO PLACING MULCH.



3 MULCH APPLICATION
SCALE: NTS




1. TREE LOCATION AND SPACING IS BASED ON DESIGN REQUIREMENTS AND THE THE TREES SHOWN ON THIS PLAN ATTEMPT TO ACCOMPLISH SPACING REQUIREMENTS WHILE MAINTAINING THE REQUIRED SETBACKS FROM UTILITIES. IN ANY CASE THE TREES SHALL BE PLANTED IN ACCORDANCE WITH THE PLANT DETAILS SHOW HEREON.
2. ADDITIONALLY, TREES ARE TO BE INSTALLED WITH A TWELVE FOOT (12') SEPARATION FROM ANY WATER OR SEWER MAIN AND/OR SERVICE, HYDRANTS, AND LIFT STATIONS. IF A TWELVE FOOT (12') CLEARANCE CANNOT BE ACHIEVED, SPACING CAN BE REDUCED TO SEVEN FOOT (7') IF INSTALLED WITH A ROOT BARRIER SYSTEM. REFER TO THE "ROOT BARRIER" DETAIL (THIS SHEET) FOR INSTALLATION REQUIREMENTS. HOWEVER, IN NO CASE SHALL A TREE ENCROACH INTO AN EASEMENT WITHOUT PRIOR APPROVAL AND ONLY SOD CAN BE INSTALLED WITHIN 7.5 FEET OF A FIRE HYDRANT UNLESS OTHERWISE APPROVED BY THE FIRE MARSHAL AND UTILITIES DEPARTMENT.

4 LANDSCAPE ROOT BARRIER DETAIL
SCALE: NTS

GENERAL PLANTING NOTES:

1. NUISANCE, EXOTIC PLANT SPECIES REMOVAL SHALL BE COMPLETED IN ACCORDANCE WITH SECTIONS OF THE MUNICIPAL REGULATIONS, GUIDELINES AND STANDARDS.
2. ALL PLANT MATERIAL SHALL BE FLORIDA NO. 1 OR BETTER, AS SET FORTH BY THE LATEST EDITION OF FLORIDA GRADES AND STANDARDS,
3. PLANT MATERIAL SHALL BE LOCAL FLORIDA NURSERY STOCK.
4. THE LANDSCAPE CONTRACTOR SHALL NOTIFY THE OWNER OF ANY IMPROPER SOIL CONDITIONS (WETNESS, MUCK, DEBRIS, ETC.) PRIOR TO INSTALLATION. THE CONTRACTOR IS RESPONSIBLE FOR ALL SOIL AMENDMENTS AND/OR FERTILIZER RECOMMENDED BY THE REQUIRED SOIL ANALYSIS REPORT FOR HEALTHY, VIGOROUS PLANT GROWTH. SEE NOTE 11.
5. ALL PLANT MATERIAL HOLES SHALL BE HAND DUG EXCEPT WHERE MACHINE DUG HOLES WILL NOT ADVERSELY AFFECT OR DAMAGE UTILITIES OR PROJECT IMPROVEMENTS.
6. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING ALL LANDSCAPE ELEMENTS UNTIL CONSTRUCTION IS COMPLETE AND ACCEPTED BY THE OWNER'S REP. THIS MAINTENANCE SHALL INCLUDE BUT MAY NOT BE LIMITED TO MOWING, EDGING AND TRIMMING GRASS, KEEPING PLANTING BEDS FREE OF DEBRIS AND WEEDS, MANAGING ALL DISEASE OR INFESTATION, WATERING OF PLANT MATERIALS, AND MAINTAINING MULCH.
7. ALL PLANT MATERIAL SHALL BE GUARANTEED FOR A PERIOD OF 1 YEAR FROM THE DATE OF COMPLETION OF CONSTRUCTION.
8. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL VERIFY AND STAKE ALL UTILITIES. A MINIMUM OF TEN FEET SEPARATION IS REQUIRED BETWEEN UTILITIES AND TREE PLANTINGS. IN ADDITION, ALL TREES SHALL BE LOCATED AT LEAST SIX FEET AWAY FROM THE FLOW LINE OF SWALES AND PROPOSED OR EXISTING STORM WATER INLETS.
9. NEW PLANT MATERIAL TO BE INSTALLED WILL BE FIELD ADJUSTED TO ACCOMMODATE EXISTING PLANT MATERIAL SUCH AS OVERHEAD CANOPY TREES, UNDER-STORY TREES AND SHRUBS OR GROUND COVER. THIS WILL ENSURE EXISTING PLANT MATERIAL TO REMAIN IN ITS NATURAL STATE. THEREFORE, NO EXISTING PLANT MATERIAL WILL BE ALTERED BY REMOVING, CUTTING TRIMMING OR DESTROYING IN ORDER TO INSTALL NEW PLANT MATERIAL.
10. ALL PLANT MATERIALS TO BE CONTAINER GROWN UNLESS OTHERWISE SPECIFIED. BAG GROWN PLANTS ARE NOT ACCEPTABLE.
11. THE PLANTING SOIL USED IN THE PLANTING OPERATIONS SHALL BE A MIXTURE OF 2 PARTS EXISTING TOPSOIL AND 1 PART CLEAN SAND. THE EXISTING TOPSOIL SHALL BE TESTED AND CONSIST OF NATURAL, FRIABLE, FINE LOAM SOIL WITH A pH OF 5.5 TO 7.0, AND 3-5% ORGANIC MATTER. IT SHALL BE FREE OF WEED SEEDS, PATHOGENS, LITTER, SOD, CLAY, ROAD BASE, STONES, ROOTS AND STUMPS. SOIL DEPTH SPECIFIED ON THE PLANS IS MEASURED AFTER LIGHT COMPACTION. TOP SOIL THAT DOES NOT MEET THIS SPEC SHALL BE SUBSTITUTED WITH PROPER BORROW SOIL. SEE NOTE 4.
12. BED PREPARATION: LOOSEN SOIL TO A MINIMUM DEPTH OF TWELVE INCHES AND REMOVE ALL DEBRIS. RE-GRADE THE BED TO ITS ORIGINAL GRADE. DIG PLANTING PITS AT 2 TIMES THE DIAMETER OF THE POT. FILL PLANT PIT WITH SPECIFIED PLANTING MIX AND COMPACT SO THAT THE TOP OF ROOT BALL WILL SETTLE 1/8 DEPTH OF THE ROOT BALL ABOVE FINISH GRADE. SET PLANT AND FILL REMAINDER OF HOLE WITH PLANTING MIX. FERTILIZE EACH PLANT WITH THE RECOMMENDED RATE BASED ON SOIL ANALYSIS AND RECOMMENDATIONS. WATER IN THOROUGHLY. RESET ANY PLANTS THAT SETTLE TOO DEEP. REMOVE SPOIL SOIL AND RAKE THE BED TO ITS FINISH GRADE.
13. MULCH ALL BED AREAS WITH A 3" DEPTH OF APPROVED ORGANIC MULCH, ENSURE MULCH OVER ROOT BALLS DOES NOT EXCEED A DEPTH OF ONE INCH. REMOVE ALL DEBRIS FROM THE MULCH. WATER BED THOROUGHLY. THE USE OF CYPRESS MULCH IS PROHIBITED. ALL TREES NOT LOCATED WITHIN A PLANTING BED SHALL RECEIVE A FOUR FEET DIAMETER MULCH RING.
14. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR HOLDING THE FINE GRADING OF PLANTING AREAS TO ENSURE AT LEAST THREE PERCENT POSITIVE DRAINAGE AWAY FROM BUILDINGS AND INTO TURF AREAS, PONDS, STREETS OR OTHER DRAINAGE WAYS. IN ADDITION, THE FINISH MULCH ELEVATION AT THE BUILDINGS SHALL BE AT LEAST SIX INCHES BELOW FINISH FLOOR OF THE ADJACENT BUILDING. PARKING LOT ISLANDS SHALL SLOPE AT THREE PERCENT FROM CENTER. TURF AND PLANTING BEDS SHALL MEET SIDEWALKS AND FLATWORK AT TWO INCHES BELOW THE FLATWORK.
15. SLOPES GREATER THAN 4:1 SHALL REQUIRE SODDING FOR STABILIZATION.
16. ANY AREAS SUBJECT TO EROSION MUST BE ADEQUATELY STABILIZED WITH VEGETATIVE MATERIAL THAT WILL, WITHIN A REASONABLE TIME FRAME, DETER SOIL DISTURBANCE. SODDING, PLUGGING, SPRIGGING OR SEEDING IS ACCEPTABLE FOR STABILIZATION; HOWEVER, SODDING MAY BE REQUIRED IN AREAS OF EROSION-PRONE SOILS OR WHERE SLOPES ARE GREATER THAN 5:1. VEGETATION OTHER THAN GRASS IS ACCEPTABLE AND MAYBE UTILIZED AT THE OWNERS DISCRETION.
17. IF ALTERNATIVE VEGETATION IS UTILIZED (I.E. MATCHING AND/OR EXTENDING EXISTING SHRUB BED, THE INSTALLED MATERIAL MUST BE HEAL THY, VIGOROUS MATERIAL, FREE OF PESTS AND DISEASES. ALL PLANT MATERIAL SHALL BE IN FULL AND STRICT ACCORDANCE TO FLORIDA NO.1 GRADE, ACCORDING TO THE "GRADES AND STANDARDS FOR NURSERY PLANTS", PUBLISHED BY THE FLORIDA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES. MATERIAL IN SOME INSTANCES SHALL EXCEED NO. 1 GRADE, IN ORDER TO MEET THE MINIMUM REQUIREMENTS OF THIS PROJECT.
18. SOD SHALL BE INSTALLED IN ALL DISTURBED LANDSCAPE AREAS THAT ARE NOT PLANTED OR HARDSCAPED. CONTRACTOR SHALL VERIFY SOD QUANTITY. DO NOT INSTALL SOD IN WETLAND OR WETLAND CONSERVATION AREAS
19. LANDSCAPE CONTRACTOR SHALL REPAIR, RELOCATE AND/OR REPLACE ANY CONSTRUCTION DAMAGED OR REMOVED LANDSCAPE MATERIALS, ON OR OFF SITE, THAT ARE NOT DELINEATED ON THE DEMOLITION PLANS. CONTRACTOR SHALL OBTAIN APPROVAL FROM OWNER'S REP. PRIOR TO ANY REMEDIATION LANDSCAPE EFFORTS.



5 SOD APPLICATION
SCALE: NTS

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC ENGINEERING
• ENGINEERING • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
PARCEL CONTROL NO.
SECTION 31, TOWNSHIP 35S, RANGE 40E
SELVITZ ROAD, ST. LUCIE COUNTY, FL 34981

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Channel, New Jersey • T: 908.879.9129
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.231.4888
Bethlehem, Pennsylvania • T: 610.266.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

TITLE: **LANDSCAPE DETAILS**

SCALE: (H) AS (V) NOTED
DATE: 10/22/2021
PROJECT No: 3342-99-005

SHEET No: L1.08
Rev. #: 0

LITTORAL AREA PREPARATION AND PLANTING

1 PART 1 GENERAL

1.01 SUMMARY

A. This Section describes the work necessary to establish a wetland plant community. Plant species, source of plants, quality of plants, plant spacing, planting methods, plant maintenance, and criteria for success of plant establishment are specified herein.

1.02 DRAWINGS

A. Planting Areas for Listed Plant Species and Communities are Shown in the Drawings Including the:
1. Location of planting zones.
2. Spacing for each plant species or group of species.

1.03 DEFINITIONS

A. Littoral Area: Refers herein to the full-scale constructed multi zone/littoral system to be constructed for the purpose of achieving water quality improvement and wildlife enhancement objectives.
B. Contractor: Refers to designated representative of Paradelo/Burgess.
C. Planting: Refers to local soil preparation, location, placement and securing of plant materials; and water control operations as required to complete a successful planting of the Constructed Wetlands as specified.
D. Maintenance Period: The Maintenance Period begins immediately after all four planting zones have been planted (open water area, emergent zone 1 & 2, and transition zone), and continues for a period of 1 year from inspection and acceptance by the Contractor.
E. Acceptable Plant Propagules: Propagules are vegetative plant structures used for plant reproduction, consisting of aboveground and/or underground structures. Acceptable propagules under this Section may consist of transplants (entire plants dug from a natural site or nursery grown), bare-root material (nursery-grown plants shipped with no soil attached to roots), plant fragments for submerged aquatic areas, seedlings (entire plants, container grown), tubelings (seedlings grown in narrow tube-shaped containers), or plant plugs (plant material from local populations or nursery-grown vegetative material that has been divided into plugs or clumps that contain viable plants and are of the minimum size as specified). The size and configuration of Plant Propagules deemed acceptable for planting under this section will vary depending on the plant species and/or the plant source(s). The determination of acceptability will be made by the Contractor after examining the plant material samples submitted for inspection.
F. Satisfactory Stand of Plant Propagules:
1. The average spacing of plant materials shall be equal to or less than the planting density specified for each plant zone on the Drawings. The overall survival rate of planted clumps shall be at least 80 percent, and areas no greater than 100 contiguous square feet shall have a survival rate of not less than 50 percent, after one year. Plants removed by herbivory or those not found to be a vigorous, thriving condition shall be considered killed for purposes of survival calculations. Herbivory is the disturbance of plants by animals and includes any animal consumption, uprooting, trampling, or other disturbance that precludes establishment of the specified plant species and densities. Each plant zone shall contain no contiguous areas of weeds that exceed 100 square feet in size, with overall wetland weed coverage not to exceed 5%.
2. All required replanting work shall be initiated within 90 days from the date of determination of the viability and survival rate of plant materials as specified, and shall be completed within 30 days of the starting date of replanting.
3. Viable plants shall be indicated by the evidence of one or more new live plant shoots arising from each separate plant plug or clump.
4. The presence of a Satisfactory Stand and plant viability shall be determined by the Contractor after the first full growing season cycle.
G. Planting Area: An area within the littoral zones that is planted during a specified stage of planting. A Planting Area may include one or more Plant Zones.
H. Planting Zone: An area planted with one or more plant species adapted to the same water regime (depth and duration of flooding). There are three planting zones, transition, emergent and open water zones, as indicated on the Drawings.

1.04 SUBMITTALS

A. Shop Drawings: Product labels/data sheets.
B. Quality Control Submittals:
1. Plant Material: Within 1 month following award of Contract, the Subcontractor shall submit to the Contractor a summary of the availability of plant materials needed to complete this project. Identification of source for each species shall be provided. For materials to be purchased from a commercial nursery, an affidavit from nursery owners that specified, nursery-grown plant materials will be available by the expected startup of each phase of wetland planting shall be provided. For field-harvested plant materials, the Subcontractor shall provide a description of any sites where plant material will be harvested, identification to species of any plants that will be harvested, an estimate of the number of plant propagules of each species that will be collected, and an affidavit that any necessary permissions have been granted for plant harvesting and that no laws will be violated by field harvesting.
2. Plant Samples: Plant propagules within 1 month before littoral planting begins, the Subcontractor shall submit to the Contractor for review samples of all wetland plant species to be used. Representative plant samples should be placed in sealable plastic bags, labeled, packed on ice, and delivered. The samples shall be identified by species, location obtained, and number of propagules to be obtained from this source location. If the Contractor finds that any plant materials are not likely to be satisfactory for use, the Subcontractor will be required to find an alternate source of acceptable plant materials.
C. The Subcontractor shall submit to the Contractor for review a planting schedule and work plan outlining the proposed schedule and procedures for installation of plant materials. The work plan shall also describe techniques that will be applied to assure plant viability during harvest, transport, planting, and long term survival. The Subcontractor shall update the planting schedule and work plan, and provide revisions to the Contractor as changes occur.
D. Contract Closeout Submittals: Description of required maintenance activities and activity frequency.

1.05 DELIVERY, STORAGE, AND PROTECTION

A. Propagules of Wetland Plant Species:
1. Harvest and deliver only after planting area is prepared and water delivery system is operable.
2. Deliver and plant within 48 hours after harvesting.
3. Keep moist and covered to protect from drying from time of harvesting, during delivery, and until planted.

1.06 WEATHER RESTRICTIONS

A. Perform work under favorable weather and soil moisture conditions as determined by local practice. Planting will not be conducted during periods when the mean air temperature is below 40 degrees Fahrenheit.

1.07 SEQUENCING AND SCHEDULING

A. When plant propagules from local populations are to be used, planting operations shall be coordinated with the harvesting of the wetland vegetative material as requiredto minimize the time from harvest to planting.
B. The Subcontractor shall work with the Contractor when planninig deliveries. Final grading should be completed and ready for operation before starting work.
C. The Subcontractor shall follow the Planting Schedule in developing his work plan. During the coordination of planting activities. Any deviations from the Planting schedule shall be approved by the Contractor prior to changes being made.
D. The Subcontractor shall complete work under this section within 30 days after being planted. Planting will begin no earlier than April 1, and be completed no later than July 31 for a given year.
E. The Subcontractor shall Notify Contractor at Least 3 Days in Advance of:
1. Start of planting activity for each planting stage.
2. Completion of planting activity for each planting stage.

1.08 MAINTENANCE SERVICE

A. Subcontractor: Perform maintenance operations during maintenance period to include:
1. Watering: Transition Zone plants by a temporary watering system to until the irrigation system is operational.
2. Replant unsatisfactory areas or portions thereof immediately when observed or at the end of the maintenance period if a satisfactory stand has not been produced.
3. Replant entire area if satisfactory stand does not develop by the inspection date or stage of planting.
4. Control of exotic nuisance plants that would inhibit satisfactory growth of planted material.

PART 2 PRODUCTS

2.01 SUMMARY

A. Four Planting Zones as defined on the Drawings shall be established with multiple plant species within each Plant Zone. The emergent zone is further divided into two sub-zones or bands of individual or similar plant species. The locations of the Planting Zones and specific planting densities are shown on the Drawings and on the Planting List. Any deviations in planting stock quantities or listed species must be approved by the Contractor. All plant materials delivered onsite shall be properly identified and shall be in healthy condition at the time of planting. Plant materials may be field harvested from sites reviewed by the Contractor or plant materials may be from a commercial nursery.

2.02 PLANT MATERIALS

A. The plant materials required for the four plant zones within the Littoral area shall be field-harvested or nursery-grown propagules consisting of selected species for each zone as described and illustrated on the Drawings.
B. Plants shall be live, fresh, healthy, and uninjured at the time of planting. Plants shall be acceptable Plant Propagules as defined in this section. Plants may be harvested from local wetland areas or ponds, provided that a written affidavit is provided that documents all necessary authorizations have been received. Plants shall be kept continually moist and shaded until they are planted. Any plants that have been permitted to dry out or are otherwise injured for any reason in the judgment of the Contractor and do not show a viable condition, shall be rejected for use.

2.03 REQUIRED EQUIPMENT AND FACILITIES

A. All equipment and materials required to complete the Work as specified shall be provided and maintained by the Subcontractor, and shall be removed from the site by the Subcontractor upon the completion of the Work.
B. Water distribution piping and water supply shall be provided by the Contractor with the approval of the Owner and the Subcontractor.
C. The transplant positions for individual bare-root plants, plant plugs or clumps may be marked with white flour, chalk, or stakes. Paint or other types of compounds noxious to plants are not acceptable for marking. Wire flags may be used if subsequently removed from the Constructed Wetlands during planting.
D. Wooden stakes or other nontoxic, degradable materials may be used for anchoring of plant plugs or clumps.

2.04 HARVEST AND TRANSPORT OF PLANT MATERIALS

A. When local populations are used, other species (unless noted as a nuisance species) intermingled with the target species should not be excluded from the harvested material prior to planting in the indicated areas of the Constructed Wetlands. Nuisance species are defined as weeds and noxious plants that have been determined to be aggressive and potentially detrimental to the establishment and long-term growth of the planted species.
B. Plant materials harvested from local populations acceptable for planting shall consist of clumps that contain viable root-rhizome stock as required to satisfy the Constructed Wetland planting.
C. Plant material shall be divided into plugs or clumps suitable for planting. The minimum plug size to be installed at the planting site is 4 inch by 4 inch. The Subcontractor shall be responsible for using a plug or clump size that assures viability and rapid colonization of the wetland plants.
D. Large soil clumps containing viable root-rhizome stock may be extracted from the harvest site and divided into smaller clumps prior to planting. Excessive manipulation and disturbance of soil mass should be avoided as it may cause physical damage and desiccation during harvest, transport and planting.
E. Before the plant materials are transported, the top of bulrush and other tall emergents shall be cut to leave an approximate 2-foot height. The intent is to promote rapid regrowth upon transplanting and to make them easier to transport. The Subcontractor shall be responsible for the removal and off site disposal of all discard cuttings.
F. Plant material purchased from a commercial nursery for use in planting the Constructed Wetlands may include plant fragments (for submerged species listed), bare-root material, or container grown material.
G. Shipments from a commercial nursery supplying plant materials for planting the wetlands shall be coordinated with planting of the cells so that maintenance of plant materials prior to commencement of planting activities is no longer than 48 hours.
H. All plant materials shall be kept moist and covered to protect from drying from time of harvesting, during transport, and until planted.

2.05 PLANT REPLACEMENT

A. The Subcontractor shall re-plant within 30 days from the specified inspection dates for each planting phase any areas where the plant survival rate is less than the survival rate specified.
B. All required replanting work shall be initiated within 30 days from the date of determination of the viability and survival rate of plant materials as specified, and shall be completed within 30 days of the starting date of replanting.
C. The Subcontractor is responsible for obtaining a supply of viable plant material for replanting. Plant material for re-planting may be available from local populations or the onsite nursery (if included), subject to review by the Contractor.

3 PART 3 EXECUTION

3.01 SUMMARY

A. The littoral planting areas shall be planted in four planting zones as indicated on the Drawings. In order to coordinate with the construction of the wetland system, the planting of the wetland areas will be conducted as outlined in the Planting Schedule and Work Plan provided by the Subcontractor. Planting shall begin following installation of an adequate supply of water to the wetland cells and after final grading and seed bed preparation is shown on the Drawings.

3.02 PLANTING AREAS AND DENSITY

A. The constructed wetlands shall be planted in the zones and at the required densities as

3.03 PREPARATION FOR PLANTING

A. The Subcontractor shall coordinate with the Contractor 24 hours in advance prior to commencement of planting activities. The Subcontractor shall verify with the Contractor the completed in a given planting area.

3.04 PLANTING SEQUENCE

A. For each zone, deep zones shall be planted first to minimize soil erosion and sedimentation after planting preparation has occurred water levels prior to planting.
B. Planting of the emergent zone shall take place after the soil medium is saturated and at the
C. Transitional plants will be planted along the edges as specified in the Drawings.

3.05 PLANTING METHODS

A. Wetland Plant propagules shall be planted in moist to shallowly flooded soils. Water depths shall be maintained during planting and the plant establishment to allow optimal rooting conditions. Emergent wetland plants shall be planted by hand using a shovel, spade, dibble, trowel, or other method reviewed by the Contractor.
B. The planting tool shall be used to create a shallow hole in the moist substrate for planting. The hole shall be of sufficient depth and width to allow the entire root mass to be inserted without breakage or other damage. Planting rows should be staggered so that open pathways along the direction of water flow are not created. The plants shall be planted upright so the junction between the root crown and the stem or leaf base is at the ground surface. After placement of the plant in the hole, the hole shall be carefully closed around the plant roots by gently applying pressure to the edge of the hole with the foot or other method as reviewed by the Contractor. Anchoring of the plant plugs or clumps by methods such as staking in place or otherwise securing plant clumps is at the discretion of the
C. Deep Zones: Submerged aquatic plants shall be planted in shallowly flooded deep water zones in between riprap rubble. Remove rubble to expose underlying soil to install plant. Plant Propagules shall be weighted with an iron nail or staple, or equivalent method reviewed by the Contractor, so they will be in contact with the flooded substrate.
D. Plants which have been judged by the Contractor to be damaged by mishandling during the planting process shall be replaced at the Subcontractor's expense.


3.06 WORK ACTIVITIES AND SITE DISTURBANCE

A. At the completion of the planting contract, all work equipment, materials displaced during work activities, shall be repaired or removed. Final grading shall be completed were impacted soil has occured. There should be no substantial high or low points within the grades of planted areas.

3.07 PLANT INSPECTION AND ACCEPTANCE

A. All planting areas will be continuously flooded to maintain moist soil conditions until plants have passed inspection and been accepted by the Owner. Irrigation is to be coordinated the Contractor.
B. Maintenance: The Subcontractor shall be responsible for maintenance of plantings for specified maintenance period. The Subcontractor is fully responsible for the plantings survival and maintenance for 1 year after acceptance by the Contractor. Although the Subcontractor is wholly responsible for maintenance of the wetlands planting, the Subcontractor is encouraged to consult with the Contractor and Owner concerning methods to optimize plant growth and survival. If acceptable by the Subcontractor, the Owner shall assist in activities during the maintenance period to include water depth adjustment and weed/unwanted plant growth.
C. Weed Control: The Subcontractor shall remove or control weeds and noxious plants before they compete with desired plant species within the planted areas. Weeds and noxious plants are defined as those plants that have been determined to be aggressive and potentially detrimental to the establishment and long term growth of the planted species; and shall include, but are not limited to reed canary-grass, Johnson grass, and Bermuda grass. Weeds and noxious plants shall be mechanically removed or controlled with herbicides. The Subcontractor shall review with the Contractor herbicide materials, means of application, and applications rates before use. The Subcontractor will be responsible for replacing desirable plants damaged by any weed and noxious plant control measures implemented. The Contractor shall obtain written approval from the project permitting team prior to any use of herbicide.
D. Period of Maintenance: The Subcontractor is responsible for maintenance until the planted areas have been inspected by the Contractor at the specified inspection date for each phase. At the specified inspection dates, the Contractor will inventory wetland plantings and determine if they meet minimum levels of survival and growth as described below.
E. The Subcontractor shall give the Contractor 7 days ' notice prior to plant inspection visits.
F. Inspection and Acceptance: During the inspection date(s) specified in the planting schedule, the Contractor will make an inspection to determine if the satisfactory stands of wetland plants have been established, as previously defined in this section. For the purposes of this inspection, original planted clumps will be counted as one unit regardless of the number of daughter plants that may have emerged since planting. If the requirements for satisfactory stands are met, the wetland planting will be accepted and the Owner will assume responsibility for the continued plant maintenance. If any stands are not found to be satisfactory, the Subcontractor shall replant those areas at his own expense until satisfactory stands are judged by the Contractor to be achieved. The Contractor will inspect any replanted areas within 4 weeks following replanting and will determine if those replanting efforts are satisfactory. The Subcontractor shall be responsible for replanting and continued plant maintenance until all plantings are accepted by the Contractor.

PROPOSED LITTORAL PLANTING SECTION



TYPICAL LAKE SECTION / LITTORAL SHELF PLANTING DETAIL

SCALE: NTS

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC
• ENGINEERING • EARTH • SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SB | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: SB

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E


DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Cherry Hill, New Jersey • T: 908.879.9229
New-York, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.479.9000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.233.4088
Bethlehem, Pennsylvania • T: 610.997.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com


811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


TITLE: **LITTORAL DETAILS**

SCALE: (H) AS (V) NOTED | DATE: 10/22/2021
PROJECT No: 3342-99-005

SHEET No: L1.09 | Rev. #: 0








TREE MITIGATION NOTES:

1. REMOVE ALL CATEGORY 1 EXOTIC PLANTS.
2. TOTAL OAK AND PINE DBH INCHES SAVED ON SITE = 3,016 DBH. TOTAL NATIVE PALMS SAVED 116.
3. TOTAL OAK AND PINE DBH INCHES TO BE REMOVED (14" AND GREATER DBH TREES) = 2,646 DBH INCHES OF OAK, 373 DBH INCHES OF PINE. 777 PALMS WILL BE REMOVED.
4. PER SECTION 123.66 (D)(2)(A), 3,019 INCHES (DBH) WILL BE MITIGATED ON SITE BY RETAINING 3,016 DBH INCHES OF OAKS AND PINES PLUS INSTALLING 2 REPLACEMENT OAK TREES.
5. PER SECTION 123.66 (D)(5), 777 PALM WILL BE MITIGATED ON SITE BY RETAINING 116 PALMS AND REPLACING THE REMAINING 661 PALM CREDITS WITH 86 OAK TREES (12' X 2.5" DBH) AND BY PAYING THE BALANCE INTO THE CITY OF FT. PIERCE TREE PRESERVATION FUND.
6. LAND CLEARING WILL NOT ENCROACH INTO THE CONSERVATION EASEMENTS.



NOTES:

1. NO CONSTRUCTION TRAFFIC, CUTTING, FILLING STAGING, TRENCHING OR ROOT COMPACTION WITHIN TREE BARRICADE.
2. PLACE BARRICADE AROUND TREES AND PALMS TO REMAIN OUT SIDE OF THE WETLAND PRESERVE AREA FENCE LINES. INSTALL VEGETATION PROTECTION BARRICADES AND OBTAIN CITY APPROVAL OF INSTALLATION PRIOR TO DEMOLITION, CLEARING, OR SITE WORK.

1 TREE BARRICADE DETAIL
SCALE: NTS

TREE PROTECTION NOTES:

1. LANDSCAPE BUFFER AND EXISTING TREES TO BE SAVED NEED TO BE INSPECTED PRIOR TO STARTING THE PROJECT.
2. DO NOT BARRICADE TREES WITHIN THE WETLAND PRESERVE AREA PERIMETER FENCE LINES. BARRICADE PRESERVE AREA TREE CROWNS THAT SPREAD OUTSIDE OF THE PRESERVE AREA FENCE LINE.

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC ENGINEERING CONSULTANTS, LLC
SURVEY • PLANNING

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX PEAR
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: —

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Cormo, New Jersey • T: 732.974.0198
Chesnut, New Jersey • T: 908.879.9229
Neiwark, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.253.4888
Bethlehem, Pennsylvania • T: 610.865.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

TITLE: **OVERALL TREE DISPOSITION PLAN**

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: T1.00
Rev. #: 0

EXISTING TREE LEGEND

PINE PALM OAK

PROPERTY LINE

PROPERTY LINE

LOT 4

EXISTING TREE TO REMOVE TYP

LIMITS OF WETLAND

CONSERVATION EASEMENT

EXISTING TREE TO REMAIN TYP

25' WETLAND BUFFER

EXISTING PALM TO REMAIN TYP

ENERGY LANE

EXISTING PALM TO REMAIN TYP

LIMITS OF WETLAND

25' WETLAND BUFFER

MATCHLINE A

MATCHLINE B

MATCHLINE E

MATCHLINE D

N


W E

S

GRAPHIC SCALE

0 25 50 100

(IN FEET)



DYNAMIC ENGINEERING
SURVEY • PLANNING

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX
PEAR

DESIGNED BY: ACM

CHECKED BY: MDM

CHECKED BY: –

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC

SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Cosby, New Jersey • T. 732.974.0198
Cherry, New Jersey • T. 908.879.9229
Neland, New Jersey • T. 973.755.7200
Toms River, New Jersey • T. 732.678.0000
Newtown, Pennsylvania • T. 267.685.0276
Philadelphia, Pennsylvania • T. 215.231.6888
Bethlehem, Pennsylvania • T. 610.868.4400
Allen, Texas • T. 972.534.2100
Brushton, Texas • T. 281.789.6400
Austin, Texas • T. 512.646.2646
Delray Beach, Florida • T. 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


TITLE: **TREE DISPOSITION PLAN SHEET 'A'**

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: T1.01
Rev. #: 0

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263



N


W E

S

GRAPHIC SCALE

0 25 50 100

(IN FEET)



EXISTING TREE LEGEND

PINE PALM OAK

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX PARK

DESIGNED BY: ACM

CHECKED BY: MDM

CHECKED BY: —

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC

SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING

LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING

100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:

Lake Como, New Jersey • T: 732.974.0198
Chesnut, New Jersey • T: 908.879.9229
Newark, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.279.5000
Newtown, Pennsylvania • T: 267.685.0374
Philadelphia, Pennsylvania • T: 215.233.6888
Bethlehem, Pennsylvania • T: (610)868.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2444
Delray Beach, Florida • T: 561.921.8570

Florida Certificate of Authorization No. 32535

www.dynamicec.com

811 Know what's below. Call before you dig.

PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.

LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593

1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

TITLE: **TREE DISPOSITION PLAN SHEET 'B'**


SCALE: (H) AS (V) NOTED

DATE: 11/12/2021

PROJECT No: 3342-99-005

SHEET No: T1.02

Rev. #: 0



EXISTING TREE LEGEND

PINE PALM OAK

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX PARK
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Clifton, New Jersey • T: 732.515.2178
Chesnal, New Jersey • T: 908.879.9229
Neptune, New Jersey • T: 973.733.7300
Toms River, New Jersey • T: 732.478.0000
Newtown, Pennsylvania • T: 267.685.0374
Philadelphia, Pennsylvania • T: 215.233.6888
Bethlehem, Pennsylvania • T: +1.888.6400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2644
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's BELOW Call before you dig
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

TITLE: **TREE DISPOSITION PLAN SHEET 'C'**

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: T1.03
Rev. #: 0

MATCHLINE A | MATCHLINE B
MATCHLINE D

MATCHLINE E
MATCHLINE D

EXISTING TREE TO REMAIN TYP

EXISTING TREE TO REMOVE TYP

LIMITS OF WETLAND

CONSERVATION EASEMENT

EXISTING PALM TO REMOVE TYP

25' WETLAND BUFFER

EXISTING PALM TO REMAIN TYP

EXISTING TREE TO REMAIN TYP

LOT 5

PROPERTY LINE

MATCHLINE D
MATCHLINE G

N
W E
S

GRAPHIC SCALE
0 25 50 100
(IN FEET)

A B C
E D
F G

EXISTING TREE LEGEND

PINE PALM OAK

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX PEAR
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: —

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake County, New Jersey • T: 732.974.0198
Chennai, New Jersey • T: 908.879.9229
Neptune, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.251.6888
Bethlehem, Pennsylvania • T: 610.865.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2648
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

TITLE: **TREE DISPOSITION PLAN SHEET 'D'**

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: T1.04
Rev. #: 0



N
W
E
S

GRAPHIC SCALE
0 25 50 100
(IN FEET)

EXISTING TREE LEGEND

PINE PALM OAK

DYNAMIC ENGINEERING • SURVEY • PLANNING

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX PEAR
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE; ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Clarke Hills, Florida • T: 727.743.3118
Chennai, New Jersey • T: 908.879.9229
Holmdel, New Jersey • T: 973.710.7335
Toms River, New Jersey • T: 732.678.3000
Newtown, Pennsylvania • T: 267.685.0379
Philadelphia, Pennsylvania • T: 215.243.4888
Bethlehem, Pennsylvania • T: 610.849.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


REGISTERED LANDSCAPE ARCHITECT SCOTT J. BARBER LA-0001660 STATE OF FLORIDA


SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263


TITLE: **TREE DISPOSITION PLAN SHEET 'E'**

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342-99-005

SHEET No: T1.05
Rev. #: 0







EXISTING TREE LEGEND

PINE PALM OAK

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX PEAR
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE; ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Toms River, New Jersey • T: 732.914.0186
Chester, New Jersey • T: 908.879.9229
Neptune, New Jersey • T: 973.776.7300
Toms River, New Jersey • T: 732.678.0000
Newtown, Pennsylvania • T: 267.685.0374
Philadelphia, Pennsylvania • T: 215.253.4888
Bethlehem, Pennsylvania • T: 610.865.4400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2644
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM


REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA


SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263


TITLE: **TREE DISPOSITION PLAN SHEET 'F'**

SCALE: (H) AS (V) NOTED
DATE: 11/12/2021
PROJECT No: 3342–99–005

SHEET No: T1.06
Rev. #: 0







EXISTING TREE LEGEND

PINE ✱ PALM ○ OAK

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX PAR
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: –

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Dover, New Jersey • T: 732.512.0178
Chesnut, New Jersey • T: 908.879.9229
Neliwold, New Jersey • T: 973.733.7200
Toms River, New Jersey • T: 732.478.0000
Newtown, Pennsylvania • T: 267.685.0374
Philadelphia, Pennsylvania • T: 215.233.6886
Bethlehem, Pennsylvania • T: 610.865.6400
Allen, Texas • T: 972.534.2100
Houston, Texas • T: 281.799.4400
Austin, Texas • T: 512.646.2644
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
Know what's BELOW Call before you dig
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

REGISTERED LANDSCAPE ARCHITECT SCOTT J. BARBER LA-0001660 STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

TITLE: **TREE DISPOSITION PLAN SHEET 'G'**

SCALE: (H) AS (V) NOTED
DATE: 10/22/2021
PROJECT No: 3342-99-005

SHEET No: T1.07
Rev. #: 0

MITIGATION TABLE: EXISTING NATIVE TREES AND PALMS TO BE REMOVED

ID #	SPECIES	DBH IN.
1796	PINE	13
7000	OAK	13
7001	OAK	8
7002	OAK	5
7003	OAK	5
7004	OAK	9
7005	OAK	19
7006	OAK	12
7007	OAK	19
7008	OAK	10
7009	OAK	5
7010	OAK	5
7011	OAK	5
7012	PALM	31
7013	OAK	9
7014	OAK	8
7015	PALM	16
7016	PALM	18
7017	PALM	18
7018	OAK	14
7019	PALM	18
7020	OAK	20
7021	OAK	13
7022	OAK	9
7023	OAK	10
7024	OAK	17
7025	OAK	7
7026	OAK	5
7027	OAK	5
7028	PALM	20
7029	PALM	15
7030	OAK	14
7031	OAK	14
7032	OAK	9
7033	OAK	10
7034	OAK	13
7035	PALM	19
7036	PALM	16
7037	OAK	19
7038	OAK	8
7039	OAK	7
7040	OAK	13
7041	OAK	6
7042	OAK	11
7043	OAK	7
7044	PALM	22
7045	OAK	13
7046	OAK	18
7047	OAK	15
7048	OAK	12
7049	OAK	10
7050	PALM	17
7051	OAK	16
7052	OAK	12
7053	OAK	16
7054	OAK	12
7055	OAK	23
7056	OAK	23
7057	PALM	15
7064	OAK	15
7065	OAK	18
7066	OAK	5
7067	OAK	5
7068	OAK	15
7069	PALM	15
7070	OAK	15
7071	OAK	10
7072	OAK	9
7073	OAK	17
7074	OAK	6
7075	OAK	15
7076	OAK	9
7126	OAK	11
7127	OAK	8
7130	OAK	16
7131	OAK	5
7132	OAK	5
7133	OAK	6
7134	OAK	5
7135	PALM	12
7136	PALM	6
7137	PALM	18
7138	PALM	21
7139	OAK	15
7140	OAK	10
7141	OAK	8
7142	PALM	13
7143	PALM	19
7144	OAK	18
7145	PALM	19
7146	PALM	19
7147	PALM	21
7148	PALM	16
7149	PALM	19
7150	OAK	23
7187	OAK	6
7188	OAK	7
7189	OAK	6
7190	OAK	6
7191	OAK	11
7192	OAK	5
7193	OAK	18
7194	OAK	13
7194	OAK	13
7195	OAK	19
7196	OAK	4
7197	OAK	4
7198	OAK	5
7199	OAK	18
7200	PALM	10
7201	PALM	10
7202	OAK	6
7203	OAK	17
7204	OAK	8
7205	PALM	11
7206	PALM	19
7207	PALM	19
7208	OAK	5
7209	OAK	8
7210	OAK	8
7211	OAK	9
7212	OAK	8
7213	OAK	26
7214	PALM	18
7220	PALM	13
7221	PALM	13
7222	OAK	10
7223	OAK	10
7224	OAK	17
7225	PALM	17
7226	OAK	8
7227	PALM	13
7228	OAK	12
7229	OAK	12
7230	OAK	12
7231	OAK	13
7232	OAK	19
7233	OAK	8
7234	OAK	11
7235	OAK	18
7236	OAK	16
7238	OAK	19
7254	OAK	17
7255	OAK	10
7256	OAK	10
7257	OAK	7
7258	OAK	11
7259	OAK	11
7260	OAK	22
7261	OAK	10
7262	PALM	18
7263	PALM	14
7264	PALM	18
7265	OAK	13
7266	PALM	17
7267	OAK	14
7268	PALM	13
7269	OAK	18
7270	OAK	14
7271	OAK	8
7272	OAK	18
7273	OAK	10
7274	OAK	18
7275	OAK	6
7276	OAK	10
7343	OAK	10
7344	PALM	15
7345	PALM	15
7346	OAK	8
7347	OAK	5
7348	OAK	8
7349	OAK	6
7350	OAK	6
7351	PALM	10
7352	OAK	7
7353	OAK	5
7354	OAK	10
7355	OAK	11
7356	OAK	6
7357	PALM	10
7358	PALM	10
7359	OAK	8
7360	PALM	11
7361	PALM	11
7362	OAK	5
7363	OAK	11
7364	OAK	5
7459	PALM	15
7460	PALM	11
7461	PALM	11
7462	OAK	19
7463	PALM	15
7464	OAK	15
7465	PALM	15
7466	PALM	11
7467	OAK	34
7469	PALM	8
7470	OAK	9
7471	OAK	8
7472	PALM	10
7473	OAK	9
7474	OAK	6
7475	PALM	14
7476	OAK	5
7477	OAK	8
7478	PALM	15
7479	PALM	11
7480	OAK	6
7481	OAK	12
7482	OAK	12
7483	OAK	6
7484	OAK	10
7485	PALM	14
7795	PALM	14
7796	PALM	13
7797	PALM	13
7798	PALM	13
7799	PALM	13
7800	PALM	13
7801	PALM	13
7802	PALM	13
7803	PALM	13
7804	PINE	14
7811	OAK	13
7812	OAK	9
7813	PALM	13
7815	OAK	10
7816	OAK	14
7817	PALM	14
7843	PALM	13
7844	PALM	13
7845	OAK	8
7848	OAK	6
7849	OAK	12
7850	PINE	7
7859	OAK	5
7860	PINE	8
7861	PINE	12
7862	OAK	8
7864	OAK	5
7865	OAK	6
7866	OAK	6
7867	OAK	15
7868	OAK	15
7869	PALM	13
7870	PALM	13
7871	PALM	13
7872	PALM	13
7873	PALM	13
7875	PINE	12
7876	OAK	8
7877	PALM	13
7878	PALM	13
7879	PALM	13
7880	PALM	13
7881	PINE	9
7882	OAK	16
7883	OAK	16
7884	OAK	12
7885	OAK	16
7886	OAK	13
7887	OAK	5
7888	OAK	10
7889	OAK	11
7890	OAK	10
7891	OAK	13
7892	OAK	11
7893	OAK	8
7894	OAK	8
7895	PALM	13
7896	PALM	13
7897	PALM	13
7898	OAK	5
7899	PALM	13
7900	PINE	10
7901	OAK	8
7902	OAK	6
7903	OAK	8
7904	OAK	17
7905	OAK	15
7906	PALM	13
7907	PINE	13
7911	OAK	9
7912	OAK	11
7913	OAK	13
7914	PALM	13
7915	PALM	13
7916	PALM	13
7952	PALM	13
7953	PALM	13
7954	PALM	13
7955	PALM	13
7956	PALM	13
7957	PALM	13
7958	PALM	13
7959	PINE	13
7960	PALM	13
7961	OAK	7
7962	PALM	13
7963	PALM	13
7964	PALM	13
7965	PALM	13
7966	PALM	13
7967	PALM	13
7968	OAK	8
7969	OAK	10
7970	OAK	11
7971	OAK	5
7974	PALM	13
7975	PALM	13
7976	PALM	13
7977	PALM	13
8209	PALM	13
8210	PALM	13
8212	PALM	13
8213	PALM	13
8214	PALM	13
8220	PALM	10
8222	PALM	10
8223	PALM	10
8224	PALM	13
8225	PALM	13
8230	PALM	10
8231	PALM	10
8232	PALM	10
8233	PALM	13
8234	PALM	13
8236	OAK	9
8237	PALM	13
8238	PALM	13
8240	PALM	13
8241	PALM	13
8242	PALM	13
8244	PALM	13
8245	PALM	13
8246	PALM	13
8247	PINE	11
8248	OAK	5
8249	OAK	8
8250	PALM	13
8251	PALM	13
8266	OAK	14
8267	OAK	5
8268	PALM	13
8273	PINE	15
8274	OAK	16
8278	PALM	13
8279	PALM	13
8281	PALM	13
8282	PALM	13
8283	PALM	13
8284	PALM	13
8285	PALM	13
8286	PALM	13
8287	PALM	13
8288	PALM	13
8289	PALM	13
8292	OAK	8
8293	PALM	13
8294	PALM	13
8295	PALM	13
8296	PALM	13
8297	PALM	13
8298	PALM	13
8300	PALM	13
8301	PALM	13
8302	PALM	13
8303	PALM	13
8304	PALM	7
8305	PALM	13
8306	PALM	13
8307	PALM	13
8309	PALM	13
8310	PALM	13
8311	PALM	13
8312	PALM	13
8314	OAK	6
8315	OAK	8
8316	PALM	13
8317	PALM	13
8319	PALM	13
8335	PALM	13
8337	PALM	13
8338	PALM	13
8339	PALM	13
8340	PALM	13
8341	PALM	13
8343	PALM	13
8344	PALM	13
8345	PALM	13
8346	PALM	13
8347	PALM	13
8348	PALM	13
8349	PALM	13
8350	PALM	13
8351	PALM	13
8352	PINE	18
8353	OAK	19
8354	PINE	15
8355	PINE	16
8356	PALM	13
8357	PALM	13
8358	OAK	29
8359	PALM	13
8361	PALM	13
8362	PINE	22
8363	PALM	13
8364	PALM	13
8365	PALM	13
8366	PALM	13
8367	PALM	13
8368	PINE	17
8370	PALM	13
8371	PALM	13
8372	PALM	13
8373	PALM	13
8374	PALM	13
8375	PALM	13
8376	PALM	13
8377	PALM	13
8378	PALM	13
8379	PALM	13
8380	PALM	13
8381	PALM	13
8382	PALM	13
8384	PALM	13
8385	PALM	13
8386	PALM	13
8387	PINE	13
8388	PALM	13
8389	PALM	13
8390	PALM	13
8391	PALM	13
8392	PALM	13
8393	PALM	13
8394	PALM	13
8395	PALM	13
8396	PALM	13
8397	PALM	13
8398	PALM	13
8400	TREE	18
8401	PALM	13
8402	PALM	13
8403	PALM	13
8404	PALM	13
8405	PALM	13
8406	PALM	13
8407	PALM	13
8408	PALM	13
8409	PALM	13
8410	PALM	13
8411	PALM	13
8412	PALM	13
8414	PALM	13
8415	PALM	13
8416	PALM	13
8417	PALM	13
8418	PALM	13
8419	PALM	13
8420	PALM	13
8421	PALM	13
8422	PALM	13
8423	PALM	13
8424	PALM	13
8425	PALM	13
8427	PALM	13
8428	PALM	13
8429	PALM	13
8430	PALM	13
8431	PALM	13
8432	PINE	15
8433	PALM	13
8434	PALM	13
8435	PALM	13
8436	PALM	13
8437	PALM	13
8438	PALM	13
8439	PALM	13
8440	PALM	13
8441	PINE	18
8443	PALM	13
8444	PALM	13
8445	PALM	13
8446	PALM	13
8447	PALM	13
8448	PALM	13
8449	PALM	13
8450	PALM	13
8451	PALM	13
8452	PALM	13
8453	PALM	13
8454	PALM	13
8455	PALM	13
8456	PALM	13
8457	PALM	13
8458	PALM	13
8459	PALM	13
8460	TREE	42
8461	OAK	7
8462	PALM	13
8463	PALM	13
8464	PINE	18
8465	OAK	29
8466	PALM	13
8467	PALM	13
8468	PALM	13
8469	PALM	13
8470	PALM	13
8471	PALM	13
8472	PALM	13
8473	PALM	13
8474	PALM	13
8475	PALM	13
8476	PALM	13
8477	PINE	14
8479	PALM	13
8480	PALM	13
8481	PALM	13
8482	PALM	13
8483	PALM	13
8484	PALM	13
8485	PALM	13
8486	PALM	13
8487	PALM	13
8488	PALM	13
8489	PALM	13
8490	PALM	13
8491	PALM	13
8492	PALM	13
8493	PALM	13
8494	PALM	13
8495	PALM	13
8496	PALM	13
8497	PALM	13
8498	PALM	13
8499	PALM	13
8500	PALM	13
8501	PALM	13
8502	PALM	13
8503	PALM	13
8504	PALM	13
8506	PALM	13
8507	PALM	13
8508	PALM	13
8509	PALM	13
8510	PALM	13
8511	PALM	13
8512	PALM	13
8513	PALM	13
8514	PALM	13
8515	PALM	13
8516	PALM	13
8517	PALM	13
8518	PALM	13
8519	PALM	13
8520	PALM	13
8521	PALM	13
8522	PALM	13
8523	PALM	13
8524	PALM	13
8525	PALM	13
8526	PALM	13
8527	PALM	13
8529	PALM	13
8530	PALM	13
8531	PALM	13
8536	PALM	13
8537	PALM	13
8538	PALM	13
8539	PALM	13
8540	PALM	13
8541	OAK	10
8542	PALM	13
8543	PALM	13
8544	PALM	13
8546	PINE	15
8547	PINE	8
8548	PINE	7
8549	PINE	5
8550	PINE	14
8551	PINE	10
8552	PALM	13
8553	PALM	13
8554	PALM	13
8555	PINE	18
8556	PALM	13
8558	PALM	13
8560	PINE	11
8566	PALM	13
8568	PALM	13
8570	OAK	14
8571	OAK	15
8603	PALM	13
8614	PINE	9
8616	OAK	15
8617	PALM	13
8619	PINE	6
8625	PALM	13
8626	PINE	13
8627	OAK	11
8628	PALM	13
8629	PALM	13
8630	PALM	13
8631	PALM	13
8632	PALM	13
8633	PALM	13
8634	PALM	13
8635	PALM	13
8636	PALM	13
8638	PALM	13
8639	PALM	13
8640	PINE	9
8641	OAK	10
8642	OAK	8
8643	OAK	8
8644	OAK	9
8645	PALM	13
8646	OAK	6
8647	PALM	13
8648	OAK	11
8649	PINE	8
8650	PINE	10
8651	PALM	13
8652	PALM	13
8653	OAK	6
8654	OAK	7
8655	PINE	8
8656	PALM	13
8657	PALM	13
8658	PALM	13
8659	PALM	13
8660	PALM	13
8661	PALM	13
8662	PINE	8
8663	PINE	6
8664	OAK	10
8665	PINE	11
8666	PINE	10
8667	PINE	7
8668	PINE	6
8669	OAK	7
8671	PALM	13
8672	OAK	18
8673	OAK	7
8674	OAK	8
8675	OAK	5
8676	PALM	13
8677	PALM	13
8678	PALM	13
8680	PINE	8
8681	PINE	6
8682	OAK	20
8683	OAK	15
8684	OAK	10
8685	PALM	13
8686	OAK	9
8687	OAK	9
8688	OAK	9
8689	OAK	5
8690	PALM	13
8692	OAK	12
8693	PALM	13
8694	PALM	13
8695	OAK	12
8696	OAK	12
8697	PALM	13
8698	OAK	7
8699	PALM	13
8701	OAK	15
8702	OAK	18
8704	PALM	13
8705	OAK	7
8706	PALM	13
8707	OAK	18
8708	OAK	18
8710	OAK	20
8711	OAK	16
8712	OAK	19
8713	OAK	11
8714	PINE	6
8715	PALM	13
8716	OAK	11
8717	OAK	9
8719	OAK	12
8720	PALM	13
8721	PALM	13
8722	OAK	16
8723	OAK	7
8725	PALM	13
8726	OAK	21
8728	OAK	12
8729	OAK	18
8730	PALM	13
8731	PALM	13
8732	OAK	6
8734	PALM	13
8735	PALM	13
8738	PALM	13
8739	PALM	13
8740	PALM	13
8741	PALM	13
8743	OAK	15
8744	OAK	15
8745	OAK	7
8746	OAK	7
8747	OAK	10
8748	PALM	13
8750	OAK	7
8751	OAK	9
8752	OAK	9
8753	OAK	18
8754	PALM	13
8756	PALM	13
8757	OAK	11
8758	PALM	13
8759	PALM	3
8760	OAK	22
8761	OAK	17
8762	PINE	14
8763	PALM	13
8764	PALM	13
8766	PALM	13
8767	PALM	13
8768	OAK	19
8770	OAK	17
8772	PALM	13
8773	PALM	13
8774	PALM	13
8775	PALM	13
8776	PALM	13
8777	PALM	13
8778	OAK	15
8779	OAK	19
8780	OAK	16
8781	OAK	19
8783	PALM	13
8784	PINE	18
8785	PALM	13
8787	PALM	13
8788	PINE	14
8789	OAK	13
8790	PALM	13
8791	OAK	5
8792	OAK	16
8793	PALM	13
8794	PALM	13
8795	OAK	17
8797	OAK	10
8798	OAK	5
8799	OAK	5
8800	OAK	11
8801	OAK	11
8803	OAK	7
8804	PALM	13
8805	PALM	13
8807	OAK	21
8808	OAK	21
8809	OAK	10
8810	OAK	13
8811	PALM	13
8812	OAK	5
8813	OAK	5
8814	PALM	13
8815	PALM	13
8817	PINE	15
8818	PALM	13
8819	OAK	13
8820	OAK	11
8821	OAK	6
8822	PALM	13
8823	PALM	13
8824	PALM	13
8825	PALM	13
8826	PALM	13
8827	PALM	13
8828	OAK	6
8829	OAK	9
8831	OAK	23
8832	PALM	13
8833	OAK	12
8834	PALM	13
8835	OAK	11
8836	PALM	13
8838	OAK	10
8839	PALM	13
8840	PALM	13
8841	PALM	13
8842	PALM	13
8843	PALM	13
8844	PALM	13
8845	OAK	10
8846	PALM	13
8847	PALM	13
8848	PINE	8
8849	PALM	13
8850	OAK	10
8851	PALM	13
8852	OAK	10
8853	OAK	10
8854	OAK	7
8855	OAK	7
8857	PALM	13
8858	PALM	13
8859	PALM	13
8860	OAK	10
8861	PALM	13
8862	OAK	18
8863	PALM	13
8864	PALM	13
8865	PALM	13
8866	PALM	13
8867	PALM	13
8868	PALM	13
8870	PALM	13
8871	PALM	13
8872	PALM	13
8873	OAK	15
8874	OAK	19
8875	PALM	13
8876	PALM	13
8877	PALM	13
8879	PALM	13
8880	OAK	16
8881	PALM	13
8882	PALM	13
8883	PALM	13
8884	OAK	6
8885	PINE	6
8886	PINE	6
8887	PALM	13
8888	OAK	10
8889	OAK	11
8890	PALM	13
8891	PALM	13
8892	PALM	13
8893	OAK	13
8894	OAK	10
8895	OAK	12
8896	OAK	11
8897	OAK	11
8898	PALM	13
8900	PALM	13
8901	PALM	13
8902	PALM	13
8903	OAK	5
8904	OAK	13
8905	OAK	6
8906	OAK	7
8907	OAK	9
8908	OAK	14
8909	OAK	5
8910	OAK	10
8911	PALM	13
8912	OAK	13
8913	OAK	11
8914	PINE	8
8916	OAK	14
8917	PALM	13
8918	OAK	10
8919	PALM	13
8921	PALM	13
8922	PALM	13
8923	PALM	13
8924	PALM	13
8925	OAK	9
8926	PALM	13
8927	PALM	13
8928	OAK	17
8929	PALM	13
8930	OAK	14
8931	PALM	13
8932	PALM	13
8933	OAK	16
8934	OAK	10
8935	OAK	15
8936	OAK	20
8937	OAK	11
8938	OAK	10
8939	OAK	10
8940	OAK	13
8941	OAK	7
8942	OAK	6
8943	OAK	6
8944	OAK	9
8945	OAK	10
8946	OAK	11
8947	OAK	6
8948	OAK	8
8949	PALM	13
8950	OAK	7
8951	OAK	11
8952	OAK	8
8953	OAK	6
8965	OAK	10
8966	OAK	14
8975	OAK	6
8976	OAK	6
8977	OAK	7
8978	OAK	5
8985	PALM	13
9002	OAK	19
9003	PINE	7
9004	OAK	13
9005	OAK	6
9006	OAK	6
9007	OAK	6
9008	OAK	6
9009	OAK	9
9010	PINE	8
9011	PINE	5
9012	PINE	10
9013	PALM	13
9014	PINE	10
9015	PINE	8
9016	OAK	7
9017	PINE	8
9018	PINE	8
9020	PINE	8
9021	PALM	13
9022	PALM	13
9023	PALM	13
9024	PALM	13
9025	PALM	13
9026	PALM	13
9027	PALM	13
9029	OAK	8
9030	OAK	6
9031	PALM	13
9032	PINE	6
9033	PINE	8
9034	PINE	8
9035	PALM	13
9036	PALM	13
9037	OAK	9
9038	PINE	6
9039	PALM	13
9053	PALM	13
9054	PALM	13
9055	PALM	13
9073	OAK	11
9074	PALM	13
9075	PINE	8
9076	PALM	13
9086	OAK	31
9095	OAK	20
9096	OAK	20
9097	OAK	17
9098	PALM	13
9099	PALM	13
9100	OAK	10
9114	OAK	14
9115	PALM	13
9116	PINE	7
9117	OAK	18
9118	PALM	13
9119	PALM	13
9122	PALM	13
9123	PALM	13
9127	PALM	13
9129	PALM	13
9130	PALM	13
9131	PALM	13
9133	OAK	8
9134	OAK	9
9145	PALM	13
9146	OAK	23
9156	PALM	13
9157	OAK	15
9158	PALM	13
9159	OAK	6
9160	OAK	9
9161	OAK	7
9163	OAK	9
9164	OAK	6
9165	OAK	6
9166	OAK	6
9167	OAK	8
9168	PALM	13
9169	OAK	6
9170	OAK	8
9171	OAK	8
9172	OAK	5
9173	OAK	8
9174	PALM	13
9176	OAK	19
9177	PALM	13
9178	PALM	13
9179	PALM	13
9180	PALM	13
9181	PALM	13
9182	OAK	11
9184	OAK	23
9185	PALM	13
9186	PALM	13
9187	PALM	13
9188	PALM	13
9189	PINE	8
9192	PALM	13
9193	PALM	13
9194	PALM	13
9196	PALM	13
9197	PALM	13
9198	PALM	13
9199	PALM	13
9200	PALM	13
9201	PALM	13
9202	PALM	13
9203	PALM	13
9204	PALM	13
9205	PALM	13
9206	PALM	13
9207	PALM	13
9208	PALM	13
9209	PALM	13
9210	PALM	13
9211	PALM	13
9212	PALM	13
9213	PALM	13
9214	PALM	13
9215	PALM	13
9217	PALM	13
9218	PALM	13
9219	PALM	13
9220	PALM	13
9221	PALM	13
9222	PALM	13
9223	PALM	13
9224	PALM	13
9225	OAK	7
9226	OAK	7
9227	PALM	13
9229	PALM	13
9230	PINE	11
9231	PALM	13
9232	OAK	17
9233	PALM	13
9234	PALM	13
9235	PALM	13
9236	PALM	13
9237	PALM	13
9252	PALM	13
9253	OAK	8
9277	PINE	15
9278	OAK	13
9279	PALM	13
9280	PALM	13
9282	OAK	18
9284	PALM	13
9285	PALM	13
9286	PALM	13
9287	PALM	13
9288	PALM	13
9289	PALM	13
9290	PALM	13
9291	PALM	13
9292	PALM	13
9293	PALM	13
9294	PALM	13
9295	PALM	13
9296	PALM	13
9297	PALM	13
9298	PALM	13

MITIGATION TABLE: EXISTING TREES AND PALMS TO BE REMOVED

ID #	SPECIES	DBH IN.
9401	OAK	13
9402	OAK	10
9403	PALM	13
9404	PALM	13
9405	PALM	13
9406	OAK	13
9407	OAK	8
9427	OAK	13
9428	OAK	11
9429	PALM	13
9430	PALM	13
9432	PALM	13
9433	OAK	10
9434	OAK	9
9435	OAK	19
9436	OAK	16
9438	OAK	12
9439	OAK	11
9440	OAK	8
9441	OAK	9
9442	PALM	13
9443	OAK	7
9444	PALM	13
9445	OAK	8
9446	PALM	13
9447	OAK	30
9448	OAK	9
9450	OAK	13
9451	OAK	7
9452	PALM	13
9453	PALM	13
9454	PALM	13
9455	PALM	13
9456	PALM	13
9457	PALM	13
9458	PALM	13
9462	OAK	7
9463	OAK	10
9464	OAK	10
9465	OAK	7
9466	PINE	9
9468	PINE	8
9469	OAK	16
9470	OAK	16
9471	PINE	10
9472	OAK	9
9473	OAK	9
9474	OAK	8
9475	OAK	10
9476	OAK	7
9477	OAK	7
9493	PALM	13
9494	PALM	13
9501	PALM	13
9512	PALM	13
9513	PALM	13
9514	OAK	7
9515	PALM	13
9516	OAK	14
9517	PINE	18
9518	OAK	8
9525	OAK	11
9526	OAK	8
9527	PALM	13
9528	OAK	12
9529	OAK	18
9530	PALM	13
9539	OAK	29
9542	OAK	18
9543	OAK	11
9544	OAK	14
9545	OAK	9
9546	PINE	12
9558	OAK	8
9559	OAK	9
9560	PALM	
9561	OAK	9
9562	PINE	9
9563	OAK	9
9564	OAK	10
9565	OAK	8
9566	PALM	13
9567	OAK	10
9568	OAK	8
9569	OAK	7
9570	OAK	9
9572	OAK	9
9573	OAK	10
9574	OAK	10
9575	OAK	13
9576	PALM	13
9577	OAK	12
9578	OAK	16
9579	OAK	12
9580	PALM	13
9581	OAK	10
9582	OAK	10
9583	OAK	15
9584	OAK	9
9585	PALM	13
9586	PALM	13
9587	PINE	6
9588	PINE	13

ID #	SPECIES	DBH IN.
9596	OAK	11
9597	PINE	13
9622	PINE	13
9623	PALM	13
9624	PALM	13
9625	OAK	7
9626	OAK	7
9627	OAK	7
9628	OAK	13
9629	PINE	13
9649	OAK	8
9650	OAK	20
9651	OAK	12
9652	OAK	15
9653	PALM	13
9654	OAK	11
9655	OAK	23
9656	OAK	21
9657	OAK	19
9659	OAK	19
9665	OAK	8
9672	OAK	8
9674	PALM	13
9675	OAK	21
9678	OAK	21
9679	OAK	11
9682	OAK	14
9683	OAK	29
20191	PALM	13
20248	OAK	14
20258	PALM	16
20259	PALM	12
20260	PALM	16
20261	PALM	12
20262	PALM	11
20263	PALM	12
20324	PALM	10
20328	PALM	25
20331	PALM	12
20365	PALM	13
20366	PALM	11
20367	PALM	16
20368	PALM	18
20412	PALM	14
20413	PALM	14
20421	OAK	5
20422	OAK	3
20428	PALM	6
20429	PALM	8
20432	PALM	13
20433	PALM	13
20434	PALM	4
20435	PALM	12
20469	PALM	0
20470	PALM	0
20471	PALM	12
20472	PALM	10
20473	PALM	12
20474	PALM	12
20504	PALM	12
20505	PALM	12
20512	PALM	7
20513	PALM	12
20522	PALM	12
20527	PALM	0
20528	PALM	18
20529	PALM	13
20530	PALM	11
20531	PALM	8
20532	PALM	12
20533	PALM	10
20534	PALM	12
20535	PALM	13
20536	PALM	6
20537	PALM	12
20538	PALM	14
20543	PALM	14
20544	PALM	8
20545	PALM	7
20546	PALM	13
20549	PALM	6
20562	PALM	12
20563	PALM	16
20564	PALM	12
20565	PALM	10
20568	PALM	13
20569	PALM	12
20571	PALM	13
20572	PALM	13
20573	PALM	13
20575	PALM	14
20577	PINE	12
20578	PINE	12
20579	PINE	12
20580	PALM	16
20581	PALM	2
20582	PALM	2
20583	PALM	2
20584	PALM	12
20585	PALM	15
20587	PINE	10
20592	PALM	11
20598	PALM	11

ID #	SPECIES	DBH IN.
20599	PALM	7
20600	PINE	13
20601	PALM	12
20607	PINE	9
20608	OAK	2
20609	OAK	2
20616	PALM	12
20617	PALM	12
20622	OAK	28
20623	PALM	14
20624	PALM	13
20628	OAK	2
20635	PALM	13
20636	PALM	13
20641	PALM	14
20642	PALM	14
20643	OAK	3
20648	PALM	12
20652	OAK	2
20656	PINE	10
20657	OAK	14
20658	PALM	12
20662	OAK	2
20663	PALM	12
20664	PALM	12
20671	PINE	8
20672	PALM	11
20673	OAK	13
20674	PALM	4
20675	PALM	14
20676	PALM	10
20677	PALM	12
20681	PALM	13
20682	PALM	12
20686	PALM	10
20687	OAK	3
20691	PALM	12
20695	PINE	17
20696	PINE	8
20706	PALM	12
20707	OAK	16
20708	PALM	13
20709	PALM	14
20710	PINE	13
20711	PINE	13
20712	OAK	10
20716	PALM	12
20725	PALM	12
20726	PALM	11
20727	PALM	11
20728	PALM	12
20729	PALM	11
20730	PALM	11
20731	PALM	12
20732	PALM	10
20733	OAK	8
20734	PALM	12
20741	PALM	14
20742	PALM	12
20743	PALM	12

REGISTERED LANDSCAPE ARCHITECT
SCOTT J. BARBER
LA-0001660
STATE OF FLORIDA

SCOTT BARBER DESIGNS P.A.
LANDSCAPE ARCHITECTURE & PLANNING
LC-26000593
1551 WYNDCLIFF DRIVE
WELLINGTON, FL 33414
(561) 309-7263

DYNAMIC
• ENGINEERING • EARTH
• SURVEY • TRAFFIC

REV.	DATE	COMMENTS	BY
1	2/10/22	CITY COMMENTS	SB

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: XXX
DESIGNED BY: ACM
CHECKED BY: MDM
CHECKED BY: _

PROJECT: **TREASURE COAST BUSINESS PARK**
HOPE COMMERCIAL HOLDINGS, LLC
SELVITZ ROAD & ENERGY LANE
CITY OF FT. PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E


DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Lake Como, New Jersey • T: 732.974.0198
Cranford, New Jersey • T: 908.879.9229
New York, New Jersey • T: 973.755.7200
Toms River, New Jersey • T: 732.478.9000
Newtown, Pennsylvania • T: 267.685.0276
Philadelphia, Pennsylvania • T: 215.535.4988
Bethlehem, Pennsylvania • T: 610.625.4400
Allen, Texas • T: 972.534.0150
Houston, Texas • T: 281.789.6400
Austin, Texas • T: 512.646.2646
Delray Beach, Florida • T: 561.921.8570
Florida Certificate of Authorization No. 32535
www.dynamicec.com

811 Know what's below. Call before you dig.
PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

TITLE: **TREE IDENTIFICATION TABLES**

SCALE: (H) AS (V) NOTED
DATE: 10/22/2021
PROJECT No: 3342-99-005

SHEET No: T1.09
Rev. #: 0



N

W E

S

GRAPHIC SCALE

0 500 1000 2000

(IN FEET)

LEGEND

OKEECHOBEE PATH

MIDWAY PATH

CITY OF FORT PIERCE RESIDENTIAL ZONED AREAS

DYNAMIC ENGINEERING CONSULTANTS, PC

REV.	DATE	COMMENTS	BY

THIS PLAN SET IS FOR PERMITTING PURPOSES ONLY AND MAY NOT BE USED FOR CONSTRUCTION

DRAWN BY: SRM | DESIGNED BY: ACM | CHECKED BY: MDM | CHECKED BY: –

PROJECT: **FORT PIERCE COMMERCE CENTER**
ST. LUCIE COMMERCE CENTER, LLC
SELVITZ ROAD & ENERGY LANE COUNTY, FL 34981
CITY OF FORT PIERCE, ST. LUCIE COUNTY, FL 34981
SECTION 31, TOWNSHIP 35S, RANGE 40E

DYNAMIC ENGINEERING
LAND DEVELOPMENT CONSULTING • PERMITTING
GEOTECHNICAL • ENVIRONMENTAL
TRAFFIC • SURVEY • PLANNING & ZONING
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T: 561.921.8570
Offices conveniently located at:
Florida Certificate of Authorization No. 32535
www.dynamicec.com

ÁNGEL PIÑERO
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 88047

MICHAEL D. MILES
PROFESSIONAL ENGINEER
FLORIDA LICENSE No. 81313

TITLE:
TRUCK AERIAL EXHIBIT

SCALE: (H) AS (V) NOTED | DATE: 02/16/2022

PROJECT No: 3342-99-005

SHEET No: **C1.00** | Rev. #: 0

811 Know what's below. Call before you dig.


PROTECT YOURSELF

ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

Plotted: 02/17/22 – 11:46 AM By: achu
File: P:\02CPC PROJECTS\3342 Sterling Education Group LLC\99-005 Treasure Coast Business Park\Dwg\Exhibits\2022.02.16 – Aerial Exhibit.dwg, ----> AERIAL EXHIBIT

COPYRIGHT © 2022 – DYNAMIC ENGINEERING CONSULTANTS, PC – ALL RIGHTS RESERVED



SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 20'

0 10 20 40 100


ADBI / DESIGN SERVICES

CONCEPTUAL FLOOR PLAN - BUILDING A

FORT PIERCE COMMERCE CENTER | BUILDING A
SELVITS RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22


ARCO DESIGN/BUILD INDUSTRIAL

A01




NORTH ELEVATION 1

SCALE: 1" = 20'-0"




EAST ELEVATION 2

SCALE: 1" = 20'-0"



SOUTH ELEVATION 3

SCALE: 1" = 20'-0"



WEST ELEVATION 4

SCALE: 1" = 20'-0"

NOTES

TOW = TOP OF CONCRETE + 1-1/2" BLOCKING

213 ALUMINIUM STOREFRONT SYSTEM.
401 CONCRETE PANEL, PAINTED MEDIUM TEXTURE.
408 9'-0" WIDE x 10'-0" HIGH SECTIONAL OVERHEAD DOOR.
410 12'-0" WIDE x 14'-0" HIGH DRIVE-IN DOOR.
419 5'-0" WIDE x 5'-0" HIGH CLERESTORY WINDOW.

MATERIALS:

DOWNSPOUT GUARDS - TO MATCH ADJACENT WALL COLOR

DOWNSPOUT & SCUPPER BOXES - TO MATCH ADJACENT WALL COLOR

METAL COPING - TO MATCH ADJACENT WALL COLOR

GLASS:

GL-01
INSULATED GLAZING UNIT

GL-02
TEMPERED SAFETY GLASS

GL-03
SPANDREL GLASS

PAINT SCHEME COLORS:

P1 - BASE COLOR: SW 7070 SITE WHITE

P2 - ACCENT COLOR: SW 8917 SHELL WHITEE

P3 - ACCENT COLOR: SW 7073 NETWORK GRAY

P4 - ACCENT COLOR: SW 7076 CYBERSPACE

SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 20'

0 10 20 40 100


ADBI / DESIGN SERVICES

CONCEPTUAL ELEVATIONS - BUILDING A

FORT PIERCE COMMERCE CENTER | BUILDING A
SELVITS RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL

A02



SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 30'

0 15 30 60 150


ADBI / DESIGN SERVICES

CONCEPTUAL FLOOR PLAN - BUILDING B

FORT PIERCE COMMERCE CENTER | BUILDING B
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22


ARCO DESIGN/BUILD INDUSTRIAL

B01




NORTH ELEVATION 1

SCALE: 1" = 30'-0"




EAST ELEVATION 2

SCALE: 1" = 30'-0"



SOUTH ELEVATION 3

SCALE: 1" = 30'-0"



WEST ELEVATION 4

SCALE: 1" = 30'-0"

NOTES

TOW = TOP OF CONCRETE + 1-1/2" BLOCKING

213 ALUMINIUM STOREFRONT SYSTEM.
401 CONCRETE PANEL, PAINTED MEDIUM TEXTURE.
408 9'-0" WIDE x 10'-0" HIGH SECTIONAL OVERHEAD DOOR.
410 12'-0" WIDE x 14'-0" HIGH DRIVE-IN DOOR.
419 5'-0" WIDE x 5'-0" HIGH CLERESTORY WINDOW.

MATERIALS:

DOWNSPOUT GUARDS - TO MATCH ADJACENT WALL COLOR

DOWNSPOUT & SCUPPER BOXES - TO MATCH ADJACENT WALL COLOR

METAL COPING - TO MATCH ADJACENT WALL COLOR

GLASS:

GL-01
INSULATED GLAZING UNIT

GL-02
TEMPERED SAFETY GLASS

GL-03
SPANDREL GLASS

PAINT SCHEME COLORS:

P1 - BASE COLOR: SW 7070 SITE WHITE

P2 - ACCENT COLOR: SW 8917 SHELL WHITEE

P3 - ACCENT COLOR: SW 7073 NETWORK GRAY

P4 - ACCENT COLOR: SW 7076 CYBERSPACE

SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 30'


0 15 30 60 150

ADBI / DESIGN SERVICES

CONCEPTUAL ELEVATIONS - BULIDING B

FORT PIERCE COMMERCE CENTER | BUILDING B
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL



SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 30'

0 15 30 60 150


ADBI / DESIGN SERVICES

CONCEPTUAL FLOOR PLAN - BUILDING C

FORT PIERCE COMMERCE CENTER | BUILDING C
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22


ARCO DESIGN/BUILD INDUSTRIAL

C01




NORTH ELEVATION 1

SCALE: 1" = 30'-0"




EAST ELEVATION 2

SCALE: 1" = 30'-0"



SOUTH ELEVATION 3

SCALE: 1" = 30'-0"



WEST ELEVATION 4

SCALE: 1" = 30'-0"

NOTES

TOW = TOP OF CONCRETE + 1-1/2" BLOCKING

213 ALUMINIUM STOREFRONT SYSTEM.
401 CONCRETE PANEL, PAINTED MEDIUM TEXTURE.
408 9'-0" WIDE x 10'-0" HIGH SECTIONAL OVERHEAD DOOR.
410 12'-0" WIDE x 14'-0" HIGH DRIVE-IN DOOR.
419 5'-0" WIDE x 5'-0" HIGH CLERESTORY WINDOW.

MATERIALS:

DOWNSPOUT GUARDS - TO MATCH ADJACENT WALL COLOR

DOWNSPOUT & SCUPPER BOXES - TO MATCH ADJACENT WALL COLOR

METAL COPING - TO MATCH ADJACENT WALL COLOR

GLASS:

GL-01
INSULATED GLAZING UNIT

GL-02
TEMPERED SAFETY GLASS

GL-03
SPANDREL GLASS

PAINT SCHEME COLORS:

P1 - BASE COLOR: SW 7070 SITE WHITE

P2 - ACCENT COLOR: SW 8917 SHELL WHITEE

P3 - ACCENT COLOR: SW 7073 NETWORK GRAY

P4 - ACCENT COLOR: SW 7076 CYBERSPACE

SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 30'


0 15 30 60 150

ADBI / DESIGN SERVICES

CONCEPTUAL ELEVATIONS - BUILDING C

FORT PIERCE COMMERCE CENTER | BUILDING C
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL



SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 50'


0 25 50 100 250

ADBI / DESIGN SERVICES

CONCEPTUAL FLOOR PLAN - BUILDING D


FORT PIERCE COMMERCE CENTER | BUILDING D
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL




NORTH ELEVATION 1

SCALE: 1" = 50'-0"




EAST ELEVATION 2

SCALE: 1" = 50'-0"



SOUTH ELEVATION 3

SCALE: 1" = 50'-0"



WEST ELEVATION 4

SCALE: 1" = 50'-0"

NOTES

TOW = TOP OF CONCRETE + 1-1/2" BLOCKING

213 ALUMINIUM STOREFRONT SYSTEM.
401 CONCRETE PANEL, PAINTED MEDIUM TEXTURE.
408 9'-0" WIDE x 10'-0" HIGH SECTIONAL OVERHEAD DOOR.
410 12'-0" WIDE x 14'-0" HIGH DRIVE-IN DOOR.
419 5'-0" WIDE x 5'-0" HIGH CLERESTORY WINDOW.

MATERIALS:

DOWNSPOUT GUARDS - TO MATCH ADJACENT WALL COLOR

DOWNSPOUT & SCUPPER BOXES - TO MATCH ADJACENT WALL COLOR

METAL COPING - TO MATCH ADJACENT WALL COLOR

GLASS:

GL-01
INSULATED GLAZING UNIT

GL-02
TEMPERED SAFETY GLASS

GL-03
SPANDREL GLASS

PAINT SCHEME COLORS:

P1 - BASE COLOR: SW 7070 SITE WHITE

P2 - ACCENT COLOR: SW 8917 SHELL WHITE

P3 - ACCENT COLOR: SW 7073 NETWORK GRAY

P4 - ACCENT COLOR: SW 7076 CYBERSPACE

SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 50'


0 25 50 100 250

ADBI | DESIGN SERVICES

CONCEPTUAL ELEVATIONS - BUILDING D

FORT PIERCE COMMERCE CENTER | BUILDING D
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL



SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 20'


0 10 20 40 100

ADBI / DESIGN SERVICES

CONCEPTUAL FLOOR PLAN - BUILDING E


FORT PIERCE COMMERCE CENTER | BUILDING E
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL




NORTH ELEVATION 1

SCALE: 1" = 20'-0"




EAST ELEVATION 2

SCALE: 1" = 20'-0"



SOUTH ELEVATION 3

SCALE: 1" = 20'-0"



WEST ELEVATION 4

SCALE: 1" = 20'-0"

NOTES

TOW = TOP OF CONCRETE + 1-1/2" BLOCKING

213	ALUMINIUM STOREFRONT SYSTEM.
401	CONCRETE PANEL, PAINTED MEDIUM TEXTURE.
408	9'-0" WIDE x 10'-0" HIGH SECTIONAL OVERHEAD DOOR.
410	12'-0" WIDE x 14'-0" HIGH DRIVE-IN DOOR.
416	KNOCKOUT PANEL FOR FUTURE DOCK DOOR.
419	5'-0" WIDE x 5'-0" HIGH CLERESTORY WINDOW.

MATERIALS:

DOWNSPOUT GUARDS - TO MATCH ADJACENT WALL COLOR

DOWNSPOUT & SCUPPER BOXES - TO MATCH ADJACENT WALL COLOR

METAL COPING - TO MATCH ADJACENT WALL COLOR

GLASS:

GL-01
INSULATED GLAZING UNIT

GL-02
TEMPERED SAFETY GLASS

GL-03
SPANDREL GLASS

PAINT SCHEME COLORS:

P1 - BASE COLOR: SW 7070 SITE WHITE

P2 - ACCENT COLOR: SW 8917 SHELL WHITEE

P3 - ACCENT COLOR: SW 7073 NETWORK GRAY

P4 - ACCENT COLOR: SW 7076 CYBERSPACE

SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 20'


0 10 20 40 100

ADBI / DESIGN SERVICES

CONCEPTUAL ELEVATIONS - BUILDING E

FORT PIERCE COMMERCE CENTER | BUILDING E
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL



SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 30'

0 15 30 60 150


ADBI / DESIGN SERVICES

CONCEPTUAL FLOOR PLAN - BUILDING F

FORT PIERCE COMMERCE CENTER | BUILDING F
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL

F01




NORTH ELEVATION 1

SCALE: 1" = 30'-0"


EAST ELEVATION 2

SCALE: 1" = 30'-0"



SOUTH ELEVATION 3

SCALE: 1" = 30'-0"



WEST ELEVATION 4

SCALE: 1" = 30'-0"

NOTES

SEE SHEET G-0.02 FOR GENERAL NOTES.
TOW = TOP OF CONCRETE + 1-1/2" BLOCKING

213 ALUMINIUM STOREFRONT SYSTEM.
401 CONCRETE PANEL, PAINTED MEDIUM TEXTURE.
408 9'-0" WIDE x 10'-0" HIGH SECTIONAL OVERHEAD DOOR.
410 12'-0" WIDE x 14'-0" HIGH DRIVE-IN DOOR.
419 5'-0" WIDE x 5'-0" HIGH CLERESTORY WINDOW.

MATERIALS:

DOWNSPOUT GUARDS - TO MATCH ADJACENT WALL COLOR

DOWNSPOUT & SCUPPER BOXES - TO MATCH ADJACENT WALL COLOR

METAL COPING - TO MATCH ADJACENT WALL COLOR

GLASS:

GL-01
INSULATED GLAZING UNIT

GL-02
TEMPERED SAFETY GLASS

GL-03
SPANDREL GLASS

PAINT SCHEME COLORS:

P1 - BASE COLOR (LIGHT): SW 7070 SITE WHITE

P2 - ACCENT COLOR (MEDIUM): SW 8917 SHELL WHITE

P3 - ACCENT COLOR (DARK): SW 7073 NETWORK GRAY

P4 - ACCENT COLOR: SW 7076 CYBERSPACE

SEAL

This conceptual design is based upon a preliminary review of entitlement requirements and on unverified and possibly incomplete site and/or building information, and is intended merely to assist in exploring how the project might be developed.

SCALE 1" = 30'

0 15 30 60 150

ADBI / DESIGN SERVICES

CONCEPTUAL ELEVATIONS - BUILDING F

FORT PIERCE COMMERCE CENTER | BUILDING F
SELVITZ RD. & ENERGY LN. FORT PIERCE, FL
AS364-21 | NEP826 | 02/16/22

ARCO DESIGN/BUILD INDUSTRIAL

DYNAMIC
ENGINEERING EARTH SURVEY TRAFFIC

Dynamic Engineering Consultants, PC
100 NE 5th Avenue, Suite B2
Delray Beach, FL 33483
T. 561-921-8570

February 18th, 2022

St. Lucie County Fire District
5160 NW Milner Drive,
Port Saint Lucie, FL 34983

Attn: Captain Wayne Boyer, M.S., FM, FO, MIFireE, CFEI

RE: Fort Pierce Commerce Center
Energy Lane,
Fort Pierce, FL 34981
DEC# 3342-99-005
TRC #21-07000030

Dear Captain Boyer,

On behalf of our client St Lucie Commerce Center, LLC (the "Applicant"); please accept this letter as the required fire flow calculations for the Fort Pierce Commerce Center project currently under review with the City of Fort Pierce under TRC #21-07000030. The applicant is proposing a combined 1,215,000 SF of construction type IIB buildings with associated parking, landscape and site infrastructure.

As part of the design, the applicant is proposing several fire hydrants, fire department connections with DDCV and fire service connections to the buildings for a sprinkler system, see Sheets C3.00-C3.07 of the Development Review Plans. Per the Florida Fire Prevention Code NFPA 1 current Edition table 18.4.5.2.1(See Figure 1) the minimum required fire flow and flow duration for each building is listed as follows:

- Buildings A & E of 50,000 SF type IIB (or II (000)) is 4,750 GPM for a duration of 4 hours.
- Building B of 192,500 SF type IIB (or II (000)) is 8,000 GPM for a duration of 4 hours.
- Building C of 127,500 SF type IIB (or II (000)) is 7,500 GPM for a duration of 4 hours.
- Building D of 585,000 SF type IIB (or II (000)) is 8,000 GPM for a duration of 4 hours.
- Building F of 210,000 SF type IIB (or II (000)) is 8,000 GPM for a duration of 4 hours.

Per section 18.4.5.3.2 a reduction in required fire flow of 75 percent shall be permitted when the building is protected throughout by an approved automatic sprinkler system. Therefore, the required fire flow for the above referenced project is as follows:

- Buildings A & E of 50,000 SF type IIB (or II (000)) is 1,500 GPM for a duration of 2 hours.
- Building B of 192,500 SF type IIB (or II (000)) is 2,000 GPM for a duration of 2 hours.
- Building C of 127,500 SF type IIB (or II (000)) is 1,875 GPM for a duration of 2 hours.
- Building D of 585,000 SF type IIB (or II (000)) is 2,000 GPM for a duration of 2 hours.
- Building F of 210,000 SF type IIB (or II (000)) is 2,000 GPM for a duration of 2 hours

TABLE B105.1
MINIMUM REQUIRED FIRE-FLOW AND FLOW DURATION FOR BUILDINGS[a]

FIRE-FLOW CALCULATION AREA (square feet)					FIRE-FLOW (gallons per minute)[c]	FLOW DURATION (hours)
Type IA and IB[b]	Type IIA and IIIA[b]	Type IV and V-A[b]	Type IIB and IIIB[b]	Type V-B[b]		
0-22,700	0-12,700	0-8,200	0-5,900	0-3,600	1,500	2
22,701-30,200	12,701-17,000	8,201-10,900	5,901-7,900	3,601-4,800	1,750	
30,201-38,700	17,001-21,800	10,901-12,900	7,901-9,800	4,801-6,200	2,000	
38,701-48,300	21,801-24,200	12,901-17,400	9,801-12,600	6,201-7,700	2,250	
48,301-59,000	24,201-33,200	17,401-21,300	12,601-15,400	7,701-9,400	2,500	
59,001-70,900	33,201-39,700	21,301-25,500	15,401-18,400	9,401-11,300	2,750	
70,901-83,700	39,701-47,100	25,501-30,100	18,401-21,800	11,301-13,400	3,000	3
83,701-97,700	47,101-54,900	30,101-35,200	21,801-25,900	13,401-15,600	3,250	
97,701-112,700	54,901-63,400	35,201-40,600	25,901-29,300	15,601-18,000	3,500	
112,701-128,700	63,401-72,400	40,601-46,400	29,301-33,500	18,001-20,600	3,750	
128,701-145,900	72,401-82,100	46,401-52,500	33,501-37,900	20,601-23,300	4,000	4
145,901-164,200	82,101-92,400	52,501-59,100	37,901-42,700	23,301-26,300	4,250	
164,201-183,400	92,401-103,100	59,101-66,000	42,701-47,700	26,301-29,300	4,500	
183,401-203,700	103,101-114,600	66,001-73,300	47,701-53,000	29,301-32,600	4,750	
203,701-225,200	114,601-126,700	73,301-81,100	53,001-58,600	32,601-36,000	5,000	
225,201-247,700	126,701-139,400	81,101-89,200	58,601-65,400	36,001-39,600	5,250	
247,701-271,200	139,401-152,600	89,201-97,700	65,401-70,600	39,601-43,400	5,500	
271,201-295,900	152,601-166,500	97,701-106,500	70,601-77,000	43,401-47,400	5,750	
295,901-Greater	166,501-Greater	106,501-115,800	77,001-83,700	47,401-51,500	6,000	
—	—	115,801-125,500	83,701-90,600	51,501-55,700	6,250	
—	—	125,501-135,500	90,601-97,900	55,701-60,200	6,500	
—	—	135,501-145,800	97,901-106,800	60,201-64,800	6,750	
—	—	145,801-156,700	106,801-113,200	64,801-69,600	7,000	
—	—	156,701-167,900	113,201-121,300	69,601-74,600	7,250	
—	—	167,901-179,400	121,301-129,600	74,601-79,800	7,500	
—	—	179,401-191,400	129,601-138,300	79,801-85,100	7,750	
—	—	191,401-Greater	138,301-Greater	85,101-Greater	8,000	

Figure 1

On February 4th, 2022 at 8:55 am a fire flow test was performed by Fort Pierce Utility Authority, see attached fire flow test results. The test results show a calculated flow of 2,017 gpm at 20 psi which is anticipated to provide sufficient flow capacity for the proposed fire services and fire hydrants in conjunction with added pressure for each building via a fire pump located internal to the industrial warehouse buildings.

If there are any questions or concerns, please do not hesitate to reach out to our office at (561) 921-8570.

Sincerely,

Dynamic Engineering Consultants, PC

Michael D. Miles, P.E.
Regional Manager/Senior Principal
FL License No.: 81313