

Req # 26/2016



Buyer's Order

Nextran Truck Centers - Orlando
 2200 W. Landstreet Road
 Orlando, FL 32809
 (407) 855-1200 or (800) 800-6225 Fax (407) 826-0914

Salesperson: Matt Fleming
 Date: 11/6/2025

CUSTOMER INFORMATION

Name: **City of Fort Pierce**
 Address: **52 Savanna Rd.**
 City: **Fort Pierce** State: **FL** Zip Code: **34982** County: **St. Lucie**
 Phone: **(772) 467-3815**

TRUCK INFORMATION

Quantity	Year	Make	Model	VIN #
1	2026	Isuzu	NPR-HD	TBD
			2nd VIN	-
			3rd VIN	-
			4th VIN	-
			5th VIN	-

****See Addendum for Additional VIN #**

Body Details

Year	Make	Model	SERIAL #
2025	MC Ventures	TMJ 14' Dump	MCV1672
		2nd Serial #	-
		3rd Serial #	-
		4th Serial #	-
		5th Serial #	-

FSA Specification

Order Code	Option	Price	Order Code	Option	Price
EMERGENCY SHUT	EMER ENGINE SHUTDOWN	\$ 100.00			
CREW CAB	CREW CAB 7 PASSENGER	\$ 6,159.00			
BACK-UP ALARM	FACTORY INSTALLED BACK-UP	\$ 124.00			
	NON-PUBLISHED				
DUMP BODY	MC VENTURES CUSTOM DUMP	\$ 14,000.00			
					\$ 20,383.00

IN ACCORDANCE WITH FLORIDA SHERIFFS STATE BID NO. FSA 25-VEH23.0

Group: Cab and Chassis Trucks: 12,000 lbs: GVWR (DRW) 4X2 Tilt Cab ITEM: 23, Isuzu NPR HD, N3F1

FSA TRUCK SPECIFICATION

Price below reflects per unit

	ALL TRUCKS	Locals and Comments
Total Selling Price	\$ 83,153.00	Included:
Extended Warranty	\$ 500.00	60 month/200,000 mile extended powertrain warranty with exhaust after-treatments
APU	\$ -	
Premium Maint. Plan	\$ -	
Subtotal	\$ 83,653.00	14ft aluminum landscape dump with a chipper hood, tarp arms, rear barndoor and a trailer tow package
Disposal/Temp Tags	\$ 9.00	
Tire Tax Credit	\$ -	
Tag and Title	\$ -	Emergency shut down
Miscellaneous	\$ 5.95	Back up alarm
County Surtax	\$ 50.00	
Total before Down Pmt	\$ 83,717.95	Crew cab
Down Payment	\$ -	
Total Price ALL	\$ 83,717.95	

I have read and understand the above. It is intended by my signature hereon that this be a binding, enforceable sales agreement. I further understand that the terms and conditions that follow are a true and integral part of this agreement.

 Purchaser's Signature Date

 Accepted by Nextran Truck Centers Date

This agreement shall not be binding on Nextran Truck Centers until accepted by the General Manager.

TERMS AND CONDITIONS

1. Acceptance. The purchaser identified on the first page hereof ("Purchaser") and Nextran Corporation, a Florida corporation d/b/a Nextran Truck Centers ("Dealer") hereby agree that these Terms and Conditions are incorporated into, and constitute an integral part of, the Sales Agreement governing Purchaser's purchase of motor vehicles from Dealer as more particularly described on the first page hereof.
2. Purchaser's Payment of Charges. Purchaser shall pay all charges arising out of or associated with this Agreement, whether correctly stated on page one of this Sales Agreement or otherwise, including without limitation all tag, license, tire, battery and lien fees, and all federal, state and local taxes. Purchaser shall pay all amounts required to pay off and satisfy in full all liens on Purchaser's trade-in vehicle(s), as may be required by any such lien holder, regardless of whether the lien holder has quoted the wrong amount, the payoff amount has changed since the date of any such quote, or Purchaser has failed to disclose all lien holders on such vehicle(s). If Purchaser chooses to pay any portion of the purchase price by using a bank or credit card, Purchaser shall pay all charges associated with the use of such card imposed on Dealer and shall promptly reimburse Dealer upon demand for any such costs arising after the consummation of any sale.
3. Deposit. Upon the execution of this Sales Agreement, Purchaser shall pay to Dealer a non-refundable deposit in the amount set forth on the first page of this Sales Agreement. If Dealer fails to deliver the motor vehicle(s) as contemplated herein, Purchaser's sole remedy against Dealer shall be a return of the deposit as liquidated damages in full settlement of any and all claims relating to this Sales Agreement, and Purchaser hereby waives any claims to the contrary. If Purchaser fails to pay the balance of the Selling Price, fails to take delivery of the motor vehicle for any reason or otherwise breaches its obligations under this Sales Agreement, Dealer shall be entitled to retain the entire deposit as liquidated damages in full settlement of any and all related claims. Purchaser and Dealer acknowledge that their actual damages arising out of any breach of this Sales Agreement would be difficult or impossible to calculate with specificity and that the foregoing treatment of the deposit constitutes mutually bargained liquidated damages and not a penalty.
4. Commercially Reasonable Efforts. Dealer shall use all commercially reasonable efforts to make prompt delivery of the motor vehicle(s) contemplated hereby. However, Purchaser acknowledges and agrees that time is not of the essence with respect to the transactions contemplated in this Sales Agreement.
5. Warranties. DEALER MAKES NO REPRESENTATIONS OR WARRANTIES OTHER THAN THE MANUFACTURER'S WARRANTY ON NEW MOTOR VEHICLES. ALL USED MOTOR VEHICLES ARE SOLD BY PURCHASER "AS IS, WITHOUT WARRANTY," EITHER EXPRESS OR IMPLIED. DEALER SPECIFICALLY DISCLAIMS ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE OF THE MOTOR VEHICLE(S) SOLD UNDER THIS SALES AGREEMENT, ALL OF WHICH PURCHASER HEREBY WAIVES TO THE FULLEST EXTENT PERMITTED BY LAW. Purchaser acknowledges that no person is authorized to make any representations or warranties to the contrary, whether oral or written. _____ (Initials of Purchaser)
6. Limitation of Liability; Waiver of Claims. Purchaser shall have the right to fully inspect the motor vehicles sold under this Sales Agreement at the time of delivery. Dealer shall not be liable for, and Purchaser's acceptance of such motor vehicle constitutes Purchaser's waiver of, any and all claims, causes of action, losses and damages arising out of Dealer's sale of the motor vehicle to Purchaser, including without limitation any and all actual, incidental or consequential damages arising out of: a) loss, damage or delays for any reason; b) failure to supply any property ordered hereunder; c) loss of use, loss of time, lost profits or income; d) changes in design, materials or specifications; e) modifications to the motor vehicle performed by others; and f) defects in design, materials or workmanship, in each case with respect to the motor vehicles purchased by Purchaser pursuant to this Sales Agreement.
Purchaser shall indemnify, defend and hold Dealer and its affiliated companies and their officers, agents, and employees harmless from and against all loss, liability and expense, including reasonable attorneys' fees, by reason of bodily injury including death, and property damage, sustained by any persons including but not limited to the officers, agents and employees of Purchaser, as a result of the maintenance, use, operation, servicing, transportation, defect in or failure of such motor vehicles, whether such bodily injury, death or property damage is due or claimed to be due in whole or in part, to any neglect, default, defect, fault, failure, act or omission, by or on behalf of Dealer, its officers, agents and employees or any other person, including but not limited to any claims of strict liability in tort, breach of warranty, and/or negligence. Purchaser acknowledges that this waiver constitutes a material inducement for Dealer to consummate the transactions contemplated in this Sales Agreement and is subject to no exceptions.
7. Modifications by Others. Purchaser acknowledges that any requested modifications to the motor vehicles subject to this Sales Agreement to be performed by others are Purchaser's sole responsibility, and Purchaser shall pay Dealer for the cost of such modifications, regardless of whether Purchaser takes delivery of the vehicle. Dealer is not liable for any defects in design, materials or workmanship, or any errors or omissions by such third parties.
8. Trade-in Allowance. The trade-in allowance set forth on page one of this Sales Agreement is based upon an appraisal by Dealer of the trade-in described herein in its present mechanical condition and with the equipment and attachments described on Dealer's appraisal sheet. Such trade-in shall be subject to reappraisal at the time of delivery of the motor vehicle to be sold hereunder. Purchaser shall be liable for any differences in the trade-in allowance due to changes in mechanical condition, equipment or attachments.
9. THIS AGREEMENT. THIS SALES AGREEMENT CONSTITUTES THE COMPLETE AND EXCLUSIVE STATEMENT OF THE TERMS OF THE AGREEMENT BETWEEN PURCHASER AND DEALER concerning the subject matter hereof and supersedes all prior agreements, understandings, negotiations and discussions of the parties, whether written or oral. No modification, course of conduct, amendment, supplement to or waiver of this Sales Agreement shall be binding unless made in writing and signed by both Purchaser and Dealer.
10. Assignment. This Sales Agreement may not be assigned by Purchaser without Dealer's prior written consent, and any attempted assignment by Purchaser shall be null and void. Subject to the foregoing, this Sales Agreement shall be binding upon and inure to the benefit of the parties hereto and their respective heirs, successors, permitted assigns and legal representatives. There are no third party beneficiaries of this Sales Agreement.
11. Governing Law; Consent to Jurisdiction; Waiver of Right to Trial by Jury. This Sales Agreement and the rights and obligations of the parties hereunder shall be governed by, and construed and interpreted in accordance with, the laws of the State of Florida, without giving effect to the conflict of laws principles thereof. Venue for any litigation, legal action or other proceedings arising out of or relating to this Sales Agreement shall lie solely in the courts of the State of Florida located in Dade County, Florida. Purchaser and Dealer (a) agree that such courts shall have exclusive jurisdiction over any matters arising out of or related to this Sales Agreement and (b) hereby waive any and all claims to the effect that any of such courts constitutes an inconvenient forum. The parties hereby irrevocably and unconditionally waive any right they may have to a trial by jury in any suit, action, proceeding, or counterclaim arising out of or relating to this SALES Agreement.
12. Miscellaneous. Risk of loss shall pass to the Purchaser upon delivery of the motor vehicle sold under this Sales Agreement. A facsimile of this Sales Agreement shall have the same legal effect as an original hereof. In the event of any litigation arising out of this Sales Agreement, the non-prevailing party shall reimburse the prevailing party for the reasonable attorneys' fees and other expenses incurred by the prevailing party in connection therewith.

By: _____

(Purchaser Signature)

Bid Award

Contract: FSA25-VEH23.0, Heavy Trucks and Buses

Group: Cab and Chassis Trucks: 12,000 lbs. GVWR (DRW) 4x2 Tilt Cab

Item: 23, Isuzu, NPR-HD, N3F1

Zone	Rank	Vendor	Price	Build File	Options File
Western	Primary	DeLand Truck Center, Inc.	\$57,920.00	Build	Options
	Alternate	Nextran Truck Centers	\$62,770.00	Build	Options
Northern	Primary	DeLand Truck Center, Inc.	\$57,920.00	Build	Options
	Alternate	Nextran Truck Centers	\$62,770.00	Build	Options
Central	Primary	DeLand Truck Center, Inc.	\$57,920.00	Build	Options
	Alternate	Nextran Truck Centers	\$62,770.00	Build	Options
Southern	Primary	DeLand Truck Center, Inc.	\$57,920.00	Build	Options
	Alternate	Nextran Truck Centers	\$62,770.00	Build	Options

Florida Sheriffs Association Cooperative Purchasing Program Options List

Bid Number	FSA25-VEH23.0				
Bid Title	Heavy Trucks and Buses				
Bidder	Nextran Truck Centers				
Item Make & Model	Isuzu NPR-HD				
Item Number	23				
Option Code	Description	Price	Installation	MSRP Discount	Cost-Plus Markup
ENGINE					
EMERGENCY SHUTOFF	EMERGENCY ENGINE SHUT DOWN HIGH TEMP, LOW COOLANT, LOW OIL PRESSURE	\$100.00	Factory		15.00%
IDLE SHUTDOWN	5 MINUTE IDLE SHUTDOWN	\$100.00	Factory		15.00%
AXLES/SUSPENSIONS/GVV PACKAGES					
NPR D	NPR 12,000 GVW CHASSIS (GAS CHASSIS ONLY) (CREDIT)	\$4,551.00	Factory		15.00%
NPR-HD G	NPR-HD 14,500 GVW CHASSIS WITH 6.6L GAS ENGINE (CREDIT)	\$2,732.00	Factory		15.00%
NPR-XD D	NPR-XD 16,000 GVW CHASSIS WITH DIESEL ENGINE	\$2,857.00	Factory		15.00%
NQR G	NQR 17,950 GVW CHASSIS WITH 6.6L GAS ENGINE	\$884.00	Factory		15.00%
NRR D	NRR 19,500 GVW CHASSIS WITH DIESEL ENGINE	\$7,428.00	Factory		15.00%
NRR G	NRR 19,500 GVW CHASSIS WITH 6.6L GAS ENGINE	\$2,236.00	Factory		15.00%
XL WB	EXTENDED 200" OR 212" WHEELBASE FOR LONGER BODIES NQR OR NRR ONLY	\$6,166.00	Factory		15.00%
CREW CAB	CREW CAB 7 PASSENGER OPTION	\$6,159.00	Factory		15.00%
ADDITIONAL FACTORY OPTIONS					
BACKUP ALARM	FACTORY INSTALLED BACKUP ALARM	\$124.00	Factory		15.00%
DLR BACKUP ALARM	DEALER INSTALLED BACKUP ALARM	\$370.00	Factory		15.00%
LED PKG	LED LIGHTING PACKAGE	\$397.00	Factory		15.00%
SUSPENSION SEAT	SUSPENSION DRIVERS SEAT UPGRADE	\$845.00	Factory		15.00%
HIGH VIS BELT	HIGH VISIBILITY SEAT BELT	\$90.00	Factory		15.00%
COLLISION AVOID	FORWARD COLLISION AVOIDANCE MOBILEYE	\$1,139.00	Factory		15.00%
CHROME GRILLE	FRONT CHROME GRILLE PACKAGE	\$214.00	Factory		15.00%
SEAT COVER	FACTORY INSTALLED SEAT COVERS	\$362.00	Factory		15.00%
7" RADIO RKP CAM	7" TOUCH SCREEN RADIO WITH BACKUP CAMERA SHIPPED LOOSE	\$1,370.00	Factory		15.00%
AIR DEFLECTOR	ROOF MOUNTED AIR DEFLECTOR (NOT AVAILABLE ON CREW CAB MODEL)	\$1,104.00	Factory		15.00%
BODIES					
REAR LOADER	PLEASE INQUIRE ABOUT REAR LOADER BODY OPTIONS	REQUEST	Vendor		0.00%
DUMP BODY	PLEASE INQUIRE ABOUT DUMP BODY BODY OPTIONS	REQUEST	Vendor		0.00%
FLAT BED	PLEASE INQUIRE ABOUT FLAT BED BODY OPTIONS	REQUEST	Vendor		0.00%
ATTENUATOR	PLEASE INQUIRE ABOUT ATTENUATOR BODY OPTIONS	REQUEST	Vendor		0.00%
VAN BODY	PLEASE INQUIRE ABOUT VAN BODY BODY OPTIONS	REQUEST	Vendor		0.00%
REFRIDGERATED BODY	PLEASE INQUIRE ABOUT REFRIDGERATED BODY BODY OPTIONS	REQUEST	Vendor		0.00%
GRAPPLE	PLEASE INQUIRE ABOUT GRAPPLE BODY OPTIONS	REQUEST	Vendor		0.00%
TANK BODY	PLEASE INQUIRE ABOUT TANK BODY BODY OPTIONS	REQUEST	Vendor		0.00%
EXTENDED WARRANTY					
Warranty	Extended Warranty Options	REQUEST	Factory		0.00%
TAG/TITLE					
TRANSFER	TRANSFER EXISTING REGISTRATION (MUST PROVIDE TAG NUMBER)	REQUEST	Vendor		0.00%
NEW	NEW STATE TAG (SPECIFY STATE, COUNTY, CITY, SHERIFF, ETC.)	REQUEST	Vendor		0.00%



NEXTRAN ISUZU TRUCK CENTER FORT MYERS

Shelby Moore | 239-334-7300 | smooore@nextranusa.com

NPR-HD #JALC4W169H7000927 (2026 NPR-HD Cab Chassis, 3F1 109"WB, 86.5"CA, 14,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Selected Model and Options

	Code	Description	Weight
Model	3F1	NPR-HD Cab Chassis 109"WB, 86.5"CA	
	54	White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning	
Emissions	EPA	Federal. These vehicles have a Federal Emissions System. Not for sale in California or other CARB adopting states.	0.0 lbs.
Tires	I5H	LRR (low rolling resistance)	0.0 lbs.
Engine	I1B	4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft.-lb. gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level.	0.0 lbs.
Transmission	I1W	Aisin A465id 6-speed automatic transmission, Ratios: 3.742, 2.003, 1.343,	0.0 lbs.
Wheelbase	IA8	109 inches 86.5"CA	0.0 lbs.
Air Cleaner	KNX	Dry Paper single element. (Donaldson brand) Air cleaner canister standard with air restriction indicator in the driver's Multi-Information Display (MID).	0.0 lbs.
Alternator	I2C	140 AMP. with integral regulator.	0.0 lbs.
Battery	IX1	Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts	0.0 lbs.
Exhaust	IX7	Single horizontal with DPF/SCR exhaust system	0.0 lbs.
Front Axle	ID2	"I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	0.0 lbs.
Front Suspension	ID4	6,830 lb. capacity. Semi-elliptical tapered leaf springs. Includes shock absorbers and stabilizer bar.	0.0 lbs.
Front Wheels	RBV	16" X 6", 6-hole disc, painted white.	0.0 lbs.
Front Tires	I53I69	215/85R16E (10 ply) tubeless Radial, all season tread.	0.0 lbs.

Current report content is based on data as of 2025-08-24 20:46:41. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



NEXTRAN ISUZU TRUCK CENTER FORT MYERS

Shelby Moore | 239-334-7300 | smooore@nextranusa.com

NPR-HD #JALC4W169H7000927 (2026 NPR-HD Cab Chassis, 3F1 109"WB, 86.5"CA, 14,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Selected Model and Options

	Code	Description	Weight
Rear Suspension			
	I27	9,880 lbs. capacity. Semi-elliptical main and auxiliary multi-leaf springs. Includes shock absorbers	0.0 lbs.
Rear Axle			
	I36	R040, single-speed, 11,020 lb. capacity with oil lubricated rear wheel bearings.	0.0 lbs.
Ratio			
	005	4.56:1	0.0 lbs.
Rear Wheels			
	RBZ	16" X 6", 6-hole disc, painted white.	0.0 lbs.
Rear Tires			
	I53I34	215/85R16E (10 ply) tubeless Radial, all season tread.	0.0 lbs.
Tire Pressure Monitoring System (TPMS)			
	JFH	Tire pressure sensors are installed onto each wheel to detect changes in tire pressure and tire temperature. TPMS status will be displayed within the instrument panel.	0.0 lbs.
Fuel Tank			
	I4I	30 Gallon Stainless Steel In-Rail Fuel Tank	0.0 lbs.
Seat			
	NSM	Static (non-suspension) driver seat with right side arm rest and lumbar support.	0.0 lbs.
Brakes			
	K40	Butterfly valve type exhaust brake	0.0 lbs.
	IE1	Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.	0.0 lbs.
Air Conditioning			
	C60	Air conditioner	0.0 lbs.
Power Windows & Door Locks			
	IL0	Yes	0.0 lbs.
Floor Mats			
	IQ6	Standard Floor Mats	0.0 lbs.
Model Option			
	54	White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning	0.0 lbs.
Additional Options			
	IF6	Fire Extinguisher and Triangle Kit mounted in rear organizer on standard cab and under rear seat on crew cab	19.0 lbs.
	UZF	Back up alarm	1.0 lbs.
Keyless Entry System			
	6NF	Remote control unit to lock/unlock the doors without the use of a key.	0.0 lbs.

Current report content is based on data as of 2025-08-24 20:46:41. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



NEXTRAN ISUZU TRUCK CENTER FORT MYERS

Shelby Moore | 239-334-7300 | smoores@nextranusa.com

NPR-HD #JALC4W169H7000927 (2026 NPR-HD Cab Chassis, 3F1 109"WB, 86.5"CA, 14,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Selected Model and Options

	Code	Description	Weight
Assistance System			
	I5I	Electronic Vehicle Stability Control (EVSC) include ASR (Anti-Slip Regulation)	0.0 lbs.
Restraint system			
	AK5	Driver and outboard passenger front supplemental restraint system air bags.	0.0 lbs.
Accessories			
	IX2	Rear body dome lamp switch	0.1 lbs.
	8VN	AM/FM stereo with auxiliary input, USB port, and Bluetooth. Connected to steering wheel switches.	0.0 lbs.

Current report content is based on data as of 2025-08-24 20:46:41. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



NEXTRAN ISUZU TRUCK CENTER FORT MYERS

Shelby Moore | 239-334-7300 | smoores@nextranusa.com

NPR-HD #JALC4W169H7000927 (2026 NPR-HD Cab Chassis, 3F1 109"WB, 86.5"CA, 14,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Standard Equipment Summary

Code	Description
Emissions	
EPA	Federal. These vehicles have a Federal Emissions System. Not for sale in California or other CARB adopting states.
Tires	
I5H	LRR (low rolling resistance)
Engine	
I1B	4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft.-lb. gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control function. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level.
Transmission	
I1W	Aisin A465id 6-speed automatic transmission, Ratios: 3.742, 2.003, 1.343,
Wheelbase	
IA8	109 inches 86.5"CA
Air Cleaner	
KNX	Dry Paper single element. (Donaldson brand) Air cleaner canister standard with air restriction indicator in the driver's Multi-Information Display (MID).
Alternator	
I2C	140 AMP. with integral regulator.
Battery	
IX1	Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts
Exhaust	
IX7	Single horizontal with DPF/SCR exhaust system
Front Axle	
ID2	"I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.
Front Suspension	
ID4	6,830 lb. capacity. Semi-elliptical tapered leaf springs. Includes shock absorbers and stabilizer bar.
Front Wheels	
RBV	16" X 6", 6-hole disc, painted white.
Front Tires	
I53I69	215/85R16E (10 ply) tubeless Radial, all season tread.
Rear Suspension	
I27	9,880 lbs. capacity. Semi-elliptical main and auxiliary multi-leaf springs. Includes shock absorbers
Rear Axle	
I36	R040, single-speed, 11,020 lb. capacity with oil lubricated rear wheel bearings.
Ratio	
005	4.56:1
Rear Wheels	
RBZ	16" X 6", 6-hole disc, painted white.
Rear Tires	
I53I34	215/85R16E (10 ply) tubeless Radial, all season tread.
Tire Pressure Monitoring System (TPMS)	
JFH	Tire pressure sensors are installed onto each wheel to detect changes in tire pressure and tire temperature. TPMS status will be displayed within the instrument panel.
Fuel Tank	
I4I	30 Gallon Stainless Steel In-Rail Fuel Tank
Seat	

Current report content is based on data as of 2025-08-24 20:46:41. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



NEXTRAN ISUZU TRUCK CENTER FORT MYERS

Shelby Moore | 239-334-7300 | smoores@nextranusa.com

NPR-HD #JALC4W169H7000927 (2026 NPR-HD Cab Chassis, 3F1 109"WB, 86.5"CA, 14,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Standard Equipment Summary

Code	Description
NSM	Static (non-suspension) driver seat with right side arm rest and lumbar support.
Brakes	
K40	Butterfly valve type exhaust brake
IE1	Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.
Air Conditioning	
C60	Air conditioner
Power Windows & Door Locks	
IL0	Yes
Floor Mats	
IQ6	Standard Floor Mats
Model Option	
54	White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning
Keyless Entry System	
6NF	Remote control unit to lock/unlock the doors without the use of a key.
Assistance System	
I5I	Electronic Vehicle Stability Control (EVSC) include ASR (Anti-Slip Regulation)
Restraint system	
AK5	Driver and outboard passenger front supplemental restraint system air bags.
Accessories	
IX2	Rear body dome lamp switch
8VN	AM/FM stereo with auxiliary input, USB port, and Bluetooth. Connected to steering wheel switches.

Current report content is based on data as of 2025-08-24 20:46:41. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



NEXTRAN ISUZU TRUCK CENTER FORT MYERS

Shelby Moore | 239-334-7300 | smoore@nextranusa.com

NPR-HD #JALC4W169H7000927 (2026 NPR-HD Cab Chassis, 3F1 109"WB, 86.5"CA, 14,500 GVWR. White, 30 Gallon Stainless Steel In-Rail Fuel Tank with power windows, power door locks and air conditioning

Warranty

Warranty Limitations: *Time or Mileage, Whichever Occurs First*

New Truck Warranty		Years	Miles
<i>Basic</i>		3	<i>Unlimited</i>
<i>Engine-Isuzu</i>		3	<i>Unlimited</i>
<i>Transmission - Aisin A465ID</i>		3	<i>Unlimited</i>
<i>Drivetrain</i>		3	<i>Unlimited</i>
<i>Frame Rails</i>		5*	<i>Unlimited*</i>
<i>Corrosion (Rust Through)</i>		4	<i>Unlimited</i>
<i>Roadside Assistance</i>		3	<i>Unlimited</i>
		5 [†]	<i>100,000[†]</i>
Emission Defect		Years	Miles
<i>Emission Defect Warranty</i>		5	<i>110,000</i>
<i>GHG Emission</i>		5	<i>50,000</i>
<i>Tire</i>		2	<i>24,000</i>
<i>Tire Pressure Monitoring System</i>		5	<i>50,000</i>

After 3 years labor and parts coverage is 50% for up to 5 years.

[†]Tows related to emissions issues may be covered for up to 5 years or 110,000 miles (whichever occurs first).

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. Please see your authorized Isuzu dealer for warranty details.

Current report content is based on data as of 2025-08-24 20:46:41. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

ESTIMATE

MC Ventures
950 Kennedy Blvd
Labelle, FL 33935

bailey@truckbodiesfl.net
+1 (863) 675-3424



Bill to
Nextran Truck Centers
2150 Rockfill Road
Fort Myers, FL 33916

Ship to
Nextran Truck Centers
2150 Rockfill Road
Fort Myers, FL 33916

Estimate details

Estimate no.: 1835
Estimate date: 11/06/2025

Contact Person: Matt

Product or service	Description	Qty	Rate	Amount
14' M Style	14' MJ STYLE DUMP BODY- Square 1/8" smooth floor Chipper hood hb with tunnel toolbox VC 516 es Hoist Spring loaded tarp arms Tow package 2x6 Boards on top 3 Place tool holder on HB	1	\$14,000.00	\$14,000.00
Specialty Body ETA	Please allow approx. 4-5 weeks from the time of order & truck arrival for completion.	1	\$0.00	\$0.00
Total				\$14,000.00

Note to customer

**Please be advised that this quote is good for 15 days.
Thank you

Accepted date

Accepted by