Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

AMENDMENT NO. 1

LINKING AGREEMENT WITH GRUBER TECHNICAL, INC. DBA GRUBER POWER SERVICES FOR UNINTERRUPTIBLE POWER SUPPLY (UPS) NEW EQUIPMENT, SERVICE, AND MAINTENANCE & SUPPORT
(City of Glendale, Contract No. C23-0224)

This Amendment No. 1 ("Amendment") to the Linking Agreement ("Agreement") is made this 12th day of May, 2026, ("Effective Date"), by and between the City of Glendale, an Arizona municipal corporation ("City") and Gruber Technical, Inc. dba Gruber Power Services, an Arizona corporation, authorized to do business in Arizona ("Contractor").

RECITALS

A. City and Gruber Technical, Inc. dba Gruber Power Services ("Contractor") previously entered into a Linking Agreement for Uninterruptible Power Supply (UPS) New Equipment, Service, and Maintenance & Support, Contract No. C23-0224, dated February 28, 2023 ("Agreement"); and

B. The Agreement had an initial term beginning February 28, 2023 through December 31, 2024, and provided the option to extend an additional three years; and

C. City and Contractor previously entered into Contract Extension No. 1, extending the term of the agreement from January 1, 2025 through December 31, 2025; and

D. City and Contractor previously entered into Contract Extension No. 2, extending the term of the agreement from January 1, 2026 through December 31, 2027; and

E. City and Contractor wish to modify and amend the Agreement subject to and strictly in accordance with the terms of this Amendment.

AGREEMENT

In consideration of the mutual promises set forth herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the City and Contractor hereby agree as follows:

1. **Recitals.** The recitals set forth above are not merely recitals, but form an integral part of this Amendment.

2. **Term.** The term of the Agreement is unchanged and shall expire on December 31, 2027.

3. **Scope of Work.** The Scope of Work remains unchanged.

4. **Compensation.** The total compensation for this Agreement is increased by $140,000 for a new not-to-exceed amount of $410,000 to accommodate MSRP Pricing Catalog updates for the entire term of the Agreement, including any and all extensions.

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

5. **Insurance Certificate**. Current certificate will expire on July 1, 2026 and a new certificate applying to the extended term must be provided prior to this date to Finance Director and the Contract Administrator.

6. **Non-discrimination.** Contractor must not discriminate against any employee or applicant for employment on the basis of race, color, religion, sex, national origin, age, marital status, sexual orientation, gender identity or expression, genetic characteristics, familial status, U.S. military veteran status or any disability. Contractor will require any Sub-contractor to be bound to the same requirements as stated within this section. Contractor, and on behalf of any subcontractors, warrants compliance with this section.

7. **No Boycott of Israel**. To the extent A.R.S § 35-393 through § 35-393.03 are applicable, the parties hereby certify that they are not currently engaged in, and agree for the duration of the Agreement to not engage in, a boycott of goods or services from Israel, as that term is defined in A.R.S § 35-393.

8. **Uyghur Forced Labor Prevention Act (UFLPA).** Contractor certifies that it does not currently, and during the term of this Agreement, will not use:

   (a) the forced labor of ethnic Uyghurs in the People's Republic of China;

   (b) any goods or services produced by the forced labor of ethnic Uyghurs in the People's Republic of China; and

   (c) any contractors, subcontractors or suppliers that use the forced labor or any goods or services produced by the forced labor of ethnic Uyghurs in the People's Republic of China.

9. **Attestation of PCI Compliance.** When applicable, the Contractor will provide the City annually with a Payment Card Industry Data Security Standard (PCI DSS) attestation of compliance certificate signed by an officer of Contractor with oversight responsibility.

10. **Ratification of Agreement.** City and Contractor hereby agree that except as expressly provided herein, the provisions of the Agreement shall be, and remain in full force and effect and that if any provision of this Amendment conflicts with the Agreement, then the provisions of this Amendment shall prevail.

[Signatures on the following page.]

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

CITY OF GLENDALE, an Arizona municipal corporation

Patrick S. Banger, City Manager

ATTEST:

Julie K. Bower, City Clerk (SEAL)

APPROVED AS TO FORM:

Michael D. Bailey, City Attorney

Gruber Technical, Inc. dba Gruber Power Services
an Arizona corporation

DocuSigned by:
Rita Marie Gray 4/16/2026
8B52F8465D9F459...

By: Rita Marie Gray
Its: Government Team Account Manager

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	Contract Amendment	**Arizona Department of Administration State Procurement Office 100 N. 15th Avenue, Suite 402 Phoenix, AZ 85007**
	CTR063425 Amendment Five (5)	

CONTRACTOR: Gruber Technical Inc 21439 N 2nd Avenue Phoenix, AZ 85027 **CONTACT:** Rita Lomoglio **PHONE:** (602) 863-2655 x251 **EMAIL:** lom@gruber.com	**STATE AGENCY:** AZ Department of Administration (ADOA) State Procurement Office 100 N. 15th Ave., Ste. 402 Phoenix, AZ 85007 **CONTACT:** Larry Woo **PHONE:** (480) 828-3440 **EMAIL:** larry.woo@azdoa.gov

Uninterruptible Power Supply (UPS): New Equipment, Service, Maintenance and Support

Pursuant to Uniform Terms and Conditions, Section 5.1, Amendments of the above contract shall be amended as follows:

1. Update to MSRP Pricing Catalog. See "CTR063425-MSRP Pricing Update 7-28-2025":

ALL OTHER REQUIREMENTS, SPECIFICATIONS, TERMS AND CONDITIONS REMAIN UNCHANGED

* ***Please ensure all required Certificate Of Insurance are updated and submitted to the State Procurement Office.***

ACKNOWLEDGEMENT AND AUTHORIZATION

This amendment shall be fully executed upon the electronic approval in the State e-Procurement system by an authorized representative of the Contractor and applied to the contract in the State e-Procurement system by the Procurement Officer or delegate.

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Tier 1 250VA -1500VA PC & Workstation UPS - Single Phase Power Protection solution for desktop computers. Include Batteries and any other items within the catalog that support this tier.
Warranty, Manufacturer, Manufacturers Part Number, List Price, Percent off List Price are mandatory and UNSPCS Codes are requested.

UNSPCS CODE	Model	Manufacturer	Manufacturer Part Number	VAC	VA	Phase	Qty	List Price (MSRP)	Percent off List Price	Description	Warranty
	Tower	APC	SMT750C	120	750va	1 phase	1	$ 701.00	30%	750VA LCD 120V	3 years repair or replace excluding battery, 2 yr on battery
	Rack Mount	APC	SMT750RM2UC	120	750va	1 phase	1	$ 928.00	30%	750VA LCD RM 2U 120V with SmartConnect	3 years repair or replace excluding battery, 2 yr on battery
	Tower	APC	SMC1000C	120	1000va	1 phase	1	$ 688.00	30%	1000VA/700W, 120V	2 years repair or replace
	Rack Mount	APC	SMC1000-2UC	120	1000va	1 phase	1	NOT AVAILABLE	30%	APC Smart-UPS, Line Interactive, 1000VA, Rackmount 2U,	Limited warranty - 2 years
	Tower	APC	SMC1500C	120	1500va	1 phase	1	$ 899.00	30%	APC Smart-UPS X 1500VA Rack/Tower LCD 120V with Netw	2 years repair or replace
	Rack Mount	APC	SMC1500-2UC	120	1500va	1 phase	1	NOT AVAILABLE	30%	APC Smart-UPS, Line Interactive, 1500VA, Rackmount 2U,	3 years repair or replace excluding battery, 2 yr on battery
	Rack/Tower	APC	SMX1500RM2U	120	1500va	1 phase	1	$ 1,750.00	30%	APC Smart-UPS X 1500VA Rack/Tower LCD 120V	3 years repair or replace excluding battery, 2 yr on battery
	Rack/Tower	APC	SMX1500RMNCUS	120	1500va	1 phase	1	$ 2,895.00	35%	APC Smart-UPS X 1500VA Rack/Tower LCD 120V with Netw	3 years repair or replace excluding battery, 2 yr on battery
	Rack Mount	Eaton	5P550R	120	550va	1 phase	1	$ 543.00	24%	5P 550 VA 120V rackmount 1U	3 year on electronics, 3 year on batteries with registration
	Rack Mount	Eaton	5P750R	120	750va	1 phase	1	$ 810.00	24%	5P 750 VA 120V rackmount 1U	3 year on electronics, 3 year on batteries with registration
	Rack/Tower	Eaton	5P1500RT	120	1500va	1 phase	1	$ 1,179.00	24%	5P 1500 VA 120V 2U	3 year on electronics, 3 year on batteries with registration
Added 9-15-2023	Rackmount	Eaton	5P1500RC	120	1440va	1 phase	1	$ 1,197.00	25%	5P 1440 VA 120V rackmount UPS	3 year on electronics, 3 year on batteries with registration
	Tower	Eaton	5P750	120	750va	1 phase	1	$ 489.00	24%	5P 750 120V Tower VA/Watts 750/600	3 year on electronics, 3 year on batteries with registration
	Tower	Eaton	5P1000	120	1000va	1 phase	1	$ 653.00	24%	5P 1000 120V Tower VA/Watts 1000/770	3 year on electronics, 3 year on batteries with registration
	Rack/Tower	Eaton	5PX1000RT	120	1000va	1 phase	1	$ 877.00	24%	Eaton 5PX 1000 VA 120V 2U Line Interactive	3 year on electronics, 3 year on batteries with registration
	Rack/Tower	Eaton	5PX1500RT	120	1500va	1 phase	1	$ 1,215.00	24%	Eaton 5PX 1500 VA 120V 2U Line Interactive	3 year on electronics, 3 year on batteries with registration
	Tower	Eaton	9SX700	120	700va	1 phase	1	$ 1,322.00	30%	9SX 700 120V TOWER	2 years - Parts, electronics and batteries coverage
	Tower	Eaton	9SX1000	120	1000va	1 phase	1	$ 1,686.00	30%	9SX 1000 120V TOWER	2 years - Parts, electronics and batteries coverage
	Rackmount	Tripplite	SMART500RT1UTAA	120	500va	1 phase	1	$ 438.00	30%	TAA-Compliant SmartPro 120V 500VA 300W Line-Interacti	2-year limited warranty
	Tower Desktop	Tripplite	INTERNET600U	120	600va	1 phase	1	$ 150.00	30%	600VA 325W Standby UPS - 10 NEMA 5-15R Outlets, 120V	3-year limited warranty
	Tower Desktop	Tripplite	ECO750UPSTAA	120	750va	1 phase	1	$ 238.00	30%	750VA TAA-Compliant ECO-UPS Energy-Saving UPS System	3-year limited warranty
	Tower Desktop	Tripplite	ECO900UPSM	120	900va	1 phase	1	Not Available	30%	Eco 900VA Energy Saving Standby 120V 12-Outlet UPS wit	3-year limited warranty
	Rackmount	Tripplite	OMNIVS1000	120	1000va	1 phase	1	$ 365.00	30%	OmniVS 120V 1000VA 500W Line-Interactive UPS, Tower,	3-year limited warranty
	Rackmount	Tripplite	SU1500RTXLCD2U	120	1500va	1 phase	1	$ 2,110.00	30%	SmartOnline 120V 1.5kVA 1.2kW Double-Conversion UPS,	2-year limited warranty
	Tower	Xtreme	J60-350	120	350VA	1 phase	1	$ 483.00	30%	350VA/200W Standby UPS; 120VAC	5 years electronics, 5 years battery warranty
	Tower	Xtreme	J60-600	120	600VA	1 phase	1	$ 824.00	30%	600VA/360W Standby UPS; 120VAC	5 years electronics, 5 years battery warranty
	Rackmount	Xtreme	J60i-350	120	350Va	1 phase	1	$ 483.00	30%	350VA/200W Standby UPS J60 Lithium UPS 90000472	
	Rackmount	Xtreme	J60i-600	120	600VA	1 phase	1	$ 824.00	30%	600VA/360W Standby UPS; 230VAC; C14 inlet 90000777	
	Rackmount	Xtreme	V80-700	120	700VA	1 phase	1	$ 549.00	30%	700VA/420W; Line-Interactive UPS; 2U	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	V80-1000	120	1000VA	1 phase	1	$ 725.00	30%	1000VA/600W; Line-Interactive UPS; 2U	3 years electronics, 3 years battery warranty
	Tower	Xtreme	S70-500 series	120	500VA	1 phase	1	not available	30%	500va 120v tower UPS 90000550	3 years electronics, 3 years battery warranty
	Tower	Xtreme	S71-700 series	120	700VA	1 phase	1	$ 208.00	30%	700va 120v tower UPS 90000551	3 years electronics, 3 years battery warranty
	Tower	Xtreme	S71-1000 series	120	1000VA	1 phase	1	$ 303.00	30%	1000va tower UPS 90000552	3 years electronics, 3 years battery warranty
	Tower	Xtreme	S71-1500 series	120	1500VA	1 phase	1	$ 428.00	30%	1500va 120v Tower UPS 90000616	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	P90L-1500	120	1250VA	1 phase	1	$ 1,595.00	30%	1250va/1125w 2U 90000912	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	P90L-2000	120	1250VA	1 phase	1	$ 1,843.00	30%	2U 90000912	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	V80 Lithium 700-1500 SERIES	120	700VA-3kVA	1 phase	1	Priced per size	30%	V80 Lithium 700-1500 SERIES - 120 Volt with Lithium Batte	5 years electronics, 5 years battery warranty
	Rackmount	Xtreme	T91 Series Double Conversion 700V/	120	700VA-3kVA	1 phase	1	Priced per size	30%	T91 Series Double Conversion 700VA-3KVA UPS	3 years electronics, 3 years battery warranty
	Tower	Vertiv / Liebert	PSI5-750MT120	120	750VA	1 phase	1	$ 640.00	32%	PSI5 Mini Tower UPS, 750VA/675W, 120V	Two-year, full unit coverage, including the battery.
	Rack / Tower	Vertiv / Liebert	PSI5-1100RT120	120	1100VA	1 phase	1	$ 1,113.00	33%	PSI5 2U Rack/Tower UPS, 1100VA/990W, 120V	Two-year, full unit coverage, including the battery.
	Rack / Tower	Vertiv / Liebert	PSI5-1500RM1201U	120	1500VA	1 phase	1	$ 1,506.00	32%	PSI5 1U UPS, 1440VA/1350W, 120V	Two-year, full unit coverage, including the battery.
	Tower	Vertiv / Liebert	PSI5-1500MT120	120	1500VA	1 phase	1	$ 950.00	32%	PSI5 Mini Tower UPS, 1440VA/1350W, 120V	Two-year, full unit coverage, including the battery.
	Tower	Toshiba	T1S0A1000AXA	120	1 Kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Rackmount	Toshiba	T1S0A1000AXAR2	120	1 Kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Tower	Toshiba	T1S0A1500AXA	120	1.5 Kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Rackmount	Toshiba	T1S0A1500AXAR2	120	1.5 Kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Tower	Toshiba	T1S0A2000AXA	120	2 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Rackmount	Toshiba	T1S0A2000AXAR2	120	2 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Tower	Toshiba	T1S0A3000AXA	120	3 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Rackmount	Toshiba	T1S0A3000AXAR2	120	3 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
								*OEM will not provide list pricing - Price upon request			
								ACTUAL QUOTES AVAILABLE UPON REQUEST WHEN A SPECIFIC MODEL IS INDICATED			

Average %
29%

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Tier 2 1500VA 20kVA Network & Server UPS - Larger single Phase Power Protection solution designed for networking equipment including entry level to high performance storage, switches and servers. Include Batteries and any other items within the catalog that support this Tier.
Warranty, Manufacturer, Manufacturers Part Number, List Price, Percent off List Price are mandatory and UNSPCS Codes are requested

UNSPCS CODE	Model	Manufacturer	Manufacturer Part Number	VAC	VA	Phase	Qty	List Price (MSRP)	Percent off List Price	Description	Warranty
	Rack/Tower	APC	SMX2000RMLV2UNC	100-127	2000va	1 phase	1	$ 4,250.00	35%	2000VA Rack/Tower LCD 100-127V with Network Card	3 years repair or replace (excluding battery) and 2 years for battery
	Rack/Tower	APC	SMX3000RMLV2UNC	100-127	3000va	1 phase	1	$ 4,790.00	35%	3000VA Rack/Tower LCD 100-127V with Network Card	3 years repair or replace (excluding battery) and 2 years for battery
	Rack Mount	APC	SRT2200RMXLA	120	2200va	1 phase	1	$ 3,205.00	35%	2200VA RM 120V	3 years repair or replace (excluding battery) and 2 years for battery
	Rack Mount	APC	SRT3000RMXLT	208	3000va	1 phase	1	$ 5,890.00	35%	3000VA RM 208V	3 years repair or replace (excluding battery) and 2 years for battery
	Tower	APC	SRT3000XLA	120	3000va	1 phase	1	$ 5,765.00	35%	3000VA 120V	3 years repair or replace (excluding battery) and 2 years for battery
	Rack Mount	APC	SRT5KRMXLT	208	5000va	1 phase	1	$ 10,225.00	35%	5000VA RM 208V	3 years repair or replace (excluding battery) and 2 years for battery
	Tower	APC	SRT5KXLT	208	5000va	1 phase	1	$ 9,615.00	35%	5000VA 208V	3 years repair or replace (excluding battery) and 2 years for battery
	Rack Mount	APC	SRT6KRMXLT	208	6000va	1 phase	1	$ 11,700.00	35%	6000VA RM 208V	3 years repair or replace (excluding battery) and 2 years for battery
	Tower	APC	SRT6KXLT	208	6000va	1 phase	1	$ 11,045.00	35%	6000VA 208V	3 years repair or replace (excluding battery) and 2 years for battery
	Rack Mount	APC	SRT8KRMXLT	208	8000va	1 phase	1	$ 13,785.00	35%	8000VA RM 208V	3 years repair or replace (excluding battery) and 2 years for battery
	Tower	APC	SRT8KXLT	208	8000va	1 phase	1	$ 13,150.00	35%	8000VA 208V	2 years repair or replace
	Tower	APC	SYA8K16P	208/240	8kva-16kva	1 phase	1	$ 24,375.00	35%	Symmetra LX 8kVA Scalable to 16kVA N+1, Tower 208/240V	2 years repair or replace
	Rack Mount	APC	SURT15KRMXLT	208	15kVA	1 phase	1	$ 27,795.00	35%	APC Smart-UPS RT 15kVA, 208V, LCD, rackmount, 12U, 4x NEMA L6-20R & 2x NEMA L6-30R c	2 years repair or replace
	Rack/Tower	Eaton	5P1500RT	120	1500va	1 phase	1	$ 1,122.45	25%	5P 1500 VA 120V 2U	3 year on electronics, 3 year on batteries with registration.
	Rack/Tower	Eaton	5P2200RT	120	2200va	1 phase	1	$ 1,645.35	25%	5P 2200 VA 120V 2U	3 year on electronics, 3 year on batteries with registration.
	Rack/Tower	Eaton	5P3000RT	120	3000va	1 phase	1	$ 1,971.00	25%	5P 3000 VA 120V 2U	3 year on electronics, 3 year on batteries with registration.
	Rack/Tower	Eaton	5PX2200RT	120	2200va	1 phase	1	$ 1,983.00	25%	Eaton 5PX 2200 VA 120V 2U Line Interactive	3 year on electronics, 3 year on batteries with registration.
	Rack/Tower	Eaton	5PX3000RT3U	120	3000va	1 phase	1	$ 2,420.00	25%	Eaton 5PX 3000 VA 120V 3U Line Interactive	3 year on electronics, 3 year on batteries with registration.
	Tower	Eaton	9SX1500	120	1500va	1 phase	1	$ 2,151.00	25%	9SX 1500 120V TOWER	2 years - Parts, electronics and batteries coverage
	Tower	Eaton	9SX2000	120	2000va	1 phase	1	$ 2,794.00	25%	9SX 2000 120V TOWER	2 years - Parts, electronics and batteries coverage
	Tower	Eaton	9SX3000	120	3000va	1 phase	1	$ 5,234.25	25%	9SX 3000 120V TOWER	2 years - Parts, electronics and batteries coverage
	Rack/Tower	Eaton	9PX5K	208	5000va	1 phase	1	$ 7,560.00	25%	5 kVA 9PX UPS 5000/4500 Hardwired	2 years - Parts, electronics and batteries coverage
	Rack/Tower	Eaton	9PX6K-10	208	6000va	1 phase	1	$ 8,479.80	25%	6 kVA 9PX UPS w/ 10ft cord Hardwire	2 years - Parts, electronics and batteries coverage
	Tower	Eaton	9155 8 kVA	208	8kVA	1 phase	1	$ 15,508.50	25%	32 Battery (2-high)Online double-conversion UPS K40811000000000	2-year parts, 90 days onsite labor from startup
	Tower	Eaton	9155 15 kVA	208	15kVA	1 phase	1	$ 20,422.50	25%	32 Battery (2-high) Online double-conversion UPS K41511000000000	2-year parts, 90 days onsite labor from startup
	Rack/Tower	Eaton	9PXM12S16K	208	16kVA	1 phase	1	$ 30,984.00	25%	16kva Online double-conversion UPS w 12slot enclosure & 8 battery modules	2 years - Parts, electronics and batteries coverage
	Rack/Tower	Eaton	9PX10KSP	208	10kva	1 phase	1	$ 14,992.00	25%	Online Rack/Tower UPS 10000VA/9000W, 120/208 or 120/240v Hardwired	3-YEAR FACTORY WARRANTY
	Rack/Tower	Eaton	EBM360SP	208	N/A	1 phase	1	$ 2,506.00	25%	Split Phase Series Extended Rack/Tower Battery Module Includes 4 post rail kit	3-year limited warranty
	Bypass PM	Eaton	BPM125DR	208	N/A	1 phase	1	$ 4,537.00	25%	Bypass Power Module Wall Mount, Make Before Break Hardwired Input	2-year limited warranty
	ePDU vertical	Eaton	EMI201-10	208	N/A	1 phase	1	$ 1,793.00	25%	Eaton G3 Metered Input ePDU Veritcal Mount single phase	3-year limited warranty
	Rack PDU	Eaton	EATS120	208	N/A	1 phase	1	$ 1,459.00	25%	ATS rack PDU, 1U (2) 5-20P input, 1.92 kWmas, 120V, 16A 6ft cord	3-year limited warranty
	Rack Mount	Vertiv / Liebert	GXT5-2000IRT2UXL	120	2000va	1 phase	1	$ 3,014.00	25%	GXT5 UPS - 2000VA/2000W 230V | Online Rack Tower	3 year limited warranty
	Rack Mount	Vertiv / Liebert	GXT5-3000LVRT2UXL	120	3000va	1 phase	1	$ 5,019.00	25%	GXT5, 3000VA/2700W, 120V Online UPS	3 year limited warranty
	Rack Mount	Vertiv / Liebert	GXT5-5000HVRT5UXLN	208	5000va	1 phase	1	$ 7,776.00	25%	GXT5, 5,000VA/5,000W, 208VAC	3 year limited warranty
	Rack Mount	Vertiv / Liebert	GXT5-8000MVRT6UXLN	208	8000va	1 phase	1	$ 11,733.00	25%	GXT5, 8,000VA/8,000W, 208VAC	3 year limited warranty
	Rack / Tower	Vertiv / Liebert	GXT5-15KMVRT11UXLN	208	15kVA	1 phase	1	$ 23,317.00	25%	GXT5 UPS - 15kVA/15kW | 208 and 120VAC | Online UPS Rack/Tower	3 year limited warranty
	Rack Mount	Vertiv / Liebert	GXT5-20KMVRT11UXLN	208	20kVA	3 phase	1	$ 27,007.00	25%	GXT5 UPS - 20kVA/20kW | 208/120VAC | Online UPS Rack/Tower	3 year limited warranty
	Rackmount	Tripplite	SMART2200RMXL2U	120	2200va	1 phase	1	$ 2,364.00	30%	SmartPro 120V 2.2kVA 1.92kW Line-Interactive Sine Wave UPS, 2U, Extended Run, Network (	2 years (or 3 years with product registration)
	Rackmount	Tripplite	SMART3000RM2U	120	3000va	1 phase	1	$ 2,567.00	30%	SmartPro 120V 3kVA 2.25kW Line-Interactive Sine Wave UPS, 2U, Extended Run, Network Ca	2 years (or 3 years with product registration)
	Tower	Tripplite	SMART3000SLT	120	3000va	1 phase	1	Not available	30%	SmartPro 120V 3kVA 2.25kW Line-Interactive Sine Wave UPS, Tower, Network Card Options,	2 years (or 3 years with product registration)
	Rackmount	Tripplite	SMX5000XLRT3U	230	5000va	1 phase	1	$ 5,083.00	30%	SmartPro 230V 5kVA 3.75kW Line-Interactive Sine Wave UPS, 3U, Extended Run, Network Ca	2-year limited warranty
	Rackmount	Tripplite	SMART5000RT3U	208/120	5000va	1 phase	1	$ 7,680.00	30%	SmartPro 208 & 120V 5kVA 4kW Line-Interactive Sine Wave UPS, 6U, Extended Run, Network	2 years (or 3 years with product registration)
	Rackmount	Tripplite	SU8000RT3UPM	208	8000va	1 phase	1	Not available	30%	SmartOnline 200-240V 8kVA 7.2kW Hot-Swap Spare Power Module - for redundant power a	2-year limited warranty
	Rackmount	Tripplite	SU10000RT3U2TF	208/120	10000va	1 phase	1	Not available	30%	SmartOnline 208/120V 10kVA 9kW Double-Conversion UPS, 10U, Extended Run, Network Ca	2-year limited warranty
	Rackmount	Tripplite	SU12000RT4UHW	208/240/120	12000va	1 phase	1	Not available	35%	SmartOnline 208/240 & 120V 12kVA 8.4kW Double-Conversion UPS, 8U, Extended Run, Netv	2-year limited warranty
	Tower	Tripplite	SV20KS1P1B	208	20kva	3 phase	1	Not available	35%	SmartOnline SV Series 20kVA Small-Frame Modular Scalable 3-Phase On-Line Double-Conver	1-year limited warranty
	Tower	Xtreme	S70-2000 series	120	2000va	1 phase	1	Not available	30%	2000va 120v Tower UPS 90000554	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	P80-2000	120	2000va	1 phase	1	$ 1,374.00	30%	2000va /1800w 2U	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	P80-2200	120	2200va	1 phase	1	$ 1,499.00	30%	2200VA/2000W 2U	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	P80-3000	120	3000va	1 phase	1	$ 1,902.00	30%	3000VA/2700W 2U	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	P80- 5000	208/230	80kVA	1 phase	1	$ 3,025.00	30%	5000va-4500w 2U	3 years electronics, 3 years battery warranty
	Tower	Xtreme	M90S-4S6K1	208/120	6kVA	1 phase	1	$ 12,333.00	30%	6kva/6kw system w/ 1 battery module	3 years electronics, 3 years battery warranty
	Tower	Xtreme	M90S-4S6K2	208/120	6kVA	1 phase	1	$ 14,568.00	30%	6kva/6kw system w/ 2 battery modules	3 years electronics, 3 years battery warranty
	Tower	Xtreme	M90S-4S12K2	208/120	12kVA	1 phase	1	$ 19,107.00	30%	12kva/12kw system w/ 2 battery modules	3 years electronics, 3 years battery warranty
	Tower	Xtreme	M90S-6S18k3	208/120	18kVA	1 phase	1	$ 28,716.00	30%	18kva /18kw system w/ 3 battery modules	3 years electronics, 3 years battery warranty
	Rackmount	Xtreme	P91 1-3K SERIES	120	1kVA-3kVA	1 phase	1	Priced per size	30%	P91 1-3K SERIES - 120 Volt with Lithium-Ion Batteries	3 years electronics, 3 years battery warranty
	Tower	Toshiba	H3BG2L060C61T	240/208/120	6 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Tower	Toshiba	H3BG2L080C61T	240/208/120	8 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Tower	Toshiba	H3BG2L100C61T	240/208/120	10 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
	Tower	Toshiba	H3BG2L140C61T	240/208/120	14 kva	1 phase	1	Not Available *	30%	True On-Line, Double-Conversion UPS	3-Year On-Site Warranty
								*OEM will not provide list pricing - Price upon request			
								ACTUAL QUOTES AVAILABLE UPON REQUEST WHEN A SPECIFIC MODEL IS INDICATED			

Average %
29%

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Tier 3 10kVA - 100kVA Small to Mid Size Data Centers - small three phase. Power protection solutions designed for centralized protection of any data center and for complete bilding systems. Include Batteries and any other items within the catalog that support this tier.
Warranty, Manufacturer, Manufacturers Part Number, List Price, Percent off List Price are mandatory and UNSPCS Codes are requested.

UNSPCS CODE	Model	Manufacturer	Manufacturer Part Number	VAC	VA	Phase	Qty	List Price (MSRP)	Percent off List Price	Description	Warranty
	Tower	APC	SYA16K16P	208		1 phase	1	$ 38,025.00	30%	Symmetra LX 16kVA Scalable to 16kVA N+1 Tower, 208/240V	2 years repair or replace
	Rack Mount	APC	SURT20KRMXLT	208		1 phase	1	$ 33,345.00	30%	Smart-UPS RT 20kVA RM 208V	2 years repair or replace
	Tower	APC	SY40K40F	208		3 phase	1	$ 68,800.00	30%	PX 40kW Scalable to 40kW N+1, 208V	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	SY60K100F	208		3 phase	1	$ 99,665.00	30%	Symmetra PX 60kW Scalable to 100kW, 208V with Startup	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	SY60K100F-NB	208		3 phase	1	$ 56,435.00	35%	Symmetra PX 80kW Scalable to 100kW, 208V with Startup	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	SY80K100F	208		3 phase	1	$ 119,215.00	30%	Symmetra PX 80kW Scalable to 100kW, 208V with Startup	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	SY80K100F-NB	208		3 phase	1	$ 66,940.00	35%	Symmetra PX 80kW Scalable to 100kW, 208V with Startup, No Battery	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS20KB4FS	208		3 phase	1	$ 33,005.00	30%	Galaxy VS UPS 20kW 208V, 2 internal 9Ah smart modular battery strings,	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS40KFS	208		3 phase	1	$ 37,930.00	30%	Galaxy VS UPS 40kW 208V for External Batteries, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS40KB4GS	480		3 phase	1	$ 43,210.00	30%	Galaxy VS UPS 40kW 480V, 2 internal 9Ah smart modular battery strings, expandable	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS60KFS	208		3 phase	1	$ 50,225.00	30%	Galaxy VS 60kW 208V for external batteries, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS60K0B5GS	480		3 phase	1	$ 42,370.00	30%	Galaxy VS UPS 60kW 480V for up to 5 internal 9Ah smart modular battery strings, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS80KB5GS	208		3 phase	1	$ 65,085.00	30%	Galaxy VS UPS 80kW 480V, 3 internal 9Ah smart modular battery strings, expandable	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS80K0B5GS	480v		3 phase	1	$ 50,375.00	30%	Galaxy VS UPS 80kW 480V for up to 5 internal 9Ah smart modular battery strings, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS100KB5GS	208		3 phase	1	$ 70,475.00	30%	Galaxy VS UPS 100kW 480V, 3 internal 9Ah smart modular battery strings expandable	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVSUPS100K0B5GS	480v		3 phase	1	$ 55,765.00	30%	Galaxy VS UPS 100kW 480V for up to 5 internal 9Ah smart modular battery strings, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Rack Mount	Eaton	BladeUPS 12 kw	208		1 phase	1	$ 15,540.00	25%	HW in/HW out ulti-mode three-phase rack mount UPS	18 months from date of shipment
	Rack Mount	Eaton	BladeUPS 24 kw	208		3 phase	1	$ 41,050.00	25%	BladeUPS Pre-Assembled Top Entry 24 k ZP222100DXXX000	18 months from date of shipment
	Rack Mount	Eaton	BladeUPS 36 kw	208		3 phase	1	$ 50,925.00	25%	BladeUPS Pre-Assembled Top Entry 36 kW ZP2231000XXX000	18 months from date of shipment
	Rack Mount	Eaton	BladeUPS 48 kw	208		3 phase	1	$ 62,370.00	25%	BladeUPS Pre-Assembled Top Entry 48 kw ZP22410000XX000	18 months from date of shipment
	Rack Mount	Eaton	BladeUPS 60 kw	208		3 phase	1	$ 78,330.00	25%	BladeUPS Pre-Assembled Top Entry 60 kw ZP225150000X000	18 months from date of shipment
	Tower	Eaton	9355 20kva	208		3 phase	1	$ 30,850.00	25%	9355 20 kVA with Internal Batteries KB20132000000110	1-year parts, 90 days onsite labor from startup
	Tower	Eaton	9355 30kva	208		3 phase	1	$ 42,380.00	25%	9355 30 kVA with Internal Batteries KB30131000000110	1-year parts, 90 days onsite labor from startup
	Tower	Eaton	93PM 50kw	480		3 phase	1	$ 71,692.00	25%	93PM 50 kW UPS check - for Internal batteries, 3 strings 9PF05N0029E40R2	1-year on-site 24x7, 8-hour response parts and labor from startup
	Tower	Eaton	93PM 60kw	208		3 phase	1	$ 86,652.00	25%	93PM 60 kW UPS with internal batteries 4 strings 9GC312A405E20R1	1-year on-site 24x7, 8-hour response parts and labor from startup
	Tower	Eaton	93PM 100kw	480		3 phase	1	$ 93,352.00	25%	93PM 100 kW Rating/400kW Frame UPS, 9P010D0000A00R2	1-year on-site 24x7, 8-hour response parts and labor from startup
	Tower	Vertiv / Liebert	EXM 10kva	208	10kVA	3 phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	1 year
	Tower	Vertiv / Liebert	EXM 20kva	208	20kVA	3 phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	1 year
	Tower	Vertiv / Liebert	EXM 40kva	208	40kVA	3 phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	1 year
	Tower	Vertiv / Liebert	EXM 60kva	208	60kVA	3 phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	1 year
	Tower	Vertiv / Liebert	EXM 80kva	208	80kVA	3 phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	1 year
	Tower	Vertiv / Liebert	EXM 100kva	208	100kVA	3 phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	1 year
	Tower	Tripplite	SU20KRTHWTFASSM	240/120	20kva	1 phase	1	Not available	30%	SmartOnline 240 & 120V 20kVA 18kW Double-Conversion UPS in 25U enclosure, Pre-installed Net	2-year limited warranty
	Rackmount	Tripplite	SU20KRTB	200-240	20kva	1 phase	1	Not available	30%	Tripp Lite Smart-UPS 20kVA RM 18000W PDU Online 200-240V 12U	2-year limited warranty
	Tower	Tripplite	SV40KM2P2B	208	40kva	3 phase	1	Not available	30%	Tripp Lite 40kVA Smart-Online 3-Phase UPS Medium Frame Modular, 2 Batteries	1-year limited warranty
	Tower	Tripplite	SV20KM1P1B	208	20kva	3 phase	1	Not available	30%	Tripp Lite 20kVA Smart-Online 3-Phase UPS Medium Frame Modular, 1 Battery	1-year limited warranty
	Tower	Tripplite	SVX60KM2P3B	400/230	60kva	3 phase	1	Not available	30%	Tripp Lite 60kVA Smart Online 3-Phase UPS 400/230V Medium Frame 3 Batteries	1-year limited warranty
	Tower	Tripplite	SVX90KM3P5B	400/230	90kva	3 phase	1	Not available	30%	Tripp Lite 90kVA Smart Online 3-Phase UPS 400/230V Medium Frame 5 Batteries	1-year limited warranty
	Tower	Tripplite	S3MT-100K480V	480v	100kva	3 phase	1	Not available	30%	Tripp Lite Ups 3PHASE Smart Online 100KVA Input Isolation Transformer 480V	2-year limited warranty
	Tower	Tripplite	SV100KL	208/120	100kva	3 phase	1	Not available	30%	Tripp Lite 100kVA Smart-Online 3-Phase UPS Large Frame Modular 208/120V 50/60 Hz	1-year limited warranty
	Tower	Tripplite / Eaton	9PXM12S20K	208-240V	20 kva	3 phase	1	Not available	30%	9PXM 20kVA 18kW 208-240V N+1 Modular Scalable Online Double-Conversion UPS	1-year limited warranty
	Tower	Xtreme	M90S-6S24K4	208/120	24kva	1 phase	1	$ 43,778.00	30%	24kva/24kw system with 4 battery modules in a BC7 Enclosure	3 years electronics, 3 years battery warranty
	Tower	Xtreme	M90LU-20k	208/120	20kVA	1 phase	1	$ 20,680.00	30%	20kva / 18kw No internal batteries	2 years (USA and Canada)
	Tower	Xtreme	M90LU-40k	208/120	40kVA	3 phase	1	$ 30,300.00	30%	40kva / 36kw No internal batteries	2 years (USA and Canada)
	Tower	Xtreme	M90LU-60k	208/120	60kVA	3 phase	1	$ 39,380.00	30%	60kva / 54kw No internal batteries	2 years (USA and Canada)
	Tower	Xtreme	M90-BC	208/120	BC	3 phase	1	$ 13,420.00	30%	M90S-12S Matching External Modular Battery Cabinet.	2 years (USA and Canada)
	Tower	Xtreme	M90U80-40K12B	208/120	80kVA	3 phase	1	$ 53,768.00	35%	40KVA/40KW; Modular online 208/120 VAC three-phase UPS with internal battery	2 years (USA and Canada)
	Tower	Xtreme	M90U80-80K14B	208/120	80kVA	3 phase	1	$ 74,646.00	30%	80KVA/80KW; Modular online 208/120 VAC three-phase UPS with internal battery.	2 years (USA and Canada)
	Tower	Toshiba	4400F3F150XA	208V	15 kva	3 phase	1	Not Available *	35%	4400 series True On-Line, Double-Conversion Optional Voltage '200,220,230,240,380,400,415,48	3-Year On-Site Warranty
	Tower	Toshiba	4400F3F200XA	208V	20 kva	3 phase	1	Not Available *	35%	4400 series True On-Line, Double-Conversion Optional Voltage '200,220,230,240,380,400,415,48	3-Year On-Site Warranty
	Tower	Toshiba	4400F3F300XA	208V	30 kva	3 phase	1	Not Available *	35%	4400 series True On-Line, Double-Conversion Optional Voltage '200,220,230,240,380,400,415,48	3-Year On-Site Warranty
	Tower	Toshiba	4400F3F500XA	208V	50 kva	3 phase	1	Not Available *	35%	4400 series True On-Line, Double-Conversion Optional Voltage '200,220,230,240,380,400,415,48	3-Year On-Site Warranty
	Tower	Toshiba	4400F3F800XA	208V	80 kva	3 phase	1	Not Available *	35%	4400 series True On-Line, Double-Conversion Optional Voltage '200,220,230,240,380,400,415,48	3-Year On-Site Warranty
								*OEM will not provide list pricing - Price upon request			
						ACTUAL QUOTES AVAILABLE UPON REQUEST WHEN A SPECIFIC MODEL IS INDICATED					

Average %
30%

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Tier 4 101kVA and larger. Mid Size Data Centers and facility UPS large tree phase. Design services, Regular Hourly Rates Price per hour. Include Batteries and any other items within the catalog that support this tier.
Warranty, Manufacturer, Manufacturers Part Number, List Price, Percent off List Price are mandatory and UNSPCS Codes are requested.

UNSPCS CODE	Model	Manufacturer	Manufacturer Part Number	VAC	VA	Phase	Qty	List Price (MSRP)	Percent off List Price	Description	Warranty
	Tower	APC	GVSUPS120KGS	480v	12kVA	Three Phase	1	$ 61,945.00	30%	Galaxy VS 120kW 480V for external batteries, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVMS160KGF65S	480v	160kVA	Three Phase	1	$ 124,480.00	30%	Galaxy VM 160 kVA UPS Single 480-208 V, 65kAIC, Start up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVMS180KGF65S	480v	180kVA	Three Phase	1	$ 125,385.00	30%	Galaxy VM 180 kVA UPS Single 480-208 V, 65kAIC, Start up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVMS225KGF65S	480v	225kVA	Three Phase	1	$ 140,615.00	30%	Galaxy VM 225 kVA UPS Single 480-208 V, 65kAIC, Start up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVL200K500DS	480v	200kVA	Three Phase	1	$ 91,130.00	30%	Galaxy VL UPS 200 scalable to 500 kW, 400/480V, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVL300K500DS	480v	300kVA	Three Phase	1	$ 116,680.00	35%	Galaxy VL UPS 300 scalable to 500 kW, 400/480V, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	APC	GVL400K500DS	480v	400kVA	Three Phase	1	$ 136,355.00	35%	Galaxy VL UPS 400 scalable to 500 kW, 400/480V, Start-up 5x8	1 year on-site repair or replace with factory authorized Start-Up
	Tower	Eaton	9P115D0000A00R2	480		Three Phase	1	$ 112,355.00	30%	93PM 150 kW Rating/400kW Frame UPS	1-year on-site 24x7, 8-hour response parts and labor from startup
	Tower	Eaton	9P220D0000A00R2	480		Three Phase	1	$ 115,690.00	30%	93PM 200 kW Rating/400kW Frame UPS	1-year on-site 24x7, 8-hour response parts and labor from startup
	Tower	Eaton	9P430D0000A00R2	480		Three Phase	1	$ 136,390.00	30%	93PM 300 kW Rating/400kW Frame UPS	1-year on-site 24x7, 8-hour response parts and labor from startup
	Tower	Eaton	9P640D0000A00R2	480		Three Phase	1	$ 159,045.00	35%	93PM 400 kW Rating/400kW Frame UPS	1-year on-site 24x7, 8-hour response parts and labor from startup
	Tower	Vertiv / Liebert	EXM 100kva	208-480	100kVA	Three Phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	One Year Limited Warranty
	Tower	Vertiv / Liebert	EXM 120kva	208-480	120kVA	Three Phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	One Year Limited Warranty
	Tower	Vertiv / Liebert	EXM 140kva	208-480	140kVA	Three Phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	One Year Limited Warranty
	Tower	Vertiv / Liebert	EXM 180kva	208-480	180kVA	Three Phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	One Year Limited Warranty
	Tower	Vertiv / Liebert	EXM 200kva	208-480	200kVA	Three Phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	One Year Limited Warranty
	Tower	Vertiv / Liebert	EXM 250kva	208-480	250kVA	Three Phase	1	Not Available *	30%	Liebert® EXM 3-Phase UPS	One Year Limited Warranty
	Tower	Tripplite	SV120KL	208/120	120kva	Three Phase	1	Not available	30%	Smart Online 3 phase large frame Modular	1-year limited warranty
	Tower	Tripplite	SV140KL7P	208/120	140kva	Three Phase	1	Not available	30%	Smart Online 3 phase Modular	1-year limited warranty
	Tower	Tripplite	SVX150KL	208	150kva	Three Phase	1	Not available	30%	50kVA / 150kW modular, scalable, 3-phase, Large-Frame tower	2-year limited warranty
	Tower	Xtreme	M90U140-120K	208/120	120kVA	Three Phase	1	$ 84,700.00	30%	M90-140 Modular Online Three Phase UPS / 120kva / 108kw no internal batter	2 years (USA and Canada)
	Tower	Xtreme	M90U140-140K	208/120	140kVA	Three Phase	1	$ 94,050.00	30%	M90-140 Modular Online Three Phase UPS / 140 kva / 126kw no internal batter	2 years (USA and Canada)
	Tower	Xtreme	M90-BC-32B	208/120		Three Phase	1	$ 49,500.00	30%	Includes M90-BC Battery Cabinet and (32) M90-BCBAT Batt Modules	2 years (USA and Canada)
	Tower	Toshiba	T90S3S10KS6XSN2	480V	100 kva	Three Phase	1	Not Available *	30%	G9000 SERIES True On-Line, Double-Conversion	3-Year On-Site Warranty
	Tower	Toshiba	T90S3S16KS6XSN2	480V	160 kva	Three Phase	1	Not Available *	30%	G9000 SERIES True On-Line, Double-Conversion	3-Year On-Site Warranty
	Tower	Toshiba	T90S3S16KS6XSN2	480V	225 kva	Three Phase	1	Not Available *	30%	G9000 SERIES True On-Line, Double-Conversion	3-Year On-Site Warranty
	Tower	Toshiba	T90S3S30KS6XSN	480V	300 kva	Three Phase	1	Not Available *	30%	G9000 SERIES True On-Line, Double-Conversion	3-Year On-Site Warranty
	Tower	Toshiba	T90S3S50KS6XSF	480V	500 kva	Three Phase	1	Not Available *	30%	G9000 SERIES True On-Line, Double-Conversion	3-Year On-Site Warranty
								*OEM will not provide list pricing - Price upon request			
						ACTUAL QUOTES AVAILABLE UPON REQUEST WHEN A SPECIFIC MODEL IS INDICATED					

Average %
31%

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Service Classification Rate Card					
Classification	Job Description	Half Hour	One Hour	Emergency	After Hours
Design Services	Design plans for projects	N/A	$99.00	N/A	N/A
Installation Services	Install New Equipment, Batteries, and Repairs, UPS Maintenance.	N/A	$99.00	$105.00	$120.00
Preventative Maintenance	UPS inspections, testing, reports, recommendations for repairs.	N/A	$99.00	$105.00	$120.00
Emergency Quick Response	Escalated response for trouble shooting, and down units.	N/A	N/A	$105.00	$120.00
Emergency Urgent Response	24/7 and after hours immediate repsonse for trouble shooting, and down units.	N/A	N/A	$105.00	$120.00
Legacy Maintenance	UPS Maintenance on all older model UPS's	N/A	$99.00	$105.00	$120.00
UPS Warehouse Tech	Depot Repairs Single Phase UPS	N/A	$99.00	N/A	N/A
UPS Warehouse Tech	Depot Repairs 3 Phase UPS	N/A	$130.00	N/A	N/A
Electrical Install	Certified Electrician installation labor	N/A	$159.00	$239.00	$239.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

UNSPCS CODE	Model	Type	Manfacturer *	Manufacturer Part #	V	A.H.	Terminals	Qty	List *	Percent off List	Description	Warranty
26111701	Battery	VRLA	C & D	UPS12-105PLP	12V	26AH	IT	1	$ 279.70	22%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-155PLP	12V	35AH	IT	1	$ 356.51	25%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-215PLP	12V	53AH	IT	1	$ 414.11	25%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-305PLP	12V	80AH	IT	1	$ 514.50	25%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-355PLP	12V	93AH	IT	1	$ 567.00	25%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-355MRF	12V	108AH	IT	1	$ 506.66	25%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-405PLP	12V	103AH	IT	1	$ 586.47	30%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-495PLP	12V	141AH	IT	1	$ 867.37	55%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-545PLP	12V	149AH	IT	1	$ 892.36	55%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-605PLP	12V		IT	1	$ 955.50	35%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-600MR	12V	199AH	IT	1	$ 348.52	30%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-705PLP	12v	199AH	IT	1	$ 1,195.00	55%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-700MRF	12V	206AH	IT	1	$ 1,359.44	55%	Battery	3 year
26111701	Battery	VRLA	C & D	UPS12-1005PLPF	12V	254AH	IT	1	$ 1,895.00	55%	Battery	3 year
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX25	12V	4.5AH	IT	1	$ 47.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX35	12V	7.9AH	IT	1	$ 56.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	6HX50	6V	11AH	IT	1	$ 49.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX50	12V	12AH	IT	1	$ 83.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX80	12V	18AH	IT	1	$ 128.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX100FR	12V	21AH	IT	1	$ 206.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX135	12V	28AH	IT	1	$ 232.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX150	12V	32AH	IT	1	$ 258.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX205	12V	41AH	IT	1	$ 253.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX300	12V	71AH	IT	1	$ 316.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX330	12V	82AH	IT	1	$ 349.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX400	12V	94AH	IT	1	$ 395.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX505	12V	119AH	IT	1	$ 518.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX540	12V	123AH	IT	1	$ 561.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX560+	12V	129AH	IT	1	$ 663.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	EnerSys DataSafe HX	12HX800-FR	6V	210AH	IT	1	$ 1,298.00	25%	Battery	4 years from date of install
26111701	Battery	VRLA	Eaton/Powerware	PWHR1234W2FR	12V	8AH	IT	1	$ 59.00	25%	Battery	1 year
26111701	Battery	VRLA	Eaton/Powerware	PWHR12120W3FR	12V	30AH	IT	1	$ 168.00	25%	Battery	1 year
26111701	Battery	VRLA	Eaton/Powerware	PWHR12200W4FR	12V	53.8AH	IT	1	$ 423.00	25%	Battery	1 year
26111701	Battery	VRLA	Eaton/Powerware	PWHR12280W4FR	12V	75AH	IT	1	$ 437.00	25%	Battery	1 year
26111701	Battery	VRLA	Eaton/Powerware	PWHR12330W4FR	12V	90AH	IT	1	$ 506.00	25%	Battery	1 year
26111701	Battery	VRLA	Eaton/Powerware	PWHR12390W4FR	12V	100AH	IT	1	$ 647.00	25%	Battery	1 year
26111701	Battery	VRLA	Eaton/Powerware	PWHR12502W4FR	12V	150AH	IT	1	$ 838.00	25%	Battery	1 year
26111701	Battery	VRLA	Eaton/Powerware	PWHR12540W4FR	12V	161AH	IT	1	$ 902.00	25%	Battery	1 year
26111701	Battery	VRLA	Powersonic	PS-1212	12V	1.4AH	IT	1	$ 11.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12260-NB	12V	26AH	IT	1	$ 60.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-612	6V	1.4AH	IT	1	$ 9.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-640	6V	4.5AH	IT	1	$ 11.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-640F	6V	4.5AH	IT	1	$ 11.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-445	4V	4.5AH	IT	1	$ 10.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-610	6V	1AH	IT	1	$ 10.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-628	6V	2.9AH	IT	1	$ 10.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1220	12V	2.5AH	IT	1	$ 15.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-621	6V	2AH	IT	1	$ 12.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-670	6V	6.3AH	IT	1	$ 15.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-665	6V	6.5AH	IT	1	$ 15.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-682	6V	8.5AH	IT	1	$ 17.90	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-682F	6V	9AH	IT	1	$ 17.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1229	12V	2.9AH	IT	1	$ 17.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-490	4V	9AH	IT	1	$ 17.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PSG-480	4V	8AH	IT	1	$ 19.00	25%	Battery	18 months from MFG DATE

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

26111701	Battery	VRLA	Powersonic	PS-4100	4V	10AH	IT	1	$ 15.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1227	12V	2.9AH	IT	1	$ 19.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-630	6V	3.5AH	IT	1	$ 14.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1230	12V	3.4AH	IT	1	$ 19.80	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1250-F2	12V	5AH	F2	1	$ 17.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-650LF	6V	5AH	F1	1	$ 19.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PSG-450	4V	5AH	IT	1	$ 18.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-650LS	6V	5AH	IT	1	$ 16.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1270-F1	12V	7AH	F1	1	$ 15.75	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1272	12V	7.2AH	F1	1	$ 21.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-6100-F1	6V	12AH	F1	1	$ 17.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1251FP	12V	5.5AH	FP	1	$ 21.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-632	6V	3.5AH	IT	1	$ 21.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-832	8V	3.2AH	F2	1	$ 19.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-6100-F2	6V	12AH	F2	1	$ 22.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-260	2V	6AH	F1	1	$ 19.80	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1228	12V	2.8AH	F1	1	$ 26.90	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PSG-680	6V	8AH	F2	1	$ 26.90	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PSG-650	6V	5AH	F2	1	$ 24.70	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1270-F2	12V	7AH	F2	1	$ 23.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1272-F2	12V	7.2AH	F2	1	$ 23.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1290	12V	9AH	F2	1	$ 27.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1223	12V	2.3AH	PC	1	$ 27.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1221S	12V	2AH	F1	1	$ 25.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PSH-12100-FR	12V	10.5AH	F2	1	$ 24.80	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12100	12V	12AH	F2	1	$ 24.80	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-6120	6V	12AH	FP	1	$ 24.80	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-695	6V	14AH	T1T2	1	$ 27.20	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1238	12V	3.8AH	F1	1	$ 24.80	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12120	12V	12AH	F2	1	$ 38.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12140	12V	47AH	F2	1	$ 35.90	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-1221	12V	2AH	F1	1	$ 34.92	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-6200	6V	20AH	NB	1	$ 39.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12180-NB	12V	18AH	NB	1	$ 50.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12180-F2	12V	18AH	F2	1	$ 43.70	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12200	12V	200AH	NB	1	$ 49.10	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-6360	6V	36AH	F2	1	$ 65.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12260-F2	12V	26AH	F2	1	$ 69.10	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12280	12V	28AH	NB	1	$ 98.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12350	12V	35AH	NB	1	$ 85.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12330	12V	33AH	NB	1	$ 85.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-6580	6V	58AH	F2	1	$ 119.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12400	12V	40AH	IT	1	$ 119.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12550	12V	55AH	NB	1	$ 139.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-12750	12V	75AH	NB	1	$ 157.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-121000	12V	100AH	NB	1	$ 189.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-121100	12V	110AH	NB	1	$ 189.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PS-62000	6V	200AH	NB	1	$ 254.00	25%	Battery	18 months from MFG DATE
26111701	Battery	VRLA	Powersonic	PG-12V200FR	12V	580W	T11	1	$ 368.00	25%	Battery	18-30 months from MFG DATE
	Battery Module	VRLA	Xtreme	UPS12580	12V	580W	-	6	$ 449.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT1-90000370	12V	9AH	-	1	$ 172.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT2-90000371	12V	9AH	-	1	$ 252.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT3-90000372	12V	9AH	-	1	$ 333.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT4-90000373	12V	9AH	-	1	$ 494.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT2-90000371	12V	9AH	-	1	$ 252.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT4-90000373	12V	9AH	-	1	$ 494.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	NXRT-PBAT3-900000596	12V	7.2AH	-	1	$ 758.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	NXRT-PBAT3-900000596	12V	7.2AH	-	1	$ 758.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	NXRT-PBAT4	12V	7.2AH	-	2	$ 1,516.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	T90-BAT-90000368	12V	7AH	-	5	$ 2,180.00	25%	Battery Module	3 Year

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	Battery Module	VRLA	Xtreme	T90-BAT-90000368	12V	9AH	-	5	$ 2,180.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	T90-BAT-90000368	12V	7AH	-	5	$ 2,180.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	T90-BAT-90000368	12V	9AH	-	5	$ 2,180.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT1-90000370	12V	7AH	-	1	$ 2,180.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT1-90000370	12V	9AH	-	1	$ 172.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT3-90000372	12V	7AH	-	1	$ 333.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT3-90000372	12V	7AH	-	1	$ 333.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT4-90000373	12V	7AH	-	1	$ 494.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT4-90000373	12V	9AH	-	1	$ 494.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P90-BAT4-90000373	12V	9AH	-	1	$ 494.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P80-BAT580-90000478	12V	580W	-	1	$ 528.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P80-BAT580-90000478	12V	580W	-	2	$ 1,056.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	J60-BAT1- 90000549	2200mAh	2200mAh	-	1	$ 225.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	J60-BAT1- 90000549	2200mAh	2200mAh	-	1	$ 225.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	J60-BAT1- 90000549	2200mAh	2200mAh	-	1	$ 225.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	J60-BAT2 - 90001046	4400mAh	4400mAh	-	1	$ 497.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	J60-BAT2 - 90001046	4400mAh	4400mAh	-	1	$ 497.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	J60-BAT2 - 90001046	4400mAh	4400mAh	-	1	$ 497.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80-BAT1 - 90000987	12V	9AH	-	1	$ 114.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80-BAT2 - 90000988	12V	9AH	-	1	$ 160.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80-BAT3 - 90000989	12V	9AH	-	1	$ 241.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80-BAT4 - 90000990	12V	9AH	-	1	$ 321.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80HT-BAT1 - 90000991	12V	9AH	-	1	$ 126.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80HT-BAT2 - 90000992	12V	9AH	-	1	$ 172.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80HT-BAT3 - 90000993	12V	9AH	-	1	$ 252.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80HT-BAT4 - 90000994	12V	9AH	-	1	$ 333.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT1 - 90000995	12V	9AH	-	1	$ 126.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT2 - 90000996	12V	9AH	-	1	$ 172.00	25%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT3 - 90000997	12V	9AH	-	1	$ 252.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT4 - 90000998	12V	9AH	-	1	$ 333.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT5 - 90000999	12V	9AH	-	1	$ 172.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT6 - 90001000	12V	9AH	-	1	$ 333.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT7 - 90001001	12V	9AH	-	1	$ 172.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	V80XR-BAT8 - 90001002	12V	9AH	-	1	$ 333.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P91-BATLi1 - 90001068	15S2P	15S2P	-	1	$ 1,379.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P91-BATLi2 - 90001069	15S2Px2	15S2Px2	-	1	$ 2,758.00	40%	Battery Module	3 Year
	Battery Module	VRLA	Xtreme	P91-BATLi3 - 90001070	24S1Px3	24S1Px3	-	1	$ 3,219.00	40%	Battery Module	3 Year
26111701	Battery	VRLA	GPS	58AGPS-12-6		6ah	F2	1	$ 45.00	50%	Battery	1 Year
26111701	Battery	VRLA	GPS	58AGPS-12-7		7ah	F2	1	$ 58.25	50%	Battery	1 Year
26111701	Battery	VRLA	GPS	58AGPS-12-9		9ah	F2	1	$ 58.25	50%	Battery	1 Year
26111701	Battery	VRLA	GPS	58AGPS-12-12		12AH	f2	1	$ 61.00	50%	Battery	1 Year
26111701	Battery	VRLA	GPS	58AGPS-12-18		18ah	F2	1	$ 106.00	50%	Battery	1 Year
26111701	Battery	VRLA	CSB	HR1221WF2	12V	5ah	F1 / F2	1	$ 34.40	25%	21 wpc Battery	3 year
26111701	Battery	VRLA	CSB	HR1224WF2F1	12V	6.4ah	F1 / F2	1	$ 37.40	25%	24 wpc Battery	3 year
26111701	Battery	VRLA	CSB	HR1227WF2	12V	6.5ah	F2	1	$ 37.79	25%	27 wpc Battery	3 year
26111701	Battery	VRLA	CSB	HR1234WF2	12V	34wpc	F2	1	$ 39.80	25%	34wpc Battery	3 year
26111701	Battery	VRLA	CSB	HR1251WF2FR	12V	13.5ah	F2	1	$ 63.00	25%	51 wpc Battery	3 year
26111701	Battery	VRLA	CSB	HR1290WFR	12V	18ah	I1-Thread	1	$ 98.88	25%	90 wpc Battery	3 year
26111701	Battery	VRLA	CSB	HR12120WFR	12V	30ah	I1-Thread	1	$ 142.00	25%	120 wpc Battery	3 year
26111701	Battery	VRLA	CSB	UPS122406F2	12V	6.4ah	F1 / F2	1	$ 38.20	25%	40 wpc Battery	3 year
26111701	Battery	VRLA	CSB	UPS123606F2	12V	7ah	F1 / F2	1	$ 36.24	25%	60 wpc Battery	3 year
26111701	Battery	VRLA	CSB	UPS123607F2	12V	7.5ah	F2	1	$ 34.60	25%	60 wpc Battery	3 year
26111701	Battery	VRLA	CSB	UPS12460F2	12V	9ah	F2	1	$ 44.50	25%	76.7 wpc Battery	3 year
26111701	Battery	VRLA	CSB	UPS12580F2	12V	9ah	F2	1	$ 57.00	25%	96.7 Battery	3 year
	Battery Pack	VRLA	APC	RBC1	6V	4.5AH	-	2	$123.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC10	12V	5.1AH	-	1	$183.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	APCRBC105	12V	9AH	-	1	$756.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC106	12V	9AH	-	1	$109.00	30%	Battery Pack	2 year

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	Battery Pack	VRLA	APC	RBC109	12V	9AH	-	2	$209.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC11	12V	18AH	-	4	$711.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC110	12V	9AH	-	1	$109.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC113	12V	9AH	-	2	$119.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC114	12V	6AH	-	1	$104.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC115	12V	9AH	-	4	$551.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC116	12V	9AH	-	4	$395.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC117	12V	5AH	-	10	$784.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC118	12V	5AH	-	10	$541.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC12	12V	9AH	-	8	$751.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC123	12V	9AH	-	2	$146.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC124	12V	9AH	-	2	$161.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC13	12V	75AH	-	4	$2,295.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC132	12V	9AH	-	4	$522.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC133	12V	7.5AH	-	4	$576.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC14	12V	75AH	-	4	$2,300.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC140	12-5F2	5AH	-	8	$1,145.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC154	12V	5AH	-	1	$91.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC155	12V	5AH	-	8	$628.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC17	12V	9AH	-	1	$92.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC18	6V	7AH	-	2	$266.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC2	12V	7.5AH	-	1	$91.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC21	12V	5.1AH	-	1	$127.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC22	12V	7.5AH	-	2	$437.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC23	12V	7.5AH	-	4	$583.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC24	12V	7.5AH	-	4	$705.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC25	12V	7.5AH	-	4	$860.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC26	12V	9AH	-	8	$484.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC27	12V	9AH	-	8	$836.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC29	12V	5AH	-	1	$92.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC3	6V	12AH	-	2	$161.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC30	12V	5AH	-	1	$89.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC31	12V	7.5AH	-	4	$530.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC32	12V	7.5AH	-	2	$157.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC33	12V	9AH	-	2	$192.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC34	6V	7AH	-	4	$507.00	25%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC35	12V	3.5AH	-	1	$74.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC4	12V	12AH	-	1	$143.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC40	12V	9AH	-	1	$79.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC43	12V	5AH	-	8	$819.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC44	12V	5AH	-	8	$ 1,010.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC45	12V	5AH	-	1	$ 60.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC46	12V	5AH	-	1	$ 101.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC47	12V	3.4AH	-	1	$ 57.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC48	12V	7.5AH	-	2	$ 186.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC5	12V	7.5AH	-	2	$ 134.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC55	12V	18AH	-	4	$ 635.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC57	12V	7.5AH	-	4	$ 526.00	30%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC59	12V	7.5AH	-	4	$ 264.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC6	12V	12AH	-	2	$ 300.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC63	12V	7.5AH	-	4	$ 278.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC7	12V	18AH	-	2	$ 309.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC8	12V	7.5AH	-	4	$ 377.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC88	6V	9AH	-	6	$ 555.00	35%	Battery Pack	2 year
	Battery Pack	VRLA	APC	RBC9	12V	7.5AH	-	2	$ 187.00	35%	Battery Pack	2 year
	Battery Module	VRLA	APC	SYBATT	12V	7AH	-	1	$ 1,195.00	35%	Battery Module	1 Year
	Battery Module	VRLA	APC	SYBT2	12V	7AH	-	1	$ 1,175.00	30%	Battery Module	2 year
	Battery Module	VRLA	APC	SYBT3	12V	7AH	-	1	$ 1,110.00	30%	Battery Module	2 year
	Battery Module	VRLA	APC	SYBT4	12V	7AH	-	1	$ 3,335.00	30%	Battery Module	2 year
	Battery Module	VRLA	APC	SYBT5		7AH	-	1	$ 1,245.00	30%	Battery Module	2 year
	Battery Module	VRLA	APC	SYBT9-B6	12V	9AH	-	1	$ 6,220.00	30%	Battery Module	1 Year

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	Battery Module	VRLA	APC	SYBTU1-PLP	12V	7AH	-	1	$ 828.00	30%	Battery Module	1 Year
	Battery Module	VRLA	APC	SYBTU2-PLP	12V	9AH	-	1	$ 1,055.00	30%	Battery Module	1 Year
	Battery	SLA	Deka Unigy	12AVR100	12V	94AH	IT	1	$ 263.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR100ET	12V	96AH	IT	1	$ 263.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR130	12V	125AH	IT	1	$ 629.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR145ET	12V	145AH	IT	1	$ 504.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR-145L	12V	145AH	IT	1	$ 607.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR-145LLP	12V	145AH	IT	1	$ 615.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR-150ET	12V	150AH	IT	1	$ 626.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR170ET	12V	170AH	IT	1	$ 647.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR30	12V	200AH	IT	1	$ 403.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR40	12V	35AH	IT	1	$ 446.00	30%	Battery	1 Year
	Battery	SLA	Deka Unigy	12AVR-90	12V	82AH	IT	1	$ 616.00	30%	Battery	1 Year
26111701	Battery	VRLA	GNB	90G07	256	256	IT	1	$ 466.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	90G09	344	344	IT	1	$ 508.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	90G11	432	432	IT	1	$ 592.65	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	90G13	520	520	IT	1	$ 678.62	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	90G15	608	608	IT	1	$ 737.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G13	600	600	IT	1	$ 715.70	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G15	696	696	IT	1	$ 755.20	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G17	800	800	IT	1	$ 755.20	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G19	896	896	IT	1	$ 862.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G21	1000	1000	IT	1	$ 934.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G23	1096	1096	IT	1	$ 1,072.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G25	1200	1200	IT	1	$ 1,162.24	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G27	1296	1296	IT	1	$ 1,162.24	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G29	1400	1400	IT	1	$ 1,214.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G31	1496	1496	IT	1	$ 1,322.00	40%	Battery	18 months from SHIP date
26111701	Battery	VRLA	GNB	100G33	1600	1600	IT	1	$ 1,395.00	40%	Battery	18 months from SHIP date
				* ALL Price upon request - ALL battery list prices flucuate with market								
				ACTUAL QUOTES AVAILABLE UPON REQUEST WHEN A SPECIFIC MODEL/SKU IS INDICATED								

Average %
30%

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

XTREME POWER CATALOG

NOTE 10% TO BE ADDED TO LIST PRICE FOR TARRIFFS.

Part Number	MODEL	DESCRIPTION	LIST PRICE
90000465	J60-350	Xtreme Power J60 Series 350VA/200W Standby UPS; 120VAC; C14 inlet with C13 to 5-15P (3ft) detachable power cord; (3) 5-15R output receptacles; Lithium battery for longer life and up to 104 F operation without battery degradation; Battery Management System (BMS) insures cell voltage balancing, parallel current sharing, and overcharge/discharge protection; surge protection; Wall or Desk Mounting; UL, cUL, RoHS and TAA compliant; 5-Year Full Warranty (USA and Canada), 3-Year Full Warranty (worldwide); 6.9"W x 8.5"D x 1.25"H, 3.4 lbs	$ 439.00
90000776	J60-600	Xtreme Power J60 Series 600VA/360W Standby UPS; 120VAC; C14 inlet with C13 to 5-15P (3ft) detachable power cord; (3) 5-15R output receptacles; Lithium battery for longer life and up to 104 F operation without battery degradation; redundant Battery Management System (BMS) insures cell voltage balancing, parallel current sharing, and overcharge/discharge protection; surge protection; Wall or Desk Mounting; UL, cUL, RoHS and TAA compliant; 5-Year Full Warranty (USA and Canada), 3-Year Full Warranty (worldwide); 7.3"W x 10.8"D x 1.6"H, 4.7 lbs	$ 749.00
90000472	J60i-350	Xtreme Power J60i Series 350VA/200W Standby UPS; 230VAC; C14 inlet; (2) IEC C13 output receptacles; Lithium battery for longer life and up to 104 F operation without battery degradation; Battery Management System (BMS) insures cell voltage balancing, parallel current sharing, and overcharge/discharge protection; surge protection; Wall or Desk Mounting; CE, RoHS and TAA compliant; 5-Year Full Warranty (USA and Canada), 3-Year Full Warranty that includes one way shipment (worldwide); 6.9"W x 8.5"D x 1.25"H, 3.4 lbs	$ 439.00
90000777	J60i-600	Xtreme Power J60i Series 600VA/360W Standby UPS; 230VAC; C14 inlet; (2) IEC C13 output receptacles; Lithium battery for longer life and up to 104 F operation without battery degradation; redundant Battery Management System (BMS) insures cell voltage balancing, parallel current sharing, and overcharge/discharge protection; surge protection; Wall or Desk Mounting; CE, RoHS and TAA compliant; 5-Year Full Warranty with ground shipment one way (USA and Canada), 3-Year Full Warranty (worldwide); 7.3"W x 10.8"D x 1.6"H, 4.7 lbs	$ 749.00
90001061	J60C-600	Xtreme Power J60C Series 600VA/360W Lithium Ion UPS; 1U; 120VAC; detachable 6' input line cord with 5-15P; (5) 5-15R output receptacles, (4 battery backup, 1 surge only); Full Load Runtime = 6 min; up to 98% efficiency; Tower, Wall, or Rack mounting; Smart LCD display; Intelligent slot; USB port; UL, cTUVus, RoHSCE, RoHS, FCC , TAA Compliant; 5 year electronic warranty, 5 year battery warranty (USA and Canada), 3 year Warranty (worldwide); 17.2" x 8.5" x 1.7"; 7.8 lbs	$ 835.00
90001062	J60Ci-600	Xtreme Power J60Ci Series 600VA/360W Lithium Ion UPS; 1U; 230VAC; IEC C14 Inlet; (5) C13 output receptacles, (4 battery backup, 1 surge only); Full Load Runtime = 6 min; up to 98% efficiency; Tower, Wall, or Rack mounting; Smart LCD display; Intelligent slot; USB port; CE, RoHS, TAA Compliant; 5 year electronic warranty, 5 year battery warranty (USA and Canada), 3 year Warranty (worldwide); 17.2" x 8.5" x 1.7"; 7.8 lbs	$ 835.00
900007742	JX-200	J60 200W Isolation Transformer, 120 VAC, 50/60Hz, C14 inlet with removeable 5-15P line cord; (3) 5-15R output receptacles; 5A output breaker; complete line isolation; Common Mode and Normal Mode noise filtering; 300 joules surge suppression; UL16950, RoHS; 5-Year Full Warranty; 6.9" W x 8.5" D x 1.25" H; 6.6 lbs.	$ 220.00
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with J60c and J60ci Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000778	SNMP-J60	External SNMP/Web Card for use with J60-600(i) Series UPS; monitor critical UPS parameters, alarms, and status; output power control to reboot loads; packaging = 7.5"W x 6"D x 2.5"H, 1 lb	$ 279.00
90000785	EMD-J60	Environmental Monitoring Sensor to monitor ambient temperature and humidity. Include two user defined contact closures. Must be used with SNMP-J60 External SNMP Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 1 lb	$ 195.00
N/A	XPC-515P-3RA	Optional 3ft, 5-15P line cord with right angle offset for use with J60-350. Weight: .5 lbs	$ 22.00
N/A	XPC-515P-6RA	Optional 6ft, 5-15P line cord with right angle offset for use with J60-350. Weight: .5 lbs	$ 22.00
90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads;3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs For use with 700VA, 1000VA, 1500VA V80 Series	$ 379.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000041	XPD1415HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of PDU + (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 138.00
90000765	J60-DIN	DIN Rail mount for J60	$ 19.00
A60 - Standby UPS			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000875	A60-550	Xtreme Power A60 Series 550VA/330W Standby UPS 120VAC; 6' Input line cord with 5-15P plug; (10) 5-15R output receptacles, (5 battery backup + 5 surge only); Tower, Desk or Wall Mounting; USB Port, Communication Cable and Shutdown Software; UL, cUL, RoHS approved, TAA Compliant; 3 Year Full Warranty (USA and Canada only); $25K Load Protection Policy; 6.2"W x 12"D x 3.7"H, 5.7 lbs	$ 125.00
90000876	A60-850	Xtreme Power A60 Series 850VA/500W Standby UPS 120VAC; 6' Input line cord with 5-15P plug; (10) 5-15R output receptacles, (5 battery backup + 5 surge only); Tower, Desk or Wall Mounting; touch screen display; USB Charging Port; USB Communication Port, Communication Cable and Shutdown Software; UL, cUL, RoHS approved, TAA Compliant; 3 Year Full Warranty (USA and Canada only); $25K Load Protection Policy; 6.2"W x 12"D x 3.7"H, 6.4 lbs	$ 165.00
90000281	SNMP-USB	External SNMP/Web Card for use with A60 Series UPS; packaging = 7.5"W x 6"D x 2.5"H, 2lbs	$ 325.00
90001033	A605SP	Xtended 5YR Factory Warranty for A60 Series UPS (USA Only) - 5 Year Coverage includes coverge of electronics and batteries, telephone technical support, advanced exchange and ground shipment both ways.	$ 69.00
S71 Line Interactive UPS			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90001237	S71-700	XPC S71 Series 700VA/420W Line-Interactive Tower UPS 120VAC; 6' detachable Input line cord with 5-15P plug; (4) 5-15R output receptacles; touch LCD display; 465 Joule surge suppression rating; Auto Restart; USB Port, Communications Cable and Shutdown Software; UL/cUL listed, RoHS, TAA Compliant; 3-Year Full Warranty (USA and Canada); $25K Load Protection Policy; 3.9"W x 11.3"D x 5.6"H, 11.2 lbs	$ 189.00
90001238	S71-1000	XPC S71 Series 1000VA/600W Line-Interactive Tower UPS 120VAC; 6' Input line cord with 5-15P plug; (6) 5-15R output receptacles; touch LCD display; 465 Joule surge suppression rating; Auto Restart; USB Port, Communications Cable and Shutdown Software; RJ45 Surge protection port; UL/cUL listed, RoHS, TAA Compliant; 3-Year Full Warranty (USA and Canada); $25K Load Protection Policy; 5.1"W x 12.6"D x 5.6"H, 18.0 lbs	$ 275.00
90001240	S71-1500	XPC S71 Series 1500VA/900W Line-Interactive Tower UPS 120VAC; 6' Input line cord with 5-15P plug; (6) 5-15R output receptacles; touch LCD display; 465 Joule surge suppression rating; Auto Restart; USB Port, Communications Cable and Shutdown Software; RJ45 Surge protection port; UL/cUL listed, RoHS, TAA Compliant; 3-Year Full Warranty (USA and Canada); $25K Load Protection Policy; 5.1"W x 12.6"D x 7.1"H, 23.0 lbs	$ 389.00
90000281	SNMP-USB	External SNMP/Web Card for use with XST or S70 Series UPS; packaging = 7.5"W x 6"D x 2.5"H, 2 lbs	$ 325.00
90000248	S715SP57	Xtended 5YR Factory Warranty for S71-700 (USA and Canada) - 5 Year Coverage includes coverage of electronics and batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 95.00
90000249	S715SP152	Xtended 5YR Factory Warranty for S71-1000/1500 (USA and Canada) - 5 Year Coverage includes coverage of electronics and batteries, telephone technical support, advanced exchange and ground shipping both ways..	$ 140.00
V80 Series Line Interactive UPS LA Batteries			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000853	V80-700	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 2.3 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 24 lbs	$ 499.00
90000890	V80-700XR1	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 4.3 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 25.5 lbs	$ 565.00
90000891	V80-700XR2	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 13 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 31 lbs	$ 625.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000892	V80-700XR3	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 21 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 37 lbs	$	685.00
90000893	V80-700XR4	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 22 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 43 lbs	$	745.00
90000854	V80-1000	Xtreme Power V80 Series 1000VA/600W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 2.7 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 27.3 lbs	$	659.00
90000894	V80-1000XR1	Xtreme Power V80 Series 1000VA/600W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 6.0 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 31.3 lbs	$	755.00
90000895	V80-1000XR2	Xtreme Power V80 Series 1000VA/600W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 16.0 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 43 lbs	$	865.00
90000855	V80-1500	Xtreme Power V80 Series 1500VA/900W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 1.6 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 29.3 lbs	$	749.00
90000896	V80-1500XR1	Xtreme Power V80 Series 1500VA/900W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 3.8 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 32.3 lbs	$	809.00
90000897	V80-1500XR2	Xtreme Power V80 Series 1500VA/900W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 11 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 32.3 lbs	$	949.00
90000856	V80-2000	Xtreme Power V80 Series 2000VA/1200W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C19 to 5-20 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 1.6 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 31.3 lbs	$	869.00
90000898	V80-2000XR1	Xtreme Power V80 Series 2000VA/1200W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C19 to 5-20 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 1.7 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 34.3 lbs	$	899.00
90000899	V80-2000XR2	Xtreme Power V80 Series 2000VA/1200W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C19 to 5-20 input line cord; (8) 5-15R output receptacles ; Hot Swappable batteries; 1-6A adjustable charger; Full Load Runtime = 4.4 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 46.3 lbs	$	1,039.00
V80 Lithium 700-1500 SERIES - 120 Volt with Lithium Batteries				

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Part Number	MODEL	DESCRIPTION	LIST PRICE
90000857	V80-0.7kLi1	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = < 3 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 21.2 lbs	$ 999.00
90000967	V80-0.7kLi2	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = 16 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 23.4 lbs	$ 1,399.00
90000968	V80-0.7kLi3	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = 18 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 25.6 lbs	$ 1,799.00
90000969	V80-0.7kLi4	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = 22 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 27.8 lbs	$ 2,199.00
90000858	V80-1kLi1	Xtreme Power V80 Series 1000VA/600W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = 7 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 24.2 lbs	$ 1,549.00
90000970	V80-1kLi2	Xtreme Power V80 Series 1000VA/600W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = 20 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 28.6 lbs	$ 2,349.00
90000859	V80-1.5kLi1	Xtreme Power V80 Series 1500VA/900W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = <3 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 26 lbs	$ 1,639.00
90000971	V80-1.5kLi2	Xtreme Power V80 Series 1500VA/900W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable LiFeP04 batteries; 1-6A adjustable charger; Full Load Runtime = 11 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 5 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 30.4 lbs	$ 2,439.00
V80HT Series 700-2000 - 120 Volt with Lead Acid High Temperature Batteries			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000864	V80-700HT1	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 3.6 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 25.5 lbs	$ 579.00
90000861	V80-700HT2	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 10 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 31 lbs	$ 689.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000862	V80-700HT3	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 21 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 37 lbs	$ 799.00
90000863	V80-700HT4	Xtreme Power V80 Series 700VA/420W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 22 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 43 lbs	$ 909.00
90000865	V80-1000HT1	Xtreme Power V80 Series 1000VA/600W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 4.9 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 31.3 lbs	$ 799.00
90000864	V80-1000HT2	Xtreme Power V80 Series 1000VA/600W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 14.0 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 43 lbs	$ 1,019.00
90000866	V80-1500HT1	Xtreme Power V80 Series 1500VA/900W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 3.2 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 32.3 lbs	$ 879.00
90000865	V80-1500HT2	Xtreme Power V80 Series 1500VA/900W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C13 to 5-15 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 9 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 32.3 lbs	$ 1,099.00
90000867	V80-2000HT1	Xtreme Power V80 Series 2000VA/1200W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C19 to 5-20 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 1.7 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 34.3 lbs	$ 999.00
90000966	V80-2000HT2	Xtreme Power V80 Series 2000VA/1200W; Line-Interactive UPS; 2U; 120VAC; pure sinewave output; 5' detachable C19 to 5-20 input line cord; (8) 5-15R output receptacles ; Hot Swappable High Temperature Batteries; 1-6A adjustable charger; Full Load Runtime = 4.4 min; ECO mode; Tower and rack mounting; Smart LCD screen; Intelligent slot; RS-232, USB port, and EPO connections; UL, cUL, RoHS approved; TAA Compliant 3 year full Warranty (USA and Canada); 25K load protection policy; 17.2" x 16.1" x 3.5"; 46.3 lbs	$ 1,219.00

V80 Series Accessories

Part Number	MODEL	DESCRIPTION	LIST PRICE
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with V80, P80 or P91(g) Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
90000406	XPC-2PRAIL	2-Post Rail Kit for V80, P80, P91(g) and NXRT 800VA thru 5kVA UPS or EBM; rated for 125 lbs; 4"W x 20"D x 3"H. 5 lbs.	$ 102.00
90000116	XPC-2POSTL	2-Post Shelf Kit for V80, P91(g)-1000, 1500, 2000, 3000; rated for 150lbs; 21.5"W x 23.3"D x 3.5"H. 9 lbs.	$ 160.00
90000392	PV-WMB	Wall mount bracket for use with V80, P80, P91(g) and P91L series UPSs and battery packs up to 5KVA; 4"W x 24"D x 4"H. 5 lbs.	$ 80.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads;3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs For use with 700VA, 1000VA, 1500VA V80 Series	$ 379.00
90000409	V805SP71	Xtended 5YR Factory Warranty for V80-700 and V80-1000 (USA and Canada) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 225.00
90000410	V805S52	Xtended 5YR Factory Warranty for V80-1500 and V80-2000 (USA and Canada) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 360.00
90000409	V80HT5SP71	Xtended 5YR Factory Warranty for V80-700 and V80-1000 (USA and Canada) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 225.00
90000410	V80HT5SP52	Xtended 5YR Factory Warranty for V80HT-1500 and V80HT-2000 (USA and Canada) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 360.00
P80 Series Line Interactive UPS			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000900	P80-800	Xtreme Power P80 Series 800VA/720W; Line-Interactive UPS; true Sinewave output; 2U; 120VAC; 1.5A charger; Full Load Runtime = 4 min; 6' input line cord with 5-15 plug; (8) 5-15R output receptacles; Tower and rack mounting; 97% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 15.1"D x 3.5"H; 29 lbs	$ 789.00
90000901	P80-1100	Xtreme Power P80 Series 1100VA/990W; Line-Interactive UPS; true Sinewave output; 2U; 120VAC; 1.5A charger; Full Load Runtime = 3 min; 6' input line cord with 5-15 plug; (8) 5-15R output receptacles; Tower and rack mounting; 97% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 15.1"D x 3.5"H; 30 lbs	$ 849.00
90000902	P80-1500	Xtreme Power P80 Series 1500VA/1350W; Line-Interactive UPS; true Sinewave output; 2U; 120VAC; 1.5A charger; Full Load Runtime = 4 min; 6' input line cord with 5-15 plug; (8) 5-15R output receptacles; Tower and rack mounting; 97% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 18.9"D x 3.5"H; 43 lbs	$ 1,099.00
90000955	P80-2000	Xtreme Power P80 Series 2000VA/1800W; Line-Interactive UPS; true Sinewave output; 2U; 120VAC; 1.5A charger; Full Load Runtime = 4 min; 6' input line cord with 5-20 plug; (8) 5-15/20R output receptacles; Tower and rack mounting; 97% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 18.9"D x 3.5"H; 48 lbs	$ 1,249.00
90000903	P80-2200	Xtreme Power P80 Series 2200VA/2000W; Line-Interactive UPS; true Sinewave output; 2U; 120VAC; 1.5A charger; Full Load Runtime = 4 min; 6' input line cord with 5-20 plug; (8) 5-15/20R output receptacles; Tower and rack mounting; 97% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H; 68 lbs	$ 1,569.00
90000904	P80-3000	Xtreme Power P80 Series 3000VA/2700W; Line-Interactive UPS; true Sinewave output; 2U; 120VAC; 1.5A charger; Full Load Runtime = 4 min; 6' input line cord with L5-30 plug; (8) 5-15/20R output receptacles; Tower and rack mounting; 97% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H; 71 lbs	$ 1,729.00
90000529	P80-3000V2	Xtreme Power P80 Series 3000VA/2700W; Line-Interactive UPS; true Sinewave output; 2U; 120VAC; 1.5A charger; Full Load Runtime = 4 min; 6' input line cord with L5-30 plug; (6) 5-15/20R and (1) L5-30R output receptacles; Tower and rack mounting; 97% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H; 71 lbs	$ 1,729.00
90000954	P80g-3000	Xtreme Power P80g Series 3000VA/2700W; Line-Interactive UPS; true sinewave output; 2U; 208-240VAC; 1.5A charger; Full Load Runtime = 4 min; IEC C19 to L6-20P detachable input line cord (8 ft); (1) IEC C19 + (8) IEC C13 output receptacles; Tower and rack mounting; 99% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE and RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H. 71 lbs	$ 1,670.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	P80g-3KTB	Xtreme Power P80g Series 3000VA/2700W UPS and XPD-IT15A Bundle; Line-Interactive, true sinewave UPS with 1500VA/1500W 120V Transformer PDU; 208VAC input -208/120V output; Full Load Runtime = 4 min; System has IEC-C19 to L6-20P detachable input line cord (8 ft); Output receptacles include (1) IEC C19 + (7) IEC C13 (208V) + (16) 5-15R (120V). Rack mounting; 99% efficiency in ECO mode; 1.5A charger; UPS and PDU LCD screens; RS-232 and USB port connections; 3 year full Warranty (USA and Canada); 50K load protection policy; UPS 17.2"W x 23.6"D x 3.5"H. 71 lbs. Transformer 17.5"W x 15"D x 3.5"H , 43 lbs Package Includes: P80g-3000 UPS Power Module (2U) XPD-IT15A Transformer Module (2U) UPS to Transformer Cable C13 to C14 Software P90-Rail 4-Post Rail Kit	$ 2,920.00
90000430	P80g-5000	Xtreme Power P80g Series 5000VA/4500W; Line-Interactive UPS; true sinewave output; 2U; 208-240VAC; 1.5A charger; Full Load Runtime = 2.5 min; L6-30P input line cord (6 ft); (1) L6-30R + (4) IEC C19 output receptacles; Tower and rack mounting; 99% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE and RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H. 85 lbs	$ 2,750.00
Bundle	P80g-5KB1	Xtreme Power P80g Series 5000VA/4500W; Line-Interactive UPS; true sinewave output; 2U; 208-240VAC; 1.5A charger; Full Load Runtime = 2.5 min; L6-30P input line cord (6 ft); (2) L6-30R + (2) L6-20R + (1) IEC C19 output receptacles; Tower and rack mounting; 99% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE and RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H. 90 lbs	$ 3,066.00
Bundle	P80g-5KB2	Xtreme Power P80g Series 5000VA/4500W; Line-Interactive UPS and XPD24C13V PDU bundle; true sinewave output; 2U; 208-240VAC; 1.5A charger; Full Load Runtime = 2.5 min; L6-30P input line cord (6 ft); (4) IEC C19 + (24) IEC C13 output receptacles; Tower and rack mounting; 99% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE and RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H. 97 lbs	$ 3,090.00
Bundle	P80g-5KTB	Xtreme Power P80g Series 5000VA/4500W; Line-Interactive UPS and XPD-IT60A Transformer PDU bundle; true sinewave output; 2U; 208V or 240V in, 208/104V or 240/120V out, Max. 120V load is 4KW; 1.5A charger; Full Load Runtime = 2.5 min; L6-30P input line cord (6 ft); (2) L6-30R, (2) L6-20R and (12) 5-15/20R output receptacles; Tower and rack mounting; 99% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE and RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 7"H (4U). 147 lbs. Bundle includes: P80G-5000 UPS, IT60A transformer PDU, (3) receptacle dongles, (2) 4-post rail kits.	$ 5,427.00
90000916	P90-BP48	Extended Runtime Battery Pack for use with P80-1500, P80-2000, P90-2000 or P90L-2000 UPSs; (includes 8 each 12V9AH batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; 3-Year Full Warranty (USA only); 17.2"W x 18.9"D x 3.5"H; 74.6 lbs	$ 990.00
90000917	P90-BP72	Extended Runtime Battery Pack for use with P80-2200, P80-3000, P80g-3000, or P90/P90L-3000 and P90g/P90Lg-3000 UPSs; (includes 12 each 12V9AH batteries) ;__ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; 3-Year Full Warranty (USA only); 17.2"W x 23.6"D x 3.5"H; 104.4 lbs	$ 1,290.00
90000432	P80-BP72X	Extended Runtime Battery Pack for use with P80g-5000 UPS; (includes (12) 12V 580W at 5 min rate batteries) ;__ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; CE, RoHS Approved; 3-Year Full Warranty (USA only); 17.2"W x 23.6"D x 3.5"H; 110.4 lbs	$ 1,720.00
90000909	P90-RAIL	4-Post Rail Kit for use with P80-800VA thru 5KVA or P90-1KVA thru 3KVA UPS or EBM; 3.8"W x 19.8"D x 2.8"H. 5 lbs.	$ 135.00
90000933	P90L-RAIL	Adjustable Mounting 4-Post Rail Kit . Adjusts out to 35.5". ; 3.8"W x 19.8"D x 2.8"H, 5 lbs	$ 149.00
90000406	XPC-2PRAIL	2-Post Rail Kit for P80, P90, P90L and NXRT 800VA thru 5kVA UPS or EBM; rated for 125 lbs; 4"W x 20"D x 3"H. 5 lbs.	$ 102.00
90000116	XPC-2POSTL	2-Post Shelf Kit for P80-800VA thru 5kVA or P90-1KVA thru 3KVA UPS or EBM; rated for 150 lbs; 21.5"W x 23.3"D x 3.5"H. 9 lbs.	$ 160.00
90000392	PV-WMB	Wall mount bracket for use with P80, P90 and P90L series UPSs and battery packs up to 5KVA; 4"W x 24"D x 4"H. 5 lbs.	$ 80.00
90000377	P90-FRMB	Front Rackmount Bracket for P80 800VA through 2KVA size or P90 1KVA thru 2KVA size. Required when front mounting the UPS to a 2 post or 4 post rack with no rail kit.	$ 36.00
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with P80 or P90 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000267	MODBUS-IN	MODBUS CARD for use with the P80 or P90 Series UPS. Packaging = 7.25"W x 6"D x 2.5"H, 1 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads;3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 379.00
90000091	XBDM-1020LV	Xtreme Power XBDM Series 20 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-20P plug; (6) 5-20R output receptacles on front of BDM + (4) 5-20R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000093	XBDM-1030LV	Xtreme Power XBDM Series 30 Amp Maintenance Bypass Distribution Module with 6' Input line cord with L5-30P plug; (5) 5-20R output receptacles on front of BDM (Load Group 1) + (5) 5-20R output receptacles on rear of BDM (Load Group 2); (2) bypass switches allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 659.00
90000041	XPD1415HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of PDU + (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 138.00
90000045	XPD1420HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (6) 5-20R output receptacles on front of PDU + (8) 5-20R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 4.8 lbs	$ 190.00
TBD	XPC-ZLC20-620R	P80g/90g Output Cord, 1ft, IEC Locking C20 to 6-15/20R. 3 lbs.	$ 79.00
TBD	XPC-ZLC20-L620R	P80g/90g Output Cord,1ft, IEC Locking C20 to L6-20R. 3 lbs.	$ 79.00
TBD	XPC-ZLC20-L630R	P80g/90g Output Cord, 1ft, IEC Locking C20 to L6-30R. 3 lbs.	$ 79.00
TBD	XPC-C14-615R	P80g/90g Output Cord, 1ft, IEC C14 to 6-15R. 3 lbs.	$ 45.00
90000094	XBDM1020HV2	Xtreme Power XBDM Series Maintenance Bypass Distribution Module for use with P80G-3000 or P90G-3000 UPS; C20 input receptacle; rated at 16A; (2) IEC C19 and (4) IEC C13 output receptacles on front + (4) IEC C13 output receptacles on back; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; Includes (2) IEC C20-C19 cord kit; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000374	XPD24C13V	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (24) C13 output receptacles. Vertical Mount. 1.75"W x 1.75"D x 66"L. 12 lbs	$ 340.00
90000251	XPD31	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (2) L6-20R and (4) 6-15/20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9 lbs	$ 580.00
90000252	XPD32	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (4) L6-20R output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 7.5 lbs	$ 580.00
90000253	XPD33	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (4) IEC C19 and (8) IEC C13 output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 8 lbs	$ 450.00
90000053	XPDU-IEC	Xtreme Power XPDU Series Basic Power 230V PDU with C20 inlet (power cord ordered separately), (10) IEC C13 + (2) IEC C19 output receptacles; 1U Rackmount configuration; CE Listed; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 2.6 lbs	$ 190.00
90000407	XPD-IT60A	Xtreme Power XPDU Series PDU with Transformer for use with P80G-5000 UPS. 6000VA, 208 or 240V in, 208/104V or 240/120V out. Maximum of 4000W of 120V. L6-30P 3ft line cord. (1) L6-30R and (12) 5-15-20R output receptacles; rear panel 208/240 voltage selection switch; includes front panel rackmount brackets; ROHS Approved; 3-Year Warranty; 19"W x 18"D x 3.5"H (2U), 137 lbs	$ 2,150.00
90000269	XAT-400	400VA Step Down Transformer, 208V to 120V for P80G/P90G and P90LG-3000. Input is 208V IEC C14 on 2ft cord; output is 120V 5-15R on 2ft cord. 7"W x 6.8"D x 5.9"H. 8 lbs.	$ 600.00
90000739	XPD-IT15A	Xtreme Power XPDU Series PDU with Isolation Transformer. 1500VA, 208V in, 120V out. IEC-C14 inlet protected by 10A breaker; 3' C14 to C13 input cord; (16) 5-15R output receptacles protected by 15A breaker; 3-Year Warranty; 17.5"W x 15"D x 3.5"H (2U), 43 lbs.	$ 980.00
90000522	P905SP15	Xtended 5YR Factory Warranty for P80-800/1100/1500 or P90-1000/1500VA UPS (USA only) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 375.00
90000523	P905SP23	Xtended 5YR Factory Warranty for P80-2000/2200/3000 and P80g-3000 or P90-2000/3000VA and P90g-3000 UPS (USA only) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 610.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000431	P805SP5	Xtended 5YR Factory Warranty for P80g-5000 UPS (USA only) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 800.00
90000524	P90L5SPBP	Xtended 5YR Factory Warranty for P90-BP48/BP72 (USA only) - 5 Year Coverage includes coverage of battery pack, telephone technical support, advanced exchange and ground shipping both ways.	$ 320.00
P91 1-3K SERIES - 120 Volt with Lead Acid Batteries			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000621	P91c-1000	Xtreme Power P91 Series 1000VA/800W; Online UPS; 1U; 120VAC; C14 inlet with 5' C13 to 5-15P input line cord; (3) 5-15R output receptacles; Hot Swappable batteries; 1A charger; Full Load Runtime = 8 min; Front mount rack brackets included; 98% efficiency in ECO mode; Smart LED display; Intelligentt slot; USB port and REPO connections; UL, cUL, RoHS approved; FCC Class A; TAA Compliant; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 17.8" x 1.7"; 28 lbs	$ 1,130.00
90000756	P91-1000	Xtreme Power P91 Series 1000VA/1000W; Online UPS; 2U; 120VAC; 6' input line cord with 5-15 plug; (8) 5-15R output receptacles, (4) of the output receptacles programmable as group ; Hot Swappable batteries; 1-8A adjustable charger; Full Load Runtime = 3 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot; RS-232, USB port, and REPO connections; UL, cUL, RoHS approved; FCC Class B; TAA Compliant; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 15.1" x 3.5"; 25.5 lbs	$ 1,165.00
90000622	P91-1500	Xtreme Power P91 Series 1500VA/1450W; Online UPS; 2U; 120VAC; 6' input line cord with 5-15 plug; (8) 5-15R output receptacles, (4) of the output receptacles programmable as group; Hot Swappable batteries; 1-8A adjustable charger; Full Load Runtime = 3 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot; RS-232, USB port, and REPO connections; UL, cUL, RoHS approved; FCC Class B; TAA Compliant; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 15.1" x 3.5"; 34.2 lbs	$ 1,520.00
90000623	P91-2000	Xtreme Power P91 Series 2000VA/1930W; Online UPS; 2U; 120VAC; 6' input line cord with 5-20 plug; (8) 5-15/20R output receptacles, (4) of the output receptacles programmable as group; Hot Swappable batteries; 1-8A adjustable charger; Full Load Runtime = 3 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot; RS-232, USB port, and REPO connections; UL, cUL, RoHS approved; FCC Class A; TAA Compliant; 3 year full Warranty (USA and Cnada); 50K load protection policy; 17.2" x 19.0" x 3.5"; 43 lbs	$ 1,985.00
90000624	P91-3000	Xtreme Power P91 Series 3000VA/2880W; Online UPS; 2U; 120VAC; 6' input line cord with L5-30 plug; (1) L5-30R + (6) 5-15/20R output receptacles, (3) of the 5-15/20R output receptacles programmable as group; Hot Swappable batteries; 1-8A adjustable charger; Full Load Runtime = 3 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot; RS-232, USB port, and REPO connections; UL, cUL, RoHS approved; FCC Class A; TAA Compliant; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 23.8" x 3.5"; 60.6 lbs.	$ 2,650.00
P91g 1-3K SERIES - 208/230 Volt with Lead Acid Batteries			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000746	P91gc-1000	Xtreme Power P91 Series 1000VA/800W; Online UPS; 1U; 230 VAC, 200/208/220/230/240VAC selectable; C14 inlet with 8' C13 to L6-20P input line cord; (3) C13 output receptacle; Hot Swappable batteries; 1A charger; Full Load Runtime = 8 min; Front mount rack brackets included; 98% efficiency in ECO mode; Smart LED display; Intelligent slot; USB port connection; CE, RoHS; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 17.8" x 1.7"; 28 lbs.	$ 1,050.00
90000747	P91g-1500	Xtreme Power P91g Series 1500VA/1500W; Online UPS; 2U; 230 VAC, 200/208/220/230/240VAC selectable; IEC-C14 Inlet with 8' IEC C13 to L6-20P detachable input line cord; (8) IEC C13 output receptacles, (4) of the output receptacles programmable as group; Hot Swappable Batteries; 1-12A adjustible charger; Full Load Runtime = 3 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE and RoHS approved; TAA Compliant; 3 year full Warranty (USA only); 50K load protection policy; 17.2" x 15.1" x 3.5". 34.2 lbs. Capacity derates 90% for 200 or 208 VAC output.	$ 1,399.00
90000748	P91g-2000	Xtreme Power P91 Series 2000VA/2000W; Online UPS; 2U; 230VAC, 200/208/220/230/240VAC selectable ; IEC-C20 Inlet with 8' IEC C19 to L6-20P detachable input line cord; (8) IEC C13 output receptacles, (4) of the output receptacles programmable as group; Hot Swappable batteries; 1-12A adjustable charger; Full Load Runtime = 3 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE, RoHS approved; TAA Compliant; 3 year full Warranty (USA and Cnada); 50K load protection policy; 17.2" x 19.0" x 3.5"; 43 lbs. Capacity derates 90% for 200 or 208 VAC output.	$ 1,829.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000749	P91g-3000	Xtreme Power P91g Series 3000VA/3000W; Online UPS; 2U; 230VAC, 200/208/220/230/240VAC selectable ; IEC-C20 Inlet with 8' IEC C19 to L6-20P detachable input line cord; (1) C19 + (8) IEC C13 output receptacles, (4) of the output receptacles programmable as group; Hot Swappable batteries; 1-12A adjustable charger; Full Load Runtime = 3 min; Tower and rack mounting; up to 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE, RoHS approved; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 23.8" x 3.5". 60.6 lbs. Capacity derates 90% for 200 or 208 VAC output.	$ 2,449.00
P91 1-3K SERIES External Batteries and Accessories			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000787	P91-BP36	Extended Runtime Battery Pack for use with P91(g)-1500 (includes 2 strings of 12V9AH batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; UL, cUL, RoHS Approved; 3-Year Full Warranty (USA and Canada); 17.2"W x 18.9"D x 3.5"H; 58.1 lbs	$ 920.00
90000788	P91-BP36E	Extended Runtime Battery Pack for use with P91(g)-1500 (includes 4 strings of 12V9AH batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; UL, cUL, RoHS Approved; 3-Year Full Warranty (USA and Canada); 17.2"W x 23.6"D x 3.5"H; 104.4 lbs	$ 1,320.00
90000789	P91-BP48	Extended Runtime Battery Pack for use with P91(g)-2000 UPS; (includes 2 strings of 12V9AH batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; UL, cUL, RoHS Approved; 3-Year Full Warranty (USA and Canada); 17.2"W x 18.9"D x 3.5"H; 74.6 lbs	$ 1,080.00
90000790	P91-BP72	Extended Runtime Battery Pack for use with P91-3000 and P91g-3000 UPSs; (includes 2 strings of 12V9AH batteries) ;__ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; UL, cUL, RoHS Approved; 3-Year Full Warranty (USA and Canada); 17.2"W x 23.6"D x 3.5"H; 104.4 lbs	$ 1,290.00
TBD	XPC-C14-615R	P91g Output Cord, 1ft, IEC C14 to 6-15R. 3 lbs.	$ 45.00
TBD	XPC-C14-620R	P91g Output Cord, 1ft, IEC C14 to 6-20R. 3 lbs.	$ 49.00
TBD	XPC-C14-L620R	P91g Output Cord, 1ft, IEC C14 to L6-20R. 3 lbs.	$ 69.00
TBD	XPC-C14-L630R	P91g Output Cord, 1ft, IEC C14 to L6-30R. 3 lbs.	$ 69.00
	XPC-ZLC20-620R	Optional 12" output cord, Locking C20 to 6-15/20 receptacle; 3 lbs.	$ 79.00
	XPC-ZLC20-L620R	Optional 12" output cord, Locking C20 to L6-20 receptacle; 3 lbs.	$ 79.00
	XPC-ZLC20-L630R	Optional 12" output cord, Locking C20 to L6-30 receptacle; 3 lbs.	$ 79.00
90000909	P90-RAIL	4-Post Rail Kit for use with P91(g)-1000, 1500, 2000, 3000; 3.8"W x 19.8"D x 2.8"H. 5 lbs.	$ 135.00
90000406	XPC-2PRAIL	2-Post Rail Kit for P80, P91(g) and NXRT 800VA thru 5kVA UPS or EBM; rated for 125 lbs; 4"W x 20"D x 3"H. 5 lbs.	$ 102.00
90000116	XPC-2POSTL	2-Post Shelf Kit for P91(g)-1000, 1500, 2000, 3000; rated for 150lbs; 21.5"W x 23.3"D x 3.5"H. 9 lbs.	$ 160.00
90000392	PV-WMB	Wall mount bracket for use with P80, P91(g) and P91L series UPSs and battery packs up to 5KVA; 4"W x 24"D x 4"H. 5 lbs.	$ 80.00
90000377	P90-FRMB	Front Rackmount Bracket for P80 800VA through 2KVA size or P91 1KVA thru 2KVA size. Required when front mounting the UPS to a 2 post or 4 post rack with no rail kit.	$ 36.00
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with P80 or P91(g) Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000267	MODBUS-IN	MODBUS CARD for use with the P91(g) Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads;3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 379.00
90000091	XBDM-1020LV	Xtreme Power XBDM Series 20 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-20P plug; (6) 5-20R output receptacles on front of BDM + (4) 5-20R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000093	XBDM-1030LV	Xtreme Power XBDM Series 30 Amp Maintenance Bypass Distribution Module with 6' Input line cord with L5-30P plug; (5) 5-20R output receptacles on front of BDM (Load Group 1) + (5) 5-20R output receptacles on rear of BDM (Load Group 2); (2) bypass switches allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 659.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000041	XPD1415HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of PDU + (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 138.00
90000045	XPD1420HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (6) 5-20R output receptacles on front of PDU + (8) 5-20R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 4.8 lbs	$ 190.00
90000094	XBDM1020HV2	Xtreme Power XBDM Series Maintenance Bypass Distribution Module with C20 input receptacle; rated at 16A; (2) IEC C19 and (4) IEC C13 output receptacles on front + (4) IEC C13 output receptacles on back; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; Includes (2) IEC C20C19 cord kit; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000053	XPDU-IEC	Xtreme Power XPDU Series Basic Power 230V PDU with C20 inlet (power cord ordered separately), (10) IEC C13 + (2) IEC C19 output receptacles; 1U Rackmount configuration; CE Listed; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 2.6 lbs	$ 190.00
90000269	XAT-400	400VA Step Down Transformer, 208V to 120V for P90G and P90LG-3000. Input is 208V IEC C14 on 2ft cord; output is 120V 5-15R on 2ft cord. 7"W x 6.8"D x 5.9"H. 8 lbs.	$ 600.00
90000739	XPD-IT15A	Xtreme Power XPDU Series PDU with Isolation Transformer. 1500W, 208V in, 120V out. IEC-C14 inlet protected by 10A breaker; (16) 5-15R output receptacles protected by 15A breaker; 3-Year Warranty; 17.5"W x 15"D x 3.5"H (2U), 43 lbs.	$ 980.00
90000877	P915SP15	Xtended 5YR Factory Warranty forP91c-1000, P91-1000, P91-1500 UPS (USA and Canada) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 375.00
90000878	P915SP23	Xtended 5YR Factory Warranty for P91-2000/3000VA and P91g-3000 UPS (USA and Canada) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 610.00
90000879	P91L5SPBP	Xtended 5YR Factory Warranty for P91-BP36/BP36E/BP42/BP72 (USA and Canada) - 5 Year Coverage includes coverage of battery pack, telephone technical support, advanced exchange and ground shipping both ways..	$ 320.00
P91 1-3K SERIES - 120 Volt with Lithium-ion Batteries			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000750	P91-1.5KLi	Xtreme Power P91 Series 1500VA/1350W; Online UPS with Lithium-ion batteries; 2U; 120VAC; 6' input line cord with 5-15P; (8) 5-15R output receptacles, (4) of the output receptacles programmable as group; 1-8A adjustable charger; Full Load Runtime = 8 min; Tower and rack mounting; up to 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot; RS-232 and USB port; REPO connection; UL, cUL, RoHS approved; FCC Class A UPS Approvals; UL1973 battery pack compliance; UN38.3 for battery transportation; 6 year full Warranty (USA and Canada), 1 year full Warranty (worldwide); 50K load protection policy; 17.2" x 15.1" x 3.5"; 25.6 lbs	$ 2,520.00
90000751	P91-2KLi	Xtreme Power P91 Series 2000VA/1800W; Online UPS with Lithium-ion batteries; 2U; 120VAC; 6' input line cord with 5-20 plug; (8) 5-15/20R output receptacles, (4) of the output receptacles programmable as group; 1-8A adjustable charger; Full Load Runtime = 14 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot, RS-232 and USB port connections; REPO connection; UL, cUL, RoHS approved; FCC Class A UPS Approvals; UL1973 battery pack compliance; UN38.3 for battery transportation 6 year full Warranty (USA and Canada), 1 year full Warranty (worldwide); 50K load protection policy; 17.2" x 19.0" x 3.5"; 33.5 lbs	$ 3,730.00
90000752	P91-3kLi	Xtreme Power P91 Series 3000VA/2700W; Online UPS with Lithium-ion batteries; 2U; 120VAC; 6' input line cord with L5-30 plug; (1) L5-30R + (6) 5-15/20R output receptacles, (3) of the 5-15/20R output receptacles programmable as group; 1-8A adjustable charger; Full Load Runtime = 11 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot, RS-232 and USB port connections, REPO connection; UL, cUL, RoHS approved; FCC Class A UPS Approvals; UL1973 battery pack compliance; UN38.3 for battery transportation ; 6 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 23.8" x 3.5"; 45.2 lbs.	$ 4,570.00
P91g 1-3K SERIES - 208/230 Volt with Lithium-ion Batteries			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000753	P91g-1.5KLi	Xtreme Power P91 Series 1500VA/1350W; Online UPS with Lithium-ion batteries; 2U; 208/230VAC; C14 inlet with 8' C13 to L6-20P line cord ; (8) IEC C13 output receptacles, (4) of the output receptacles programmable as group; 1-8A adjustable charger; Full Load Runtime = 8 min; Tower and rack mounting; up to 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot; RS-232 and USB port; REPO connection; UL, cUL, RoHS approved; UL1973 battery pack compliance; UN38.3 for battery transportation; 6 year full Warranty (USA and Canada); 50K load protection policy; 17.2" x 15.1" x 3.5"; 25.6 lbs	$ 2,470.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000754	P91g-2KLi	Xtreme Power P91 Series 2000VA/1800W; Online UPS with Lithium-ion batteries; 2U; 208/230VAC; C20 Inlet with 8' C19 to L6-20P line cord ; (8) IEC C13 output receptacles (4) of the output receptacles programmable as group; 1-8A adjustable charger; Full Load Runtime = 14 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot, RS-232 and USB port connections; REPO connection; CE, RoHS approved; UL1973 battery pack compliance; UN38.3 for battery transportation 6 year full Warranty (USA and Canada), 1 year full Warranty (worldwide); 50K load protection policy; 17.2" x 19.0" x 3.5"; 33.5 lbs	$ 3,680.00
90000755	P91g-3kLi	Xtreme Power P91 Series 3000VA/2700W; Online UPS with Lithium-ion batteries; 2U; 208/230VAC; C20 Inlet with 8' C19 to L6-20P line cord ; (1) IEC C19,(8) IEC C13 output receptacles, (4) of the C13 output receptacles programmable as group; 1-8A adjustable charger; Full Load Runtime = 11 min; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; Intelligent slot, RS-232 and USB port connections, REPO connection; CE, RoHS approved; UL1973 battery pack compliance; UN38.3 for battery transportation ; 6 year full Warranty (USA and Canada), 1 year full Warranty (worldwide); 50K load protection policy; 17.2" x 23.8" x 3.5"; 45.2 lbs.	$ 4,520.00
TBD	XPC-C14-615R	P91g Output Cord, 1ft, IEC C14 to 6-15R. 3 lbs.	$ 45.00
TBD	XPC-ZLC20-620R	Optional 12" output cord, Locking C20 to 6-15/20 receptacle for use with P91g-3kLi; 3 lbs.	$ 79.00
TBD	XPC-ZLC20-L620R	Optional 12" output cord, Locking C20 to L6-20 receptacle for use with P91g-3kLi; 3 lbs.	$ 79.00
TBD	XPC-ZLC20-L630R	Optional 12" output cord, Locking C20 to L6-30 receptacle for use with P91g-3kLi; 3 lbs.	$ 79.00
90000909	P90-RAIL	4-Post Rail Kit for use with P91(g)-1000, 1500, 2000, 3000; 3.8"W x 19.8"D x 2.8"H. 5 lbs.	$ 135.00
90000406	XPC-2PRAIL	2-Post Rail Kit for P80, P91(g) and NXRT 800VA thru 5kVA UPS or EBM; rated for 125 lbs; 4"W x 20"D x 3"H. 5 lbs.	$ 102.00
90000116	XPC-2POSTL	2-Post Shelf Kit for P91(g)-1000, 1500, 2000, 3000; rated for 150lbs; 21.5"W x 23.3"D x 3.5"H. 9 lbs.	$ 160.00
90000392	PV-WMB	Wall mount bracket for use with P80, P91(g) and P91L series UPSs and battery packs up to 5KVA; 4"W x 24"D x 4"H. 5 lbs.	$ 80.00
90000377	P90-FRMB	Front Rackmount Bracket for P80 800VA through 2KVA size or P91 1KVA thru 2KVA size. Required when front mounting the UPS to a 2 post or 4 post rack with no rail kit.	$ 36.00
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with P80 or P91(g) Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000267	MODBUS-IN	MODBUS CARD for use with the P91(g) Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads;3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 379.00
90000091	XBDM-1020LV	Xtreme Power XBDM Series 20 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-20P plug; (6) 5-20R output receptacles on front of BDM + (4) 5-20R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000093	XBDM-1030LV	Xtreme Power XBDM Series 30 Amp Maintenance Bypass Distribution Module with 6' Input line cord with L5-30P plug; (5) 5-20R output receptacles on front of BDM (Load Group 1) + (5) 5-20R output receptacles on rear of BDM (Load Group 2); (2) bypass switches allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 659.00
90000041	XPD1415HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of PDU + (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 138.00
90000045	XPD1420HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (6) 5-20R output receptacles on front of PDU + (8) 5-20R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty (USA and Canada); 19"W x 3.5"D x 1.75"H, 4.8 lbs	$ 190.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000094	XBDM1020HV2	Xtreme Power XBDM Series Maintenance Bypass Distribution Module with C20 input receptacle; rated at 16A; (2) IEC C19 and (4) IEC C13 output receptacles on front + (4) IEC C13 output receptacles on back; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; Includes (2) IEC C20C19 cord kit; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000053	XPDU-IEC	Xtreme Power XPDU Series Basic Power 230V PDU with C20 inlet (power cord ordered separately), (10) IEC C13 + (2) IEC C19 output receptacles; 1U Rackmount configuration; CE Listed; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 2.6 lbs	$ 190.00
90000269	XAT-400	400VA Step Down Transformer, 208V to 120V for P90G and P90LG-3000. Input is 208V IEC C14 on 2ft cord; output is 120V 5-15R on 2ft cord. 7"W x 6.8"D x 5.9"H. 8 lbs.	$ 600.00
90000739	XPD-IT15A	Xtreme Power XPDU Series PDU with Isolation Transformer. 1500W, 208V in, 120V out. IEC-C14 inlet protected by 10A breaker; (16) 5-15R output receptacles protected by 15A breaker; 3-Year Warranty; 17.5"W x 15"D x 3.5"H (2U), 43 lbs.	$ 980.00
90001036	P91ADVEX	Advanced Exchange Warranty Upgrade for advanced warranty exchange and shipping for P91(g)-1.5kLi, P91(g)-2kLi, and P91(g)-3kLi UPS (USA and Canada)	$ 250.00
P90L 1.5-3K Series Double Conversion UPS			
90000912	P90L-1500	Xtreme Power P90L Series 1250VA/1125W; Online UPS; 2U; 120VAC; 6A charger w/ no internal batteries; 6' input line cord with 5-15 plug; (8) 5-15R output receptacles; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; TAA Compliant; 3 year full Warranty (USA only); 50K load protection policy; 17.2" x 18.9" x 3.5"; 33 lbs	$ 1,450.00
90000913	P90L-2000	Xtreme Power P90L Series 1700VA/1530W; Online UPS; 2U; 120VAC; 6A charger w/ no internal batteries; 6' input line cord with 5-20 plug; (8) 5-15/20R output receptacles; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; TAA Compliant; 3 year full Warranty (USA only); 50K load protection policy; 17.2" x 18.9" x 3.5"; 35 lbs	$ 1,675.00
90000914	P90L-3000	Xtreme Power P90L Series 2500VA/2250W; Online UPS; 2U; 120VAC; 6A charger w/ no internal batteries; 6' input line cord with L5-30 plug; (1) L5-30R + (4) 5-15/20R output receptacles; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, RoHS approved; TAA Compliant; 3 year full Warranty (USA only); 50K load protection policy; 17.2" x 25.8" x 3.5"; 47 lbs	$ 2,525.00
90000921	P90Lg-3000	Xtreme Power P90L Series 3000VA/2400W; Online UPS; 2U; 208-240VAC; 6A charger w/ no internal batteries; IEC C20 to L6-20P detachable input line cord (8 ft); (1)IEC-C19 + (6) IEC-C13 output receptacles; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; CE and RoHS approved; TAA Compliant; 3 year full Warranty (USA only); 50K load protection policy; 17.2" x 25.8" x 3.5"; 47 lbs	$ 2,490.00
90000915	P90-BP36	Extended Runtime Battery Pack for use with P90/P90L-1500 (includes 6 each 12V9AH batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; TAA Compliant; 3-Year Full Warranty (USA only); 17.2"W x 18.9"D x 3.5"H; 58.1 lbs	$ 920.00
90000923	P90-BP36E	Extended Runtime Battery Pack for use with P90/P90L-1500 (includes 12 each 12V9AH batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; TAA Compliant; 3-Year Full Warranty (USA only); 17.2"W x 23.6"D x 3.5"H; 104.4 lbs	$ 1,320.00
90000916	P90-BP48	Extended Runtime Battery Pack for use with P80-1500, P80-2000, P90 and P90L-2000 UPSs; (includes 8 each 12V9AH batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; TAA Compliant; 3-Year Full Warranty (USA only); 17.2"W x 18.9"D x 3.5"H; 74.6 lbs	$ 990.00
90000917	P90-BP72	Extended Runtime Battery Pack for use with P90/ P90L-3000 and P90g/P90Lg-3000 UPSs; (includes 12 each 12V9AH batteries) ;__ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; TAA Compliant; 3-Year Full Warranty (USA only); 17.2"W x 23.6"D x 3.5"H; 104.4 lbs	$ 1,290.00
TBD	XPC-C14-615R	P91g Output Cord, 1ft, IEC C14 to 6-15R. 3 lbs.	$ 59.00
TBD	XPC-ZLC20-620R	Optional 12" output cord, Locking C20 to 6-15/20 receptacle for use with TX91; 3 lbs.	$ 79.00
TBD	XPC-ZLC20-L620R	Optional 12" output cord, Locking C20 to L6-20 receptacle for use with TX91; 3 lbs.	$ 79.00
TBD	XPC-ZLC20-L630R	Optional 12" output cord, Locking C20 to L6-30 receptacle for use with TX91; 3 lbs.	$ 79.00
90000909	P90-RAIL	Adjustable Mounting 4-Post Rail Kit for P90L-1500/2000/3000 and P90-BP36/48/72; packaging = 3.8"W x 19.8"D x 2.8"H, 5 lbs	$ 135.00
90000406	XPC-2PRAIL	2-Post Rail Kit for P80, P90, P90L and NXRT 800VA thru 5kVA UPS or EBM; rated for 125 lbs; 4"W x 20"D x 3"H. 5 lbs.	$ 102.00
90000116	XPC-2POSTL	2-Post Shelf Kit for P90L-1500/2000/3000 and P90-BP36/48/72; 21/5"W x 23.3"D x 3.5"H. 9 lbs	$ 160.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with P80 or P90 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPv2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
90000267	MODBUS-IN	MODBUS CARD for use with the P90L Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads;3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 379.00
90000091	XBDM-1020LV	Xtreme Power XBDM Series 20 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-20P plug; (6) 5-20R output receptacles on front of BDM + (4) 5-20R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000093	XBDM-1030LV	Xtreme Power XBDM Series 30 Amp Maintenance Bypass Distribution Module with 6' Input line cord with L5-30P plug; (5) 5-20R output receptacles on front of BDM (Load Group 1) + (5) 5-20R output receptacles on rear of BDM (Load Group 2); (2) bypass switches allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 659.00
90000094	XBDM1020HV2	Xtreme Power XBDM Series Maintenance Bypass Distribution Module with C20 inlet for customer supplied power cord; rated at 16A; (2) IEC C19 and (4) IEC C13 output receptacles on front + (4) IEC C13 output receptacles on back; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; Includes (2) IEC C20 to C19 cord kits for connecting the XBDM to the P90G-3000 or P90LG-3000 UPS; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000041	XPD1415HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of PDU + (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 138.00
90000045	XPD1420HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (6) 5-20R output receptacles on front of PDU + (8) 5-20R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 4.8 lbs	$ 190.00
90000053	XPDU-IEC	Xtreme Power XPDU Series Basic Power 230V PDU with C20 inlet (power cord ordered separately), (10) IEC C13 + (2) IEC C19 output receptacles; 1U Rackmount configuration; CE Listed; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 2.6 lbs	$ 190.00
90000739	XPD-IT15A	Xtreme Power XPDU Series PDU with Isolation Transformer. 1500VA, 208V in, 120V out. IEC-C14 inlet protected by 10A breaker; 3' C14 to C13 input cord; (16) 5-15R output receptacles protected by 15A breaker; 3-Year Warranty; 17.5"W x 15"D x 3.5"H (2U), 43 lbs.	$ 980.00
90000269	XAT-400	400VA Step Down Transformer, 208V to 120V for P90g and P90Lg-3000. Input is 208V IEC C14 on 2ft cord; output is 120V 5-15R on 2ft cord. 7"W x 6.8"D x 5.9"H. 8 lbs.	$ 600.00
90000527	P90L5SP15	Xtended 5YR Factory Warranty for P90L 1500VA (USA only) - 5 Year Coverage includes coverage of electronics, telephone technical support, advanced exchange and ground shipping both ways..	$ 370.00
90000528	P90L5SP23	Xtended 5YR Factory Warranty for P90L 2000/3000VA and P90Lg-3000 (USA only) - 5 Year Coverage includes coverage of electronics, telephone technical support, advanced exchange and ground shipping both ways..	$ 610.00
90000524	P90L5SPBP	Xtended 5YR Factory Warranty for P90L-BP36/BP42/BP72 (USA only) - 5 Year Coverage includes coverage of battery pack, telephone technical support, advanced exchange and ground shipping both ways..	$ 320.00
P90HT Series Double Conversion 1.5K-3KVA Harsh Temperature UPS			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
Bundle	P90HT-1500	Xtreme Power P90HT Series 1250VA/1125W; 120VAC Online UPS for harsh temperature environments; Operating temperatures up to 122 deg F (derates above 104F); 12 year battery service life at 25 deg C; includes one P90-BP36HT external battery providing 8 minutes runtime at full load; 6A charger; 6' input line cord with 5-15 plug; (8) 5-15R output receptacles; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, CE, RoHS approved; TAA Compliant; 3 year electronics and battery warranty (USA and Canada); 17.2" x 18.9" x 7.0"; 88.2 lbs. Additional P90-BP36HT battery packs can be added to increase runtime.	$ 2,598.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	P90HT-2000	Xtreme Power P90HT Series 1700VA/1530W; 120VAC Online UPS for harsh temperature environments; Operating temperatures up to 122 deg F (derates above 104F); 12 year battery service life at 25 deg C; includes one P90-BP48HT external battery providing 8 minutes runtime at full load;; 6A charger; 6' input line cord with 5-20 plug; (8) 5-15/20R output receptacles; Tower and rack mounting; 98% efficiency in ECO mode; Smart LCD screen; RS-232 and USB port connections; UL, cUL, CE, RoHS approved; TAA Compliant; 3 year electronics and battery warranty (USA and Canada); 17.2" x 18.9" x 7.0"; 105.9 lbs Additional P90-BP48HT battery packs can be added to increase runtime.	$ 3,098.00
Bundle	P90HT-3000	Xtreme Power P90HT Series 2500VA/2250W; 120VAC Online UPS for harsh temperature environments; Operating temperatures up to 122 deg F (derates above 104F); 12 year battery service life at 25 deg C; includes one P90-BP72HT external battery providing 9 minutes runtime at full load; 6A charger; L5-30P line cord (6 ft); (1) L5-30R + (4) 5-15/20R output receptacles; Tower/Rack mounting; Up to 98% ECO mode and 90% online efficiency; Smart LCD screen; RS-232 and USB port connections; UL, cUL, CE, and RoHS Approved, TAA Compliant; 3 year electronics and battery warranty (USA and Canada); 17.2" x 23.6" x 7.0"; 146.2 lbs. Additional P90-BP72HT battery packs can be added to increase runtime.	$ 4,478.00
Bundle	P90HTg-3000	Xtreme Power P90HTg Series 3000VA/2400W; 208/240VAC Online UPS for harsh temperature environments; Operating temperatures up to 122 deg F (derates above 104F); 12 year battery service life at 25 deg C; includes one P90-BP72HT external battery providing 9 minutes runtime at full load; 6A charger; L6-20P line cord (8 ft); IEC-C19 + (6) IEC-C13 output receptacles; Tower/Rack mounting; Up to 98% ECO mode and 90% online efficiency; Smart LCD screen; RS-232 and USB port connections; UPS is RoHS Approved, TAA Compliant; 3 year electronics and battery warranty (USA and Canada); 17.2" x 25.8" x 7.0"; 146.2 lbs. Additional P90-BP72HT battery packs can be added to increase runtime.	$ 4,258.00
Bundle	P90-BP36HT	Extended Runtime Battery Pack for use with P90HT-1500 (includes 6 each 12V7.2AH harsh temperature batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; TAA Compliant; 3 year battery warranty (USA and Canada); 17.2"W x 18.9"D x 3.5"H; 55.2 lbs	$ 1,329.00
Bundle	P90-BP48HT	Extended Runtime Battery Pack for use with P90HT-2000 UPSs; (includes 8 each 12V7.2AH harsh temperature batteries); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; TAA Compliant; 3 year battery warranty (USA and Canada); 17.2"W x 18.9"D x 3.5"H; 70.9 lbs	$ 1,619.00
Bundle	P90-BP72HT	Extended Runtime Battery Pack for use with P90HT-3000 and P90HTg-3000 UPSs; (includes 12 each 12V7.2AH harsh temperature batteries) ;__ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; TUV/UL, RoHS, cUL Approved; TAA Compliant; 3 year battery warranty (USA and Canada); 17.2"W x 23.6"D x 3.5"H; 99.2 lbs	$ 2,179.00
90000909	P90-RAIL	4-Post Rail Kit for use with P90-1000, 1500, 2000, 3000 and P90G-3000; 3.8"W x 19.8"D x 2.8"H. 5 lbs.	$ 125.00
90000406	XPC-2PRAIL	2-Post Rail Kit for P80, P90, P90L and NXRT 800VA thru 5kVA UPS or EBM; rated for 125 lbs; 4"W x 20"D x 3"H. 5 lbs.	$ 102.00
90000116	XPC-2POSTL	2-Post Shelf Kit for P90L-1500/2000/3000 and P90-BP36/48/72; 21/5"W x 23.3"D x 3.5"H. 9 lbs	$ 160.00
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with P80 or P90 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPv2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPv2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 210.00
	SNMP-3PEX	External 3-Port SNMP/WEB Card for use with P90HT Series UPS - required when using SNMP-EMP; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. packaging = 12"W x 8"D x 2.5"H, 2lbs	$ 399.00
	SNMP-EMP	Environmental Monitoring Sensor to monitor temperature and humidity in the room - used with the SNMP-3PEX Card; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3lbs	$ 290.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3lbs	$ 120.00
90000267	MODBUS-IN	MODBUS CARD for use with the P90HT Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000269	XAT-400	400VA Step Down Transformer, 208V to 120V for P90HTg-3000. Input is 208V IEC C14 on 2ft cord; output is 120V 5-15R on 2ft cord. 7"W x 6.8"D x 5.9"H. 8 lbs.	$ 499.00
90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads;3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5lbs	$ 330.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000091	XBDM-1020LV	Xtreme Power XBDM Series 20 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-20P plug; (6) 5-20R output receptacles on front of BDM + (4) 5-20R output receptacles on rear of BDM; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5lbs	$ 369.00
90000093	XBDM-1030LV	Xtreme Power XBDM Series 30 Amp Maintenance Bypass Distribution Module with 6' Input line cord with L5-30P plug; (5) 5-20R output receptacles on front of BDM (Load Group 1) + (5) 5-20R output receptacles on rear of BDM (Load Group 2); (2) bypass switches allowing for bypassing and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5lbs	$ 579.00
90000094	XBDM1020HV2	Xtreme Power XBDM Series Maintenance Bypass Distribution Module with C20 inlet for customer supplied power cord; rated at 16A; (2) IEC C19 and (4) IEC C13 output receptacles on front + (4) IEC C13 output receptacles on back; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; Includes (2) IEC C20 to C19 cord kits for connecting the XBDM to the P90G-3000 or P90LG-3000 UPS; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5lbs	$ 419.00
90000041	XPD1415HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of PDU + (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 3.5lbs	$ 122.00
90000045	XPD1420HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (6) 5-20R output receptacles on front of PDU + (8) 5-20R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 4.8lbs	$ 160.00
90000053	XPDU-IEC	Xtreme Power XPDU Series Basic Power 230V PDU with C20 inlet (power cord ordered separately), (10) IEC C13 + (2) IEC C19 output receptacles; 1U Rackmount configuration; CE Listed; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 2.6lbs	$ 170.00
	XPC-ZLC20-620R	P90HTg-3000 Output Cord, Locking IEC C20 to 6-15/20R. 3 lbs.	$ 59.00
	XPC-ZLC20-L620R	P90HTg-3000 Output Cord, Locking IEC C20 to L6-20R. 3 lbs.	$ 59.00
	XPC-ZLC20-L630R	P90HTg-3000 Output Cord, Locking IEC C20 to L6-30R. 3 lbs.	$ 59.00
	XPC-C14-615R	P90HTg-3000 Output Cord, IEC C14 to 6-15R. 3 lbs.	$ 45.00
T91 Series Double Conversion 700VA-3KVA UPS			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000480	T91-700	Xtreme Power T91 Series 700VA/700W Online UPS, 120VAC; 6' Input line cord with 5-15P plug; (6) 5-15R output receptacles; Full Load Runtime = 6 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes USB Cable and ViewPower Software; UL/cUL/FCC/RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada only); 5.6"W x 15.6"D x 8.6"H, 25.7 lbs;	$ 769.00
90000481	T91-1000	Xtreme Power T91 Series 1000VA/1000W Online UPS, 120VAC; 6' Input line cord with 5-15P plug; (6) 5-15R output receptacles; Full Load Runtime = 7 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes Communications Cable and ViewPower Software; UL/cUL/FCC/RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada only); 5.6"W x 15.6"D x 8.6"H, 30 lbs;	$ 949.00
90000482	T91-1500	Xtreme Power T91 Series 1500VA/1450W Online UPS, 120VAC; 6' Input line cord with 5-15P plug; (6) 5-15R output receptacles; Full Load Runtime = 3 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes Communications Cable and ViewPower Software; UL/FCC/RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA only); 5.6"W x 15.6"D x 8.6"H, 34.3 lbs;	$ 1,149.00
90000483	T91-2000	Xtreme Power T91 Series 2000VA/1930W Online UPS, 120VAC; 6' Input line cord, L5-20P; (1) L5-20R and (8) 5-20R output receptacles; Full Load Runtime = 7 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes Communications Cable and ViewPower Software; UL/cUL/FCC/RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada only); 7.4"W x 16.5"D x 12.5"H, 63 lbs;	$ 1,539.00
90001242	T91-2000V2	Xtreme Power T91 Series 2000VA/1930W Online UPS, 120VAC; 6' Input line cord, 5-20P; (1) L5-20R and (8) 5-20R output receptacles; Full Load Runtime = 7 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes Communications Cable and ViewPower Software; UL/cUL/FCC/RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada only); 7.4"W x 16.5"D x 12.5"H, 63 lbs;	$ 1,539.00
90000485	T91i-2000	Xtreme Power T91i Series 2000VA/2000W Online UPS, 208-240VAC; IEC-C20 Inlet; (1) IEC-C19 and (8) IEC-C13 output receptacles; Full Load Runtime = 6 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes USB Cable and ViewPower Software; CE, RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada only); 7.4"W x 16.5"D x 12.5"H (190mmW x 421mmD x 318mmH) , 62 lbs;	$ 1,629.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000484	T91-3000	Xtreme Power T91 Series 3000VA/2880W Online UPS, 120VAC; 6' Input line cord, L5-30P; (1) L5-30R and (8) 5-20R output receptacles; Full Load Runtime = 3 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes Communications Cable and ViewPower Software; UL/FCC/RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada only); 7.4"W x 16.5"D x 12.5"H, 66 lbs;	$ 1,979.00
90001214	T91i-3000	Xtreme Power T91i Series 3000VA/3000W Online UPS, 208/230VAC; IEC-C20 Inlet; (1) IEC-C19 and (8) IEC-C13 output receptacles; Full Load Runtime = 2 minutes; ECO Mode; 2A to 8A charger current adjustable by LCD; Tower; RS232/USB Port; Emergency Power Off (EPO); Includes USB Cable and ViewPower Software; CE, RoHS Approved; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada only); 7.4"W x 16.5"D x 12.5"H (190mmW x 421mmD x 318mmH) , 62 lbs;	$ 2,149.00
90000486	T91-BP36A	Extended Runtime Battery Pack (2 strings) for use with T91-1000, and T91-1500 (maximum 7 BP per UPS); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower; UL/FCC/RoHS Approved; TAA Compliant; 3-Year Battery Warranty (USA and Canada only); 5.6"W x 15.6"D x 8.6"H, 44 lbs	$ 699.00
90000487	T91-BP72A	Extended Runtime Battery Pack (2 strings) for use with T91-2000, T91i-2000 and T91-3000 (maximum 7 BP per UPS); __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower; UL/FCC/RoHS Approved; TAA Compliant; 3-Year Battery Warranty (USA and Canada only); 7.4"W x 16.5"D x 12.5"H, 82 lbs	$ 1,259.00
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with P80 or P90 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000267	MODBUS-IN	MODBUS CARD for use with the P90 Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
90000389	T90-WMB	Wall mount bracket for use with T91-700 thru 1500 UPS. Compatible with any brick shaped UPS, between 4" and 8" wide. Rated for 40 lbs. 4.0" to 8.0 adjustable W x 7.0"D x 8.0"H. 5 lbs.	$ 219.00
90000269	XAT-400	400VA Step Down Transformer, 208V to 120V for P90G and P90LG-3000. Input is 208V IEC C14 on 2ft cord; output is 120V 5-15R on 2ft cord. 7"W x 6.8"D x 5.9"H. 8 lbs.	$ 600.00
90000488	T915SP715	Xtended 5YR Factory Warranty for T91 1000/1500VA UPS (USA only) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 350.00
90000489	T915SP23	Xtended 5YR Factory Warranty for T91 2000/3000VA UPS (USA only) - 5 Year Coverage includes coverage of electronics and internal batteries, telephone technical support, advanced exchange and ground shipping both ways.	$ 575.00
90000490	T915SPBP	Xtended 5YR Factory Warranty for T91-BP1 and T91BP2 Extended Battery Packs (USA only) - 5 Year Coverage includes coverage of battery pack, telephone technical support, advanced exchange and ground shipping both ways.	$ 320.00
P91 SERIES 5, 6 & 10KVA 208/230V Bundled Solutions			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
Bundle	P91-5KB	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 4U total rack/tower configuration; 208-240VAC input and output; battery pack providing hot swappable battery trays and 7 minutes runtime at 5KW load; Terminal blocks for hardwired input and output; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 27.4"; Total Wt 163 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR2U240A Battery Module (2U), Tower Stands, Software; (2) 4 Post Rail Kits	$ 4,658.00
Bundle	P91-5KB1	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 4U total rack/tower configuration; 208-240VAC input and output; Bypass distribution module, 2U battery pack providing hot swappable battery trays and 7 minutes runtime at 5KW load; input 6ft L6-30P line cord ; **output (2) L6-30R, and (2) L6-20R receptacles**; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 173 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91A Bypass PDU (0U) Tower Stands, Software; (2) 4 Post Rail Kits	$ 5,546.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	P91-5KB2	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 5U total rack/tower configuration; 208-240VAC input and output; battery pack providing hot swappable battery trays and 15 minutes runtime at 5KW load; Terminal blocks for hardwired input and output; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 27.4"; Total Wt 203 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR3U240A Battery Module (3U), Tower Stands, Software; (2) 4 Post Rail Kits	$ 5,078.00
Bundle	P91-5KB3	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 5U total rack/tower configuration; 208-240VAC input and output; Bypass distribution module, 3U battery pack providing hot swappable battery trays and 15 minutes runtime at 5KW load; input 6ft L6-30P line cord ; **output (2) L6-30R, and (2) L6-20R receptacles**; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 213 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91A Bypass PDU (0U) Tower Stands, Software; (2) 4 Post Rail Kits	$ 5,966.00
Bundle	P91-6KB	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 4U total rack/tower configuration; 208-240VAC input and output; battery pack providing hot swappable battery trays and 5 minutes runtime at 6KW load; Terminal blocks for hardwired input and output; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 27.4"; Total Wt 164 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR2U240A Battery Module (2U), Tower Stands, Software; (2) 4 Post Rail Kits	$ 5,048.00
Bundle	P91-6KB1	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 4U total rack/tower configuration; 208-240VAC input and output; Bypass distribution module, 2U battery pack providing hot swappable battery trays and 5 minutes runtime at 6KW load; input 6ft L6-30P line cord ; **output (2) L6-30R, and (2) L6-20R receptacles**; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 174 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91A Bypass PDU (0U) Tower Stands, Software; (2) 4 Post Rail Kits	$ 5,936.00
Bundle	P91-6KB2	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 5U total rack/tower configuration; 208-240VAC input and output; battery pack providing hot swappable battery trays and 12 minutes runtime at 6KW load; Terminal blocks for hardwired input and output; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 27.4"; Total Wt 204 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR3U240A Battery Module (3U), Tower Stands, Software; (2) 4 Post Rail Kits	$ 5,468.00
Bundle	P91-6KB3	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 5U total rack/tower configuration; 208-240VAC input and output; Bypass distribution module, 3U battery pack providing hot swappable battery trays and 12 minutes runtime at 6KW load; input 6ft L6-30P line cord ; **output (2) L6-30R, and (2) L6-20R receptacles**; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 214 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91A Bypass PDU (0U) Tower Stands, Software; (2) 4 Post Rail Kits	$ 6,356.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	P91-10KB	Xtreme Power P91- 10KVA/10KW online double conversion UPS in 5U total rack/tower configuration; 208-240VAC input and output; 3U battery pack providing hot swappable battery trays and 6 minutes runtime at 10KW load; Terminal blocks for hardwired input and output; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 27.4"; Total Wt 210 lbs. Package Includes: P91-10k UPS Power Module (2U), BPXR3U240A Battery Module (3U), Tower Stands, Software; (2) 4 Post Rail Kits	$ 6,548.00
Bundle	P91-10KB1	Xtreme Power P91- 10KVA/10KW online double conversion UPS in 5U total rack/tower configuration; 208-240VAC input and output; Bypass distribution module, 3U battery pack providing hot swappable battery trays and 6 minutes runtime at 10KW load; Hardwired Terminal Block input, **output (1) L6-30R, (2) L6-20R receptacles and terminal blocks**; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 218 lbs. Package Includes: P91-10k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91B Bypass PDU (0U) Tower Stands, Software; (2) 4 Post Rail Kits	$ 7,436.00
Bundle	P91-10KB2	Xtreme Power P91- 10KVA/10KW online double conversion UPS in 4U total rack/tower configuration; 208-240VAC input and output; 2U battery pack providing hot swappable battery trays and 2 minutes runtime at 10KW load; Terminal blocks for hardwired input and output; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 27.4"; Total Wt 170 lbs. Package Includes: P91-10k UPS Power Module (2U), BPXR2U240A Battery Module (2U), Tower Stands, Software; (2) 4 Post Rail Kits	$ 6,128.00
Bundle	P91-10KB3	Xtreme Power P91- 10KVA/10KW online double conversion UPS in 4U total rack/tower configuration; 208-240VAC input and output; Bypass distribution module, 4U battery pack providing hot swappable battery trays and 2 minutes runtime at 10KW load; Hardwired Terminal Block input, **output (1) L6-30R, (2) L6-20R receptacles and terminal blocks**; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 178 lbs. Package Includes: P91-10k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91B Bypass PDU (0U) Tower Stands, Software; (2) 4 Post Rail Kits	$ 7,016.00
P91 SERIES 5, 6 & 10KVA 208-240 Input and 208/104 or 240/120V Output Bundled Solutions			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
Bundle	P91-5KTB	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 6U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 7 minutes runtime at 5KW load; input 6ft L6-30P line cord; **output (2) L6-30R, (2) L6-20R and (12) 5-15/20R receptacles (4KW max 120V capability)**; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 315 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91A Bypass PDU (0U) (2) XPC-ZLC20-L6-20R XPD-IT60A Isolation Transformer (2U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 7,865.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	P91-5KTB2	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 7U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 7 minutes runtime at 5KW load; input terminal block and 6ft L6-30P line cord; output Terminal block and (1) L6-30R, (2) L14-30R and (8) 5-15/20R receptacles (4KW max 120V capability); LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 315 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91C Bypass PDU (0U) XPC-L630 Line Cord XPD-IT6KW Isolation Transformer (3U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 7,847.00
Bundle	P91-5KTB3	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 7U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 15 minutes runtime at 5KW load; input 6ft L6-30P line cord; **output (2) L6-30R, (2) L6-20R and (12) 5-15/20R receptacles (4KW max 120V capability)**; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 355.1 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91A Bypass PDU (0U) (2) XPC-ZLC20-L6-20R XPD-IT60A Isolation Transformer (2U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 8,283.00
Bundle	P91-5KTB4	Xtreme Power P91- 5KVA/5KW online double conversion UPS in 8U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 15 minutes runtime at 5KW load; input terminal block and 6ft L6-30P line cord; output Terminal block and (1) L6-30R, (2) L14-30R and (8) 5-15/20R receptacles (4KW max 120V capability); LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 355.1 lbs. Package Includes: P91-5k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91C Bypass PDU (0U) XPC-L630 Line Cord XPD-IT6KW Isolation Transformer (3U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 8,267.00
Bundle	P91-6KTB	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 6U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 5 minutes runtime at 6KW load; input 6ft L6-30P line cord; **output (2) L6-30R, (2) L6-20R and (12) 5-15/20R receptacles (4KW max 120V capability)**; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 316 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91A Bypass PDU (0U) (2) XPC-ZLC20-L6-20R XPD-IT60A Isolation Transformer (2U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 8,255.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	P91-6KTB2	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 7U total rack/tower configuration; 208/240VAC input and 208/120V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 5 minutes runtime at 6KW load; input terminal block and 6ft L6-30P line cord; output Terminal block and (1) L6-30R, (2) L14-30R and (8) 5-15/20R receptacles; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 316 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91C Bypass PDU (0U) XPC-L630 Line Cord XPD-IT6KW Isolation Transformer (3U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 8,237.00
Bundle	P91-6KTB3	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 7U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 12 minutes runtime at 6KW load; input 6ft L6-30P line cord; **output (2) L6-30R, (2) L6-20R and (12) 5-15/20R receptacles (4KW max 120V capability)**; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 356 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91A Bypass PDU (0U) (2) XPC-ZLC20-L6-20R XPD-IT60A Isolation Transformer (2U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 8,675.00
Bundle	P91-6KTB4	Xtreme Power P91- 6KVA/6KW online double conversion UPS in 8U total rack/tower configuration; 208/240VAC input and 208/120V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, battery pack providing hot swappable battery trays and 12 minutes runtime at 6KW load; input terminal block and 6ft L6-30P line cord; output Terminal block and (1) L6-30R, (2) L14-30R and (8) 5-15/20R receptacles; LCD display; intelligent slot for optional cards, RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 356 lbs. Package Includes: P91-6k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91C Bypass PDU (0U) XPC-L630 Line Cord XPD-IT6KW Isolation Transformer (3U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 8,675.00
Bundle	P91-10KTB	Xtreme Power P91- 10KVA/10KW online double conversion UPS in 7U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, 3U battery pack providing hot swappable battery trays and 6 minutes runtime at 10KW load; hardwire terminal block input; output (1) L6-30R, (2) L6-20R and (12) 5-15/20R receptacles (4KW max 120V capability); LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 360 lbs. Package Includes: P91-10k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91B Bypass PDU (0U) XPD-IT60A Isolation Transformer (2U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 9,755.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	P91-10KTB1	Xtreme Power P91- 10KVA/10KW online double conversion UPS in 6U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 6kVA isolation transformer, 3U battery pack providing hot swappable battery trays and 2 minutes runtime at 10KW load; hardwire terminal block input; output (1) L6-30R, (2) L6-20R and (12) 5-15/20R receptacles (4KW max 120V capability); LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 320 lbs. Package Includes: P91-10k UPS Power Module (2U), BPXR2U240A Battery Module (2U), XBDM-P91B Bypass PDU (0U) XPD-IT60A Isolation Transformer (2U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 8,920.00
Bundle	P91-10KTB2	Xtreme Power P91- 10KVA/10KW online double conversion UPS in 8U total rack/tower configuration; 208/240VAC input and 208/104V or 240/120V output; Bypass distribution module, 10kW isolation transformer, 3U battery pack providing hot swappable battery trays and 6 minutes runtime at 10KW load; hardwire terminal block input; **output terminal block and (1) L6-30R, (2) L14-30R and (8) 5-15/20R receptacles**; LCD display; intelligent slot for optional cards; RS-232 and USB; Software; UL, cUL, FCC, RoHS; TAA Compliant; 3 year UPS and battery warranty (USA and Canada). Max Rack Depth 32.4"; Total Wt 49 lbs. Package Includes: P91-10k UPS Power Module (2U), BPXR3U240A Battery Module (3U), XBDM-P91C Bypass PDU (0U) XPD-IT10KW Isolation Transformer (3U), Tower Stands, Software; (3) 4 Post Rail Kits	$ 10,187.00
P91 SERIES 5, 6 & 10KVA 208/230V Solutions			
Part Number	**MODEL**	**DESCRIPTION**	**LIST PRICE**
90000640	P91-5K	Xtreme Power P91 Series 5KVA/5kW Unity PF; Online UPS; 2U; 208VAC (selectable to 208, 220, 230 or 240); Input and Output connections are Terminal Block ; Set up for external batteries; adjustable 1-4 Amp 240V charger; Tower and rack mounting; 99% efficiency in ECO mode, Smart LCD screen; intelligent slot for optional cards, RS-232 and USB port connections; UL, cUL, FCC, RoHS approved; TAA Compliant; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H; 33.1 lbs.	$ 2,310.00
90000641	P91-6K	Xtreme Power P91 Series 6KVA/6kW Unity PF; Online UPS; 2U; 208VAC (selectable to 208, 220, 230 or 240); Input and Output connections are Terminal Block; Set up for external batteries; adjustable 1-4 Amp 240V charger; Tower and rack mounting; 99% efficiency in ECO mode, Smart LCD screen; intelligent slot for optional cards, RS-232 and USB port connections; UL, cUL, FCC, RoHS approved; TAA Compliant; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H; 34 lbs.	$ 2,700.00
90000642	P91-10K	Xtreme Power P91 Series 10KVA/10kW Unity PF; Online UPS; 2U; 208VAC (selectable to 208, 220, 230 or 240); Input and Output connections are Terminal Block; Set up for external batteries; adjusable 1-4 Amp 240V charger; Tower and rack mounting; 99% efficiency in ECO mode, intelligent slot for optional cards, Smart LCD screen; RS-232 and USB port connections; UL, cUL, FCC, RoHS approved; TAA Compliant; 3 year full Warranty (USA and Canada); 50K load protection policy; 17.2"W x 23.6"D x 3.5"H; 39.7 lbs.	$ 3,780.00
90000643	BPXR2U240A	Extended Runtime Battery Pack for use with P91- 5, 6 &10K UPSs; 2U; (includes 20 each 12V5AH batteries); Hot swappable internal battery trays; __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; Includes BP to UPS interconnection cable. TUV/UL, FCC, RoHS, cUL Approved; 3-Year Full Warranty (USA and Canada); 17.2"W x 27.4"D x 3.5"H; 120 lbs	$ 2,050.00
90000644	BPXR3U240A	Extended Runtime Battery Pack for use with P91-5, 6 &10K UPSs; 3U; (includes 20 each 12V580W batteries); Hot swappable internal battery trays; __ Battery Packs provide(s) __ minutes runtime @ __KVA load. Tower or Rack Mounting; Includes BP to UPS interconnection cable. TUV/UL, FCC, RoHS, cUL Approved; 3-Year Full Warranty (USA and Canada); 17.2"W x 27.4"D x 5.2"H; 160 lbs	$ 2,470.00
90000645	XBDM-P91A	XBDM, (Xtreme Bypass Distribution Module) for use with P91-5 & 6K UPSs; Input is L6-30P 6ft line cord; Outputs are (2) L6-30R and (2) C19 receptacles, breaker protected; Interconnection to and from UPS is via Anderson Connection cables and Cable for UPS static switch interlock(included). Includes Maintenance Bypass Switch; 0U, mounts to rear of battery pack or in rear of rack cabinet. 14.6"W x 5"D x 3.5"H. 8 lbs.	$ 730.00
90000646	XBDM-P91B	XBDM, (Xtreme Bypass Distribution Module) for use with P91-5, 6 & 10K UPSs; Input is Terminal Block; Output is Terminal Block plus (1) L6-30R and (2) C19 receptacles, breaker protected; Interconnection to and from UPS is via Anderson Connection cables and Cable for UPS static switch interlock (included). Includes Maintenance Bypass Switch; 0U, mounts to rear of battery pack or in rear of rack cabinet; 14.6"W x 5"D x 3.5"H. 6 lbs.	$ 730.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000737	XBDM-P91C	XBDM, (Xtreme Bypass Distribution Module) for use with P91-5, 6 & 10K UPSs; Input is Terminal Block; Output is Terminal Block plus (1) L6-30R, breaker protected; Interconnection to and from UPS is via Anderson Connection cables and Cable for UPS static switch interlock (included). Includes Maintenance Bypass Switch; 0U, mounts to rear of battery pack or in rear of rack cabinet. 14.6"W x 5"D x 3.5"H. 5lbs.	$ 730.00
90000738	XBDM-P91D	XBDM, (Xtreme Bypass Distribution Module) for use with P91-5, 6 & 10K UPSs; Input is Terminal Block; Output is (2) L6-30R receptacles, breaker protected; Interconnection to and from UPS is via Anderson Connection cables and Cable for UPS static switch interlock(included). Includes Maintenance Bypass Switch; 0U, mounts to rear of battery pack or in rear of rack cabinet. 14.6"W x 5"D x 3.5"H. 6 lbs.	$ 730.00
	XPC-ZLC20-620R	Output Cord, 1ft, IEC Locking C20 to 6-15/20R for use with Xtreme Bypass Distribution Modules (XBDM) with C19 output. 1 lbs.	$ 79.00
	XPC-ZLC20-L620R	Output Cord,1ft, IEC Locking C20 to L6-20R for use with Xtreme Bypass Distribution Modules (XBDM) with C19 output. 1 lbs.	$ 79.00
	XPC-ZLC20-L630R	Output Cord, 1ft, IEC Locking C20 to L6-30R for use with Xtreme Bypass Distribution Modules (XBDM) with C19 output. 1 lbs.	$ 79.00
	XPC-C20-L615R	Output Cord, 1ft, IEC Non-locking C20 to L6-15R for use with Xtreme Bypass Distribution Modules (XBDM) with C19 output. 1 lbs.	$ 59.00
TBD	XPC-L630R	Optional L6-30R, 8" dongle style output receptacle for use with UPS with terminal block output; 12 lbs.	$ 125.00
TBD	XPC-L630P	Optional L6-30P line cord, 6ft line cord for use with 5 or 6K UPS with terminal block input; 12 lbs.	$ 125.00
90000407	XPD-IT60A	Xtreme Power XPDU Series PDU with Transformer. 6000VA, 208 or 240V in, 208/104V or 240/120V out. Maximum of 4000W of 120V. L6-30P 3ft line cord. (1) L6-30R and (12) 5-15-20R output receptacles; rear panel 208/240 voltage selection switch; includes front panel rackmount brackets; ROHS Approved; 3-Year Warranty; 19"W x 18"D x 3.5"H (2U), 137 lbs	$ 2,150.00
90000781	XPD-IT6KW	6kVA PDU with Isolation Transformer 208V to 240/120V (or 240V to 240/120V), Input terminal bock, Output terminal block + (2) L14-30R and (8) 5–15/20R receptacles; 17.3"W x 32.8"D x 5.2"H; 199 lbs.	$ 2,310.00
90000740	XPD-IT10KW	10kVA PDU with Isolation Transformer 208V to 240/120V (or 240V to 240/120V), Input terminal bock, Output terminal block + (2) L14-30R and (8) 5–15/20R receptacles; 17.3"W x 32.8"D x 5.2"H; 209 lbs.	$ 2,760.00
90000933	P90L-RAIL	Adjustable Mounting 4-Post Rail Kit for P91 or P90L-5K, 6K, &10K UPS, BP & Transformer Module; packaging = 3..8"W x 19.8"D x 2.8"H, 5 lbs	$ 149.00
90000116	XPC-2POSTL	2-Post Shelf Kit for P91 or P90L-5K, 6K, &10K UPS, BP & Transformer Module rated for 150lbs; 21/5"W x 23.3"D x 3.5"H. 9 lbs	$ 160.00
90003042	XPC-2POST	Heavy Duty 2-Post Shelf Kit for P91 or P90L-5K, 6K, &10K UPS, BP & Transformer Module rated for 300lbs; 19"W x 29"D x 5.2"H. 14 lbs	$ 270.00
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with P80 or P90 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000267	MODBUS-IN	MODBUS CARD for use with the P90L Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
90000374	XPD24C13V	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (24) C13 output receptacles. Vertical Mount. 1.75"W x 1.75"D x 66"L. 12 lbs	$ 340.00
9000251	XPD31	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (2) L6-20R and (4) 6-15/20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9 lbs	$ 580.00
90000252	XPD32	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (4) L6-20R output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 7.5 lbs	$ 580.00
90000253	XPD33	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (4) IEC-C19 and (8) IEC C13 output receptacle. s Rackmount. 19"W x 2.4"D x 3.5"H. 8 lbs	$ 450.00
90000254	XPD34	Xtreme Power XPDU Series Basic Power PDU, 30A, 240/120V; L14-30P 6ft line cord, (2) L6-30R, (4) L6-20R and (12) 5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
90000255	XPD35	Xtreme Power XPDU Series Basic Power PDU, 50A, 200-240V; Hardwire input with Pigtail, (2) L6-30R and (4) L6-20R output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 7 lbs	$ 580.00
90000256	XPD36	Xtreme Power XPDU Series Basic Power PDU, 50A, 200-240V; Hardwired input with Pigtail, (4) IEC-C19 and (8) IEC C13 output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 6.8 lbs	$ 460.00
90001282	9SUS8051	P91 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 3,900.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90001283	9SUS8052	P91 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 4,500.00
90001284	9USUS8053	P91 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,100.00
90001285	9SU724051	P91 7x24 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,070.00
90001286	9SU724052	P91 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,850.00
90001287	9SU724053	P91 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioningof UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 6,630.00
90001288	9PM58	P91 Preventative Maintenance Service, 5x8. For Zone 1 (within 100 miles of XPC Service Center).	$ 3,500.00
90001289	9PM724	P91 Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,550.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00
TX91 Series Isolated Online UPS			
TX91 3.8kVA UPS			
90000579	TX91-3.8K	Xtreme Power TX91 Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Full Load Runtime = 15 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 272 lbs.	$ 6,350.00
90000572	TX91-3.8KXR	Xtreme Power TX91 Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; 580W batteries for Full Load Runtime = 21 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 275 lbs.	$ 8,050.00
	TX91-3.8KB1####	Xtreme Power TX91 Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections; (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 15 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 277 lbs.	$ 7,540.00
	TX91-3.8KXRB1####	Xtreme Power TX91 Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 21 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 280 lbs.	$ 9,240.00
	TX91-3.8KB2####	Xtreme Power TX91 Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 15 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 277 lbs.	$ 7,540.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	TX91-3.8KXRB2####	Xtreme Power TX91 Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 21 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 280 lbs.	$ 9,240.00
90000587	TX91L-3.8K	Xtreme Power TX91L Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 152 lbs. External batteries to be ordered seperately.	$ 5,100.00
	TX91L-3.8KB1####	Xtreme Power TX91L Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R. D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 157 lbs. External batteries to be ordered seperately.	$ 6,290.00
	TX91L-3.8KB2####	Xtreme Power TX91L Series 3.8kVA/3.8kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 157 lbs. External batteries to be ordered seperately.	$ 6,290.00
TX91 5kVA UPS			
90000573	TX91-5K	Xtreme Power TX91 Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Full Load Runtime = 10 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 275 lbs.	$ 7,200.00
90000574	TX91-5KXR	Xtreme Power TX91 Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; 580W batteries for Full Load Runtime = 15 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 278 lbs.	$ 8,900.00
	TX91-5KB1####	Xtreme Power TX91 Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 10 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 280 lbs.	$ 8,390.00
	TX91-5KXRB1####	Xtreme Power TX91 Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 15 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 283 lbs.	$ 10,090.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	TX91-5KB2####	Xtreme Power TX91 Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 10 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 280 lbs.	$ 8,390.00
	TX91-5KXRB2####	Xtreme Power TX91 Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 15 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 283 lbs.	$ 10,090.00
90000588	TX91L-5K	Xtreme Power TX91L Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 155 lbs. External batteries to be ordered seperately.	$ 6,050.00
	TX91L-5KB1####	Xtreme Power TX91L Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 160 lbs. External batteries to be ordered seperately.	$ 7,240.00
	TX91L-5KB2####	Xtreme Power TX91L Series 5kVA/5kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 160 lbs. External batteries to be ordered seperately.	$ 7,240.00
TX91 6kVA UPS			
90000575	TX91-6K	Xtreme Power TX91 Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Full Load Runtime = 8 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 278 lbs.	$ 8,050.00
90000576	TX91-6KXR	Xtreme Power TX91 Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; 580W batteries for Full Load Runtime = 12 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 281 lbs.	$ 9,750.00
	TX91-6KB1####	Xtreme Power TX91 Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections; (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 8 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 283 lbs.	$ 9,240.00
	TX91-6KXRB1####	Xtreme Power TX91 Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 12 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 286 lbs.	$ 10,940.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	TX91-6KB2####	Xtreme Power TX91 Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 8 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 277 lbs.	$ 9,240.00
	TX91-6KXRB2####	Xtreme Power TX91 Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 12 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 286 lbs.	$ 10,940.00
90000589	TX91L-6K	Xtreme Power TX91L Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 158 lbs. External batteries to be ordered seperately.	$ 6,800.00
	TX91L-6KB1####	Xtreme Power TX91L Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 163 lbs. External batteries to be ordered seperately.	$ 7,990.00
	TX91L-6KB2####	Xtreme Power TX91L Series 6kVA/6kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 163 lbs. External batteries to be ordered seperately.	$ 7,990.00
TX91 10kVA UPS			
90000577	TX91-10K	Xtreme Power TX91 Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Full Load Runtime = 3 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 307 lbs.	$ 11,340.00
90000574	TX91-10KXR	Xtreme Power TX91 Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; 580W batteries for Full Load Runtime = 6 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; 3-Year Electronics, TAA Compliant; 3-Year Battery Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 310 lbs.	$ 12,900.00
	TX91-10KB1####	Xtreme Power TX91 Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 3 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 312 lbs.	$ 12,530.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	TX91-10KXRB1####	Xtreme Power TX91 Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 6 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 315 lbs.	$ 14,090.00
	TX91-10KB2####	Xtreme Power TX91 Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Full Load Runtime = 3 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 312 lbs.	$ 12,530.00
	TX91-10KXRB2####	Xtreme Power TX91 Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; 580W batteries for Full Load Runtime = 6 minutes; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics, 3-Year Battery Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 315 lbs.	$ 14,090.00
90000588	TX91L-10K	Xtreme Power TX91L Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 187 lbs. External batteries to be ordered seperately.	$ 9,240.00
	TX91L-10KB1####	Xtreme Power TX91L Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 192 lbs. External batteries to be ordered seperately.	$ 10,430.00
	TX91L-10KB2####	Xtreme Power TX91L Series 10kVA/10kW Isolated Online UPS, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Set up for external batteries; ECO mode; Isolation transformer; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 192 lbs. External batteries to be ordered seperately.	$ 10,430.00
TX91 Battery Options			
Part Number	**Model**	**Description**	**List Price**
90000584	TX91-BP960-1	External Battery Pack Module for TX91 3.8 - 10kVA UPS, Contains 1 String of batteries (20), Up to three battery packs per UPS can be used for extended runtime applications; __ Battery Packs provide(s) __ minutes runtime @ __KVA load., 9.8"W x 22.3"D x 32.4"H, 190 lbs	$ 3,400.00
90000585	TX91-BP960-2	External Battery Pack Module for TX91 3.8 - 10kVA UPS, Contains 2 Strings of batteries (40), Up to three battery packs per UPS can be used for extended runtime applications; __ Battery Packs provide(s) __ minutes runtime @ __KVA load., 9.8"W x 22.3"D x 32.4"H, 320 lbs	$ 4,900.00
90000586	TX91-BP960-3	External Battery Pack Module for TX91 3.8 - 10kVA UPS, Contains 3 Strings of batteries (60), Up to three battery packs per UPS can be used for extended runtime applications; __ Battery Packs provide(s) __ minutes runtime @ __KVA load., 9.8"W x 22.3"D x 32.4"H, 450 lbs	$ 6,450.00
90000762	TX91-CHG	TX91 External Battery Charger. Rated at 240VDC, 8A output with output cable to plug into TX91-BP960-x battery pack. Input rated at 208-240 VAC, 10A hardwired input.	$ 780.00
TX91 External Bypass Switch Options			

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	90885-C241310ECA050A05013MB	Three-Breaker Maintenance Bypass Switch; 240VAC, Single-Phase, 50 A, **10kAIC**; rated for **up to 8KVA**; Wallmount; includes UPS Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker,interlock plate, lockable front panel, UL981, Black. 22"W x 24"H x 9"D; 55 lbs.	Call for Price
	90885-C241310ECA070A07013MB	Three-Breaker Maintenance Bypass Switch; 240VAC, Single-Phase, 70 A, **10kAIC**; rated for **up to 12KVA**; Wallmount; includes UPS Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker,interlock plate, lockable front panel, UL981, Black. 22"W x 24"H x 9"D; 55 lbs.	Call for Price
TX91 Output Cords			
Part Number	**Model**	**Description**	**List Price**
	XPC-ZLC20-620R	Optional 12" output cord, Locking C20 to 6-15/20 receptacle for use with TX91; 3 lbs.	$ 79.00
	XPC-ZLC20-L620R	Optional 12" output cord, Locking C20 to L6-20 receptacle for use with TX91; 3 lbs.	$ 79.00
	XPC-ZLC20-L630R	Optional 12" output cord, Locking C20 to L6-30 receptacle for use with TX91; 3 lbs.	$ 79.00
	XPC-C20-L615R	Optional 12" output cord. Non-locking C20 to L6-15 receptacle for use with TX91; 3 lbs	$ 59.00
TBD	XPC-L630R	Optional L6-30R, 8" dongle style output receptacle for use with UPS with terminal block output; 12 lbs.	$ 125.00
TBD	XPC-L630P	Optional L6-30P line cord, 6ft line cord for use with 5 or 6K UPS with terminal block input; 12 lbs.	$ 125.00
TBD	XPC-L1430R	Optional L14-30R, 8" dongle style output receptacle for use with TX90-6K; 12 lbs.	$ 125.00
TX91 Distribution Options			
Part Number	**Model**	**Description**	**List Price**
90000251	XPD31	Xtreme Power XPDU Series Basic Power PDU for use with TX91-3.8KVA - 10KVA UPS, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (2) L6-20R and (4) 6-15/20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9 lbs	$ 580.00
90000252	XPD32	Xtreme Power XPDU Series Basic Power PDU for use with TX91-3.8KVA - 10KVA UPS, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (4) L6-20R output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 7.5 lbs	$ 580.00
90000253	XPD33	Xtreme Power XPDU Series Basic Power PDU for use with TX91-3.8KVA - 10KVA UPS, 30A, 200-240V; L6-30P 6ft line cord, (4) IEC-C19 and (8) IEC C13 output receptacle. s Rackmount. 19"W x 2.4"D x 3.5"H. 8 lbs	$ 450.00
90000254	XPD34	Xtreme Power XPDU Series Basic Power PDU, 30A, 240/120V; L14-30P 6ft line cord, (2) L6-30R, (4) L6-20R and (12) 5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
90001037	XPD38	Xtreme Power XPDU Series Basic Power PDU, 30A, 120V; L14-30P, 6' input cord , (4) L5-30R, (4) L5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
TX91 Communication Options			
Part Number	**Model**	**Description**	**List Price**
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with TX91 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000267	MODBUS-IN	MODBUS CARD for use with the TX91 Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
TX91 Warranty and Service Options			
Part Number	**Model**	**Description**	**List Price**
90001282	9SUS8051	M90S 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 3,900.00
90001283	9SUS8052	M90S 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 4,500.00
90001284	9USUS8053	M90S 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,100.00
90001285	9SU724051	M90S 7x24 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,070.00
90001286	9SU724052	M90S 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,850.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90001287	9SU724053	M90S 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioningof UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 6,630.00
90001288	9PM58	M90S Preventative Maintenance Service, 5x8. For Zone 1 (within 100 miles of XPC Service Center).	$ 3,500.00
90001289	9PM724	M90S Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,550.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00
90000375	T9VCNFG	Non-Standard Voltage Configuration adder. Required when setting the TX91 (XR), TX91L, or TXVR input voltage to 200V, 230V, or 240V. Input Voltage: Output Voltage on-line/inverter: Output Voltage on Bypass: Displayed Voltage:	$ 300.00
M90S Series Modular Double Conversion Split-Phase			
M90S Series Ala Carte Solutions			
Part Number	**Model**	**Description**	**List Price**
90000690	M90S-ENC2	XPC M90S 2-slot enclosure; Up to 6kVA/6kW; On Line - Rack Mount configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Integral Rear Mounted Maintenance Bypass switch, RS-232, USB, dry contacts, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus); Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Power Module and Battery Module purchased separately; Unit Dims: 17.4"W X 33.7"D x 10.5"H. Weight: 38 lbs.	$ 1,800.00
90000691	M90S-ENC4	XPC M90S 4-slot enclosure; Up to 12kVA/12kW; On Line - Tower configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Integral Front Access Maintenance Bypass switch, Floor mount bracket; Communications Module; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Power Modules, Battery Modules, and Blank Panels purchased separately; Dims: 17.4"W X 33.7"D x 33"H. Weight: 150 lbs.	$ 4,800.00
90000692	M90S-ENC6	XPC M90S 6-slot enclosure; Up to 24kVA/24kW; On Line - Tower configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Integral Front Access Maintenance Bypass switch, Floor mount bracket; Communications Module; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Power Modules, Battery Modules, and Blank Panels purchased separately; Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 180 lbs.	$ 7,250.00
90000693	M90S-PWM6	6KVA/6KW Power Module for XPC M90S UPS; On Line- 120/208V In-120/208V Out or 120/240V In - 120/240V Out; LCD Screen, Dims: 16.3"W X 24"D x 5.2"H (3U). Weight: 38 lbs.	$ 4,190.00
90001262	M90S-BMXRV2	Battery Module for XPC M90S UPS; Contains two battery sleeves, each containing (8) 12V 580W batteries; battery breaker; 16.3"W X 24"D x 5.2"H. Weight: 107 lbs. **Note: Minimum of one battery module required for each power module used for capacity.**	$ 2,095.00
90000696	M90S-BC7	XPC M90S External Battery Enclosure; 7-slot enclosure holds up to (7) M90S-BMXR battery modules; Includes Casters. Battery Modules and Blank Panels purchased separately; Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 162 lbs.	$ 4,935.00
90000717	XPC-L14-30P	L14-30P input cord, 8 ft, (6KVA UPS only). Limits current to 24A continuous input current.	$ 135.00
90000719	M90S-CB	Caster Base for M90S-ENC2. Locking casters. Dims: 17"W X 24"D x 4.0"H. Weight: 15 lbs.	$ 610.00
90000703	M90S-BP	M90S Matching Blank Panel covers front of unused slots. Dims: 16.5"W X 2"D x 5.2"H. Weight: 5 lbs.	$ 63.00
90000695	M90S-RAIL2S	M90S Rail Kit for M90S-ENC2 2-slot enclosure. Dims: 20"W X 4"D x 2.5"H. Weight: 5 lbs.	$ 155.00
	M90S4S-SEIS	Seismic Hold Down Achorage for M90S-ENC4 enclosure. Includes calculations with State of California Engineer Stamp.	$ 1,900.00
	M90S6S-SEIS	Seismic Hold Down Achorage for M90S-ENC6 enclosure. Includes calculations with State of California Engineer Stamp.	$ 1,900.00
M90S Series Optional Receptacle Panels (6S = up to 4 RP) (4S = up to 2 RP), (2S = up to 1 RP)			
Part Number	**Model**	**Description**	**List Price**
90000699	M90S-RPA	XPC M90S Optional Receptacle Panel. Contains (8) 5-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
90000700	M90S-RPB	XPC M90S Optional Receptacle Panel. Contains (2) C19 and (4) 5-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
90000701	M90S-RPC	XPC M90S Optional Receptacle Panel. Contains (1) L6-30R and (2) C19 receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
90000703	M90S-RPD	XPC M90S Optional Receptacle Panel. Contains (1) L14-30R and (2) C19 receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
Bundle	M90S-RPE	XPC M90S Optional Receptacle Panel. Contains (2) L6-20R and (4) 5-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 453.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90S-RPF	XPC M90S Optional Receptacle Panel. Contains (1) L6-30R, (1) L6-20R and (4) 5-20R receptacles. Mounts to rear of UPS Chassis. L6-30R protected by 20A breaker; Weight: 5 lbs.	$ 453.00
Bundle	M90S-RPG	XPC M90S Optional Receptacle Panel. Contains (1) L6-30R and (2) L6-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 453.00
Bundle	M90S-RPH	XPC M90S Optional Receptacle Panel. Contains (3) L6-30R receptacles. Mounts to rear of UPS Chassis. (2) L6-30R protected by 20A breakers; Weight: 5 lbs.	$ 453.00
M90S Series Hardwired Bundled Solutions			
M90S 2-Slot 6KVA RM Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90S-2S6K	XPC M90S UPS bundle; **6kVA/6kW**; On Line-Rackmount Configuration,120/208V In/Out or 120/240V In/Out, Hardwired in/out. Bundle includes M90S-ENC2 2-Slot Enclosure with Integral Maintenance Bypass, Rackmount rails; (1) Power Module and (1) Battery Module providing **9 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus;) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 16.3"W X 24"D x 10.5"H. Weight: 185 lbs.	$ 8,240.00
Bundle	M90S-2S6KT	XPC M90S UPS bundle; **6kVA/6kW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out. Bundle includes M90S-ENC2 2-Slot Enclosure with Integral Maintenance Bypass; Caster Base, (1) Power Module and (1) Battery Module providing **9 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, Battery Module and Caster Base shipped seperately. Dims: 17"W X 24"D x 14.5"H. Weight: 198 lbs.	$ 8,695.00
M90S 4-Slot 6KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90S-4S6K1	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC4 4 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (1) Battery Module providing **9 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 33"H. Weight: 275 lbs.	$ 11,211.00
	M90S-4S6K2	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC4 4 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (2) Battery Modules providing **22 minutes** runtime @ 6KVA/6KW load, RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 33"H. Weight: 382 lbs.	$ 13,243.00
	M90S-4S6K3	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC4 4 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (3) Battery Modules providing **35 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 33"H. Weight: 489 lbs.	$ 15,275.00
M90S 4-Slot 12KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90S-4S12K2	XPC M90S UPS bundle; **12KVA/12KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC4 4 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) Power Modules, (2) Battery Modules providing **9 minutes** runtime @ 12KVA/12KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 33"H. Weight: 420 lbs.	$ 17,370.00
M90S 6-Slot 6KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	M90S-6S6K1	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (1) Battery Module providing **9 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 314 lbs.	$ 13,787.00
	M90S-6S6K2	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (2) Battery Modules providing **22 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 421 lbs.	$ 15,819.00
	M90S-6S6K3	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (3) Battery Modules providing **35 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 528 lbs.	$ 17,851.00
	M90S-6S6K4	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (4) Battery Modules providing **50 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 635 lbs.	$ 19,883.00
	M90S-6S6K5	XPC M90S UPS bundle; **6KVA/6KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) Power Module, (5) Battery Modules providing **66 minutes** runtime @ 6KVA/6KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 742 lbs.	$ 21,915.00
M90S 6-Slot 12KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90S-6S12K2	XPC M90S UPS bundle; **12KVA/12KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) Power Modules, (2) Battery Modules providing **9 minutes** runtime @ 12KVA/12KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 459 lbs.	$ 19,946.00
	M90S-6S12K3	XPC M90S UPS bundle; **12KVA/12KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) Power Modules, (3) Battery Modules providing **15 minutes** runtime @ 12KVA/12KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 566 lbs.	$ 21,978.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	M90S-6S12K4	XPC M90S UPS bundle; **12KVA/12KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) Power Modules, (4) Battery Modules providing **22 minutes** runtime @ 12KVA/12KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); , Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 673 lbs.	$ 24,010.00
M90S 6-Slot 18KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90S-6S18K3	XPC M90S UPS bundle; **18KVA/18KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules, (3) Battery Modules providing **9 minutes** runtime @ 18KVA/18KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 604 lbs.	$ 26,105.00
M90S 6-Slot 24KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90S-6S24K4	XPC M90S / BC7 UPS bundle; **24KVA/24KW**; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules, (2) Battery Modules,and M90S-BC7-2 Bundle providing 9 minutes runtime @ 24KVA/24KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 3 year UPS and battery warranty (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. UPS Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 535 lbs BC7 Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 376 lbs	$ 39,798.00
M90S Battery Cabinet Bundles			
Part Number	**Model**	**Description**	**List Price**
	M90S-BC7-1	XPC M90S Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; **(1) battery module;** DC Breaker; Casters. 3 year battery warranty (USA and Canada). Increases runtime to **__ minutes runtime @ __KVA/__KW** load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 269 lbs	$ 7,408.00
	M90S-BC7-2	XPC M90S Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; **(2) battery modules;** DC Breaker; Casters. 3 year battery warranty (USA and Canada). Increases runtime to **__ minutes runtime @ __KVA/__KW** load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 376 lbs	$ 9,440.00
	M90S-BC7-3	XPC M90S Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; **(3) battery modules;** DC Breaker; Casters. 3 year battery warranty (USA and Canada). Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 483 lbs	$ 11,472.00
	M90S-BC7-4	XPC M90S Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; **(4) battery modules;** DC Breaker; Casters. 3 year battery warranty (USA and Canada). Increases runtime to **__ minutes runtime @ __KVA/__KW load;** Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 590 lbs	$ 13,504.00
	M90S-BC7-5	XPC M90S Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; **(5) battery modules;** DC Breaker; Casters. 3 year battery warranty (USA and Canada). Increases runtime to **__ minutes runtime @ __KVA/__KW load;** Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 697 lbs	$ 15,536.00
	M90S-BC7-6	XPC M90S Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; **(6) battery modules;** DC Breaker; Casters. 3 year battery warranty (USA and Canada). Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 804 lbs	$ 17,568.00
	M90S-BC7-7	XPC M90S Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; **(7) battery modules;** DC Breaker; Casters. 3 year battery warranty (USA and Canada). Increases runtime to **__ minutes runtime @ __KVA/__KW** load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 911 lbs	$ 19,600.00
M90S External Bypass Options			
	90885-C241310ECA050A05013MB	Three-Breaker Maintenance Bypass Switch; 240VAC, Single-Phase, 50 A, **10kAIC**; rated for **up to 8KVA**; Wallmount; includes UPS Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker,interlock plate, lockable front panel, UL981, Black. 22"W x 24"H x 9"D; 55 lbs.	Call for Price

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	90885-C241310ECA070A07013MB	Three-Breaker Maintenance Bypass Switch; 240VAC, Single-Phase, 70 A, **10kAIC**; rated for **up to 12KVA**; Wallmount; includes UPS Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker,interlock plate, lockable front panel, UL981, Black. 22"W x 24"H x 9"D; 55 lbs.	Call for Price
	90885-C241310ECA125A12513MB	Three-Breaker Maintenance Bypass Switch; 240VAC, Single-Phase, 125 A, **10kAIC**; rated for **up to 20KVA**; Wallmount; includes UPS Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel, UL981, Black. 22"W x 24"H x 9"D; 55 lbs.	Call for Price
	90885-C241310ECA150A15013MB	Three-Breaker Maintenance Bypass Switch; 240VAC, Single-Phase, 150 A, **10kAIC**; rated for **up to 25KVA**; Wallmount; includes UPS Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel, UL981, Black. 22"W x 24"H x 9"D; 55 lbs.	Call for Price
M90S Output Cords			
Part Number	**Model**	**Description**	**List Price**
	XPC-ZLC20-620R	Optional 12" output cord, Locking C20 to 6-20 receptacle for use with M90S; 3 lbs.	$ 79.00
	XPC-ZLC20-L620R	Optional 12" output cord, Locking C20 to L6-20 receptacle for use with M90S; 3 lbs.	$ 79.00
	XPC-ZLC20-L630R	Optional 12" output cord, Locking C20 to L6-30 receptacle for use with M90S; L6-30R protected by 20A breaker; 3 lbs.	$ 79.00
	XPC-C20-L615R	Optional 12" output cord, C20 to L6-15 receptacle for use with M90S; 3 lbs.	$ 59.00
Connectivity Options			
Part Number	**Model**	**Description**	**List Price**
90000698	SNMP-M90S	Internal SNMP/WEB Card for use with M90S Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Packaging = 7.25"W x 6.0"D x 2.5"H, 1.0 lbs	$ 339.00
90000398	SNMP-EMD	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-M90S SNMP/WEB Card. Packaging = 7.25"W x 6.0"D x 2.5"H, 1.0 lbs	$ 180.00
90000267	MODBUS-IN	MODBUS CARD for use with the P90L Series UPS; packaging = 7.25" x 6.0" x 2.5", 1.0 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 7.25" x 6.0" x 2.5", 1.0 lbs	$ 120.00
Warranty and Service Options			
Part Number	**Model**	**Description**	**List Price**
90001282	9SUS8051	M90S 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 3,900.00
90001283	9SUS8052	M90S 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 4,500.00
90001284	9USUS8053	M90S 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,100.00
90001285	9SU724051	M90S 7x24 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,070.00
90001286	9SU724052	M90S 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,850.00
90001287	9SU724053	M90S 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioningof UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 6,630.00
90001288	9PM58	M90S Preventative Maintenance Service, 5x8. For Zone 1 (within 100 miles of XPC Service Center).	$ 3,500.00
90001289	9PM724	M90S Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,550.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00
M90S-12S Series Modular Double Conversion Split-Phase			
M90S Series Ala Carte Solutions			
Part Number	**Model**	**Description**	**List Price**
90001272	M90S-ENC12	XPC M90S 12-slot enclosure; Up to 48kVA/48kW; On Line - Tower configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" color touch screen, Casters, Integral Front Access Three-Breaker Maintenance Bypass switch, Floor mount bracket; Communications Module; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus) Communication Software and Cable; UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Power Modules and Battery Modules purchased separately; Dims: 23.6"W X 36"D x 79.1"H. Weight: 480 lbs.	$ 28,400.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000693	M90S-PWM6	6KVA/6KW Power Module for XPC M90S UPS; On Line- 120/208V In-120/208V Out or 120/240V In - 120/240V Out; LCD Screen, Dims: 16.3"W X 24"D x 5.2"H (3U). Weight: 38 lbs.	$ 4,190.00
90001262	M90S-BMXRV2	Battery Module for XPC M90S UPS; Contains two battery sleeves, each containing (8) 12V 580W batteries; battery breaker; 16.3"W X 24"D x 5.2"H. Weight: 107 lbs. **Note: Minimum of one battery module required for each power module used for capacity.**	$ 2,095.00
90000716	M90-BC	M90S-12S Matching External Modular Battery Cabinet. Holds up to (32) x M90-BCBAT Battery Modules; 2 Year Warranty, Dims 23.6"W x 43.3"D x 79.1"H, Weight 416 lbs. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S	$ 12,200.00
90000764	M90-BCBAT	Battery Module for M90-BC External Battery Cabinet. Contains (5) CSB HR1290 Batteries each, 4 battery modules required per string, must be purchased in multiplies of 4, (xx) battery modules will provide **___ minutes runtime @ ___kW load**, Dims: 7.3"W x 38.5"D x 3.2"H, Weight 85 lbs.	$ 1,025.00
90000678	M90S12S-SEIS	Seismic Hold Down Achorage for M90S-ENC12 enclosure. Includes calculations with State of California Engineer Stamp.	$ 1,900.00
90001213	M90-CBL	Cable kit for connecting M90-BC battery cabinet to M90S-12S UPS. Includes 8' cables and lugs. Pricing for longer length cables is available upon request.	$ 1,050.00

M90S 12-Slot 18KVA Bundled Solutions

Part Number	Model	Description	List Price
Bundle	M90S-12S18K0	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; setup for external batteries; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure and Power Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 594 lbs. External batteries ordered seperately.	$ 40,970.00
Bundle	M90S-12S18K3	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; (3) Battery Modules providing 9 minutes runtime @ 18KVA/18KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 915 lbs.	$ 47,255.00
Bundle	M90S-12S18K4	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; (4) Battery Modules providing 14 minutes runtime @ 18KVA/18KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1022 lbs.	$ 49,350.00
Bundle	M90S-12S18K5	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; (5) Battery Modules providing 18 minutes runtime @ 18KVA/18KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1129 lbs.	$ 51,445.00
Bundle	M90S-12S18K6	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; (6) Battery Modules providing 23 minutes runtime @ 18KVA/18KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1236 lbs.	$ 53,540.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90S-12S18K7	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; (7) Battery Modules providing 27 minutes runtime @ 18KVA/18KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1343 lbs.	$ 55,635.00
Bundle	M90S-12S18K8	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; (8) Battery Modules providing 32 minutes runtime @ 18KVA/18KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1450 lbs.	$ 57,730.00
Bundle	M90S-12S18K9	XPC M90S UPS bundle; 18KVA/18KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (3) Power Modules; (9) Battery Modules providing 37 minutes runtime @ 18KVA/18KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1557 lbs.	$ 59,825.00
M90S 12-Slot 24KVA Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90S-12S24K0	XPC M90S UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules; setup for external batteries; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure and Power Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 632 lbs. External batteries ordered seperately.	$ 45,160.00
Bundle	M90S-12S24K3	XPC M90S UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules; (3) Battery Modules providing 6 minutes runtime @ 24KVA/24KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 953 lbs.	$ 51,445.00
Bundle	M90S-12S24K4	XPC M90S UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules; (4) Battery Modules providing 9 minutes runtime @ 24KVA/24KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1060 lbs.	$ 53,540.00
Bundle	M90S-12S24K5	XPC M90S UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules; (5) Battery Modules providing 13 minutes runtime @ 24KVA/24KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1167 lbs.	$ 55,635.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90S-12S24K6	XPC M90S UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules; (6) Battery Modules providing 16 minutes runtime @ 24KVA/24KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1274 lbs.	$ 57,730.00
Bundle	M90S-12S24K7	XPC M90S UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules; (7) Battery Modules providing 19 minutes runtime @ 24KVA/24KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1381 lbs.	$ 59,825.00
Bundle	M90S-12S24K8	XPC M90S UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (4) Power Modules; (8) Battery Modules providing 23 minutes runtime @ 24KVA/24KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1488 lbs.	$ 61,920.00
M90S 12-Slot 30KVA Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90S-12S30K0	XPC M90S UPS bundle; 30KVA/30KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (5) Power Modules; setup for external batteries; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure and Power Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 670 lbs. External batteries ordered seperately.	$ 49,350.00
Bundle	M90S-12S30K4	XPC M90S UPS bundle; 30KVA/30KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (5) Power Modules; (4) Battery Modules providing 7 minutes runtime @ 30KVA/30KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 991 lbs.	$ 57,730.00
Bundle	M90S-12S30K5	XPC M90S UPS bundle; 30KVA/30KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (5) Power Modules; (5) Battery Modules providing 9 minutes runtime @ 30KVA/30KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1098 lbs.	$ 59,825.00
Bundle	M90S-12S30K6	XPC M90S UPS bundle; 30KVA/30KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (5) Power Modules; (6) Battery Modules providing 12 minutes runtime @ 30KVA/30KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1205 lbs.	$ 61,920.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90S-12S30K7	XPC M90S UPS bundle; 30KVA/30KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (5) Power Modules; (7) Battery Modules providing 15 minutes runtime @ 30KVA/30KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1312 lbs.	$ 64,015.00
M90S 12-Slot 36KVA Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90S-12S36K0	XPC M90S UPS bundle; 36KVA/36KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (6) Power Modules; setup for external batteries; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure and Power Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 708 lbs. External batteries ordered seperately.	$ 53,540.00
Bundle	M90S-12S36K5	XPC M90S UPS bundle; 36KVA/36KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (6) Power Modules; (5) Battery Modules providing 7 minutes runtime @ 36KVA/36KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1243 lbs.	$ 64,015.00
Bundle	M90S-12S36K6	XPC M90S UPS bundle; 36KVA/36KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (6) Power Modules; (6) Battery Modules providing 9 minutes runtime @ 36KVA/36KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1350 lbs.	$ 66,110.00
M90S 12-Slot 42KVA Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90S-12S42K0	XPC M90S UPS bundle; 42KVA/42KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (7) Power Modules; setup for external batteries; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure and Power Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 746 lbs. External batteries ordered seperately.	$ 57,730.00
Bundle	M90S-12S42K5	XPC M90S UPS bundle; 42KVA/42KW; On Line-Tower Configuration, 120/208V In/Out or 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (7) Power Modules; (5) Battery Modules providing 6 minutes runtime @ 42KVA/42KW load; ; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure, Power Modules, and Battery Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 1281 lbs.	$ 68,205.00
M90S 12-Slot 48KVA Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90S-12548K0	XPC M90S UPS bundle; 48KVA/48KW; On Line-Tower Configuration, 120/240V In/Out, Hardwired in/out, 10" Color Touchscreen, Casters, Floor mount bracket; Communications Module; Bundle includes M90S-ENC12 12-Slot Enclosure with Integral Front Access Maintenance Bypass, (8) Power Modules; setup for external batteries; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC A, RoHS; Start-up (5x8), 3 year parts and 2-year on-site labor warranty are included (USA and Canada). Enclosure and Power Modules shipped seperately. Dims: 23.6"W X 36"D x 79.1"H. Weight: 746 lbs. External batteries ordered seperately.	$ 61,920.00
M90-BC Modular Battery Cabinet Bundles			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90-BC-04B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (4) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 756 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 16,300.00
Bundle	M90-BC-08B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (8) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1096 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 20,400.00
Bundle	M90-BC-12B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (12) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1436 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 24,500.00
Bundle	M90-BC-16B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (16) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1776 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 28,600.00
Bundle	M90-BC-20B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (20) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2116 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 32,700.00
Bundle	M90-BC-24B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (24) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2456 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 36,800.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90-BC-28B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (28) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2796 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 40,900.00
Bundle	M90-BC-32B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (32) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 3136 lbs. Battery modules shipped on separate pallet. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M90S-12S Cable Available.	$ 45,000.00
Connectivity Options			
Part Number	**Model**	**Description**	**List Price**
90000698	SNMP-M90S	Internal SNMP/WEB Card for use with M90S Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Packaging = 7.25"W x 6.0"D x 2.5"H, 1.0 lbs	$ 339.00
90000398	SNMP-EMD	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-M90S SNMP/WEB Card. Packaging = 7.25"W x 6.0"D x 2.5"H, 1.0 lbs	$ 180.00
90000267	MODBUS-IN	MODBUS CARD for use with the P90L Series UPS; packaging = 7.25" x 6.0" x 2.5", 1.0 lbs	$ 319.00
Warranty and Service Options			
Part Number	**Model**	**Description**	**List Price**
90001282	M90S12SSU583	Upgrade standard warranty to 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance and (1) PM (5X8) to be perfromed at beginning of year three.	$ 6,500.00
90001249	M90S12SSU72	Upgrade Standard 5x8 Warranty to 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 2,800.00
90001284	M90S12SSU73	Upgrade Standard Warranty to 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioningof UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance and (1) PM (7x24) to be perfromed at beginning of year three.	$ 9,300.00
90001285	M90S12S1YREE	M90S-12S One Year extension of factory on-site warranty, electronics only. Covers parts and labor, extending the standard warranty by 1 year. Includes (1) PM (7x24) to be perfromed at beginning of the extension year. For Zone 1 (within 100 miles of XPC Service Center).	$ 8,800.00
90001286	M90S12SSPM7	M90S-12S Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 5,850.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,200.00
TXVR Voltage Regulator 3.8kVA - 10kVA			
Part Number	**Model**	**Description**	**List Price**
90000494	TXVR-3.8K	Xtreme Power TXVR Series 3.8kVA/3.8kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL, cUL, RoHS Listed; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 142 lbs.	$ 4,260.00
	TXVR-3.8KB1####	Xtreme Power TXVR Series 3.8kVA/3.8kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections; (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 147 lbs.	$ 5,810.00
	TXVR-3.8KB2####	Xtreme Power TXVR Series 3.8kVA/3.8kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 147 lbs.	$ 5,810.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

TXVR 5kVA Voltage Regulator			
90000495	TXVR-5K	Xtreme Power TXVR Series 5kVA/5kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 145 lbs.	$ 5,900.00
	TXVR-5KB1####	Xtreme Power TXVR Series 5kVA/5kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 150 lbs.	$ 7,090.00
	TXVR-5KB2####	Xtreme Power TXVR Series 5kVA/5kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 150 lbs.	$ 7,090.00
TXVR 6kVA Voltage Regulator			
90000496	TXVR-6K	Xtreme Power TXVR Series 6kVA/6kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 148 lbs.	$ 6,250.00
	TXVR-6KB1####	Xtreme Power TXVR Series 6kVA/6kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (6) Configurable 240V and (4) 5-15/20R output connections; (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 153 lbs.	$ 7,440.00
	TXVR-6KB2####	Xtreme Power TXVR Series 6kVA/6kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; 6 ft L6-30P input and (4) Configurable 240V, (1) L6-30R, and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 153 lbs.	$ 7,440.00
TXVR 10kVA Voltage Regulator			
90000497	TXVR-10K	Xtreme Power TXVR Series 10kVA/10kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and output power connection; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 23.2"D x 32.4"H, 187 lbs.	$ 8,710.00
	TXVR-10KB1####	Xtreme Power TXVR Series 10kVA/10kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (6) Configurable 240V and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 192 lbs.	$ 9,905.00
	TXVR10KB2####	Xtreme Power TXVR Series 10kVA/10kW Isolated Electronic Voltage Regulator, 208V input voltage; 240/120Vor 208V output voltage; Terminal block input and (4) Configurable 240V, (1) L6-30R and (4) 5-15/20R output connections (choose four, and replace the ## in the P/N) A = (1) L6-20R, B = (1) L6-30R, C = (1) 6-15/20R, D = (1) L6-15R; Isolation transformer; regulates voltage to within +/- 1%; Tower; internal maintenance bypass; lockable casters; RS232, USB, Intelligent Ports, EPO Port: Communications Cable and Shutdown Software; UL1778, cUL, FCC Class A, RoHS Listed.; TAA Compliant; 3-Year Electronics Warranty (USA and Canada); 9.8"W x 27.1"D x 32.4"H, 192 lbs.	$ 9,905.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

TX91 Output Cords			
Part Number	Model	Description	List Price
	XPC-ZLC20-620R	Optional 12" output cord, Locking C20 to 6-15/20 receptacle for use with TXVR; 3 lbs.	$ 79.00
	XPC-ZLC20-L620R	Optional 12" output cord, Locking C20 to L6-20 receptacle for use with TXVR; 3 lbs.	$ 79.00
	XPC-ZLC20-L630R	Optional 12" output cord, Locking C20 to L6-30 receptacle for use with TXVR; 3 lbs.	$ 79.00
	XPC-C20-L615R	Optional 12" output cord. Non-locking C20 to L6-15 receptacle for use with TX91; 3 lbs	$ 59.00
TBD	XPC-L630P	Optional L6-30P line cord, 6ft line cord for use with T90-6K or TX90-6K; 12 lbs.	$ 125.00
TBD	XPC-L630R	Optional L6-30R, 8" dongle style output receptacle for use with T90-6K or TX90-6K; 12 lbs.	$ 125.00
TBD	XPC-L1430R	Optional L14-30R, 8" dongle style output receptacle for use with TX90-6K; 12 lbs.	$ 125.00
TX91 Distribution Options			
Part Number	Model	Description	List Price
90000251	XPD31	Xtreme Power XPDU Series Basic Power PDU for use with TXVR Series, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (2) L6-20R and (4) 6-15/20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9 lbs	$ 580.00
90000252	XPD32	Xtreme Power XPDU Series Basic Power PDU for use with TXVR Series, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (4) L6-20R output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 7.5 lbs	$ 580.00
90000253	XPD33	Xtreme Power XPDU Series Basic Power PDU for use with TXVR Series, 30A, 200-240V; L6-30P 6ft line cord, (4) IEC-C19 and (8) IEC C13 output receptacle. s Rackmount. 19"W x 2.4"D x 3.5"H. 8 lbs	$ 450.00
90000254	XPD34	Xtreme Power XPDU Series Basic Power PDU, 30A, 240/120V; L14-30P 6ft line cord, (2) L6-30R, (4) L6-20R and (12) 5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
90001037	XPD38	Xtreme Power XPDU Series Basic Power PDU, 30A, 120V; L14-30P, 6' input cord , (4) L5-30R, (4) L5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
TX91 Communication Options			
Part Number	Model	Description	List Price
90000741	SNMP-2PV3	Internal SNMP/WEB Card for use with TXVR Series; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMPV2 Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 359.00
90000674	SNMP-EMPV2	Environmental Monitoring Sensor to monitor room temperature and humidity - Must be used with SNMP-2PV3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 230.00
90000267	MODBUS-IN	MODBUS CARD for use with the TXVR Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
TX91 Warranty and Service Options			
Part Number	Model	Description	List Price
90001282	9SUS8051	M90S 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 3,900.00
90001283	9SUS8052	M90S 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 4,500.00
90001284	9USUS8053	M90S 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,100.00
90001285	9SU724051	M90S 7x24 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,070.00
90001286	9SU724052	M90S 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,850.00
90001287	9SU724053	M90S 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioningof UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 6,630.00
90001288	9PM58	M90S Preventative Maintenance Service, 5x8. For Zone 1 (within 100 miles of XPC Service Center).	$ 3,500.00
90001289	9PM724	M90S Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,550.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000375	T9VCNFG	Non-Standard Voltage Configuration adder. Required when setting the TX91 (XR), TX91L, or TXVR input voltage to 200V, 230V, or 240V. Input Voltage: Output Voltage on-line/inverter: Output Voltage on Bypass: Displayed Voltage:	$ 300.00
E91 Series Double Conversion 3-Phase (with Internal Batteries)			
Part Number	**Model**	**Description**	**List Price**
90000975	E91-10K	Xtreme Power E91 Series online 10KVA/10KW, 208/120 VAC three-phase UPS with 2 strings of internal batteries for 11 minutes full load runtime. Includes color touch screen display, static switch, and maintenance bypass switch ; up to 12A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCCA, Energy Star 2.0 ; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; Can accommodate external battery packs for extended runtimes; 9.9" W x 26.3" D x 32.3" H. 273 lbs.	$ 10,800.00
90000976	E91-15K	Xtreme Power E91 Series online 15KVA/15KW, 208/120 VAC three-phase UPS with 3 strings of internal batteries for 11 minutes full load runtime. Includes color touch screen display, static switch, and maintenance bypass switch ; up to 12A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCCA, Energy Star 2.0 ; 2 Year Standard Warranty (Usa and Canada); Start-up and onsite labor is not included; Can accommodate external battery packs for extended runtimes; 11.9" W x 34" D x 40.2" H. 306 lbs.	$ 12,700.00
90000977	E91-20K	Xtreme Power E91 Series online 20KVA/20KW, 208/120 VAC three-phase UPS with 3 strings of internal batteries for 7 minutes full load runtime. Includes color touch screen display, static switch, and maintenance bypass switch ; up to 12A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCCA, Energy Star 2.0 ; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; Can accommodate external battery packs for extended runtimes; 11.9" W x 34" D x 40.2" H. 306 lbs.	$ 13,600.00
90000980	E91-20KL	Xtreme Power E91 Series online 20KVA/20KW, 208/120 VAC three-phase UPS with no internal batteries. Includes color touch screen display, static switch, and maintenance bypass switch ; up to 12A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCCA, Energy Star 2.0 ; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; 11.9" W x 34" D x 40.2" H. 296 lbs. **External battery packs must be ordered seperately.**	$ 11,800.00
90000979	E91-30K	Xtreme Power E91 Series online 30KVA/30KW, 208/120 VAC three-phase UPS with 3 strings of internal batteries for 6 minutes full load runtime. Includes color touch screen display, static switch, and maintenance bypass switch; Front access only design; up to 16A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCC; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; Can accommodate external battery packs for extended runtimes; 23.6" W x 36.3" D x 65.6" H. 496 lbs.	$ 21,800.00
90001234	E91-30K4	Xtreme Power E91 Series online 30KVA/30KW, 208/120 VAC three-phase UPS with 4 strings of internal batteries for 9 minutes full load runtime. Includes color touch screen display, static switch, and maintenance bypass switch; Front access only design; up to 16A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCC; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; Can accommodate external battery packs for extended runtimes; 23.6" W x 36.3" D x 65.6" H. 549 lbs.	$ 23,700.00
90000981	E91-30KL	Xtreme Power E91 Series online 30KVA/30KW, 208/120 VAC three-phase UPS no internal batteries. Includes color touch screen display, static switch, and maintenance bypass switch; Front access only design; up to 16A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCC; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; 23.6" W x 36.3" D x 65.6" H. 419 lbs. **External battery packs must be ordered seperately.**	$ 17,000.00
90000980	E91-40K	Xtreme Power E91 Series online 40KVA/40KW, 208/120 VAC three-phase UPS with 4 strings of internal batteries for 6 minutes full load runtime. Includes color touch screen display, static switch, and maintenance bypass switch; Front access only design; up to 16A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCC; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; Can accommodate external battery packs for extended runtimes; 23.6" W x 36.3" D x 65.6" H. 551 lbs.	$ 25,300.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000982	E91-40KL	Xtreme Power E91 Series online 40KVA/40KW, 208/120 VAC three-phase UPS with no internal batteries. Includes color touch screen display, static switch, and maintenance bypass switch; Front access only design; up to 16A charge current, 94% efficiency in online mode or 98% efficiency in ECO mode; standard RS232, EPO, RS485, and USB communication ports; (1) card slot for Web/SNMP or Relay cards; UL-1778 (TUV), cUL, FCC; 2 Year Standard Warranty (USA and Canada); Start-up and onsite labor is not included; 23.6" W x 36.3" D x 65.6" H. 539 lbs. **External battery packs must be ordered seperately.**	$ 18,500.00
External Battery for use with E91 UPS (With Batteries)			
Part Number	**Model**	**Description**	**List Price**
90000984	EBP09-2	Line and Match External Battery Pack for E91 10KVA, 15kVA, and 20kVA UPS. Includes (40) 12V 9AH batteries; Up to four battery packs per UPS can be used for extended runtime applications; (_) battery packs provides (__) minutes of runtime @ __KW load. 11.9"W x 34"D x 40.2"H. 310 lbs.	$ 6,100.00
90000985	EBP09-5	Line and Match External Battery Pack for E91 10KVA, 15kVA, and 20kVA UPS. Includes (100) 12V 9AH batteries; Up to four battery packs per UPS can be used for extended runtime applications; (_) battery packs provides (__) minutes of runtime @ __KW load. 11.9"W x 34"D x 40.2"H. 670 lbs.	$ 9,950.00
90000986	EBP10-5	Line and Match External Battery Pack for E91 30KVA/30KW or 40KVA/40KW UPS. Includes (100) 12V 580W batteries; Up to four battery packs per UPS can be used for extended runtime applications; (_) battery packs provides (__) minutes of runtime @ __KW load. 11.9"W x 34"D x 40.2"H. 770 lbs.	$ 11,700.00
	E91-CBL	E91 Cable kit UPS to Battery Cabinet	$ 399.00
PDU Options (Rear mounted)			
Part Number	**Model**	**Description**	**List Price**
90001023	E91-PDU1	E91 rear mounted PDU. Configured with (4) L21-20R outlets each protected by a 20A breaker. 9.5"W x 4.3"D x 11.6"H; 15 lbs	$ 1,350.00
90001024	E91-PDU2	E91 rear mounted PDU. Configured with (4) L21-30R outlets each protected by a 30A breaker. 9.5"W x 4.3"D x 11.6"H; 15 lbs	$ 1,500.00
External Maintenance Bypass Options (wallmount)			
Part Number	**Model**	**Description**	**List Price**
	90885-C208310ECA040A04013MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 40 A, 10kAIC; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 22"W x 24"H x 9"D; 55 lbs. **For use with E91 10kVA UPS**	Call For Price
	90885-C208310ECA060A06013MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 60 A, **10kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 22"W x 24"H x 9"D; 55 lbs. **For Use with E91 and all M90 Family 15kVA UPS**	Call For Price
	90885-C208310ECA080A08013MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 60 A, **10kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 22"W x 24"H x 9"D; 55 lbs. **For Use with E91 and all M90 Family 20kVA UPS**	Call For Price
	90880-C208322ECA125A12502MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 125 A, **22kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 36"H x 10"D; 110 lbs. **For Use with E91 and all M90 Family 30kVA UPS**	Call For Price
	90880-C208322ECA150A15002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 150 A, **22kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 36"H x 10"D; 110 lbs. **For Use with E91 40kVA UPS**	Call For Price
Note:	E91 does not have Contacts to support SKRU.		
Connectivity Options			
Part Number	**Model**	**Description**	**List Price**
90001245	SNMP-2PG1	Internal two port SNMP/WEB Card for use with X90, M90C, M90, M90L E91, and M90S Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-TMPH temperature and humidity probe; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 649.00
90000267	MODBUS-IN	MODBUS CARD for use with the E91, M90(U) and X90 Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000398	SNMP-TMPH	Temperature and humidity Probe - used with SNMP-2PG1 SNMP/WEB Card. Packaging = 7.25"W x 6.0"D x 2.5"H, 1.0 lbs	$ 299.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 120.00
Service Options			
Part Number	**Model**	**Description**	**List Price**
90001011	E91SUS81	E91 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 3,900.00
90001005	E91SUS82	E91 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 4,500.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90001006	E91SUS83	E91 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 7,400.00
90001012	E91SU7241	E91 7x24 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,070.00
90001007	E91SU7242	E91 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,850.00
90001235	E91SU7243	E91 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioningof UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 9,620.00
90001236	E91PM58	E91 Preventative Maintenance Service, 5x8. For Zone 1 (within 100 miles of XPC Service Center).	$ 3,500.00
90001010	E91PM724	E91 Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,550.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00
M90C Series Modular Double Conversion Three-Phase			
M90C Series Ala Carte Solutions			
Part Number	**Model**	**Description**	**List Price**
90001032	M90C-ENC2	XPC M90C 2-slot enclosure; 5kVA/5kW or 8kVA/8kW; On Line - Rack Mount or tower configuration, 120/208V Three-Phase In/Out , Hardwired in/out, Integral Rear Mounted Maintenance Bypass switch, RS-232, USB, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus); Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS, TAA Compliant; 2 year UPS and battery warranty (USA and Canada). Power Module and Battery Module purchased separately; Unit Dims: 17.3"W X 31.5"D x 10.5"H. Weight: 38 lbs.	$ 2,300.00
90001218	M90C-ENC6	XPC M90C 6-slot enclosure; Up to 24kVA/24kW; On Line - Tower configuration, 120/208V Three-Phase In/Out , Hardwired in/out, Large LCD Screen, Casters, Integral Front Access Maintenance Bypass switch, Floor mount bracket; Communications Module; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Power Modules, Battery Modules, and Blank Panels purchased separately; Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 169 lbs.	$ 8,000.00
90001211	M90C-PWM5	5KVA/5KW Power Module for XPC M90C UPS; On Line- 120/208V Three-Phase In- Out; LCD Screen, Dims: 16.3"W X 24"D x 5.2"H (3U). Weight: 38 lbs.	$ 4,900.00
90001029	M90C-PWM8	8KVA/8KW Power Module for XPC M90C UPS; On Line- 120/208V Three-Phase In- Out; LCD Screen, Dims: 16.3"W X 24"D x 5.2"H (3U). Weight: 38 lbs.	$ 5,700.00
90001262	M90S-BMXRV2	Battery Module for XPC M90S UPS; Contains two battery sleeves, each containing (8) 12V 580W batteries; battery breaker; 16.3"W X 24"D x 5.2"H. Weight: 107 lbs. **Note: Minimum of one battery module required for each power module used for capacity.**	$ 2,095.00
90000696	M90S-BC7	XPC M90S External Battery Enclosure; 7-slot enclosure holds up to (7) M90S-BMXR battery modules; Includes Casters. Battery Modules and Blank Panels purchased separately; Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 162 lbs.	$ 4,935.00
90000719	M90S-CB	Caster Base for M90C-ENC2 or M90S-ENC2. Locking casters. Dims: 17"W X 24"D x 4.0"H. Weight: 15 lbs.	$ 610.00
90000703	M90S-BP	M90C or M90S Matching Blank Panel covers front of unused slots. Dims: 16.5"W X 2"D x 5.2"H. Weight: 5 lbs.	$ 63.00
90000695	M90S-RAIL2S	M90S Rail Kit for M90C-ENC2 or M90S-ENC2 2-slot enclosure. Dims: 20"W X 4"D x 2.5"H. Weight: 5 lbs.	$ 155.00
90001219	XPC-L21-20P	Optional 8' Input cord, Terminal to L21-20P for use with M90C-5kW; 10 lbs.	$ 420.00
90001220	XPC-L21-30P	Optional 8' Input cord, Terminal to L21-30P for use with M90C-8kW; 10 lbs.	$ 420.00
	M90C6S-SEIS	Seismic Hold Down Achorage for M90C-ENC6 enclosure. Includes calculations with State of California Engineer Stamp.	$ 1,900.00
M90C Series Optional Receptacle Panels (6S = up to 4 RP), (2S = up to 1 RP)			
Part Number	**Model**	**Description**	**List Price**
90000699	M90S-RPA	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (8) 5-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
90000700	M90S-RPB	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (2) C19 and (4) 5-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
90000701	M90S-RPC	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (1) L6-30R and (2) C19 receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
90000703	M90S-RPD	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (1) L14-30R and (2) C19 receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 295.00
Bundle	M90S-RPE	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (2) L6-20R and (4) 5-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 453.00
Bundle	M90S-RPF	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (1) L6-30R, (1) L6-20R and (4) 5-20R receptacles. Mounts to rear of UPS Chassis. L6-30R protected by 20A breaker; Weight: 5 lbs.	$ 453.00
Bundle	M90S-RPG	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (1) L6-30R and (2) L6-20R receptacles. Mounts to rear of UPS Chassis. Weight: 5 lbs.	$ 453.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90S-RPH	XPC M90C Optional Receptacle Panel for M90C-6S. Contains (3) L6-30R receptacles. Mounts to rear of UPS Chassis. (2) L6-30R protected by 20A breakers; Weight: 5 lbs.	$ 453.00
90001058	M90C-RPI	XPC M90C Optional Receptacle Panel for M90C-2S or M90C-6S. Contains (1) L21-30R receptacle protected by a 30A breaker. Mounts to rear of UPS Chassis. Weight: 6 lbs.	$ 395.00
90001059	M90C-RPJ	XPC M90C Optional Receptacle Panel for M90C-2S or M90C-6S. Contains (1) L21-20R receptacle protected by a 20A breaker. Mounts to rear of UPS Chassis. Weight: 6 lbs.	$ 395.00
90001060	M90C-RPK	XPC M90C Optional Receptacle Panel for M90C-2S or M90C-6S. Contains (2) L21-20R receptacles. Mounts to rear of UPS Chassis. Weight: 6 lbs.	$ 395.00
90001061	M90C-RPL	XPC M90C Optional Receptacle Panel for M90C-2S or M90C-6S. Contains (2) L21-30R receptacles. Mounts to rear of UPS Chassis. Weight: 6 lbs.	$ 395.00
M90C-2S Series Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90C-2S5K	XPC M90C UPS bundle; **5kVA/5kW**; On Line-**Rackmount Configuration**, 120/208V Three-Phase In/Out, Hardwired in/out. Bundle includes M90C-ENC2 2-Slot Enclosure with Integral Maintenance Bypass, Rackmount rails; (1) 5kVA/5kW Power Module and (1) Battery Module providing **12 minutes** runtime @ 5KVA/5KW load; RS-232, USB, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus;) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS, TAA Compliant; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.5"W X 33.7"D x 10.5"H. Weight: 185 lbs.	$ 9,450.00
Bundle	M90C-2S5KT	XPC M90C UPS bundle; **5kVA/5kW**; On-Line **Tower Configuration**, 120/208V Three-Phase In/Out, Hardwired in/out. Bundle includes M90C-ENC2 2-Slot Enclosure with Integral Maintenance Bypass, Caster Base; (1) 5kVA/5kW Power Module and (1) Battery Module providing **12 minutes** runtime @ 5KVA/5KW load; RS-232, USB, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus;) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS, TAA Compliant; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.5"W X 33.7"D x 14.5"H. Weight: 198 lbs.	$ 9,905.00
Bundle	M90C-2S8K	XPC M90C UPS bundle; **8kVA/8kW**; On Line-**Rackmount Configuration**, 120/208V Three-Phase In/Out, Hardwired in/out. Bundle includes M90C-ENC2 2-Slot Enclosure with Integral Maintenance Bypass, Rackmount rails; (1) 8kVA/8kW Power Module and (1) Battery Module providing **6 minutes** runtime @ 8KVA/8KW load; RS-232, USB, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus;) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS, TAA Compliant; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.5"W X 33.5"D x 10.5"H. Weight: 185 lbs.	$ 10,250.00
Bundle	M90C-2S8KT	XPC M90C UPS bundle; **8kVA/8kW**; On-Line **Tower Configuration**, 120/208V Three-Phase In/Out, Hardwired in/out. Bundle includes M90C-ENC2 2-Slot Enclosure with Integral Maintenance Bypass, Caster Base; (1) 8kVA/8kW Power Module and (1) Battery Module providing **12 minutes** runtime @ 8KVA/8KW load; RS-232, USB, EPO, intelligent slot for optional card (Web/SNMP, Relay, Modbus;) Communication Software and Cable; UL-1778 (TUV), cUL, FCC, RoHS, TAA Compliant; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 14.5"H. Weight: 198 lbs.	$ 10,705.00
M90C 6-Slot 5KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90C-6S5K1	XPC M90C UPS bundle; **5KVA/5KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 5kVA Power Module, (1) Battery Module providing **12 minutes** runtime @ 5KVA/5KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 314 lbs.	$ 15,247.00
	M90C-6S5K2	XPC M90C UPS bundle; **5KVA/5KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 5K Power Module, (2) Battery Modules providing **28 minutes** runtime @ 5KVA/5KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 421 lbs.	$ 17,279.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	M90C-6S5K3	XPC M90C UPS bundle; **5KVA/5KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 5K Power Module, (3) Battery Modules providing **46 minutes** runtime @ 5KVA/5KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 528 lbs.	$ 19,311.00
	M90C-6S5K4	XPC M90C UPS bundle; **5KVA/5KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 5K Power Module, (4) Battery Modules providing **66 minutes runtime** @ 5KVA/5KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 635 lbs.	$ 21,343.00
	M90C-6S5K5	XPC M90C UPS bundle; **5KVA/5KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 5K Power Module, (5) Battery Modules providing **86 minutes runtime** @ 5KVA/5KW load; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 742 lbs.	$ 23,375.00
M90C 6-Slot 8KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90C-6S8K1	XPC M90C UPS bundle; **8KVA/8KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 8kVA Power Module, (1) Battery Module providing **6 minutes** runtime @ 8KVA/8KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 314 lbs.	$ 16,047.00
	M90C-6S8K2	XPC M90C UPS bundle; **8KVA/8KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 8kVA Power Module, (2) Battery Module providing **16 minutes** runtime @ 8KVA/8KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 421 lbs.	$ 18,079.00
	M90C-6S8K3	XPC M90C UPS bundle; **8KVA/8KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 8kVA Power Module, (3) Battery Module providing **26 minutes** runtime @ 8KVA/8KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 528 lbs.	$ 20,111.00
	M90C-6S8K4	XPC M90C UPS bundle; **8KVA/8KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 8kVA Power Module, (4) Battery Module providing **37 minutes** runtime @ 8KVA/8KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 635 lbs.	$ 22,143.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	M90C-6S8K5	XPC M90C UPS bundle; **8KVA/8KW;** On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (1) 8kVA Power Module, (5) Battery Module providing **49 minutes** runtime @ 8KVA/8KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 742 lbs.	$ 24,175.00
M9C 6-Slot 10KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90C-6S10K2	XPC M90C UPS bundle; **10KVA/10KW;** On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) 5kVA Power Modules, (2) Battery Module providing **12 minutes** runtime @ 10KVA/10KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 459 lbs.	$ 22,116.00
	M90C-6S10K3	XPC M90C UPS bundle; **10KVA/10KW;** On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) 5kVA Power Modules, (3) Battery Module providing **20 minutes** runtime @ 10KVA/10KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 566 lbs.	$ 24,148.00
	M90C-6S10K4	XPC M90C UPS bundle; **10KVA/10KW;** On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) 5kVA Power Modules, (4) Battery Module providing **28 minutes** runtime @ 10KVA/10KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 673 lbs.	$ 26,180.00
M90C 6-Slot 15KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90C-6S15K2	XPC M90C UPS bundle; **15KVA/15KW;** On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (3) 5kVA Power Module, (2) Battery Module providing **7 minutes** runtime @ 15KVA/15KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 604 lbs.	$ 26,953.00
	M90C-6S15K3	XPC M90C UPS bundle; **15KVA/15KW;** On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (3) 5kVA Power Module, (3) Battery Module providing **12 minutes** runtime @ 15KVA/15KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 711 lbs.	$ 28,985.00
M90C 6-Slot 16KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90C-6S16K2	XPC M90C UPS bundle; **16KVA/16KW;** On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) 8kVA Power Module, (2) Battery Module providing **6 minutes** runtime @ 16KVA/16KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 459 lbs.	$ 23,716.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

	M90C-6S16K3	XPC M90C UPS bundle; **16KVA/16KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) 8kVA Power Module, (3) Battery Module providing **11 minutes** runtime @ 16KVA/16KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 566 lbs.	$ 25,748.00
	M90C-6S16K4	XPC M90C UPS bundle; **16KVA/16KW**; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (2) 8kVA Power Module, (4) Battery Module providing **16 minutes** runtime @ 16KVA/16KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 673 lbs.	$ 27,780.00
M9C 6-Slot 24KVA Hardwired Bundled Solutions			
Part Number	**Model**	**Description**	**List Price**
	M90C-6S24K3	XPC M90C UPS bundle; 24KVA/24KW; On Line-Tower Configuration, 120/208V Three-Phase In/Out, Hardwired in/out, Large LCD Screen, Casters, Floor mount bracket; Communications Module; Bundle includes M90C-ENC6 6 Slot Enclosure with Integral Front Access Maintenance Bypass, (3) 8kVA Power Module, (3) Battery Module providing 16 minutes runtime @ 24KVA/24KW load, blank panels; RS-232, USB, dry contacts, EPO, (2) intelligent slots for optional cards (Web/SNMP, Relay, Modbus); Communication Software and Cable. UL-1778 (TUV), cUL, FCC, RoHS; 2 year UPS and battery warranty (USA and Canada). Enclosure, Power Module, and Battery Module shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 711 lbs.	$ 31,385.00
M90C Battery Cabinet Bundles			
Part Number	**Model**	**Description**	**List Price**
	M90S-BC7-1	XPC M90C Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; (1) battery module; (6) blank panels; DC Breaker; Casters. 2 year battery warranty (USA and Canada). Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 269 lbs	$ 7,408.00
	M90S-BC7-2	XPC M90C Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; (2) battery module; (5) blank panels; DC Breaker; Casters. 2 year battery warranty (USA and Canada). Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 376 lbs	$ 9,440.00
	M90S-BC7-3	XPC M90C Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; (3) battery module; (4) blank panels; DC Breaker; Casters. 2 year battery warranty (USA and Canada). Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 483 lbs	$ 11,472.00
	M90S-BC7-4	XPC M90C Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; (4) battery module; (3) blank panels; DC Breaker; Casters. 2 year battery warranty (USA and Canada).. Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 590 lbs	$ 13,504.00
	M90S-BC7-5	XPC M90C Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; (5) battery module; (2) blank panels; DC Breaker; Casters. 2 year battery warranty (USA and Canada). Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 697 lbs	$ 15,536.00
	M90S-BC7-6	XPC M90C Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; (6) battery module; (1) blank panel; DC Breaker; Casters. 2 year battery warranty (USA and Canada). Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 804 lbs	$ 17,568.00
	M90S-BC7-7	XPC M90C Battery Cabinet bundle; Includes XPC M90S-BC7 7 Slot External Battery Enclosure; (7) battery modules; DC Breaker; Casters. 2 year battery warranty (USA and Canada).. Increases runtime to __ minutes runtime @ __KVA/__KW load; Enclosure and Battery Modules shipped seperately. Dims: 17.4"W X 33.7"D x 45.5"H. Weight: 911 lbs	$ 19,600.00
Connectivity Options			
Part Number	**Model**	**Description**	**List Price**
90001245	SNMP-2PG1	Internal two port SNMP/WEB Card for use with M90C, M90 and M90L Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-TMPH teperature and humidity probe; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 649.00
90000398	SNMP-TMPH	Temperature and humidity Probe - used with SNMP-2PG1 SNMP/WEB Card. Packaging = 7.25"W x 6.0"D x 2.5"H, 1.0 lbs	$ 299.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000267	MODBUS-IN	MODBUS CARD for use with the XPC UPS; packaging = 7.25" x 6.0" x 2.5", 1.0 lbs	$ 319.00
90000265	RELAY-MINI	Dry Contact RELAY CARD with DB9 & terminal block adapter; packaging = 7.25" x 6.0" x 2.5", 1.0 lbs	$ 120.00
Warranty and Service Options			
Part Number	**Model**	**Description**	**List Price**
90001290	MCSU58OS1	M90C 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 3,900.00
90001291	MCSU58OS2	M90C 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 4,500.00
90001292	MCSU58OS3	M90C 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,100.00
90001293	MCSU724OS1	M90C 7x24 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,070.00
90001294	MCSU724OS2	M90C 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioning of UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 5,850.00
90001295	MCSU724OS3	M90C 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes verification of installation, inspection of UPS and commisioningof UPS by the Startup technician. On-site Warranty covers labor for corrective maintenance.	$ 6,630.00
90001296	MCPM58	M90C Preventative Maintenance Service, 5x8. For Zone 1 (within 100 miles of XPC Service Center).	$ 3,500.00
90001297	MCPM724	M90C Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,550.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00
M90U and M90LU (Unity PF) Series Modular Double Conversion 3-Phase			
Part Number	**Model**	**Description**	**List Price**
99000872	M90-ENC (Unity PF)	Xtreme Power M90U (Unity PF) Series modular online 208/120 VAC three-phase UPS **enclosure set up for internal battery**. Includes 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; 20.3" W x 39.4" D x 54.0" H. 474 lbs. Enclosure can accomodate up to 3 x 20k for 60KVA for 45KVA (or 3 x 15K for 45KVA) M90 (Unity PF) Power Modules and up to 12 M90 battery trays. **Power modules and battery trays ordered seperately.**	$ 14,200.00
99000873	M90L-ENC (Unity PF)	Xtreme Power M90U (Unity PF) Series modular online 208/120 VAC three-phase UPS **enclosure set up for external battery** (no internal batteries). Includes 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; 20.3" W x 39.4" D x 30" H. 227 lbs. Enclosure can accomodate up to 3 x 20k for 60KVA (or 3 x 15K for 45KVA) M90U (Unity PF) Power Modules. **Power modules and external battery ordered seperately.**	$ 10,300.00
99000870	M90-PWRM (Unity PF)	Xtreme Power M90U Series 20kVA/20kW power module. 208/120 VAC three-phase; 19.5" W x 29.5" D x 5.5" H. 74 lbs. Unity PF	$ 8,500.00
99000871	M90-PWRM15 (Unity PF)	Xtreme Power M90U Series 15kVA/15kW power module. 208/120 VAC three-phase; 19.5" W x 29.5" D x 5.5" H. 73 lbs. Unity PF	$ 6,700.00
90000563	M90-BATT	Xtreme Power M90 battery tray for M90, M90U, M90-BOS. Includes (10) UPS 12580 batteries. Four (4) battery trays required for each 20kVA/18kW supported. ___ Battery trays provide __ minutes runtime @ __KVA load. 2 year Warranty; 4,3" W x 28.5" D x 6.5" H; 68 lbs.	$ 890.00
90000885	M90-BATT-EMPTY	Xtreme Power M90 empty battery tray for M90, M90U, M90-BOS. Includes battery interconnection cables. No batteries included. Minumum of four (4) battery trays required for each 20kVA/18kW supported. 4,3" W x 28.5" D x 6.5" H; 10 lbs.	$ 460.00
90000852	M90-BOS	M90L Matching Battery Cabinet. Holds up to (12) M90-BATT battery trays. 20.3"W x 39.4"D x 30"H; 227 lbs. M90-BATT battery trays ordered seperately.	$ 5,500.00
90000716	M90-BC	External Modular Battery Cabinet. Holds up to 32 M90-BCBAT battery modules. 23.6"W x 43.8"D x 79.1"H; 416 lbs. Battery modules ordered seperately. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 12,200.00
90000764	M90-BCBAT	M90-BC Battery Module with (5)HR1290 batteries for M90-BC Battery Cabinet. 7.3"W x 38.5"D x 3.2"H; 85 lbs. Four modules required for each string.	$ 1,025.00
90000851	M90-BCBT	Empty Battery Tray for M90-BC External Battery Cabinet. 7.3"W x 38.5"D x 3.2"H; 14 lbs. Batteries ordered seperately.	$ 500.00
90000565	M90 SKIRT	Xtreme Power M90(L) Skirt Kit. Installs between the UPS and floor to cover the casters and open space below UPS. Dims: TBD, 20 lbs.	$ 380.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000678	M90-SEIS	Xtreme Power M90-ENC Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: 15 lbs. Requires site specific information to be submitted at time of order. One Kit required for each UPS.	$ 1,900.00
	M90LU-SEIS	Xtreme Power M90L-ENC Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: 15 lbs. Requires site specific information to be submitted at time of order. One Kit required for each UPS .	$ 1,900.00
	M90BC-SEIS	Xtreme Power M90-BC Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: 15 lbs. Requires site specific information to be submitted at time of order. One Kit required for each M90-BC battery cabinet.	$ 1,900.00
M90 Bundles (with internal batteries)			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90U-15k04BM	Xtreme Power M90U Series 15KVA/15kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 15kVA/15kW power module; four (4) battery trays providing 9 minutes runtime at 15kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; 20.3" W x 39.4" D x 54.0" H. 819 lbs. Enclosure can accommodate up to 2 additional 15k M90 (Unity PF) Power Modules and up to 8 additional M90 battery trays.	$ 24,460.00
Bundle	M90U-15k06BM	Xtreme Power M90U Series 15KVA/15kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 15kVA/15kW power module; six (6) battery trays providing 16 minutes runtime at 15kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 955 lbs. Enclosure can accommodate up to 2 additional 15k M90 (Unity PF) Power Modules and up to 6 additional M90 battery trays.	$ 26,240.00
Bundle	M90U-15k08BM	Xtreme Power M90U Series 15KVA/15kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 15kVA/15kW power module; eight (8) battery trays providing 22 minutes runtime at 15kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1090 lbs. Enclosure can accommodate up to 2 additional 15k M90 (Unity PF)Power Modules and up to 4 additional M90 battery trays.	$ 28,020.00
Bundle	M90U-15k10BM	Xtreme Power M90U Series 15KVA/15kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 15kVA/15kW power module; ten (10) battery trays providing 29 minutes runtime at 15kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1225 lbs. Enclosure can accommodate up to 2 additional 15k M90 (Unity PF)Power Modules and up to 2 additional M90 battery trays.	$ 29,800.00
Bundle	M90U-15k12BM	Xtreme Power M90U Series 15KVA/15kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 15kVA/15kW power module; twelve (12) battery trays providing 37 minutes runtime at 15kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1361 lbs. Enclosure can accommodate up to 2 additional 15k M90 (Unity PF) Power Modules.	$ 31,580.00
Bundle	M90U-20k04BM	Xtreme Power M90U Series 20KVA/20kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 20kVA/20kW power module; four (4) battery trays providing 6 minutes runtime at 20kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 820 lbs. Enclosure can accommodate up to 2 additional 20k M90 (Unity PF) Power Modules and up to 8 additional M90 battery trays.	$ 26,260.00
Bundle	M90U-20k06BM	Xtreme Power M90U Series 20KVA/20kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 20kVA/20kW power module; x six (6) battery trays providing 11 minutes runtime at 20kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 956 lbs. Enclosure can accommodate up to 2 additional 20k M90 (Unity PF) Power Modules and up to 6 additional M90 battery trays.	$ 28,040.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U-20k08BM	Xtreme Power M90U Series 20KVA/20kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 20kVA/20kW power module; eight (8) battery trays providing 16 minutes runtime at 20kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1092 lbs. Enclosure can accommodate up to 2 additional 20k M90 (Unity PF) Power Modules and up to 4 additional M90 battery trays.	$ 29,820.00
Bundle	M90U-20k10BM	Xtreme Power M90U Series 20KVA/20kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 20kVA/20kW power module; ten (10) battery trays providing 21 minutes runtime at 20kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1228 lbs. Enclosure can accommodate up to 2 additional 20k M90 (Unity PF)Power Modules and up to 2 additional M90 battery trays.	$ 31,600.00
Bundle	M90U-20k12BM	Xtreme Power M90U Series 20KVA/20kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes one 20kVA/20kW power module; twelve (12) battery trays providing 26 minutes runtime at 20kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Warranty; . 20.3" W x 39.4" D x 54.0" H. 1364 lbs. Enclosure can accommodate up to 2 additional 20k M90 (Unity PF) Power Modules.	$ 33,380.00
Bundle	M90U-30k06BM	Xtreme Power M90U Series 30KVA/30kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes two 15kVA/15kW power modules; six (6) battery trays providing 6 minutes runtime at 30kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1029 lbs. Enclosure can accommodate up to 1 additional 15k M90 (Unity PF)Power Module and up to 6 additional M90 battery trays.	$ 32,940.00
Bundle	M90U-30k08BM	Xtreme Power M90U Series 30KVA/30kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes two 15kVA/15kW power modules; eight (8) battery trays providing 9 minutes runtime at 30kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1165 lbs. Enclosure can accommodate up to 1 additional 15k M90 (Unity PF)Power Module and up to 4 additional M90 battery trays.	$ 34,720.00
Bundle	M90U-30k10BM	Xtreme Power M90U Series 30KVA/30kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes two 15kVA/15kW power modules; ten (10) battery trays providing 12 minutes runtime at 30kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1300 lbs. Enclosure can accommodate up to 1 additional 15k M90 (Unity PF) Power Module and up to 2 additional M90 battery trays.	$ 36,500.00
Bundle	M90U-30k12BM	Xtreme Power M90U Series 30KVA/30kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes two 15kVA/15kW power modules; twelve (12) battery trays providing 16 minutes runtime at 30kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1436 lbs. Enclosure can accommodate up to 1 additional 15k M90 (Unity PF) Power Module.	$ 38,280.00
Bundle	M90U-40k08BM	Xtreme Power M90U Series 40KVA/40kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes two 20kVA/20kW power modules; eight (8) battery trays providing 6 minutes runtime at 40kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; . 20.3" W x 39.4" D x 54.0" H. 1166 lbs. Enclosure can accomodate 1 additional 20k M90 (Unity PF) Power Module and 4 additional battery trays.	$ 38,320.00
Bundle	M90U-40k10BM	Xtreme Power M90U Series 40KVA/40kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes two 20kVA/20kW power modules; ten (10) battery trays providing 8 minutes runtime at 40kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; . 20.3" W x 39.4" D x 54.0" H. 1302 lbs. Enclosure can accomodate 1 additional 20k M90 (Unity PF) Power Module and 2 additional battery trays.	$ 40,100.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U-40k12BM	Xtreme Power M90 Series 40KVA/40kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes two 20kVA/20kW power modules; twelve (12) battery trays providing 11 minutes runtime at 40kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; . 20.3" W x 39.4" D x 54.0" H. 1438 lbs. Enclosure can accommodate 1 additional 20k M90 (Unity PF) Power Module.	$ 41,880.00
Bundle	M90U-45k08BM	Xtreme Power M90U Series 45KVA/45kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes three 15kVA/15kW power modules; eight (8) battery trays providing 5 minutes runtime at 45kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1239 lbs. Enclosure can accommodate up to 4 additional M90 battery trays.	$ 41,420.00
Bundle	M90U-45k10BM	Xtreme Power M90U Series 45KVA/45kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes three 15kVA/15kW power modules; ten (10) battery trays providing 7 minutes runtime at 45kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1375 lbs. Enclosure can accommodate up to 2 additional M90 battery trays.	$ 43,200.00
Bundle	M90U-45k12BM	Xtreme Power M90U Series 45KVA/45kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes three 15kVA/15kW power modules; twelve (12) battery trays providing 9 minutes runtime at 45kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1511 lbs.	$ 44,980.00
Bundle	M90U-60k10BM	Xtreme Power M90U Series 60KVA/60kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes three 20kVA/20kW power modules; ten (10) battery trays providing 4 minutes runtime at 60kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1376 lbs. Enclosure can accommodate up to 2 additional M90 battery trays.	$ 48,600.00
Bundle	M90U-60k12BM	Xtreme Power M90U Series 60KVA/60kW modular online 208/120 VAC three-phase UPS enclosure with internal battery. Includes three 20kVA/20kW power modules; twelve (12) battery trays providing 6 minutes runtime at 60kVA load; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 54.0" H. 1512 lbs.	$ 50,380.00
M90L Bundles (for use with external batteries)			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90LU-15k	Xtreme Power M90LU Series 15KVA/15kW modular online 208/120 VAC three-phase UPS enclosure set up for external batteries. Includes one 15kVA/15kW power module; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 30.0" H. 300 lbs. Enclosure can accommodate up to 2 additional 15k M90 (Unity PF) Power Modules.	$ 17,000.00
Bundle	M90LU-20k	Xtreme Power M90LU Series 20KVA/20kW modular online 208/120 VAC three-phase UPS enclosure set up for external batteries. Includes one 20kVA/20kW power module; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 30.0" H. 301 lbs. Enclosure can accommodate up to 2 additional 20k M90 (Unity PF) Power Modules.	$ 18,800.00
Bundle	M90LU-30k	Xtreme Power M90LU Series 30KVA/30kW modular online 208/120 VAC three-phase UPS enclosure set up for external batteries. Includes two 15kVA/15kW power modules; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 30.0" H. 373 lbs. Enclosure can accommodate up to one additional 15k M90 (Unity PF) Power Module.	$ 23,700.00
Bundle	M90LU-40k	Xtreme Power M90LU Series 40KVA/40kW modular online 208/120 VAC three-phase UPS enclosure set up for external batteries. Includes two 20kVA/20kW power modules; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 30.0" H. 375 lbs. Enclosure can accommodate up to one additional 20k M90 (Unity PF) Power Module.	$ 27,300.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90LU-45k	Xtreme Power M90LU Series 45KVA/45kW modular online 208/120 VAC three-phase UPS enclosure set up for external batteries. Includes three 15kVA/15kW power modules; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 30.0" H. 446 lbs.	$ 30,400.00
Bundle	M90LU-60k	Xtreme Power M90 Series 60KVA/60kW modular online 208/120 VAC three-phase UPS enclosure set up for external batteries. Includes three 20kVA/20kW power modules; 5.7" LCD, static switch, and maintenance bypass switch ; 94% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCCA, RoHS; TAA Compliant; 2 Year Parts Warranty; Start-up and onsite labor is not included; . 20.3" W x 39.4" D x 30.0" H. 449 lbs.	$ 35,800.00
External M90-BC Battery for use with M90L UPS			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90-BC-04B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (4) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 756 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 16,300.00
Bundle	M90-BC-08B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (8) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1096 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 20,400.00
Bundle	M90-BC-12B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (12) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1436 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 24,500.00
Bundle	M90-BC-16B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (16) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1776 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 28,600.00
Bundle	M90-BC-20B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (20) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2116 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 32,700.00
Bundle	M90-BC-24B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (24) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2456 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 36,800.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90-BC-28B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (28) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2796 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 40,900.00
Bundle	M90-BC-32B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (32) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 3136 lbs. Battery modules shipped on separate pallet. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 45,000.00
External M90-BOS Battery for use with M90L UPS			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90-BOS-04B	M90L Matching Battery Cabinet with (4) M90-BATT battery trays. 20.3"W x 39.4"D x 30"H; 499 lbs. Can hold up to (8) additional M90-BATT battery trays.	$ 9,060.00
Bundle	M90-BOS-06B	M90L Matching Battery Cabinet with (6) M90-BATT battery trays. 20.3"W x 39.4"D x 30"H; 635 lbs. Can hold up to (6) additional M90-BATT battery trays.	$ 10,840.00
Bundle	M90-BOS-08B	M90L Matching Battery Cabinet with (8) M90-BATT battery trays. 20.3"W x 39.4"D x 30"H; 771 lbs. Can hold up to (4) additional M90-BATT battery trays.	$ 12,620.00
Bundle	M90-BOS-10B	M90L Matching Battery Cabinet with (10) M90-BATT battery trays. 20.3"W x 39.4"D x 30"H; 907 lbs. Can hold up to (2) additional M90-BATT battery trays.	$ 14,440.00
Bundle	M90-BOS-12B	M90L Matching Battery Cabinet with (12) M90-BATT battery trays. 20.3"W x 39.4"D x 30"H; 1043 lbs.	$ 16,180.00
External Maintenance Bypass Options (wallmount)			
Part Number	**Model**	**Description**	**List Price**
	90885-C208310ECA060A06013MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 60 A, **10kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 22"W x 24"H x 9"D; 55 lbs. **For Use with E91 15kVA and all M90 Family 15kVA UPS**	Call For Price
	90885-C208310ECA080A08013MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 60 A, **10kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 22"W x 24"H x 9"D; 55 lbs. **For Use with E91 20kVA and all M90 Family 20kVA UPS**	Call For Price
	90880-C208322ECA125A12502MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 125 A, **22kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 36"H x 10"D; 110 lbs. **For Use with E91 30kVA and all M90 Family 30kVA UPS**	Call For Price
	90880-C208322ECA175A17502MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 175 A, **22kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 36"H x 10"D; 110 lbs. **For Use with all M90 Family up to 45kVA UPS**	Call For Price
	90881-C208365ECA250A25002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 250 A, **65kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 42"H x 11"D; 125 lbs. **For Use with all M90 Family up to 60kVA**	Call For Price
Note:	You can add 24V SKRU to 90880, 90881, and 90843 (not 90885) Series switches. You must replace the "02" in the P/N with "44"		
Contact XPC for MBS with distribution and/or transformer options.			
Connectivity Options			
Part Number	**Model**	**Description**	**List Price**
90000566	SNMP-2P3	Internal two port SNMP/WEB Card for use with E91, M90(U) and X90 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMD Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 349.00
90000267	MODBUS-IN	MODBUS CARD for use with the E91, M90(U) and X90 Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
)000398	SNMP-EMD	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2P3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 180.00
90000498	M90-COMM	Extra Communications card for M90. Allows for (6) programmable Form C relay contact outputs, (2) external Form C contact inputs, and up to (4) optional external temperature probe inputs and provides an additional card slot for Web/SNMP card . Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 370.00
	M90-BTS	Battery Temperature Sensor. Allows M90 and X90 Series UPS to monitor battery temperature and provide temperature compensated battery charging. A single temperature sensor can connect to temperature port on UPS chassis. Up to four additional temperature sensors can be connected with optional M90-COMM communication card. Temperature sensor has 3 meter cable. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 66.00
Service Options			
Part Number	**Model**	**Description**	**List Price**

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000570	M90SUS81	M90, and M90L 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the power modules and Internal battery trays, where applicable, by the Startup technician.	$ 4,900.00
90000571	M90SUS82	M90, M90L, E90 and M90S 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the power modules and Internal battery trays, where applicable, by the Startup technician.	$ 5,500.00
90000593	M90SUS83	M90, M90L, E90 and M90S 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the power modules and Internal battery trays, where applicable, by the Startup technician.	$ 8,400.00
90000592	M90SU7242	M90, M90L, E90 and M90S 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the power modules and Internal battery trays, where applicable, by the Startup technician.	$ 7,150.00
90000647	M90SU7245	M90, M90L, E90 and M90S Startup 7x24 and 5 year On-Site Warranty. For Zone 1 (within 100 miles of XPC Service Center). Does not include preventative maintenance visits.	$ 17,900.00
90000594	M90EXW1YR	M90, M90L, E90 and M90S One year extention of factory warranty. This warranty covers parts and depot repair labor.	$ 3,200.00
90000648	M90PM724	M90, M90L, E90 and M90S Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,600.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00
90000730	MSOS3BM	On-Site 3 Year Warranty for M90-BCBAT Battery Module. Three year coverage includes replacement parts and on-site corrective maintenance. Services are 5x8. Purchase one On-Site 3 Year Warranty Plan for each M90-BCBAT Battery Module. Startup with 3 year on-site must be purchased for the M90 UPS System.	$ 350.00
M90U-80 and M90U-140 Series (Unity PF) Modular Double Conversion Three-Phase Detailed Price Sheet			
M90U-80 Series Ala Carte Solutions			
99000874	M90-ENC80 (Unity PF)	Xtreme Power M90U-80 Series (Unity PF) modular online 208/120 VAC three-phase UPS enclosure set up for internal or external battery (no internal batteries). Includes 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch , hot swappable internal batteries; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS, Energy Star; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 657 lbs. Enclosure can accomodate up to 4 x 15kVA or 20kVA M90 (Unity PF)Power Modules for up to 80KVA capacity and up to 16 x M90-80BAT battery modules. Power modules, internal battery modules and external battery ordered separately.	$ 20,000.00
99000870	M90-140-ENC (Unity PF)	Xtreme Power M90-140 Series (Unity PF) modular online 208/120 VAC three-phase UPS enclosure set up for external battery (no internal batteries). Includes 10" LCD touch screen, front mounted front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 657 lbs. Enclosure can accomodate up to 8 x 20kVA or 15kVA M90 (Unity PF) Power Modules for maximum 140KVA N+1 capacity. Power modules and external battery ordered separately.	$ 26,000.00
99000870	M90-PWRM (Unity PF)	Xtreme Power M90U Series 20kVA/20kW power module. 208/120 VAC three-phase; 19.5" W x 29.5" D x 5.5" H. 74 lbs. Unity PF	$ 8,500.00
99000871	M90-PWRM15 (Unity PF)	Xtreme Power M90U Series 15kVA/15kW power module. 208/120 VAC three-phase; 19.5" W x 29.5" D x 5.5" H. 73 lbs. Unity PF	$ 6,700.00
90000763	M90-80BAT	Internal Battery Module for M90-80 UPS. Contains (10) CSB 12580 Batteries each, 2 battery modules required per string, must be purchased in multiplies of 2, (xx) battery modules will provide __ **minutes runtime @ ___kW load,** Dims: 4.3"W x 28.5"D x 6.5"H, Weight 70 lbs.	$ 990.00
90000716	M90-BC	M90-80 and M90-140 Matching External Modular Battery Cabinet. Holds up to (32) x M90-BCBAT Battery Modules; 2 Year Warranty, Dims 23.6"W x 43.3"D x 79.1"H, Weight 416 lbs. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 12,200.00
90000764	M90-BCBAT	Battery Module for M90-BC External Battery Cabinet. Contains (5) CSB HR1290 Batteries each, 4 battery modules required per string, must be purchased in multiplies of 4, (xx) battery modules will provide ___ **minutes runtime @ ___kW load,** Dims: 7.3"W x 38.5"D x 3.2"H, Weight 85 lbs.	$ 1,025.00
90000850	M90-80BT	Empty Battery Tray for M90-80. Each tray can hold 10 x 12V, 9AH batteries per tray. Two trays required for a full string. Dims; 4.3"H x 28.5" D x 6.5" H, 15 lbs. Includes battery to battery cabling. Batteries ordered seperately.	$ 500.00
90000851	M90-BCBT	Empty Battery Tray for M90-BC. Each Tray can hold 5 x 12V, 20AH batteries per tray. Four trays required for a full string. Dims; 7.3"H x 38.5" D x 3.2" H, 14 lbs. Includes battery to battery cabling. Batteries ordered seperately.	$ 525.00
90000767	M90-BUS	Bus Bar Kit for paralleled M90-BC External Battery Cabinets. Dims: 20"W x 4"D x 2.5"H, Weight 9 lbs.	$ 500.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90001213	M90-CBL	Cable kit for connecting M90-BC battery cabinet to M90U-140 or M90U-80 UPS. Includes 8' cables and lugs. Pricing for longer length cables is available upon request. Quantity 2 required for M90U-140 UPS Systems.	$ 1,050.00
	M90U80-SEIS	Xtreme Power M90-ENC80 Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: 15 lbs. Requires site specific information to be submitted at time of order. One Kit required for each UPS .	$ 1,900.00
	M90U140-SEIS	Xtreme Power M90-ENC140 Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: 15 lbs. Requires site specific information to be submitted at time of order. One Kit required for each UPS .	$ 1,900.00
	M90BC-SEIS	Xtreme Power M90-BC Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: 15 lbs. Requires site specific information to be submitted at time of order. One Kit required for each M90-BC battery cabinet.	$ 1,900.00
M90U-80 Series UPS Bundled Solutions with 20kVA Unity PF Power Modules			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90U80-20K00B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (1) Power Module, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 731 lbs. Enclosure can accomodate up to 4 x 20kVA M90 Power Modules for 80KVA capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 28,500.00
Bundle	M90U80-20K04B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (4) M90-80BAT Battery Modules providing 6 minutes runtime at 20KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1011 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 32,460.00
Bundle	M90U80-20K06B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (6) M90U-80BAT Battery Modules providing 11 minutes runtime at 20KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1151 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 34,440.00
Bundle	M90U80-20K08B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (8) M90-80BAT Battery Modules providing 16 minutes runtime at 20KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1291 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 36,420.00
Bundle	M90U80-20K10B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (10) M90-80BAT Battery Modules providing 21 minutes runtime at 20KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1431 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 38,400.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U80-20K12B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (12) M90-80BAT Battery Modules providing 26 minutes runtime at 20KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1571 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 40,380.00
Bundle	M90U80-20K14B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (14) M90-80BAT Battery Modules providing 31 minutes runtime at 20KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1711 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 42,360.00
Bundle	M90U80-20K16B	Xtreme Power M90U-80 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (16) M90-80BAT Battery Modules providing 37 minutes runtime at 20KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1851 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity. Power and battery modules shipped on separate pallet. Additional power modules ordered separately.	$ 44,340.00
Bundle	M90U80-40K00B	Xtreme Power M90U-80 Series bundle; 40KVA/40KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (2) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch ; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 805 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 37,000.00
Bundle	M90U80-40K08B	Xtreme Power M90U-80 Series bundle; 40KVA/40KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (8) M90-80BAT Battery Modules providing 6 minutes runtime at 40kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1365 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 44,920.00
Bundle	M90U80-40K10B	Xtreme Power M90U-80 Series bundle; 40KVA/40KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (10) M90-80BAT Battery Modules providing 8 minutes runtime at 40kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1505 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 46,900.00
Bundle	M90U80-40K12B	Xtreme Power M90U-80 Series bundle; 40KVA/40KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (12) M90U-80BAT Battery Modules providing 11 minutes runtime at 40kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1645 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 48,880.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U80-40K14B	Xtreme Power M90U-80 Series bundle; 40KVA/40KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (14) M90-80BAT Battery Modules providing 13 minutes runtime at 40kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1785 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 50,860.00
Bundle	M90U80-40K16B	Xtreme Power M90U-80 Series bundle; 40KVA/40KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (16) M90-80BAT Battery Modules providing 13 minutes runtime at 40kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1925 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity. Power and battery modules shipped on separate pallet. Additional power modules ordered separately.	$ 52,840.00
Bundle	M90U80-60K00B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (3) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 879 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 45,500.00
Bundle	M90U80-60K10B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (10) M90-80BAT Battery Modules providing 4 minutes runtime at 60kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1579 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime.. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 55,400.00
Bundle	M90U80-60K12B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (12) M90-80BAT Battery Modules providing 6 minutes runtime at 60kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1719 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime.. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 57,380.00
Bundle	M90U80-60K14B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (14) M90-80BAT Battery Modules providing 8 minutes runtime at 60kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1859 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity and up to 16 battery modules for longer runtime.. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 59,360.00
Bundle	M90U80-60K16B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (16) M90-80BAT Battery Modules providing 9 minutes runtime at 60kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1999 lbs. Enclosure can accomodate up to 4 x 20kVA M90 (Unity PF) Power Modules for 80KVA capacity. Power and battery modules shipped on separate pallet. Additional power modules ordered separately.	$ 61,340.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U80-80K00B	Xtreme Power M90U-80 Series bundle; 80KVA/80KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (4) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 953 lbs. Power module(s) shipped on separate pallet. External battery ordered separately.	$ 54,000.00
Bundle	M90U80-80K14B	Xtreme Power M90U-80 Series bundle ; 80KVA/80KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (4) Power Modules, (14) M90-80BAT Battery Modules providing 4 minutes runtime at 80kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1933 lbs. Enclosure can accomodate up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional battery modules ordered separately.	$ 67,860.00
Bundle	M90U80-80K16B	Xtreme Power M90U-80 Series bundle ; 80KVA/80KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (4) Power Modules, (16) M90-80BAT Battery Modules providing 6 minutes runtime at 80kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 2073 lbs. Power and battery modules shipped on separate pallet.	$ 69,840.00
M90U-80 Series UPS Bundled Solutions W/ 15kVA Unity PF Power Modules			
Bundle	M90U80-15k00B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (1) Power Module, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 730 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 26,700.00
Bundle	M90U80-15k04B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (4) M90-80BAT Battery Modules providing 9 minutes runtime at 15KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1010 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 30,660.00
Bundle	M90U80-15k06B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (6) M90-80BAT Battery Modules providing 16 minutes runtime at 15KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1150 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 32,640.00
Bundle	M90U80-15k08B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (8) M90-80BAT Battery Modules providing 22 minutes runtime at 15KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1290 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 34,620.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U80-15k10B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (10) M90-80BAT Battery Modules providing 29 minutes runtime at 15KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1430 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 36,600.00
Bundle	M90U80-15k12B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (12) M90-80BAT Battery Modules providing 37 minutes runtime at 15KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1570 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 38,580.00
Bundle	M90U80-15k14B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (14) M90-80BAT Battery Modules providing 44 minutes runtime at 15KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1710 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 40,560.00
Bundle	M90U80-15k16B	Xtreme Power M90U-80 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (1) Power Module, (16) M90-80BAT Battery Modules providing 52 minutes runtime at 15KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1850 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity. Power and battery modules shipped on separate pallet. Additional power modules ordered separately.	$ 42,540.00
Bundle	M90U80-30k00B	Xtreme Power M90U-80 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (2) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 803 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 33,400.00
Bundle	M90U80-30k06B	Xtreme Power M90U-80 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (6) M90-80BAT Battery Modules providing 6 minutes runtime at 30kW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1223 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 39,340.00
Bundle	M90U80-30k08B	Xtreme Power M90U-80 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (8) M90-80BAT Battery Modules providing 9 minutes runtime at 30KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1363 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 41,320.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U80-30k10B	Xtreme Power M90U-80 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (10) M90-80BAT Battery Modules providing 12 minutes runtime at 30KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1503 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 43,300.00
Bundle	M90U80-30k12B	Xtreme Power M90U-80 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (12) M90-80BAT Battery Modules providing 16 minutes runtime at 30KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1643 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 45,280.00
Bundle	M90U80-30k14B	Xtreme Power M90U-80 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (14) M90-80BAT Battery Modules providing 19 minutes runtime at 30KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1783 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 47,260.00
Bundle	M90U80-30k16B	Xtreme Power M90U-80 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (2) Power Modules, (16) M90-80BAT Battery Modules providing 22 minutes runtime at 30KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1923 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity. Power and battery modules shipped on separate pallet. Additional power modules ordered separately.	$ 49,240.00
Bundle	M90U80-45k00B	Xtreme Power M90U-80 Series bundle; 45KVA/45KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (3) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 876 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 40,100.00
Bundle	M90U80-45k08B	Xtreme Power M90U-80 Series bundle; 45KVA/45KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (8) M90-80BAT Battery Modules providing 5 minutes runtime at 45KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1436 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 48,020.00
Bundle	M90U80-45k10B	Xtreme Power M90U-80 Series bundle; 45KVA/45KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (10) M90-80BAT Battery Modules providing 7 minutes runtime at 45KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1576 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 50,000.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U80-45k12B	Xtreme Power M90U-80 Series bundle; 45KVA/45KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (12) M90-80BAT Battery Modules providing 9 minutes runtime at 45KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1716 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 51,980.00
Bundle	M90U80-45k14B	Xtreme Power M90U-80 Series bundle; 45KVA/45KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (14) M90-80BAT Battery Modules providing 11 minutes runtime at 45KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1856 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity and up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional power and battery modules ordered separately.	$ 53,960.00
Bundle	M90U80-45k16B	Xtreme Power M90U-80 Series bundle; 45KVA/45KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (3) Power Modules, (16) M90-80BAT Battery Modules providing 14 minutes runtime at 45KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1996 lbs. Enclosure can accomodate up to 4 x 15kVA M90 (Unity PF) Power Modules for 60KVA capacity. Power and battery modules shipped on separate pallet. Additional power modules ordered separately.	$ 55,940.00
Bundle	M90U80-60Ka00B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (4) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 949 lbs. Power module(s) shipped on separate pallet.	$ 46,800.00
Bundle	M90U80-60Ka10B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (4) Power Modules, (10) M90-80BAT Battery Modules providing 4 minutes runtime at 60KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1889 lbs. Enclosure can accomodate up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional battery modules ordered separately.	$ 56,700.00
Bundle	M90U80-60Ka12B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (4) Power Modules, (12) M90-80BAT Battery Modules providing 6 minutes runtime at 60KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 2029 lbs. Enclosure can accomodate up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional battery modules ordered separately.	$ 58,680.00
Bundle	M90U80-60Ka14B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (4) Power Modules, (14) M90-80BAT Battery Modules providing 8 minutes runtime at 60KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 2169 lbs. Enclosure can accomodate up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet. Additional battery modules ordered separately.	$ 60,660.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U80-60Ka16B	Xtreme Power M90U-80 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS with internal battery. Includes (4) Power Modules, (16) M90-80BAT Battery Modules providing 9 minutes runtime at 60KW load, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 2309 lbs. Enclosure can accomodate up to 16 battery modules for longer runtime. Power and battery modules shipped on separate pallet.	$ 62,640.00
M90U-140 Series UPS Bundled Solutions with 20kVA Unity PF Power Modules (no batteries)			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90U140-20K	Xtreme Power M90-140 Series bundle; 20KVA/20KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (1) Power Module, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 731 lbs. Enclosure can accomodate up to 8 x 20kVA M90 (Unity PF) Power Modules for 140KVA N+1 capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 34,500.00
Bundle	M90U140-40K	Xtreme Power M90-140 Series bundle; 40KVA/40KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (2) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 805 lbs. Enclosure can accomodate up to 8 x 20kVA M90 (Unity PF) Power Modules for 140KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 43,000.00
Bundle	M90U140-60K	Xtreme Power M90-140 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (3) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 879 lbs. Enclosure can accomodate up to 8 x 20kVA M90 (Unity PF) Power Modules for 140KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 51,500.00
Bundle	M90U140-80K	Xtreme Power M90-140 Series bundle; 80KVA/80KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (4) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 953 lbs. Enclosure can accomodate up to 8 x 20kVA M90 (Unity PF) Power Modules for 140KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 60,000.00
Bundle	M90U140-100K	Xtreme Power M90-140 Series bundle; 100KVA/100KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (5) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1027 lbs. Enclosure can accomodate up to 8 x 20kVA M90 (Unity PF) Power Modules for 140KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 68,500.00
Bundle	M90U140-120K	Xtreme Power M90-140 Series bundle; 120KVA/120KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (6) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1101 lbs. Enclosure can accomodate up to 8 x 20kVA M90 (Unity PF) Power Modules for 140KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 77,000.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U140-140K	Xtreme Power M90-140 Series bundle; 140KVA/140KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (7) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1175 lbs. Enclosure can accomodate up to 8 x 20kVA M90 (Unity PF) Power Modules for 140KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 85,500.00
Bundle	M90U140-140KN1	Xtreme Power M90-140 Series bundle; 140KVA/140KW (N+1); Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (8) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1249 lbs. Power Modules shipped on separate pallet. External battery ordered separately.	$ 94,000.00
M90U-140 Series UPS Bundled Solutions with 15kVA Unity PF Power Modules (no batteries)			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90U140-15K	Xtreme Power M90-140 Series bundle; 15KVA/15KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (1) Power Module, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 730 lbs. Enclosure can accomodate up to 8 x 15kVA M90 (Unity PF) Power Modules for 105KVA N+1 capacity. Power module(s) shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 32,700.00
Bundle	M90U140-30K	Xtreme Power M90-140 Series bundle; 30KVA/30KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (2) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 803 lbs. Enclosure can accomodate up to 8 x 15kVA M90 (Unity PF) Power Modules for 105KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 39,400.00
Bundle	M90U140-45K	Xtreme Power M90-140 Series bundle; 45KVA/45KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (3) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 876 lbs. Enclosure can accomodate up to 8 x 15kVA M90 (Unity PF) Power Modules for 105KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 46,100.00
Bundle	M90U140-60Ka	Xtreme Power M90-140 Series bundle; 60KVA/60KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (4) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 949 lbs. Enclosure can accomodate up to 8 x 15kVA M90 (Unity PF) Power Modules for 105KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 52,800.00
Bundle	M90U140-75K	Xtreme Power M90-140 Series bundle;75KVA/75KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (5) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1022 lbs. Enclosure can accomodate up to 8 x 15kVA M90 (Unity PF) Power Modules for 105KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 59,500.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90U140-90K	Xtreme Power M90-140 Series bundle; 90KVA/90KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (6) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1095 lbs. Enclosure can accomodate up to 8 x 15kVA M90 (Unity PF) Power Modules for 105KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 66,200.00
Bundle	M90U140-105K	Xtreme Power M90-140 Series bundle; 105KVA/105KW; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (7) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1169 lbs. Enclosure can accomodate up to 8 x 15kVA M90 (Unity PF) Power Modules for 105KVA N+1 capacity. Power Modules shipped on separate pallet. Additional power modules and external battery ordered separately.	$ 72,900.00
Bundle	M90U140-105KN1	Xtreme Power M90-140 Series bundle; 105KVA/105KW N+1; Modular online 208/120 VAC three-phase UPS set up for external battery (no internal batteries). Includes (7) Power Modules, 10" LCD touch screen, front mounted maintenance bypass with static switch interlock, modular static switch; up to 94.1% efficiency in online mode or 98% efficiency in ECO mode; communication port; UL-1778 (TUV), cUL, FCC A, RoHS; TAA Compliant ; 2 Year Parts Warranty; Start-up and onsite labor is not included; 23.6"W x 43.3"D x 79.1"H; 1242 lbs. Power Modules shipped on separate pallet. External battery ordered separately.	$ 79,600.00
M90-BC Modular Battery Cabinet Bundles			
Part Number	**Model**	**Description**	**List Price**
Bundle	M90-BC-04B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (4) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 756 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 16,300.00
Bundle	M90-BC-08B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (8) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1096 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 20,400.00
Bundle	M90-BC-12B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (12) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1436 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 24,500.00
Bundle	M90-BC-16B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (16) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 1776 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 28,600.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	M90-BC-20B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (20) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2116 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 32,700.00
Bundle	M90-BC-24B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (24) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2456 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 36,800.00
Bundle	M90-BC-28B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (28) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accomodate up to 32 battery modules for longer runtime. Battery modules must be added in sets of four. Each battery string (4 modules) protected by a 100A breaker.Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 2796 lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 40,900.00
Bundle	M90-BC-32B	Xtreme Power M90-BC Modular Battery Cabinet bundle. Includes M90-BC Battery Cabinet and (32) M90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Each battery string (4 modules) protected by a 100A breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 43.3"D x 79.1"H; 3136 lbs. Battery modules shipped on separate pallet. Up to 2 battery cabinets can be paralleled with M90-BUS option. Battery Cabinet to UPS Cable not included. Optional M90-CBL - Battery Cabinet to M9080 or M90140 Cable Available.	$ 45,000.00

External Maintenance Bypass Options

Part Number	Model	Description	List Price
	90881-C208365ECA250A25002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 250 A, **65kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 42"H x 11"D; 125 lbs. **For Use with all M90 Family up to 60kVA**	Call For Price
	90881-C208365ECA300A30002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 300 A, **65kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 42"H x 11"D; 125 lbs. **For Use with all M90 Family up to 75kVA**	Call For Price
	90881-C208365ECA350A35002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 350 A, **65kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 42"H x 11"D; 125 lbs. **For Use with all M90 Family up to 80kVA**	Call For Price
	90881-C208365ECA400A40002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 400 A, **65kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 30"W x 42"H x 11"D; 125 lbs. **For Use with all M90 Family up to 105kVA**	Call For Price
	90882-C208365ECA500A50002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 500 A, **65kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 36"W x 48"H x 13.5"D; 165 lbs. **For Use with all M90 Family up to 120kVA**	Call For Price
	90882-C208365ECA600A60002MB	Three-Breaker Maintenance Bypass Switch; 208VAC, 600 A, **65kAIC**; Wallmount; includes Bypass Input Breaker, Maintenance Isolation Breaker, and Maintenance Bypass Breaker, kirk-key locks, lockable front panel. 36"W x 48"H x 13.5"D; 165 lbs. **For Use with all M90 Family up to 140kVA**	Call For Price

Contact XPC for MBS with distribution and/or transformer options.

Connectivity Options

Part Number	Model	Description	List Price
90000566	SNMP-2P3	Internal two port SNMP/WEB Card for use with E91, M90(U) and X90 Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-EMD Environmental Monitor; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 349.00
90000267	MODBUS-IN	MODBUS CARD for use with the E91, M90(U) and X90 Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000398	SNMP-EMD	Environmental Monitoring Sensor to monitor room temperature and humidity - used with SNMP-2P3 SNMP/WEB Card. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 180.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000498	M90-COMM	Extra Communications card for M90. Allows for (6) programmable Form C relay contact outputs, (2) external Form C contact inputs, and up to (4) optional external temperature probe inputs and provides an additional card slot for Web/SNMP card . Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 370.00
	M90-BTS	Battery Temperature Sensor. Allows M90 and X90 Series UPS to monitor battery temperature and provide temperature compensated battery charging. A single temperature sensor can connect to temperature port on UPS chassis. Up to four additional temperature sensors can be connected with optional M90-COMM communication card. Temperature sensor has 3 meter cable. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 66.00
Service Options			
Part Number	**Model**	**Description**	**List Price**
90000768	M90814SU581	M90-80 and M90-140 5x8 Startup and 1 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center) StartUP includes installation of the M90 power modules and Internal battery trays by the startup technician.	$ 5,900.00
90000769	M90814SU582	M90-80 and M90-140 5x8 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the M90 power modules and Internal battery trays by the startup technician.	$ 6,500.00
90000770	M90814SU583	M90-80 and M90-140 5x8 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the M90 power modules and Internal battery trays by the startup technician.	$ 9,600.00
90000772	M90814SU72	M90-80 and M90-140 7x24 Startup and 2 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the M90 power modules and Internal battery trays by the startup technician.	$ 8,450.00
90000773	M90814SU73	M90-80 and M90-140 7x24 Startup and 3 year on-site warranty. For Zone 1 (within 100 miles of XPC Service Center). StartUP includes installation of the M90 power modules and Internal battery trays by the startup technician.	$ 11,700.00
90000774	M90814EX1	M90-80 and M90-140 One year extention of factory warranty. This warranty covers parts and depot repair labor, extending standard factory warranty to 3yrs.	$ 4,200.00
90000775	M90814PM7	M90-80 and M90-140 Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 4,900.00
90000730	MSOS3BM	On-Site 3 Year Warranty for M90-BCBAT Battery Module. Three year coverage includes replacement parts and on-site corrective maintenance. Services are 5x8. Purchase one On-Site 3 Year Warranty Plan for each M90-BCBAT Battery Module. Startup with 3 year on-site must be purchased for the M90 UPS System.	$ 350.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,050.00
X90 2-Slot 50-140kVA			
X90-2S Series Ala Carte Solutions			
90001013	X90-ENC2S	X90-2S Series (Unity PF) modular online 480VAC three-phase, 3-wire top entry UPS enclosure set up for internal and/or external battery (no internal batteries included). Includes 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 657 lbs. Enclosure can accommodate up to 2 x 50kVA/kW or 70kVA/kW X90 Power Modules for up to 140KVA/kW capacity and up to 20 x X90-BCBAT battery modules. Power modules, internal battery modules and external battery ordered separately.	$ 35,700.00
90001016	X90-2SPM50	Xtreme Power X90 50kVA/50kW power module. 480 VAC three-phase; 19.5" W x 29.5" D x 5.5" H. 104 lbs.	$ 9,600.00
90001017	X90-2SPM70	Xtreme Power X90 Series 70kVA/70kW power module. 208/120 VAC three-phase; 19.5" W x 29.5" D x 5.5" H. 105 lbs.	$ 10,500.00
90001066	X90-BC	X90 Matching External Modular Battery Cabinet. Holds up to (36) x X90-BCBAT Battery Modules; 2 Year Warranty, Dims 23.6"W x 42"D x 79"H, Weight 416 lbs.	$ 6,500.00
90001067	X90-BCBAT	Battery Module for X90-2S Internal or X90-BC External Battery Cabinet. Contains (10) CSB 12580 Batteries each, 4 battery modules required per string, must be purchased in multiplies of 4, (xx) battery modules will provide ___ **minutes runtime @ ___kW load,** Dims: 4.3"W x 28.5"D x 6.5"H, Weight 70 lbs.	$ 990.00
90001076	X90-BCBT	Empty Battery Tray for X90-2S or X90-BC. Each Tray can hold (10) CSB 12580 batteries per tray. Four trays required for a full string. Dims; 4.3"W x 28.5"D x 6.5"H, 15 lbs. Includes battery to battery cabling. Batteries ordered separately.	$ 500.00
90001071	X90-SC2S	Side car for bottom entry. Dims: 6.1"W x 42"D x 79"H	$ 900.00
90001075	X90-SEIS	Xtreme Power X90-2S Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: TBD lbs. Requires site specific information to be submitted at time of order. One Kit required for each X90-2S UPS.	$ 1,900.00
	X90BC-SEIS	Xtreme Power X90-BC Seismic Anchor Kit. Includes Site Specific Seismic Calculations with State of California Engineer Stamp. Lead time 3-4 weeks ARO. Weight: TBD lbs. Requires site specific information to be submitted at time of order. One Kit required for each X90-BC battery cabinet.	$ 1,900.00
X90-2S Series UPS Bundled Solutions with 50kVA Unity PF Power Modules			
Part Number	**Model**	**Description**	**List Price**

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	X902S-50K00B	Xtreme Power X90-2S Series bundle; 50KVA/50KW; Modular online 480VAC three-phase, 3-Wire top entry UPS set up for external battery (no internal batteries). Includes (1) Power Module, static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included**; 23.6"W x 42"D x 79"H; 761 lbs. Enclosure can accommodate up to 2 x 50kVA/kW X90 Power Modules for up to 100KVA/kW capacity and up to 20 x X90-BCBAT battery modules. External battery ordered separately. Power Modules ship on a separate pallet.	$ 45,300.00
Bundle	X902S-50K12B	Xtreme Power X90-2S Series bundle; 50KVA/50KW; Modular online 480VAC three-phase, 3-Wire top entry UPS. Includes (1) Power Module, (12) X90-BCBAT providing approximately 8 minutes at 50kW load; static switch,10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 1601 lbs. Enclosure can accommodate up to 2 x 50kVA/kW X90 Power Modules for up to 100KVA/kW capacity and up to 20 x X90-BCBAT battery modules. Power and Battery Modules ship on a separate pallet.	$ 57,180.00
Bundle	X902S-50K16B	Xtreme Power X90-2S Series bundle; 50KVA/50KW; Modular online 480VAC three-phase, 3-Wire top entry UPS. Includes (1) Power Module, (16) X90-BCBAT providing approximately 12 minutes at 50kW load, static switch; 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 1881 lbs. Enclosure can accommodate up to 2 x 50kVA/kW X90 Power Modules for up to 100KVA/kW capacity and up to 20 x X90-BCBAT battery modules. Power and Battery Modules ship on a separate pallet.	$ 61,140.00
Bundle	X902S-50K20B	Xtreme Power X90-2S Series bundle; 50KVA/50KW; Modular online 480VAC three-phase, 3-Wire top entry UPS. Includes (1) Power Module, (20) X90-BCBAT providing approximately 16 minutes at 50kW load; static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant; **Start-up (5x8) and 2-Year on-site warranty are included**; 23.6"W x 42"D x 79"H; 2161 lbs. Enclosure can accommodate up to 2 x 50kVA/kW X90 Power Modules for up to 100KVA/kW capacity and up to 20 x X90-BCBAT battery modules. Power and Battery Modules ship on a separate pallet.	$ 65,100.00
Bundle	X902S-100K00B	Xtreme Power X90-2S Series bundle; 100KVA/100KW; Modular online 480VAC three-phase, 3-Wire top entry UPS set up for external battery (no internal batteries). Includes (2) Power Modules, static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 865 lbs. Enclosure can accommodate up to 20 x X90-BCBAT battery modules. External battery cabinet ordered separately. Power Modules ship on a separate pallet.	$ 54,900.00
Bundle	X902S-100K20B	Xtreme Power X90-2S Series bundle; 100KVA/100KW; Modular online 480VAC three-phase, 3-Wire top entry UPS. Includes (2) Power Module, (20) X90-BCBAT providing approximately 6 minutes at 100kW load; static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 2265 lbs. Power and Battery Modules ship on a separate pallet.	$ 74,700.00
X90-2S Series UPS Bundled Solutions W/ 70kVA Unity PF Power Modules			
Bundle	X902S-70k00B	Xtreme Power X90-2S Series bundle; 70KVA/70KW; Modular online 480VAC three-phase, 3-Wire top entry UPS set up for external battery (no internal batteries). Includes (1) Power Module, static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 762 lbs. Enclosure can accommodate up to 2 x 70kVA/kW X90 Power Modules for up to 140KVA/kW capacity and up to 20 x X90-BCBAT battery modules. External battery ordered separately. Power Modules ship on a separate pallet.	$ 46,200.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	X902S-70k16B	Xtreme Power X90-2S Series bundle; 70KVA/70KW; Modular online 480VAC three-phase, 3-Wire top entry UPS. Includes (1) Power Module, (16) X90-BCBAT providing approximately 8 minutes at 70kW load; static switch, 10" LCD touch screen, front mounted 65kAIC maintenance bypass with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty is included;** 23.6"W x 42"D x 79"H; 1882 lbs. Enclosure can accommodate up to 2 x 70kVA/kW X90 Power Modules for up to 140KVA/kW capacity and up to 20 x X90-BCBAT battery modules. Power and Battery Modules ship on a separate pallet.	$ 62,040.00
Bundle	X902S-70k20B	Xtreme Power X90-2S Series bundle; 70KVA/70KW; Modular online 480VAC three-phase, 3-Wire top entry UPS. Includes (1) Power Module, (20) X90-BCBAT providing approximately 10 minutes at 70kW load; static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 2162 lbs. Enclosure can accommodate up to 2 x 70kVA/kW X90 Power Modules for up to 140KVA/kW capacity and up to 20 x X90-BCBAT battery modules. Power and Battery Modules ship on a separate pallet.	$ 66,000.00
Bundle	X902S-140k00B	Xtreme Power X90-2S Series bundle; 140KVA/140KW; Modular online 480VAC three-phase, 3-Wire top entry UPS set up for external battery (no internal batteries). Includes (2) Power Modules, static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** 23.6"W x 42"D x 79"H; 867 lbs. Enclosure can accommodate up to 20 x X90-BCBAT battery modules. External battery cabinet ordered separately. Power Modules ship on a separate pallet.	$ 56,700.00
Bundle	X902S-140k28B	Xtreme Power X90-2S Series bundle; 140KVA/140KW; Modular online 480VAC three-phase, 3-Wire top entry UPS. Includes (2) Power Modules, X90-BC with (28) X90-BCBAT providing approximately 6 minutes at 140kW load; static switch, 10" LCD touch screen, front mounted **65kAIC maintenance bypass** with static switch interlock, hot swappable internal batteries; up to 96.5% efficiency in online mode or 99% efficiency in ECO mode; communication port; UL-1778, cUL, FCC A, RoHS, TAA Compliant ; **Start-up (5x8) and 2-Year on-site warranty are included;** UPS and Battery cabinet each 23.6"W x 42"D x 79"H; UPS 867lbs, X90-BC 2376lbs. Power and Battery Modules ship on a separate pallet.	$ 90,920.00
X90-BC Modular Battery Cabinet Bundles			
Part Number	Model	Description	List Price
Bundle	X90BC-04B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (4) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 696lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 10,460.00
Bundle	X90BC-08B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (8) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 976lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 14,420.00
Bundle	X90BC-12B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (12) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 1256lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 18,380.00
Bundle	X90BC-16B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (16) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ;23.6"W x 42"D x 79"H; 1536lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 22,340.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

Bundle	X90BC-20B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (20) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 1816lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 26,300.00
Bundle	X90BC-24B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (24) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 2096lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 30,260.00
Bundle	X90BC-28B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (28) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 2376lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 34,220.00
Bundle	X90BC-32B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (32) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Enclosure can accommodate up to 36 battery modules for longer runtime. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 2656lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 38,180.00
Bundle	X90BC-36B	Xtreme Power X90-BC Modular Battery Cabinet bundle. Includes X90-BC Battery Cabinet and (36) X90-BCBAT Battery Modules providing __ minutes runtime at __kW load. Battery modules must be added in sets of four. Battery Cabinet protected by a breaker. Two Year Parts Warranty; UL-1778 (TUV), cUL, FCC A, RoHS, TAA Compliant ; 23.6"W x 42"D x 79"H; 2936lbs. Battery modules shipped on separate pallet. Additional battery modules ordered separately. Up to 2 battery cabinets can be paralleled.	$ 42,140.00
Connectivity Options			
Part Number	**Model**	**Description**	**List Price**
90001245	SNMP-2PG1	Internal two port SNMP/WEB Card for use with X90, M90C, M90, M90L E91, and M90S Series UPS; Allows for monitoring and management of UPS through a web browser or SNMP platform: Provides shutdown of remote clients via LAN, and Email Notification of UPS status and events. Compatible with SNMP-TMPH temperature and humidity probe; Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 649.00
90000267	MODBUS-IN	MODBUS CARD for use with the E91, M90(U) and X90 Series UPS; packaging = 7.25" x 6" x 2.5", 1 lbs	$ 319.00
90000398	SNMP-TMPH	Temperature and humidity Probe - used with SNMP-2PG1 SNMP/WEB Card. Packaging = 7.25"W x 6.0"D x 2.5"H, 1.0 lbs	$ 299.00
	M90-BTS	Battery Temperature Sensor. Allows M90 and X90 Series UPS to monitor battery temperature and provide temperature compensated battery charging. A single temperature sensor can connect to temperature port on UPS chassis. Up to four additional temperature sensors can be connected with optional M90-COMM communication card. Temperature sensor has 3 meter cable. Packaging = 5.7"W x 5.2"D x 1.7"H, 0.3 lbs	$ 66.00
Service Options			
Part Number	**Model**	**Description**	**List Price**
90001248	X902SSU583	Upgrade standard warranty to 3 years. Includes (1) PM (5x8) to be performed at beginning of year three. Must be purchased concurrently with equipment. Zone 1 - within 100 miles of XPC Service Center.	$ 6,500.00
90001249	X902SSU72	Upgrade standard warranty to include 7x24 coverage. Must be purchased concurrently with equipment. Zone 1 - within 100 miles of XPC Service Center.	$ 2,800.00
90001250	X902SSU73	Upgrade standard warranty to 3 years and 7x24 coverage. Includes (1) PM (7x24) to be performed at beginning of year three. Must be purchased concurrently with equipment. Zone 1 - within 100 miles of XPC Service Center.	$ 9,300.00
90001251	X902S1YREE	X90 One-year extension of factory on-site warranty, **electronics only**. This warranty covers parts and labor, extending standard factory warranty by 1yr. Includes (1) PM (7x24) to be performed at beginning of the extension year. Maximum of 5 years.	$ 8,800.00
90001252	X902SPM7	X90-2S Preventative Maintenance Service, 7x24. For Zone 1 (within 100 miles of XPC Service Center).	$ 5,800.00
90000538	SVCADD	Service adder for locations further than 100 miles.	$ 1,200.00
XPDU SERIES			
Switched PDU			
Part Number	**Model**	**Description**	**List Price**

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000460	SPD-0215	Xtreme Power XPDU Series Switched Power PDU with C14 Power inlet with removeable 5-15P to C13 power cord; (2) 5-15/20R output receptacles each independently power controlled via included SNMP Port and Software; 2-Year Warranty; 6"W x 6.8"D x 1.9"H, 2.0 lbs	$ 519.00
90000765	J40SP	Xtreme Power XPDU Series, Ultra Slim Switched Power PDU with IEC-C14 Inlet (optional line cords available). (3) 5-15R output receptacles each independently power controlled via included RJ45 SNMP Port and Software; Pass through RJ45 Port enables connection of additional network devices; Easy to read LED display shows on/off condition of individual receptacles; 3-Year Warranty; 8.07W"W x 7.28"D x 1.22"H, 3.25 lbs	$ 549.00
	XPC-515P-3RA	Optional 3 ft, 5-15P line cord with right angle offset for use with J40 series PDU. .5 lbs	$ 22.00
	XPC-515P-6RA	Optional 6ft, 5-15P line cord with right angle offset for use with J40 series PDU. .5 lbs	$ 22.00
Transformer PDU			
Part Number	**Model**	**Description**	**List Price**
900007742	JX-200	J60 200W Isolation Transformer, 120 VAC, 50/60Hz, C14 inlet with removeable 5-15P line cord; (3) 5-15R output receptacles; 5A output breaker; complete line isolation; Common Mode and Normal Mode noise filtering; 300 joules surge suppression; UL16950, RoHS; 5-Year Full Warranty; 6.9" W x 8.5" D x 1.25" H; 6.6 lbs.	$ 220.00
90000739	XPD-IT15A	Xtreme Power XPDU Series PDU with Isolation Transformer. 1500W, 208V in, 120V out. IEC-C14 inlet protected by 10A breaker; (16) 5-15R output receptacles protected by 15A breaker; 3-Year Warranty; 17.5"W x 15"D x 3.5"H (2U), 43 lbs.	$ 980.00
90000407	XPD-IT60A	Xtreme Power XPDU Series 6KVA PDU with Isolation Transformer for use with P80G-5000 UPS. 6000W, 208 or 240V in, 208/104V or 240/120V out. 3ft L6-30P Input Cord. (1) L6-30R and (12) 5-15-20R output receptacles, Max. 120V load is 4KW; rear panel 208/240 voltage selection switch; includes front panel rackmount brackets; ROHS Approved; 3-Year Warranty; 19"W x 18"D x 3.5"H (2U), 137 lbs.	$ 2,150.00
90000781	XPD-IT6KW	6kVA PDU with Isolation Transformer 208V to 240/120V (or 240V to 240/120V), Input terminal bock, Output terminal block + (2) L14-30R and (8) 5–15/20R receptacles; 17.3"W x 31.8"D x 5.2"H; 122 lbs.	$ 2,310.00
90000740	XPD-IT10KW	10kVA PDU with Isolation Transformer 208V to 240/120V (or 240V to 240/120V), Input terminal bock, Output terminal block + (2) L14-30R and (8) 5–15/20R receptacles; 17.3"W x 31.8"D x 5.2"H; 122 lbs.	$ 2,760.00
Basic PDU 10A Models			
Part Number	**Model**	**Description**	**List Price**
90000463	J40	Xtreme Power XPDU; ultra slim 120VAC, 10 Amp PDU with IEC-C14 Inlet (optional line cords available). (3) 5-15R output receptacles; Power reset button for manual recycling of power. 2400 Joules surge protection; 3-Year Warranty; 8.07W"W x 3.35"D x 1.22"H, 2 lbs	$ 210.00
90000466	J40i	Xtreme Power XPDU; ultra slim 230 VAC, 10 Amp PDU with IEC-C14 Inlet (optional line cords available). (3) IEC C13 output receptacles; Power reset button for manual recycling of power. 2400 Joules surge protection; 3-Year Warranty; 8.07W"W x 3.35"D x 1.22"H, 2 lbs	$ 210.00
	XPC-515P-3RA	Optional 3 ft, 5-15P line cord with right angle offset for use with J40 series PDU. .5 lbs	$ 22.00
	XPC-515P-6RA	Optional 6ft, 5-15P line cord with right angle offset for use with J40 series PDU. .5 lbs	$ 22.00
Basic PDU 15A & 20A Models			
Part Number	**Model**	**Description**	**List Price**
90000040	XPD815HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 2.6 lbs	$ 120.00
90000041	XPD1415HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of PDU + (8) 5-15R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 138.00
90000045	XPD1420HV	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (6) 5-20R output receptacles on front of PDU + (8) 5-20R output receptacles on rear of PDU; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 4.8 lbs	$ 190.00
90000046	XPD2420V60	Xtreme Power XPDU Series Basic Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (24) 5-20R output receptacles; vertical mounting only; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 60"W x 1.5"D x 1.5"H, 5.6 lbs *	$ 182.00
90000053	XPDU-IEC	Xtreme Power XPDU Series Basic Power 230V PDU with C20 inlet (power cord ordered separately), (10) IEC C13 + (2) IEC C19 output receptacles; 1U Rackmount configuration; CE Listed; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 2.6 lbs	$ 190.00
Basic PDU - 30A & 50A Models			
Part Number	**Model**	**Description**	**List Price**
90000374	XPD24C13V	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (24) C13 output receptacles. Vertical Mount. 1.75"W x 1.75"D x 66"L. 12 lbs	$ 340.00
90000251	XPD31	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (2) L6-20R and (4) 6-15/20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9 lbs	$ 580.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000252	XPD32	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (2) L6-30R, (4) L6-20R output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 7.5 lbs	$ 580.00
90000253	XPD33	Xtreme Power XPDU Series Basic Power PDU, 30A, 200-240V; L6-30P 6ft line cord, (4) IEC-C19 and (8) IEC C13 output receptacle. s Rackmount. 19"W x 2.4"D x 3.5"H. 8 lbs	$ 450.00
90000254	XPD34	Xtreme Power XPDU Series Basic Power PDU, 30A, 240/120V; L14-30P 6ft line cord, (2) L6-30R, (4) L6-20R and (12) 5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
90000255	XPD35	Xtreme Power XPDU Series Basic Power PDU, 50A, 200-240V; Hardwire input with Pigtail, (2) L6-30R and (4) L6-20R output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 7 lbs	$ 580.00
90000256	XPD36	Xtreme Power XPDU Series Basic Power PDU, 50A, 200-240V; Hardwired input with Pigtail, (4) IEC-C19 and (8) IEC C13 output receptacles. Rackmount. 19"W x 2.4"D x 3.5"H. 6.8 lbs	$ 460.00
90000257	XPD37	Xtreme Power XPDU Series Basic Power PDU, 50A, 240/120V; Hardwired input with Pigtail, (2) L6-30R, (4) L6-20R and (12) 5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 10 lbs	$ 690.00
90001037	XPD38	Xtreme Power XPDU Series Basic Power PDU, 30A, 120V; L14-30P, 6' input cord , (4) L5-30R, (4) L5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
90001038	XPD39	Xtreme Power XPDU Series Basic Power PDU, 50A, 120V; hardwire input with pigtail, (4) L5-30R, (4) L5-20R output receptacles. Rackmount. 19"W x 4.7"D x 3.5"H. 9.5 lbs	$ 690.00
Surge PDU			
Part Number	**Model**	**Description**	**List Price**
90000048	XPDS1015HV	Xtreme Power XPDU Series Surge Power PDU with 12' Input line cord with5-15P plug; (2) 5-15R surge protected output receptacles on front of PDU + (8) 5-15R surge protected output receptacles on rear of PDU; 342 Joule Rating; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 4.4 lbs *	$ 159.00
90000049	XPDS1020HV	Xtreme Power XPDU Series Surge Power PDU with 12' Input line cord with L5-20P plug (L5-20 to 5-20 adapter included); (2) 5-15/20R surge protected output receptacles on front of PDU + (8) 5-15/20R surge protected output receptacles on rear of PDU; 342 Joule Rating; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19"W x 3.5"D x 1.75"H, 4.6 lbs *	$ 179.00
Value PDU			
Part Number	**Model**	**Description**	**List Price**
90000051	XPD1215HVPL	Xtreme Power XPDU Series Value Power PDU with 6' Input line cord with 5-15P plug; (12) 5-15R output receptacles; Plastic case; UL60950-1/cUL/FCC Approved; 3-Year Warranty; 19.0"W x 1.5"D x 1.75"H, 1.4 lbs *	$ 58.00
XBDM SERIES			
Part Number	**Model**	**Description**	**List Price**
90000090	XBDM-1015LV	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-15P plug; (6) 5-15R output receptacles on front of BDM + (4) 5-15R output receptacles on rear of BDM; bypass switch allows for maintenance of the UPS without affecting the load connected; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 379.00
90000091	XBDM-1020LV	Xtreme Power XBDM Series20 Amp Maintenance Bypass Distribution Module with 12' Input line cord with 5-20P plug; (6) 5-20R output receptacles on front of BDM + (4) 5-20R output receptacles on rear of BDM; bypass switch allows for maintenance of the UPS without affecting the load connected; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000093	XBDM-1030LV	Xtreme Power XBDM Series30 Amp Maintenance Bypass Distribution Module with 6' Input line cord with L5-30P plug; (5) 5-20R output receptacles on front of BDM (Load Group 1) + (5) 5-20R output receptacles on rear of BDM (Load Group 2); (2) bypass switches allow for maintenance of the UPS without affecting the loads connected; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 659.00
90000095	XBDM1020HV1	Xtreme Power XBDM Series Maintenance Bypass Distribution Module with C20 inlet for customer supplied power cord; rated at 16A; (2) IEC C19 and (4) IEC C13 output receptacles on front + (4) IEC C13 output receptacles on back; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; Includes IEC C20 to C13 cord kit for connecting the XBDM to a T90i-1500, NXRTi-1000 or G90-1000 UPS; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 369.00
90000094	XBDM1020HV2	Xtreme Power XBDM Series Maintenance Bypass Distribution Module with C20 inlet for customer supplied power cord; rated at 16A; (2) IEC C19 and (4) IEC C13 output receptacles on front + (4) IEC C13 output receptacles on back; Includes maint bypass switch allowing for bypassing and maintenance of the UPS without affecting the connected loads; Includes (2) IEC C20 to C19 cord kits for connecting the XBDM to the P90G-3000 or P90LG-3000 UPS; 3-Year Warranty (USA only); 19"W x 3.5"D x 1.75"H, 3.5 lbs	$ 419.00
90000949	XBDM-15RHW	Xtreme Power XBDM Series 15 Amp Maintenance Bypass Distribution Module with HW terminal block input; output is HW terminal block and (6) 5-15/20R receptacles; Cnnection to UPS is 5-15P (3ft) and 5-20R; Rackmountable; Allows fo rbypassing and maintenance of the UPS without affecting the loads connected; 3-Year Warranty (USA only); 17"W x 3.5"D x 1.75"H, 3.6 lbs	$ 369.00

Docusign Envelope ID: E76BB3E0-11FF-43B5-9782-EDC7F339B41C

90000950	XBDM-20RHW	Xtreme Power XBDM Series 20 Amp Maintenance Bypass Distribution Module with HW terminal block input; output is HW terminal block and (6) 5-15/20R receptacles; Connection to UPS is 5-20P (3ft) and 5-20R; Rackmountable; Allows fo rbypassing and maintenance of the UPS without affecting the loads connected; 3-Year Warranty (USA only); 17"W x 3.5"D x 1.75"H, 3.6 lbs	$ 369.00
90000947	XBDM-HW30	Xtreme Power XBDM Series 30 Amp Maintenance Bypass Distribution Module; Hardwired input and output terminal block connection; Connection to UPS is via L5-30R receptacle and 3' power cord with L5-30P plug; Rackmountable; Includes rotary bypass switch, allowing for bypass and maintenance of the UPS without affecting the connected loads; 3-Year Warranty (USA only); 17.25"W x 5.25"D x 3.5"H, 7.3 lbs	$ 620.00
90000934	XBDM-HW63	Xtreme Power XBDM Series 208VAC, 63 Amp Maintenance Bypass Distribution Module; Hardwire or optional cable kit input, Hardwire terminal block output; Connects to UPS via Hardwire or optional cable kit; Make-Before-Break; includes an inverter interlock; Rackmountable; Allows for maintenance of the UPS without affecting the loads connected; Interconnect cables supplied by others; 3-Year Warranty (USA only); 17.25"W x 5.25"D x 3.5"H, 7.1 lbs	$ 570.00