

Hidalgo County
"Uniforms/Clothing"
Bid No.:06-284-00-00-ROL

Project Overview:

Hidalgo County is seeking to contract with a qualified bidder(s) to furnish "Uniforms/Clothing" on an "As Needed Basis" including, but not limited to, the following:

SPECIFICATIONS

DRAFT

A. HIDALGO COUNTY CONSTABLE PRECINCT 1

1. UNIFORM I

SHIRTS- 100% POLYESTER PERFECTION 2300ST SILVERTAN CLASS A SHIRTS BOTH IN LONG AND SHORT SLEEVE WITH RED OUTLINING ON EPAULET. SILVER OR GOLD "TEXAS" BUTTONS ARE REQUIRED.

TROUSER- STYLE 2600DN DARK NAVY POLYESTER GABARDINE WITH SILVERTAN AND RED 1 INCH STRIPPING.

2. UNIFORM II

SHIRTS- BLAUER STREET GEAR, SILVERTAN IN COLORS BOTH SHORT AND LONG SLEEVE TACTICAL TWILL SHIRTS.

TROUSER- 8.5 OZ. 100 % COTTON, 5.11 DARK NAVY TACTICAL TROUSER

PATCHES PATCHES FOR UNIFORMS I, II AND JACKETS WILL BE APPLIED ON THE LEFT AND RIGHT SLEEVES WITH A 4 1/2" EMBLEM- 80% EMBROIDERY WITH PLASTIC BACKING.

3. UNIFORM III

KHAKI SLACKS (TAN)- HEAVY DUTY TWILL WORK PANTS, STAIN RESISTANT 8OZ., 65% POLYESTER 35% COTTON TWILL FALT FRONT (NO PLEATS)

4. JACKETS

Removable liner/ Interchangeable Buttons
Badge Holder/ Dupont Thermolite
Newport Harbor/ Brown
Shoulder Patches/ Rain Resistant
Zipper for gearbelt access

Jackets must have a removable liner to make it into a windbreaker and are navy in color with patches on each shoulder (see sample).

B. HIDALGO COUNTY CONSTABLE PRECINCT 2

1. LONG SLEEVE SHIRT

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: silver tan)

2. SHORT SLEEVE SHIRT

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: silver tan)

3. TROUSER

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool with 10 - 12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: silver tan)

4. JACKETS

Removable liner/ Interchangeable Buttons
Badge Holder/ Dupont Thermolite
Newport Harbor/ Brown
Shoulder Patches/ Rain Resistant
Zipper for gearbelt access

Jackets must have a removable liner to make it into a windbreaker and are black in color with patches on each shoulder (see sample).

DRAFT

LONG SLEEVE SHIRT

Lining: 100% Polyester Satin or 100% Polyester Taffeta
Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
Hook and loop: Woven Nylon base
Buttons: melamine, 20 ligne, matching shell fabric

SHORT SLEEVE SHIRT

Lining: 100% Polyester Satin or 100% Polyester Taffeta
Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
Hook and loop: Woven Nylon base
Buttons: melamine, 20 ligne, and matching shell fabric

TROUSER

Pocketing: 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd
Interlining: polyester non-woven.
Binding: polyester/cotton bias cut.
Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
Stretch edge control.
Fly zipper: nylon coil #5 with auto lock slider.
Hook and eyes: nickel-plated.
Buttons: melamine, 22 ligne, matching shell fabric.

LONG SLEEVE SHIRT

- Long sleeve uniform shirt
- 5 crease military style with permanent silicone adhesive creases
- Top fused, banded dress collar
- Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
- Collar stand and yoke lined with polyester taffeta or satin
- 2 button adjustable cuffs
- Epaulets
- Badge eyelets with internal support strap
- Extra long shirt tails

SHORT SLEEVE SHIRT

- Short sleeve uniform shirt
- 5 crease military style with permanent silicone adhesive creases
- Top fused, convertible sport collar
- Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
- Back collar and yoke lined with polyester taffeta or satin
- Epaulets
- Badge eyelets with internal support strap
- Extra long shirt tails

DRAFT

TROUSER

- Front quarter pockets and inverted double cord hip pockets with button tabs.
- All pocket secured with bartacks.
- Wide stretch waistband with fly tab.
- Interlined wide belt loops inserted in bottom of waistband and tacked at top.
- Double hook and eye closure.
- Quarter linings in front quarters.
- Outlets in waistband (back) and thigh inseam.
- Tandem needle seat seam.
- Seat, inseam, and out seams pressed open.
- 10-12 stitches per inch (all seams).
- Permanent silicone adhesive creases front and back.

LONG SLEEVE SHIRT

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Constable Precinct No. 2. The patch has yellow and black background. The bidder shall contact the purchasing department for exact design and size of patch. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt.

The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of yellow on black.. The yellow measures 2" in width. The black sits atop with a width of 1.875". The yellow should show only 0.0625" on both sides of the strap. The Black and Yellow material proposed must match the color scheme currently in use by the Hidalgo County Constable's Office.

SHORT SLEEVE SHIRT

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Constable's Office. The patch has gold lettering and trim on a black background. The bidder shall contact the purchasing department for exact design and size of patch. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one black button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of black atop yellow. The yellow measures 2" in width. The black sits atop with a width of 1.875". The yellow should show only 0.0625" on both sides of the strap. The Yellow and Black material proposed must match the color scheme currently in use by the Hidalgo County Constable's Office's.

TROUSER

Windproof breathable liner.

Striping - Stripe will be attached to the side of the pant. The stripe will start at the bottom seam of the pocket and run the length of the pant. The stripe has an overall width of 0.75". The stripe is a piggyback design of black atop yellow. The black portion should be no wider than 0.5" and the yellow should be 0.75" in total width with only 0.125 of an inch showing on either side of the black. The Black and Yellow material proposed must match the color scheme currently in use by the Hidalgo County Constable's Office Hemming.

LONG SLEEVE SHIRT

DRAFT

Men's:

Body Length Regular: Sleeve Length: 32 sizes 14.5-17
Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5
Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5
Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5
Body Length Tall: Sleeve Length: 37 sizes 16.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizes - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

SHORT SLEEVE SHIRT

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizing - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

TROUSER

Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 39

Women's: Regular Length: even dress sizes 6 – 24

Optional Sizes - Trouser sizes for men must be available from 48 to 54 in addition to what was specified. Pants must be available in long stride if requested.

LONG SLEEVE SHIRT

Men's: Regular Length: Size 16.5:
Neck 17 (plus or minus 0.5 inches)
1/2 Chest 25.25 (plus or minus 0.75 inches)
Back Length:32.5 (plus or minus 0.5 inches)

Women's: Regular Length: Size 38
Neck 15.5 (plus or minus 0.5 inches)
1/2 Chest 22 (plus or minus 0.75 inches)
Back Length:28 (plus or minus 0.5 inches)

SHORT SLEEVE SHIRT

Men's: Regular Length: Size 16.5:Neck17 (plus or minus 0.5 inches)
1/2 Chest:25.25 (plus or minus 0.75 inches)
Back Length:32.5 (plus or minus 0.5 inches)
Women's: Regular Length: Size 38
Neck 15.5 (plus or minus 0.5 inches)
1/2 Chest: 22 (plus or minus 0.75 inches)
Back Length:28.5 (plus or minus 0.5 inches)

TROUSER

Men's: Regular Length: Waist Size 36:
1/2 Waist:18 (plus 0.25 inch)
Seat:24(plus or minus 0.25 inches)
1/2 Knee 10.875 (plus or minus 0.25 inches)
1/2 Bottom Leg 8.75(plus or minus 0.25 inches)
Inseam:37(plus or minus 0.50 inches)
Out seam: 46.25 (plus or minus 0.50 inches)
Front Rise:10.375 (plus or minus 0.25 inches)
Back Rise:16.875 (plus or minus 0.25 inches)
Women's: Regular Length: Dress Size 12
1/2 Waist 15.25 (plus 0.25 inch)
Seat:22.625 (plus or minus 0.25 inches)
1/2 Knee 10.125 (plus or minus 0.25 inches)
1/2 Bottom Leg 8.5 (plus or minus 0.25 inches)
Inseam: 35.875 (plus or minus 0.50 inches)
Out seam:45.875 (plus or minus 0.50 inches)
Front Rise:11.625 (plus or minus 0.25 inches)
Back Rise:15 .25 (plus or minus 0.25 inches)

DRAFT

5. B.D.U. (BATTLE DRESS UNIFORM) STYLE PANT:

COLOR - TAN AND BLACK (OR COLOR CLOSEST TO THE TAN AND BLACK OF EXISTING UNIFORMS)

IF THE COLOR VARIES DISTINCTLY FROM EXISTING SAMPLE UNIFORM IT WILL NOT BE CONSIDERED. THIS IS DONE TO KEEP THE APPEARANCE OF UNIFORMITY.

100% COTTON RIPSTOP ONLY.

PANT MUST HAVE:

ADJUSTABLE WAIST TABS
TWO (2) FRONT POCKETS
TWO (2) REAR POCKETS
TWO (2) LARGE BUTTON DOWN BELLOWS LEG POCKETS

REINFORCED SEAT AND KNEES
ALL SEAMS DOUBLE STITCHED
DRAWSTRING ANKLE TIES

PANTS MUST COME IN BOTH REGULAR AND LONG LENGTHS.
THE SIZES OF B.D.U.'S USED ARE:

X-SMALL
SMALL
MEDIUM
LARGE
X-LARGE
XX-LARGE
XXX-LARGE
XXXX-LARGE

NOTE: SHRINKAGE ALLOWANCE MUST BE MINIMAL ON PANT AND CONTAIN WASHING CARE INSTRUCTIONS. MATERIAL MUST BE MACHINE WASHABLE AND ABLE TO BE IRONED.

C. HIDALGO COUNTY CONSTABLE PRECINCT 3

DRAFT

1. PATROL MEN'S SHORT SLEEVE SHIRTS PERFECTION-STYLE 2340DN(EQUAL OR BETTER)

Milliken 707430 Poplin, Polyester 100%, Weight 7.25 per yard (liner), 80 warp and 49 filling, Permanent Press with soil release finish.

Pockets, pocket flaps, collar band and shoulder straps to be stitched-creased to give uniform shape and size. The two (2) military creases in front and three (3) in back of each shirt must incorporate a permanent, modified, silicone crease produced by the "Lintrak System".

Left front to have a self-fabric center pleat 1 ½ " wide extending from collar band to bottom of shirt. It shall have two (2) rows of stitching 1" apart. The center pleat to be lined with 100 % Polyester. Right front to have an approximate 3 " turnback extending from collar to bottom of shirt. The right front shall have seven (7) buttons.

To be die cut. Convertible collar is to measure approximately 3 ¼" long at point and to be topstitched 3/16" from edge. The interlinings are to be Dacron Polyester, 250 Denier. Permanent collar stays of proper length are to be sewn inside collar so that no stitches are made through the bottom leaf.

Two-ply yoke lined on the inside with Polyester satin. Yoke shall measure approximately 3" at bottom center of band and 3 ¼" at outside edge of yoke. 1/16" topstitch.

Sleeves are to be one (1) piece, have a 1" hem and finish 10" long from the shoulder seam. Sleeve setting and closing shall be done with an overedge and safety stitch. The sleeve is to be bartacked at the hem.

Two (2) breast pockets finishing 5 ½ " wide and 6" long to have mitered corners. Both pockets shall have a 1 ½" box pleat stitched top and bottom to prevent spreading. Left pocket to have a sewn through pencil opening 1 ½ " wide. Velcro ¾" wide and ¾" long to be placed on each pocket to secure Velcro placed on each flap.

To be die cut, creased and scalloped, finishing 5 ¾ " in width, 2 ½ " in length at the center of 2 1/8" at each side. Flaps to be placed ¼" above the top of each pocket and have one (1) centered buttonhole with button. The left flap to have a pencil opening 1 3/8" in width. Velcor 3/8" wide and 1" long to be placed on edges of each flap to secure Velcro placed on pockets. Flaps to be lined with crease'n'tack interlining.

Two (2) patches per shirt both the same. Uniform vendor will provide patches on shirt- on both shoulder ½" from upper seam.

Inside sling type of self-goods approximately 1" wide to extend from joining seam to pocket of left front. To have two (2) small, uncut buttonholes one inch (1") apart with the lower buttonhole approximately 1 1/2" above the flap.

To be sewn into sleevehead seam and measure approximately 2 1/8" tapering to 5/8" with end pointed. Straps to be set approximately half inch (1/2") from the collar seam. They shall be box stitched to shoulders with a row of cross-stitching two inches (2") from sleeve head and diagonally sewn from each end of the seam to the sleeve. Shoulder straps are to be die cut, creased and lined with crease'n'tack.

Each garment will be identified by permanent size, lot number, cut number, fiber content, WPL and care instruction labeling.

To be a melamine button dyed to match the fabric color, 20 ligne. Removable button features to accommodate metal buttons.

Must include front metal zipper for shirt enclosure from top to bottom with equivalent color to shirt.

The entire shirt is to be stitched with 100% polyester core 100% polyester wrap thread. All visible stitching must be 10-12 stitches per inch. Sleeve setting and side closing shall be done with an over edge and safety stitch. The outer edges of the collar are topstitched 3/16". The center front pleat has 2 rows of stitching 1" apart. The shoulder straps and pocket flaps are topstitched 1/16" from the edges. There is a second row of topstitching 1/4" from the flap setting stitches. The lower edge of the yoke is topstitched 1/16".

Dark brown equivalent to Perfection 2340DN shirts are made to accept metal buttons on the shoulder straps, front, and pocket flaps, Four (4) Silver/Gold front buttons to be 20 ligne. Two (2) Silver/Gold buttons for epaulets. Two (2) Silver/Gold buttons for pocket flaps. Some shirts require Silver, and others require Gold buttons

There shall be two stitched military creases in the front and three stitched military creases in the back of the shirt.

The collar is made by the conventional construction. The top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched. Shoulder straps and pocket flaps are creased.

Epaulets will be Pink Tan with Red piping.

The shirt shall be labeled with the following information: style number, size, fiber content, care instructions, RN number and country of origin.

659AP- Brown

Shirts are available in even and half size neck sizes.

One (1) year against workmanship or fabric defects.

DRAFT

2. PATROL MEN'S LONG SLEEVE SHIRTS PERFECTION-STYLE 3000BN(EQUAL OR BETTER)

Delta Mills, Style #9270, 100% Polyester, 2x2 Ply Construction. Weight 9.5 to 10 oz. per yard. Tropical Weave.

Pockets, pocket flaps, collar band and shoulder straps to be stitched-creased to give uniform shape and size. To have two sewn in permanent military creases in front and three in back.

To have a self-fabric center pleat 1-1/2" wide extending from collar band to bottom of shirt. It shall have 2 rows of stitching 1" apart. The center pleat to be lined with Dacon Polyester, 250 Dener. A self-lined button stand 7/8" wide shall be placed on the right side and extend from collar band to bottom of shirt. There shall be six front and one collar button. Center placket shall be a two-piece construction.

To be die cut. The back of the stand is to measure 1- 1/2". The points are to be 3-1/4" in length and top stitched 1/4" from edge. The interlinings are to be 100% polyester. , 250 denier. Collar band to be lined with crease 'n' tack interlining. Permanent collar stays of proper length are to be sewn inside collar so

that no stitches are made through the bottom leaf. The stand shall fasten with one button. All shirts to have satin lining.

Two piece yoke of self-goods to measure approximately 3" at bottom center of band and 3 1/4" at outside edge of yoke. 1/16" topstitch. Shirts with no top stitched back yoke will not be acceptable.

SLEEVES

Each sleeve shall have one piece pointed placket 1-1-1/4" wide both top and bottom, with one button placed on the placket approximately 2-1/4" above the top of the cuff. Sleeve setting and closing shall be done with an overedge and safety stitch. Cuffs to close with 2 buttons and buttonholes, be 2-1/8" wide and have 1/4" topstitching on the edge. They shall be lined with woven, unbleached 100% Cotton interlining.

Two (2) breast pockets finishing 5 1/2" wide and 6" long to have mitered corners. Both pockets shall have a 1 1/2" box pleat stitched top and bottom to prevent spreading. Left pocket to have a sewn through pencil opening 1 1/2" wide. Velcro 3/4" wide and 3/4" long to be placed on each pocket to secure Velcro placed on each flap.

To be die cut, creased and scalloped, finishing 5 3/4" in width, 2 3/4" in length at the center of 2 1/2" at each side. Flaps to be placed 1/4" above the top of each pocket and have one (1) centered buttonhole with button. The left flap to have a pencil opening 1 3/8" wide and 1 secure with bartacks on each side of the openings. Velcro 3/4" square to be placed on the edge of each flap. Flaps to be lined with crease'n'tack interlining.

Two (2) patches per shirt both the same. Uniform vendor will provide patches on shirt- on both shoulder 1/2" from upper seam.

DRAFT

Inside sling type of self-goods approximately 1" wide to extend from joining seam to pocket of left front. To have two (2) small, uncut buttonholes one inch (1") apart with the lower buttonhole approximately 1 1/2" above the flap. Sling shall be turned and stitched and sewn down in the bottom.

To be sewn into sleevehead seam and measure approximately 2 1/8" tapering to 5/8" with end pointed. Straps to be set approximately half inch (1/2") from the collar seam. They shall be box stitched to shoulders with a row of cross-stitching two inches (2") from sleeve head and diagonally sewn from each end of the seam to the sleeve. Shoulder straps are to be die cut, creased and lined with crease'n'tack.

Each garment will be identified by permanent size, lot number, cut number, fiber content, WPL and care instruction labeling.

To be a melamine button dyed to match the fabric color, 20 ligne.

Must include front metal zipper for shirt enclosure from top to bottom with equivalent color to shirt.

The entire shirt is to be stitched with 100% polyester core 100% polyester wrap thread. All visible stitching must be 10-12 stitches per inch. Sleeve setting and side closing shall be done with an over edge and safety stitch. The outer edges of the collar are topstitched 3/16". The center front pleat has 2 rows of stitching 1" apart. The shoulder straps and pocket flaps are topstitched 1/16" from the edges. There is a second row of topstitching 1/4" from the flap setting stitches. The lower edge of the yoke is topstitched 1/16".

Brown Shirts are made to accept metal buttons on the shoulder straps, fronts, pocket flaps and cuffs. Four (4) Silver/Gold front buttons to be 20 ligne. Two (2) Silver/Gold buttons for epaulets. Two (2) Silver/Gold buttons for pocket flaps. Some shirts require Silver, and others require Gold buttons

There shall be two stitched military creases in the front and three stitched military creases in the back of the shirt.

The collar is made by the conventional construction. The top ply, bottom ply and interlining are first stitched together, then turned right side out and finally topstitched. Shoulder straps and pocket flaps are creased.

Epaulets will be Pink Tan with Red piping.

The shirt shall be labeled with the following information: style number, size, fiber content, care instructions, RN number and country of origin.

659AP- Brown

Shirts shall be available as a stock item sized with the exact neck size and exact sleeve length. Any combination neck size or sleeve lengths are not acceptable.

One (1) year against workmanship or fabric defects.

3. Men's Polyester Twill Trousers – Style X13506NS(EQUAL OR BETTER)

Style: Milliken 707428, Color 7496
Fiber Content: 100% polyester
Weave: 2 x 2 Right Hand Twill
Weight: 15.75 oz./linear yard
Construction: 92 warp x 62 filling
Tensile Strength: 293 x 201 lbs.
Finish: Visa® System III

Style: QST Starspun III
Fiber Content: 70% polyester/30% cotton
Weave: Plain
Weight: 3.5 oz./square yard
Construction: 82 warp x 50 filling
Tensile Strength: 119 x 98 lbs.
Color: Black

DRAFT

Uniform trouser with a plain front with two quarter top pockets. Topstitched back pockets with triangle bartacks, left pocket has tab to button. Zipper fly front with French fly. Inside belly band. Crotch lining. 1 1/2 inch waistband with dropped belt loops. Straight leg bottoms. The trousers shall be made from a men's up-to-date uniform trouser pattern.

The front pockets are quarter top style, with a minimum 6 1/2" opening and a 6" depth, measured from the bottom of the opening. The front pocket bags are double tipped and shall be stitched, turned, and re-stitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1 1/2" wide. The back pockets have 5 1/2" openings and are 6" deep. They shall be made with a Reese PW automatic machine and topstitched on the outside with an exposed top and bottom welt inside facing. The left pocket shall have a tab to button. The front pockets shall have straight bartacks at the ends of the openings. The back pockets shall have triangle bartacks at the ends of the openings.

The trousers are made with a continuous closed 1 1/2" wide waistband. The full length of the waistband is stabilized with fusible nonwoven interlining. The waistband shall close with a crush proof hook and eye, which are reinforced with canvas stays. There shall be a bartack behind the eye. The 3-strand Snugtex® waistband curtain finishes 2 1/4" wide. 3/4" Ultra BanRol® waistband stiffener is used in the full length of the waistband. The waistband curtain shall be set on with a rocap machine and be closed by stitching below the waistband through the outer fabric and the waistband curtain.

There shall be seven belt loops on sizes 38 and smaller, and 8 belt loops on sizes 40 and larger. Each loop is to be 3/4" wide, of double thickness, have canvas interlining and be stitched with a 1/4" gauge twin needle. All loops shall be tacked to the outside of the waistband, folded over the tacking, with the bottom of the loop folded under and tacked to the trousers. The side loops shall be placed 3/4" behind the side seams. The loops shall accommodate a 2" wide belt.

The trousers shall close with a YKK brass memory lock zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. Both flies have fusible nonwoven interlining. The right fly has a French fly extension and is lined with pocketing fabric, which extends from the top of the waistband to the inseam. A matching button is stitched to the left waistband curtain to fasten the French fly. A straight bartack shall be stitched at the bottom of the fly from the outside of the garment, through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trousers. The zipper and fly topstitching extend to the top of the waistband.

Each front has a 4" wide belly band, made of pocketing fabric. It is sewn to the pocket bag and caught in the fly facing topstitching and the waist seam to provide a smooth front appearance. The crotch lining is made of folded pocketing fabric to provide a double layer and is serged to each front. The right fly lining extension is stitched to the front seat seam allowances and extends to the inseam.

The front and rear creases in the trouser legs incorporate a permanent modified silicone crease produced by the Lintrak® System.

The entire trouser is to be stitched with matching polyester core or 100% polyester spun thread. The thread shall be colorfast and match the fabric. All visible stitching must be 10-11 stitches per inch. All exposed inside seams are to be serged. The seat seam must be stitched with a tandem needle machine. There is a minimum 2 3/4" seat outlet for alterations.

All loose threads shall be removed. Trousers must be pressed on Hothead presses and properly shaped, with the inseams, outseams, and seat seam pressed open. There must be a Texpak clip attached to the waistband of the finished trousers.

Trousers shall be labeled with the following information: manufacturer, style number, size, fiber content, care instructions, RN number and country of origin.

4. PATROL JACKETS

DRAFT

Outershell: Travis Mills #7450 100% Nylon Supplex or Equivalent

Permanent Lining: 104x86 Thread Count, 70 Denier Nylon Taffeta or equal

Brown

Thinsulate by 3M quilted, 200-gram body with 100-gram sleeve or equivalent.

100 % Nylon taffeta, thread counts 104x86 or equivalent

The jacket shall be a full cut, waist length model with two-way zipper front, Thinsulate zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction shall be used throughout the body and sleeves being fully lined.

The front shall be plain with patch pockets, flaps and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2- 1/2" shirred waistband with 2- 1/2" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5 3/4" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and elasticized snap closure. The shoulders shall have pads. A self goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side.

On the left side of the coat, there shall be a gun pocket installed on the permanent lining to accept a small frame handgun. The gun pocket shall have a minimum opening of 4 1/2" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closure. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5 1/4" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip in liner. The bottom of the coat on the inside shall have a 4" piece of outer shell material between the waistband and the inner taffeta lining to guard against wear from the inside.

The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have Velcro and elastic for adjustable fit. The cuff itself should measure 1 7/8" in width. DEPARTMENT PATCH MUST BE SEWN ON BOTH SLEEVES.

There shall be two patch pockets with 1 1/2" box pleats, finishing approximately 6 1/2" wide and 7 3/8" deep. Flaps shall be scalloped and self lined, measuring 6 3/4" wide and 3 3/8" long at center and 3" long at each end. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be lined with pocketing material with an opening of approximately 5 1/2" on the side. The

left patch pocket is to have a 1 ½" pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked. Flaps are to interlined.

D. HIDALGO COUNTY CONSTABLE PRECINCT 4

1. LONG SLEEVE SHIRT

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: silver tan)

2. SHORT SLEEVE SHIRT

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: silver tan)

3. TROUSER

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool with 10 - 12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: silver tan)

4. JACKETS

Removable liner/ Interchangeable Buttons
Badge Holder/ Dupont Thermolite
Newport Harbor/ Brown
Shoulder Patches/ Rain Resistant
Zipper for gearbelt access

DRAFT

Jackets must have a removable liner to make it into a windbreaker and are dark brown in color with patches on each shoulder (see sample).

LONG SLEEVE SHIRT

Lining: 100% Polyester Satin or 100% Polyester Taffeta
Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
Hook and loop: Woven Nylon base
Buttons: melamine, 20 ligne, and matching shell fabric

SHORT SLEEVE SHIRT

Lining: 100% Polyester Satin or 100% Polyester Taffeta
Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
Hook and loop: Woven Nylon base
Buttons: melamine, 20 ligne, matching shell fabric

TROUSER

Pocketing: 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd
Interlining: polyester non-woven.
Binding: polyester/cotton bias cut.
Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
Stretch edge control.
Fly zipper: nylon coil #5 with auto lock slider.
Hook and eyes: nickel-plated.
Buttons: melamine, 22 ligne, matching shell fabric.

LONG SLEEVE SHIRT

- Long sleeve uniform shirt
- 5 crease military style with permanent silicone adhesive creases
- Top fused, banded dress collar
- Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
- Collar stand and yoke lined with polyester taffeta or satin
- 2 button adjustable cuffs
- Epaulets
- Badge eyelets with internal support strap
- Extra long shirt tails

SHORT SLEEVE SHIRT

- Short sleeve uniform shirt
- Crease military style with permanent silicone adhesive creases
- Top fused, convertible sport collar
- Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
- Back collar and yoke lined with polyester taffeta or satin
- Epaulets
- Badge eyelets with internal support strap
- Extra long shirt tails

TROUSER

- Front quarter pockets and inverted double cord hip pockets with button tabs.
- All pocket secured with bartacks.
- Wide stretch waistband with fly tab.
- Interlined wide belt loops inserted in bottom of waistband and tacked at top.
- Double hook and eye closure.
- Quarter linings in front quarters.
- Outlets in waistband (back) and thigh inseam.
- Tandem needle seat seam.
- Seat, inseam, and out seams pressed open.
- 10-12 stitches per inch (all seams).
- Permanent silicone adhesive creases front and back.

DRAFT

LONG SLEEVE SHIRT

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Constable Precinct No. 4. The patch has gold lettering and trim on a dark brown background. The bidder shall contact the purchasing department for exact design and size of patch. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8".

Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop gold. The gold measures 2" in width. The dark brown sits atop with a width of 1.875". The gold should show only 0.0625" on both sides of the strap.

The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Constable's Office.

SHORT SLEEVE SHIRT

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Constable's Office. The patch has gold lettering and trim on a

dark brown background. The bidder shall contact the purchasing department for exact design and size of patch. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8".

Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop gold. The gold measures 2" in width. The dark brown sits atop with a width of 1.875". The gold should show only 0.0625" on both sides of the strap. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Constable's Office's.

TROUSER

Windproof breathable liner.

Striping - Stripe will be attached to the side of the pant. The stripe will start at the bottom seam of the pocket and run the length of the pant. The stripe has an overall width of 0.75". The stripe is a piggyback design of dark brown atop gold. The dark brown portion should be no wider than 0.5" and the gold should be 0.75" in total width with only 0.125 of an inch showing on either side of the dark brown. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department Hemming.

LONG SLEEVE SHIRT

DRAFT

Men's:

Body Length Regular: Sleeve Length: 32 sizes 14.5-17

Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5

Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5

Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5

Body Length Tall:

Sleeve Length: 37 sizes 16.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizes - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

SHORT SLEEVE SHIRT

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizing - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

TROUSER

Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 39

Women's: Regular Length: even dress sizes 6 – 24

Optional Sizes - Trousers sizes for men must be available from 48 to 54 in addition to what was specified. Pants must be available in long stride if requested.

LONG SLEEVE SHIRT

Men's: Regular Length: Size 16.5; Neck 17 (plus or minus 0.5 inches)

1/2 Chest 25.25 (plus or minus 0.75 inches)

Back Length: 32.5 (plus or minus 0.5 inches)

Women's: Regular Length: Size 38 Neck 15.5 (plus or minus 0.5 inches)
1/2 Chest:22 (plus or minus 0.75 inches)
Back Length: 28.5 (plus or minus 0.5 inches)

SHORT SLEEVE SHIRT

Men's: Regular Length: Size 16.5: Neck 17 (plus or minus 0.5 inches)
1/2 Chest: 25.25 (plus or minus 0.75 inches)
Back Length 32.5 (plus or minus 0.5 inches)

Women's: Regular Length: Size 38 Neck 15.5 (plus or minus 0.5 inches)
1/2 Chest 22 (plus or minus 0.75 inches)
Back Length: 28.5 (plus or minus 0.5 inches)

TROUSER

Men's: Regular Length: Waist Size 36:1/2 Waist:18(plus 0.25 inch):
Seat: 24 (plus or minus 0.25 inches)
1/2 Knee 10.875 (plus or minus 0.25 inches)
1/2 Bottom Leg 8.75 (plus or minus 0.25 inches)
Inseam: 37 (plus or minus 0.50 inches)
Out seam:46.25 (plus or minus 0.50 inches)
Front Rise: 10.375 (plus or minus 0.25 inches)
Back Rise:16.875 (plus or minus 0.25 inches)

Women's: Regular Length: Dress Size 12
1/2 Waist: 15.25 (plus 0.25 inch)
Seat:22.625 (plus or minus 0.25 inches)
1/2 Knee 10.125 (plus or minus 0.25 inches)
1/2 Bottom Leg 8.5 (plus or minus 0.25 inches)
Inseam: 35.875 (plus or minus 0.50 inches)
Out seam: 45.875 (plus or minus 0.50 inches)
Front Rise: 11.625 (plus or minus 0.25 inches)
Back Rise: 15 .25 (plus or minus 0.25 inches)

DRAFT

E. HIDALGO COUNTY CONSTABLE PRECINCT 5

1. PATROL MEN'S AND WOMEN'S SHORT SLEEVE SHIRTS HORACE SMALL #659AP(EQUAL OR BETTER)

Delta Mills, Style 9270, Tropical Weave, 65% Dacron Polyester/ 35% Rayon. Weight 9.5/10 oz per yard (linear), 2 Ply Warp and Filling, Permanent Press with Soil Release Finish.

Pockets, pocket flaps, collar band and shoulder straps to be stitched-creased to give uniform shape and size. The two (2) military creases in front and three (3) in back of each shirt must incorporate a permanent, modified, silicone crease produced by the "Lintrak System".

Left front to have a self fabric center pleat 1 ½ " wide extending from collar band to bottom of shirt. It shall have two (2) rows of stitching 7/8" apart. The center pleat to be lined with 100 % Polyester. Right front to have an approximate 3" turnback extending from collar to bottom of shirt. The right front shall have seven (7) buttons.

To be die cut. Convertible collar is to measure approximately 2 7/8 " long at point and to be topstitched ¼ " from edge. The interlinings are to be 100% Polyester, 250 Denier. Permanent collar stays of proper length are to be sewn inside collar so that no stitches are made through the bottom leaf.

Two-ply yoke lined on the inside with Polyester satin. Yoke shall measure approximately 2 ¾ " at bottom center of band and 2 ½" at outside edge of yoke. 1/16" topstitch.

Sleeves are to be one (1) piece, have a 7/8" hem and finish 9 ½ " long from the shoulder seam. Sleeve

setting and closing shall be done with an overedge and safety stitch. The sleeve is to be bartacked at the hem.

Two (2) breast pockets finishing 5 3/8 " wide and 5 3/4" long to have mitered corners. Both pockets shall have a 1 1/2" box pleat stitched top and bottom to prevent spreading. Left pocket to have a sewn through pencil opening 1 3/8 wide. Velcro 3/8 " wide and 1" long to be placed on each pocket to secure Velcro placed on each flap.

To be die cut, creased and scalloped, finishing 5 1/2 " in width, 2 3/4 " in length at the center of 2 1/2" at each side. Flaps to be placed 1/4" above the top of each pocket and have one (1) centered buttonhole with button. The left flap to have a pencil opening 1 3/8" in width. Velcro 3/8" wide and 1" long to be placed on edges of each flap to secure Velcro placed on pockets. Flaps to be lined with crease'n'tack interlining.

Two (2) patches per shirt both the same. Uniform vendor will provide patches on shirt- on both shoulder 1/2" from upper seam.

Inside sling type of self goods approximately 1" wide to extend from joining seam to pocket of left front. To have two (2) small, uncut buttonholes one inch (1") apart with the lower buttonhole approximately 1 " above the flap.

To be sewn into sleevehead seam and measure approximately 2 7/8" tapering to 1 1/2 " with end pointed. Straps to be set approximately one inch (1") from the collar seam. They shall be box stitched to shoulders with a row of cross-stitching two inches (2") from sleeve head and diagonally sewn from each end of the seam to the sleeve. Shoulder straps are to be die cut, creased and lined with crease'n'tack.

Each garment will be identified by permanent size, lot number, cut number, fiber content, WPL and care instruction labeling.

To be a melamine button dyed to match the fabric color, 20 ligne.
Must include front metal zipper for shirt enclosure from top to bottom with equivalent color to shirt. Dark brown equivalent to Horace Small 6598AP shirts are made to accept metal buttons on the shoulder straps, front, and pocket flaps, Four (4) Silver/Gold front buttons to be 20 ligne. Two (2) Silver/Gold buttons for epaulets. Two (2) Silver/Gold buttons for pocket flaps. Some shirts require Silver, and others require Gold buttons

Epaulets will be French Blue.

French Blue

DRAFT

One (1) year against workmanship or fabric defects.

2. PATROL MEN'S AND WOMEN'S LONG SLEEVE SHIRTS- HORACE SMALL #519AP OR PERFECTION 3000BN(EQUAL OR BETTER)

Delta Mills, Style #9270, 65% Polyester/ 35% Rayon, 2x2 Ply Construction. Weight 9.5 to 10 oz per yard. Tropical Weave.

Pockets, pocket flaps, collar band and shoulder straps to be die creased to give uniform shape and size. To have two sewn in permanent military creases in front and three in back.

To have a self fabric center pleat 1-1/2" wide extending from collar band to bottom of shirt. It shall have 2 rows of stitching 7/8 " apart. The center pleat to be lined with 100 % Polyester, 250 Dener. A self-lined button stand 7/8" wide shall be placed on the right side and extend from collar band to bottom of shirt. There shall be six front and one collar button. Center placket shall be a two piece construction.

To be die cut. The back of the stand is to measure 1- 1/2". The points are to be 3-1/4" in length and top stitched 1/4" from edge. The interlinings are to be 100% polyester. , 250 dener. Collar band to be lined with crease 'n' tack interlining. Permanent collar stays of proper length are to be sewn inside collar so

that no stitches are made through the bottom leaf. The stand shall fasten with one button. All shirt to have satin lining.

Two piece yoke of self goods to measure approximately 2 3/4" at bottom center of band and 2 1/2" at outside edge of yoke. 1/16" topstitch. Shirts with no top stitched back yoke will not be acceptable.

SLEEVES

Each sleeve shall have one piece pointed placket 1-1/4" wide both top and bottom, with one button placed on the placket approximately 2-1/4" above the top of the cuff. Sleeve setting and closing shall be done with an overedge and safety stitch. Cuffs to close with 2 buttons and buttonholes, be 2-7/8" wide and have 1/4" topstitching on the edge. They shall be lined with woven, unbleached 100% Cotton interlining.

Two (2) breast pockets finishing 5 1/2" wide and 6" long to have mitered corners. Both pockets shall have a 1 1/2" box pleat stitched top and bottom to prevent spreading. Left pocket to have a sewn through pencil opening 1 1/2" wide. Velcro 3/4" wide and 3/4" long to be placed on each pocket to secure Velcro placed on each flap.

To be die cut, creased and scalloped, finishing 5 3/4" in width, 2 3/4" in length at the center of 2 1/2" at each side. Flaps to be placed 1/4" above the top of each pocket and have one (1) centered buttonhole with button. The left flap to have a pencil opening 1 3/8" wide and 1 secure with bartacks on each side of the openings. Velcro 3/4" square to be placed on the edge of each flap. Flaps to be lined with crease'n'tack interlining.

Inside sling type of self goods approximately 1" wide to extend from joining seam to pocket of left front. To have two (2) small, uncut buttonholes 1 1/4" apart with the lower buttonhole approximately 1" above the flap. Sling shall be turned and stitched and sewn down in the bottom.

Two (2) patches per shirt, both the same. Uniform vendor will provide patches on both shoulders, 1/2" from upper seam.

To be sewn into sleevehead seam and measure approximately 2 1/4" tapering to 1 1/2" with end pointed. Straps to be set approximately one inch (1") from the collar seam. They shall be box stitched to shoulders with a row of cross-stitching two inches (2") from sleeve head and diagonally sewn from each end of the seam to the sleeve. Shoulder straps are to be die cut, creased and lined with crease'n'tack.

Each garment will be identified by permanent size, lot number, cut number, fiber content, WPL and care instruction labeling.

To be a melamine button dyed to match the fabric color, 20 ligne.

Must include front metal zipper for shirt enclosure from top to bottom with equivalent color to shirt.

French Blue Shirts are made to accept metal buttons on the shoulder straps, fronts, pocket flaps and cuffs. Four (4) Silver/Gold front buttons to be 22 ligne. Two (2) Silver/Gold buttons for epaulets. Two (2) Silver/Gold buttons for pocket flaps. Some shirts require Silver, and others require Gold buttons

Epaulets will be all French blue.

519AP-French Blue

DRAFT

Shirts shall be available as a stock item sized with the exact neck size and exact sleeve length. Any combination neck size or sleeve lengths are not acceptable.

One (1) year against workmanship or fabric defects.

3. SLACKS, MEN & WOMEN, COMMANDING AND REGULAR (Ref: Horace Small) #X13443 (EQUAL OR BETTER)

Navy Blue

Worsterlon by Milliken, 7426-7206, 13 1/4 - 13 3/4 oz per linear yard, 100% Dacron Polyester Gabardine Weave, Warp: Dacron T-242, Textured octolobal, 150 Dener, 2 Ply Air entangled, fully oriented. Filling: singled, spun 655 E long staple.

Western Style, made on a uniform pattern, having plain front with 3/4 " drop front pockets and 2 back pockets, no flare bottoms, straight legs.

The straight pocket ¼ top opening will be a minimum 6" and be 6" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing, shall be a separate piece of self material finishing no less than 1 1/4 " wide. The back pockets will have a minimum opening of 5 1/2 " and be 6" deep . They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pocket shall have straight bartacks, the back pockets shall be bartacked with a triangular bartacking machine.

Navy blue will have a harmonizing pocketing color instead of black. 65% Polyester, 35 % Cotton with a minimum thread count of 68x54. The weight shall be 2.60 yards/lb.

The waistband shall be a minimum of 1 3/4 " wide and shall be closed with a crush/ proof hook and eye, the eye being bartacked for stability. The waistband curtain, attached with a row cap machine, shall have snug tex and be made of 65% Polyester/ 35% Cotton. No roll waistband stiffener, ¾" in width, shall be sewn into the waistband on the front of the trouser from side to side seam. The trousers are to be made with a continuous closed waistband. The waistband shall be set on the stitched below the lower edge through the outer fabric and waistband curtain. Navy Blue pants will have a harmonizing curtain color instead of black.

The right fly and crotch linings shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper. The crotch lining shall be surged to each front. A separate French fly made of outer fabric shall be sewn to the inside right fly.

There shall be a minimum of five belt loops on waist sizes 28,29,30 and a minimum of seven belt loops on sizes 30 and over. Each loop is to be 3/4" wide, of double thickness, and stitched on the face side with a needle machine.

The trousers shall be closed with a talon omni nylon #42 memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of they fly. It shall be sewn through the zipper tape, the right and left fly and right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

The entire trouser is to be seamed with polyester core of 100% Polyester spun thread. The seat seam shall be stitched with a tamden needle seat seaming machine.

The trouser shall have a sewn in label giving cleaning instructions and outside waistband label which shall be marked with lot number, size, fiber content and WPL Number.

All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, in seam, and seat seam pressed open. There must be a Texpack clip attached to the top fly of the finished trousers.

PATROL JACKETS

Removable liner/ Interchangeable Buttons
Badge Holder/ Dupont Thermolite
Newport Harbor/ Brown
Shoulder Patches/ Rain Resistant
Zipper for gearbelt access

DRAFT

Jackets must have a removable liner to make it into a wind breaker and are Navy Blue in color with patches on each shoulder (see sample).

F. HIDALGO COUNTY SHERIFF'S DEPARTMENT

1. (Neese) Yellow / Gold Raincoats with Screen Print Black Lettering on Back (Equal or Better)

With Detachable Hood
3 inch Lettering in either Detention Officer or Sheriff
Sizes Small to 6XLarge
Slash through pockets,

2. (Hatch) Frisk Master FM 2000 Gloves with Spectra (Equal or Better)

Premium Leather shell
100% Spectra Knit Liner
Twice the cut resistance of Kevlar
Sizes XSmall to 2Xlarger
Elastic around glove wrist to hold cuff secure on hand

3. (Tyvek) Personal Protection Coveralls with attached hood, and booties (Equal or Better)

Color White
Sizes Small to 3XLarge
Protective barrier against particulates and liquid splashes
Front zipper closure and elastic wrists

4. Polypropylene Disposable Coveralls, Long Sleeve Tops, Pants

Polypropylene lightweight, spun bound 1.25 oz. material weight, Porous, breathable, economical and disposable
Coveralls with collar and zipper, color and snap closures, color navy blue, sizes Xsmall to 5 Xlarge
Long Sleeve shirts with collar and snap closures, color navy blue, sizes Xsmall to 5 Xlarge
Pants with elastic waist, color navy blue, sizes Xsmall to 5 Xlarge

5. BDU (Battle Dress Uniforms) Style Pant:

Tan, Dark Brown and Black(or color closest to the existing uniform)

If the color varies distinctly from the existing uniform it will not be considered. This is done to keep the appearance of uniformity.

65 % Polyester 35 % cotton ripstop only

Pants must have:

Adjustable waist tabs
Two (2) front pockets
Two (2) rear pockets
Two (2) large button down bellows leg pockets
Reinforced seat and knees
All seams double stitched
Drawstring ankle ties

Pants must come in both regular and long lengths.

The sizes of BDU'S used are:

X-SMALL
SMALL
MEDIUM
LARGE
X-LARGE

DRAFT

XX-LARGE
XXX-LARGE
XXXX-LARGE

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions.
Material must be machine washable and able to be ironed.

6. BDU (Battle Dress Uniform) Style Shirt:

Tan and Dark brown (or color closest to the existing uniform)

If the color carries distinctly from existing uniform color in will not be considered. This is done to keep the appearance of uniformity.

65 % Polyester 35 % cotton ripstop only

Shirts must have:

Four (4) below style pockets
Reinforced elbows
Adjustable button tab cuffs
Button down front
Double stitched seams

Shoulder patch on both sleeves: VENDOR SHALL SUPPLY WITH PATCHES ALREADY ATTACHED TO BOTH SLEEVES. THE STANDARD DEPARTMENT PATCH SHOULD BE SEWN ON EACH SLEEVE. THE SLEEVE PATCH MUST BE OF THE SAME DESIGN CURRENTLY USED AND SAME COLOR SCHEME. THE PATCH HAS GOLD LETTERING AND TRIM ON A DARK BROWN BACKGROUND. THE SHIRTS BOUGHT MUST COME WITH THE PATCHES ATTACHED. THIS COST MUST NOT BE AN ADDITIONAL CHARGE.

BADGE PATCH: A CIRCULAR DESIGN THAT USES THE SAME BADGE DESIGN AS ON SHOULDER PATCH (GOLD STAR WITH DARK BROWN BACKING). THE CHEST PATCH MUST BE SEWN ONTO THE SHIRT. SILK SCREEN IMAGES **WILL NOT** BE ACCEPTED.

A copy of a shoulder patch and a badge patch is being attached to illustrate and clarify bid specifications concerning patch descriptions on Bid.

Shirts must come in both regular and long cuts. The sizes of the BDU's used are:

X-SMALL
SMALL
MEDIUM
LARGE
X-LARGE
XX-LARGE
XXX-LARGE
XXXX-LARGE

DRAFT

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions.
Material must be machine washable and able to be ironed.

7. BDU (Battle Dress Uniform) Style Shirt SERT Officer:

Black (or color closest to the existing uniform)

If the color carries distinctly from existing uniform color in will not be considered. This is done to keep the appearance of uniformity.

65 % Polyester 35 % cotton ripstop only

Shirts must have:

Four (4) below style pockets
Reinforced elbows
Adjustable button tab cuffs
Button down front
Double stitched seams

Shoulder patch on both sleeves: VENDOR SHALL SUPPLY WITH PATCHES ALREADY ATTACHED TO BOTH SLEEVES. THE STANDARD DEPARTMENT PATCH SHOULD BE SEWN ON EACH SLEEVE. THE SLEEVE PATCH MUST BE OF THE SAME DESIGN CURRENTLY USED AND SAME COLOR SCHEME. THE PATCH HAS SILVER LETTERING AND TRIM ON A DARK BLACK BACKGROUND. THE SHIRTS BOUGHT MUST COME WITH THE PATCHES ATTACHED. THIS COST MUST NOT BE AN ADDITIONAL CHARGE.

BADGE PATCH: A CIRCULAR DESIGN THAT USES THE SAME BADGE DESIGN AS ON SHOULDER PATCH (SILVER STAR WITH DARK BLACK BACKING). THE CHEST PATCH MUST BE SEWN ONTO THE SHIRT. SILK SCREEN IMAGES **WILL NOT** BE ACCEPTED.

A copy of a shoulder patch and a badge patch is being attached to illustrate and clarify bid specifications concerning patch descriptions on Bid.

Shirts must come in both regular and long cuts. The sizes of the BDU's used are:

X-SMALL
SMALL
MEDIUM
LARGE
X-LARGE
XX-LARGE
XXX-LARGE
XXXX-LARGE

DRAFT

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions. Material must be machine washable and able to be ironed..

ADDITIONAL TERMS, CONDITIONS AND REQUIREMENTS

1. All costs and expenses associated with the preparation and submission of bids shall be the responsibility of the bidder and no reimbursement for such charges or expenses shall be passed onto Hidalgo County.
2. Hidalgo County has the authority to utilize State Contracts when ever it is in the County's best interest to do so.
3. All purchases will be on an "As Needed Basis", there are no set quantities.
4. The initial contract term for this project will be for a two (2) years with the County's option to extend for a additional two (2) one (1) year terms under the same rates, terms and conditions.
5. Hidalgo County reserves the right to continue this bid for an additional sixty (60) day grace period, under the same rates, terms and conditions at the end of the contract term for unforeseen delays in award of new bid for the next contract term.
6. Insurance requirements for this projects are General Liability, Auto Liability (if applicable) and Workers Compensation (If applicable). Refer to limits on the Exhibit "C".
7. Hidalgo County reserves the right to award to one (1) or multiple vendors.
8. Vendor will make arrangements (if necessary) with County departments to take measurements

or any other questions needed answered by departments.

9. This contract is not limited to the user departments only. It may be used by any County department(s).
10. All bid prices for items shall take into consideration shipping and handling costs, embroidery, patches on uniforms and any other items mentioned on specifications as part of the fixed item price.
11. **IMPORTANT:** A sample of the uniform/clothing being proposed must be submitted at no charge to the County with the bids for review and inspection by Hidalgo County. Arrangements will be made with the vendor to return all uniform/clothing at no charge to the County.
12. Uniforms/clothing proposed must match colors and patches/embroidery of uniforms/clothing currently being used by user department.
13. Vendor will ensure that all deliveries will be delivered in full within thirty (30) to forty-five (45) days from purchase order.
14. Hidalgo County is requesting that any and all questions, inquiries, and all clarifications regarding quotes, bids, proposals or statements of qualifications be addressed to, Martha L. Salazar, CPPB, Purchasing Agent, 100 E. Cano St., 4th Floor. Edinburg Texas 78539. **Telephone calls will not be accepted.** All written inquiries will be accepted via facsimile no later than, Wednesday, Month Day Year, 5:00 P.M. Responses to said inquiries will be sent to all applicants via facsimile by no later than 5:00 P.M., Month date Year.

DRAFT

FOUR POCKET TROUSER COLOR: SILVER TAN

SHELL FABRIC

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool with 10 - 12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

TRIM

Pocketing: 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd
Interlining: polyester non-woven.
Binding: polyester/cotton bias cut.
Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.
Stretch edge control.
Fly zipper: nylon coil #5 with auto lock slider.
Hook and eyes: nickel-plated.
Buttons: melamine, 22 ligne, matching shell fabric.

DESIGN AND CONSTRUCTION

Front quarter pockets and inverted double cord hip pockets with button tabs.
All pocket secured with bartacks.
Wide stretch waistband with fly tab.
Interlined wide belt loops inserted in bottom of waistband and tacked at top.
Double hook and eye closure.
Quarter linings in front quarters.
Outlets in waistband (back) and thigh inseam.
Tandem needle seat seam.
Seat, inseam, and out seams pressed open.
10-12 stitches per inch (all seams).
Permanent silicone adhesive creases, front and back.

DRAFT

CUSTOMIZATION

Windproof breathable liner.
Striping - Stripe will be attached to the side of the pant. The stripe will start at the bottom seam of the pocket and run the length of the pant. The stripe has an overall width of 0.75". The stripe is a piggyback design of dark brown atop gold. The dark brown portion should be no wider than 0.5" and the gold should be 0.75" in total width with only 0.125 of an inch showing on either side of the dark brown. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department
Hemming.

STANDARD SIZE RANGE

Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 39
Women's: Regular Length: even dress sizes 6 - 24
Optional Sizes - Trousers sizes for men must be available from 48 to 54 in addition to what was specified. Pants must be available in long stride if requested.

MEASUREMENTS

Men's: Regular Length: Waist Size 36:
a. 1/2 Waist: 18 (plus 0.25 inch)
b. Seat: 24 (plus or minus 0.25 inches)
c. 1/2 Knee 10.875 (plus or minus 0.25 inches)
d. 1/2 Bottom Leg 8.75 (plus or minus 0.25 inches)
e. Inseam: 37 (plus or minus 0.50 inches)
f. Out seam: 46.25 (plus or minus 0.50 inches)
g. Front Rise: 10.375 (plus or minus 0.25 inches)
h. Back Rise: 16.875 (plus or minus 0.25 inches)
Women's: Regular Length: Dress Size 12

i.	1/2 Waist:	15.25	(plus 0.25 inch)
j.	Seat:	22.625	(plus or minus 0.25 inches)
k.	1/2 Knee	10.125	(plus or minus 0.25 inches)
l.	1/2 Bottom Leg	8.5	(plus or minus 0.25 inches)
m.	Inseam:	35.875	(plus or minus 0.50 inches)
n.	Out seam:	45.875	(plus or minus 0.50 inches)
o.	Front Rise:	11.625	(plus or minus 0.25 inches)
p.	Back Rise:	15 .25	(plus or minus 0.25 inches)

DRAFT

LONG SLEEVE SHIRT COLOR: SILVER TAN

SHELL FABRIC

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

TRIM

Lining: 100% Polyester Satin or 100% Polyester Taffeta
Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton
Hook and loop: Woven Nylon base
Buttons: melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION

Long sleeve uniform shirt
5 crease military style with permanent silicone adhesive creases
Top fused, banded dress collar
Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure
Collar stand and yoke lined with polyester taffeta or satin
2 button adjustable cuffs
Epaulets
Badge eyelets with internal support strap
Extra long shirt tails

DRAFT

CUSTOMIZATION

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Sheriff's Department. The patch has gold lettering and trim on a dark brown background. The bidder shall contact the purchasing department for exact design and size of patch. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop gold. The gold measures 2" in width. The dark brown sits atop with a width of 1.875". The gold should show only 0.0625" on both sides of the strap. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

STANDARD SIZE RANGE

Men's:

Body Length Regular: Sleeve Length: 32 sizes 14.5-17
Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5
Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5
Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5
Body Length Tall: Sleeve Length: 37 sizes 16.5-19.5

Women's: Regular Length: even sizes 32 - 46

Optional Sizes - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

MEASUREMENTS

Men's: Regular Length: Size 16.5:

- | | | |
|-----------------|-------|-----------------------------|
| a. Neck | 17 | (plus or minus 0.5 inches) |
| b. 1/2 Chest: | 25.25 | (plus or minus 0.75 inches) |
| c. Back Length: | 32.5 | (plus or minus 0.5 inches) |

Women's: Regular Length: Size 38

- | | | |
|-----------------|------|-----------------------------|
| a. Neck | 15.5 | (plus or minus 0.5 inches) |
| b. 1/2 Chest: | 22 | (plus or minus 0.75 inches) |
| c. Back Length: | 28.5 | (plus or minus 0.5 inches) |

DRAFT

SHORT SLEEVE SHIRT COLOR: SILVER TAN

SHELL FABRIC

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

TRIM

Lining: 100% Polyester Satin or 100% Polyester Taffeta

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton

Hook and loop: Woven Nylon base

Buttons: melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION

Short sleeve uniform shirt

5 crease military style with permanent silicone adhesive creases

Top fused, convertible sport collar

Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure

Back collar and yoke lined with polyester taffeta or satin

Epaulets

Badge eyelets with internal support strap

Extra long shirt tails

DRAFT

CUSTOMIZATION

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Sheriff's Department. The patch has gold lettering and trim on a dark brown background. The bidder shall contact the purchasing department for exact design and size of patch. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop gold. The gold measures 2" in width. The dark brown sits atop with a width of 1.875". The gold should show only 0.0625" on both sides of the strap. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

STANDARD SIZE RANGE

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizing - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

MEASUREMENTS

Men's: Regular Length: Size 16.5:

- | | | |
|-----------------|-------|-----------------------------|
| a. Neck | 17 | (plus or minus 0.5 inches) |
| b. 1/2 Chest: | 25.25 | (plus or minus 0.75 inches) |
| c. Back Length: | 32.5 | (plus or minus 0.5 inches) |

Women's: Regular Length: Size 38

- | | | |
|-----------------|------|-----------------------------|
| a. Neck | 15.5 | (plus or minus 0.5 inches) |
| b. 1/2 Chest: | 22 | (plus or minus 0.75 inches) |
| c. Back Length: | 28.5 | (plus or minus 0.5 inches) |

DRAFT

Secretarial & Communications Shirts:

- * Blue Generation (equal or better) 65% polyester / 35 % cotton
- * Hunter Green Polo and Maroon Polo Shirts
- * Ladies sizes Small to 6XLarge without pocket
- * Men's sizes Small to 6XLarge with pocket
- * With Yellow / Gold Embroidery on the Left Breast Side in ½ in. letters.
Left: Hidalgo County
Sheriff's Office

Investigator Raid Jackets

- * Brown Nylon coach's jacket with white light lining
- * Outer shell 100% nylon taffeta
- * Fully lined with polyester brushed tricot
- * Snap front
- * Drawstring bottom
- * Elastic Cuffs
- * Sizes from Small to 4XLarge
- * Screen-printed with yellow ink
- * Printing and jacket must match exactly what we currently have

Screen print option 1

- * Hidalgo County Sheriff's Office badge logo on left breast side
- * "POLICE" across the front of (horizontal) jacket in 4" letters
- * "POLICE" on both sleeves (vertical) in 2" letters
- * Printing on back of jacket must be centered
- * Back: SHERIFF'S 4" letters
OFFICE 1" letters
POLICE 4" letters

DRAFT

Screen print option 2

- * Front and sleeves exactly the same as option 1
- * Back: SHERIFF'S 4" letters
NARCOTIC UNIT 1" letters
POLICE 4" letters

BDU (Battle Dress Uniform) Style Pants

- * Proper (equal or better) 65% Polyester, 35% Cotton
- * "RIPSTOP" MATERIAL
- * COLOR – SILVER GRAY (OR COLOR CLOSEST TO THE SILVER GRAY OF EXISTING UNIFORMS)
- * ADJUSTABLE WAIST TABS
- * TWO (2) FRONT POCKETS
- * TWO (2) REAR POCKETS
- * TWO (2) LARGE BUTTON DOWN BELLOWS LEG POCKETS
- * REINFORCED SEAT AND KNEES

- * ALL SEAMS DOUBLE STITCHED
- * DRAWSTRING ANKLE TIES
- * MEN'S SIZES FROM SMALL TO 6XLARGE
- * PANTS MUST COME IN BOTH REGULAR AND LONG LENGTHS.

BDU (Battle Dress Uniform) Style Shirt

- * Proper (equal or better) 65% Polyester, 35% Cotton
- * "RIPSTOP" MATERIAL
- * COLOR – SILVER GRAY (OR COLOR CLOSEST TO THE SILVER GRAY OF EXISTING UNIFORMS)
- * SHIRTS MUST COME IN BOTH REGULAR AND LONG LENGTHS (TORSO). THE SIZE OF THE B.D.U.'S USED ARE SMALL TO 6 XLARGE

SHIRT OPTION 1

- * FOUR (4) BELOW STYLE POCKETS
- * REINFORCED ELBOWS
- * ADJUSTABLE BUTTON TAB CUFFS
- * BUTTON DOWN FRONT DOUBLE STITCHED SEAMS
- * SMALL TO 6 XLARGE

SHIRT OPTION 2

- * TWO (2) STYLE POCKETS
- * REINFORCED ELBOWS
- * ADJUSTABLE BUTTON TAB CUFFS
- * BUTTON DOWN FRONT DOUBLE STITCHED SEAMS
- * SMALL TO 6 XLARGE

DRAFT

SHOULDER PATCH ON BOTH SLEEVES: VENDOR SHALL SUPPLY WITH PATCHES ALREADY ATTACHED TO BOTH SLEEVES. THE STANDARD OFFICE PATCH SHOULD BE SEWN ON EACH SLEEVE. THE SLEEVE PATCH MUST BE OF THE SAME DESIGN CURRENTLY USED AND SAME COLOR SCHEME. THE PATCH HAS SILVER LETTERING AND TRIM ON A BLACK BACKGROUND. THE SHIRTS BOUGHT MUST COME WITH THE PATCHES ATTACHED. THIS COST MUST NOT BE AN ADDITIONAL CHARGE.

BADGE PATCH: A CIRCULAR DESIGN THAT USES THE SAME BADGE DESIGN AS ON SHOULDER PATCH (SILVER STAR WITH BLACK BACKING). *PATCH MUST READ "SHERIFF'S OFFICE" AND NOT SHERIFF'S DEPT.* THE CHEST PATCH MUST BE SEWN ONTO THE SHIRT. SILK SCREEN IMAGES WILL NOT BE ACCEPTED.

STRAW HATS

STETSON STRAW HATS (EQUAL OR BETTER)

STYLE: ROPER

COLOR: NATRUAL

4" BRIM WITH EYELETS

Quality: 4X

Sizes: 6 3/4, 6 7/8, 7, 7 1/8, 7 1/4, 7 3/8, 7 1/2, 7 5/8