



BUILDING & GROUNDS

County Of Hidalgo

DANIEL FLORES
Director

To: Oscar Garza, Purchasing

From: Daniel Flores, Director
Buildings and Grounds

Date: August 22, 2007

Re: Landscaping of County Property

The locations are the New Administration Building and the Shady lawn parking area.

1. Shady lawn located on the corner of 12th and Stubbs in Edinburg, the requirements are as follows:
 - a. Perform landscaping in each pod or grassy area to include water retention areas with native plants, shrubs and trees.
 - b. Must follow City of Edinburg code, section 153.05, Screening and Landscaping of non-residential yards.

2. New Administration Building, located at 2802 S. Bus. 281, Edinburg , the following are the requirements:
 - a. Create 12 to 14 landscaping pods at existing asphalt parking lot to be saw cut and have 6" concrete curbs surround.
 - b. Must follow City of Edinburg code section 153.05, Screening and Landscaping of non-residential yards.
 - c. All plants, trees and shrubs will native.

To: Oscar Garza, Buyer
Purchasing Department

From: Daniel Flores, Director
Buildings and Grounds Department

Re: Agenda

Date: August 9, 2007

Please be informed the following is the scope of work for the New Administration Building Parking Lot Landscaping:

- Saw cut asphalt for landscape islands
- Provide & Install concrete curbs around islands
- Provide & Install mesquite trees & palm trees
- Provide & Install top soil dirt & fertilization
- Remove & Haul off debris from premises
- Refer to site plans for locations
- Turn key

Thank you for your prompt cooperation with this matter, if in need of additional information please contact me at direct ext. (956)289-7855.

cc:
Marty Salazar, Purchasing
Valde Guerra, Budget & Management

INLET GRATE
 TO= 95.39
 FL 12" M= 93.69
 FL 12" S= 93.44

STM. INLET
 TO= 95.23
 FL 10" E= 92.59

STM. MANHOLE
 TR= 95.71
 FL 10" M= 93.31
 FL 12" M= 91.81
 FL 30" E= 89.23
 FL 10" S= 89.29
 FL 30" W= 89.23


EXIST. 24'

MAHI STREET (60' R.O.W.)
 ASPH. W/ CONC. CURB / GUTTER

STM. MANHOLE
 TR= 95.59
 FL 15" ME= 83.47

12TH AVENUE (75' R.O.W.)
 PROP. STORM SEWER
 (BY OTHERS)
 ASPH. W/ CONC. CURB / GUTTER

STM. INLET
 TO= 84.84
 FL 10" E= 82.29



EXIST. MANHOLE
 INV. 88.03

PROP. TYPE "A" INLET
 TR 86.00
 INV. 88.14

PROP. TYPE "C" INLET
 TR 83.00
 INV. 88.17

PROP. TYPE "C" INLET
 TR 86.00
 INV. 83.08(M)
 INV. 83.08(L)

PROP. 88 LF
 OF 12" ADS
 @ 0.25%

PROP. 124 LF
 OF 12" ADS
 @ 0.25%

PROP. TYPE "C" INLET
 TR 86.00
 INV. 83.40

PROP. 44 LF
 OF 18" ADS
 @ 0.25%

PROP. 18 LF
 OF 18" ADS
 @ 0.15%

CURB / INLET
 TO= 86.39
 FL= 83.39

EXIST. 12'
 STUBBS STREET (60' R.O.W.)
 ASPH. W/ CONC. CURB / GUTTER

STM. INLET
 TO= 94.89
 FL 10" ME= 91.85

STM. MANHOLE
 TR= 95.53
 FL= 92.08

13TH AVENUE (60' R.O.W.)
 ASPH. W/ CONC. CURB / GUTTER

SHADY LAWN PK. LOT