

SEIVER IMPLEMENT CO.
801 W. EXP. 83 ** P.O. BOX 699
DONNA, TX 78537
956-464-2231 FAX 956-464-9990

ATTENTION: OSCAR GARZA

company: HIDALGO COUNTY

fax #: 956-292-7612

4 pages sent

telephone # _____

senders name: NOEMI

date: 9-17-07

9-18-07

SPECIFICATIONS

MF2615 TRACTOR
WOODS CUTTER

Pages: 4

9/18/07 — Warranty Terms + Conditions:
Your Specification Sheet with
INFORMATION.

Warranty coverage is provided by Massey Ferguson. SERVICES must be performed by an authorized Massey Ferguson® dealer. It is recommended that you obtain warranty service from the dealer who sold you the equipment because of that dealer's continued interest in you as a valued customer. In the event this is not possible, warranty service may be performed by any other authorized Massey Ferguson® Dealer in the United States and Canada.

Maintenance Service. The Owner's Manual furnished to you with the equipment at the time of delivery contains important maintenance and service information. You should read the manual carefully and follow all the maintenance and service recommendations. Doing so will result in greater satisfaction with your equipment and help avoid service and warranty issues.

Maintenance Inspections. To insure the continued best performance from your agricultural equipment, we recommend that you arrange to make your equipment available to your Massey Ferguson® dealer for a maintenance inspection 30 days prior to warranty expiration.

Extended Warranty is available for purchase, see your Dealer for details.

RECEIVED

SEP 18 2007

PURCHASING DEPT.

ca 2.55

Oscar Garza

From: hseiver [hseiver@hughes.net]
Sent: Tuesday, September 25, 2007 9:14 AM
To: Oscar Garza
Subject: bid for tractor

Oscar the corrected bid price for the mf 2615 tractor is \$13,562.87 ✓

Woods shredders stay the same at: Woods HSS 72 \$1095.00 ✓
Woods bb72 \$1445.00

Sorry for the inconvenience

Harold

total: \$14,657.87

Specifications	New 2007 Model
Horsepower	Minimum 60 HP
P.T.O.	45 HP minimum
Lubricator	Pressure System w/Flow Oil Filter
Cooling	Pressurized w/Pump, Fixed Bypass
Fuel Tank Capacity	15 Gallon Minimum
P.T.O.	540 RPM
Brakes	Hydraulic Foot Operated
Electrical System	
Volts	12 Volts
Ignition	Key w/Safety Starter
Instruments	Tractor Meter Hour
	Fuel Temperature Gauge
	Voltmeter
	Oil Pressure
	Horn
Air Restriction Indicator	
Headlights	Two (2) Minimum
Working Lights	One (1) Minimum
Flashing Lights	Two (2) Minimum
Tail Lights	One (1) Minimum
Moving Sign	Slow Moving Sign on Rear of Unit
Steering	Type Power Assisted
Transmission	
	Collar Shift 8 Forward and 2 Reverse Speeds
Unit Functions on Rear	
Rotary Cutter	Three (3) Point Hitch for Rotary Cutter
Drawbar	Universal or Swinging Type
Front Axle and Tires	
Front Axle	Straight and Adjustable
Tires	6:00 - 16 Ply
Rear Axle and Tires	
Axle	Differential Lock Foot Pedal
Tires	13:6-28-8 Ply Minimum
Roll Over Bar w/Canopy (Rotary Cutter Specs)	
Cutting Width	Minimum 72 Width
Cutting Height	Minimum 2" to 9" Height
Safety Curtain	To be in Front & Rear

Tail Wheel	Easily Adjustable Solid Rubber Tail Wheel
	Wrap around Skirt Front & Skid Shoes
	Shear Pin Protection
Warranty	Tractor: minimum 3 yrs/3000 Hr. on Power Train and 2 Yr. Warranty on all other accessories to include but not limited to 1 Yr. minimum on Cutter.
Delivery	30 DAYS OR LESS
Safety Features	Slip Clutch and Safety Sheild
	Reverse Alarm
	Safety Beacon on Top

— SLIP CLUTCH REPLACES

SHEAR PIN PROTECTION

— SLIP CLUTCH IS HIGHLY

RECOMMENDED BUT NOT

NECESSARY

Harold @ Seiver Impl.