



CONTRACT PRICING WORKSHEET

*This Form must be prepared by Contractor, and provided to End User to attach to Purchase Order, with copy to H-GAC.
The H-GAC fee shall be calculated and shown as a separate line item.*

Buying Agency: HIDALGO COUNTY (PCT #2)	Contractor: RUSH TRUCK CENTERS OF TEXAS, L.P.
Contact Person: RICHARD CUELLAR	Prepared By: CHARLIE PLOUSE
Phone/Fax: (956) 318-2626 // (956) 318-2629	Phone/Fax: (713) 495-6304 // (713) 695-9620
Location City, State: 302 EAST STATE STREET PHARR, TEXAS 78577	Contract No.: HT11-07
Date: 3/24/2008	Product Code: MB

Product Description: PETERBILT 340 WATER TANK TRUCK

A. Item Base Unit Price Per H-GAC Contract: **A:** \$ 76,215.00

B. Published Options (Itemize below and attach additional sheet(s) if necessary)

Code	Description	Cost	Code	Description	Cost
Subtotal From Additional Sheet(s):					\$ 21,920.84
Subtotal B:					\$ 21,920.84

Note: Published Options are options submitted with the contractor's bid.

C. Unpublished Options (Itemize below and attach additional sheet(s) if necessary)

Code	Description	Cost	Code	Description	Cost
	LEDWELL 4,000 GALLON BODY	\$ 25,822.50			\$ -
	RUSH & PETERBILT DISCOUNTS	\$ (25,157.83)			\$ -
		\$ -			\$ -
		\$ -			\$ -
Subtotal From Additional Sheet(s):					0
Subtotal C:					\$ 664.67
Check: Total cost of Unpublished Options (C) cannot exceed 25% of the total of the Base Unit Price plus Published Options (A+B). For this transaction, the percentage is:					0.68%

D. Other Price Adjustments (E.G. Installation, Freight, Delivery, Etc.)

Subtotal D:	-

E. Unit Cost of Item Before Fee & Non-Equipment Charges (A+B+C+D) **\$ 98,800.51**

Quantity Ordered	X	1
Subtotal E:		\$ 98,800.51

F. H-GAC Fee **Subtotal F: \$ 1,000.00**

G. Non-Equipment Charges (Trade-In, Extended Warranty, et	\$ -
	\$ -
	\$ -
Subtotal G:	\$ -

H. Total Purchase Price (E+F+G): **\$ 99,800.51**

(Please Type, or Print Legibly)

Estimated Delivery Date: 8/15/2008

HIDALGO COUNTY, PCT #2

March 24, 2008

PETERBILT COMPUTATIONS

PETERBILT 340 CHASSIS: [WATER TRUCK]

OPTIONS CALCULATIONS

COMPLETE CHASSIS LIST PRICE: \$ 97,396.00

CHASSIS LIST: \$ 73,901.00

CHASSIS OPTIONS LIST: \$ 23,495.00

<u>LIST</u>	<u>H-GAC DISCOUNT</u>	<u>OPTIONS NET</u>	
\$ 23,495.00	6.70%	MB	<u>\$ 21,920.84</u>

6.7% DISCOUNT = .933 MULTIPLIER

PUBLISHED OPTIONS



NEW DEALERSHIP S046

HIDALGO COUNTY PCT. # 12

Phone:
Fax:
Email:

Phone:
Fax:
Contact Email:
Prepared for:

Vehicle Summary

	Unit		Chassis	
Model:	Model 340	Fr Axle Load (lbs):	12000	
Type:	Full Truck	Rr Axle Load (lbs):	40000	
Description:		G.C.W. (lbs):	35000	
	Application	Road Conditions:		
Intended Serv.:	Construction Dump - On/Off Highway	Class A (Highway)	100	
Commodity:	Construction Materials	Class B (Hwy/Mtn)	00	
	Body	Class C (Off-Hwy)	00	
Type:	Roll-Off	Class D (Off-Road)	00	
Length (ft):	17	Maximum Grade:	6	
Height (ft):	13.5	Wheelbase (in):	194	
Max Laden Weight (lbs):	1000	Fr Axle to BOC (in):	69.8	
	Trailer	Cab to Axle (in):	124.2	
No. of Trailer Axles:	0	Cab to EOF (in):	184.2	
Type:				
Length (ft):	0			Special Req.
Height (ft):	0.0			
Kingpin Inset (in):	0			
Corner Radius (in):	0			
	Restrictions			
Length (ft):	40			
Width (in):	102			
Height (ft):	13.5			

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

PACCAR FINANCIAL	Ask your dealer for a quote today, or visit our website @ www.paccarfinancial.com .
	PACCAR Financial offers innovative finance, lease and insurance programs customized to meet your needs.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	3/20/2008 9:47:18 AM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q34804928
Prepared by:	ID: gonzalezj		Version Number:	17.10



NEW DEALERSHIP S046

HIDALGO COUNTY PCT. #3

Phone:
Fax:
Email:

Phone:
Fax:
Contact Email:
Prepared for:

Data	Code	Description	\$ List	Weight
Base Model				
0003401	O	Model 340	73,901	9,855
Frame & Equipment				
0550060	O	10-5/8in Steel Rails, Steel Xmbrs, 278-326in	245	166
0601620	O	3/4 Length Steel Inner Liner EOF For use with 10-1/2in, 10-3/4in, or 10-5/8in rails.	1,488	591
0612230	O	Custom Wheelbase or Overhang Engineering approval may be required.	150	0
0613090	O	Three-Piece Crossmembers	430	0
0633210	O	Huck Bolt All Accessible Frame Components Except EOF crossmember.	0	0
0644090	S	EOF Square without Xmbr For use with body builder installed crossmember.	0	0
0651090	O	Omit Rear Mudflaps and Hangers	0	0
Front Axle & Equipment				
1011030	O	Dana Spicer E1462I 14,600 lb, 3.5in Drop Bendix ES cam brakes, 11-1/4in bolt circle.	1,035	256
1112070	O	Taper Leaf Springs with Shocks 14,600 lbs Use with 14,600 lb front axles.	0	0
1232940	O	Power Steering TRW TAS85	0	0
1250020	O	Power Steering Reservoir Frame Mounted For use with 8,000 lb to 14,600 lb front axles.	0	0
1353280	O	PHP10 Alum LMS Hubs, Cast Drums, 16.5x5 Brakes 13,200 and 14,600 lb front axles. Includes Bendix EES420 brake linings, non-asbestos.	0	0
Rear Axle & Equipment				
1623000	O	Dana Spicer DSP41 40,000 lb (Interaxle diff lock air rocker occupies the space of one gauge)	6,261	2,165
1612960	O	PHP10 Iron Hubs, Cast Drums, 16.5x7 Cam Brakes 46,000 lb maximum, tandem axle, Bendix ES brakes.	0	0
1631310	O	Parking Brakes (Axle Package)	0	0
1672520	O	Dana Spicer Full Lock Diff Lock, Both Axles 40,000-45,000 lbs. For use with DSP40/41(P), D40-170(P), DSH40-44(P). (Air Rocker Switch occupies the space of one gauge)	1,967	37

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 3/20/2008 9:47:16 AM
Effective Date: Jan 1, 2008
Prepared by: ID: gonzalezj

Complete

Model Number: Model 340
Quote/DTPO/CO: Q34604325
Version Number: 17.10



Data	Code	Description	\$ List	Weight
1682260	O	Gusseted Cam Brackets, Tandem Axles Bendix 16.5x7, 46,000 lb maximum GAWR, welded gusset cam bracket.	58	2
1682450	S	Bendix 4S4M ABS, SBM Valve ABS-6	0	0
1684200	S	Synthetic Axle Lubricant, All Axles	0	0
1687340	O	Tandem Drive Axle (Model 340)	0	0
1704110	S	Ratio 4.11 Rear Axle	0	0
1821800	O	Peterbilt Air Trac 40,000 lb, Light Weight	2,998	604
1922260	O	Dash Mounted Dump Valve with Indicator Light For use with air suspension (occupies the space of one gauge)	37	2

Engine & Engine Equipment

2074302	O	PACCAR PX-8 300/2200 300@2000 860@1300 Includes alum flywheel housing, cruise control, and J1939 provisions (provides an interface point for the Electronic Service Analysis-ESA and other PACCAR approved diagnostic tools). N20300 P029 No....Idle Shutdown Enable N20320 P015 Yes...Engine Protection Shutdown N20380 P001 84....Max Speed In Top Gear. N20400 P059 65....Maximum Cruise Speed N20440 P030 5.....Idle Shutdown Timer	2,187	0
2513760	S	PACCAR 130 Amp Alternator-Brushless w/Voltage Regulator and 3 year/350,000 mile extended warranty. (Note: Remote Sense is not available or needed with the PACCAR Alternator. At low engine RPM, the PACCAR Alternator puts out 80 amps verses 60 amps on other alternators.)	0	0
2522050	S	PACCAR 12V Starter Includes 3 year/350,000 mile extended warranty for On-Highway applications or 1 year/50,000 mile warranty for Off-Highway applications.	0	0
2538020	S	2 PACCAR Premium 12V Dual Purpose Batt 1400 CCA Threaded Stud Type Terminal	0	0
2723210	O	18.7 CFM Air Compressor (Furnished on Engine)	0	0
2922720	O	Spin-on Fuel Filter Frame Mounted, Unheated	0	0
3010400	O	Engine Protection Shutdown Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.	37	0
3114270	S	High Efficiency Cooling System Includes silicone radiator hoses and extended life coolant.	0	0
3211120	S	Dniden Radial Seal/Dry Type Air Cleaner w/Frontal Air Intake	0	0
3366900	O	Exhaust - Single RH Side of Cab (DPF RH under frame)	0	0
3381120	O	Single Exhaust Guard Stainless Steel	0	0
3387630	O	24in Ht, 7in Dia Chrome Plate Stl Standpipe(s) 2007 description: 24in Ht, 7in Dia Chrome Plate Stl Standpipe(s)	0	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	3/20/2008 9:47:16 AM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q34604325
Prepared by:	ID: gonzalezj		Version Number:	17.10



Data	Code	Description	\$ List	Weight
Transmission & Clutch				
4023200	O	Fuller FRO11210B 10 Speed 1150 Torque - Includes Alum Bell Housing, and Synthetic Lubricant.	2,068	265
4210080	O	1710 HD Driveline With Single Midship Bearing	0	0
4380010	U	MANUAL ADJUST CLUTCH W/GREASE BEARING	0	0
4380270	O	Remote Lube Hoses for Clutch Linkage, Release Bearing and Cross Shafts - Mounted to LH Frame Rail	211	7

Air & Trailer Equipment

4510750	O	Bendix AD-1S Air Dryer with Heater An integrated system air dryer that incorporates the functions of the air dryer, purge reservoir (which increases the drying capacity), wet air tank, pressure relief valve, single check valves, and pressure protection valve for air susp and other air accessories. Includes easy-to-service spin-on desiccant cartridge.	391	35
4520420	O	Berg Pull Cord Drain Valve(s) - All Air Tanks	8	0
4540420	S	Nylon Chassis Hose	0	0
4543320	S	Steel Painted Air Tanks Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0	0

Tires & Wheels

5068190	O	FF: BR 16ply 295/80R22.5 R250F	408	37
5168350	U	RR: BR 14PLY 295/75R22.5 M725	96	88
5168620	O	RR: BR 14ply 295/75R22.5 M726EL	240	96
5190008	O	Code-rear Tire Qty 08	0	0
5214870	O	FF: Accur 29169 Plt 22.5x8.25 Std Whl Pilot Mount, Five Hand Holes, Heavy Duty	281	11
5314640	O	RR: Accur 29300 Plt 22.5x9.00 Std Whl Pilot Mount, Five Hand Holes	1,060	212
5390008	O	Code-rear Rim Qty 08	0	0

Fuel Tanks

5531100	O	23in Aluminum 70 Gallon Fuel Tank RH U/C	200	-117
5601070	O	Location RH U/C 70 Gallon	0	0
6612200	O	(1) Non-Slip Fuel Tank Step RH U/C	0	0

Battery Box & Bumper

6010030	O	Alum Battery Box w/Non-slip Step LH Under Cab Includes diamond pattern block shaped cover in Traditional/Vocational models and a smooth finish tapered cover on Aerodynamic Models.	21	-55
6121190	O	Steel Styled Aero Bumper Painted Black with Center Tow Hook	0	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	3/20/2008 9:47:16 AM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q34604326
Prepared by:	ID: gonzalezj		Version Number:	17.10



Data	Code	Description	\$ List	Weight
Cab & Equipment				
6510110	S	Alum Cab 108in BBC Metton Hood w/Bright Crown	0	0
6540120	O	Severe Service Cab Package #1 Includes alum side skins, alum rear skin, alum windshield mask, steel firewall, steel front floor sheet, steel isolator insert.	57	40
6911230	O	UltraRide HighBack Vinyl Air Driver Seat	-144	-13
6921200	S	UltraRide LowBack Vinyl Passenger Seat Non-Air Includes storage compartment under seat.	397	75
6931050	O	3-Point Safety Belt-Drvr & Pass-Orange Ipo Black	15	0
7001450	S	18In (4) Spoke Foam Steering Wheel-Soft Touch	0	0
7001520	O	Adjustable Steering Column - Tilt/Telescope For use with ProBilt, Prestige, or Vantage Interior - Standard on Platinum Interior.	205	11
7036120	S	Vantage Interior Grey/Black Includes vinyl padded headliner and back panels, doors with rubber insert, (2) inside entry grab handles, contoured armrests, vermilion burlwood dash, two inside sunvisors, two coat hooks, rubber floor mats, cup holder with 12-volt power outlet, and 2-way dome light.	0	0
7210400	S	Day Cab Rear Window	0	0
7230010	S	View Window in RH Door	0	0
7322010	S	Combo Fresh Air Heater/Air Conditioner with radiator mounted condenser, dedicated side window defrosters (not Models 210, 220, 320, 325, 330, 335, or 340), Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0
7410040	O	Outside Sunvisor Stainless Steel	101	4
7510010	S	Stainless Steel Mirrors 7x16	0	0
7560170	S	Convex Mirror Over RH Door	0	0
7560850	O	(2) Convex 8 Inch SS Mirror Center mounted under mirror bracket.	56	2
7610470	O	(1) Air Horn 24.5in Chrome - Round w/Horn Shield	120	4
7630070	O	Mount 24.5in Air Horn Under Cab LH (not available with under cab fuel tanks)	35	0
7722050	U	PANASONIC AM/FM/WEATHERBAND	281	11
7725220	O	ConcertClass Audio System with CD DayCab only. Includes AM/FM/WB frequencies, (2) cab mounted speakers, and antenna.	560	4
7726000	O	AM/FM/WB Radio (Omit CD) (Not available with satellite radio)	-279	0
7748080	O	CB Wiring Mounted Under Header (Model 387 or Medium Duty Models include terminals)	24	2
7748300	O	(1) 48 Inch CB Antenna	11	0
7748510	O	CB Antenna Bracket Mounted on RH Mirror	46	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	3/20/2008 9:47:16 AM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q34604326
Prepared by:	ID: gonzalezj		Version Number:	17.10



Data	Code	Description	\$ List	Weight
7851480	S	Peterbilt Electric Windsheld Wipers with Intermittent Feature	0	0
7851910	S	Cigar Lighter and Ashtray	0	0
7900010	O	5 Lb 3a:40bc Fire Extinguisher Mounted between driver seat and door.	69	9
7900090	O	Triangle Reflector Kit Shipped Loose	30	13
8011650	S	Instrument Package A Includes electric speedometer w/trip odometer, tachometer, dual air pressure, engine oil pressure, water temperature, and fuel level gauge.	0	0
8031000	S	Standard Warning Light Package Includes high water temperature, low oil pressure, and low air pressure warning lights w/buzzers, high beam and turn signal indicators, and parking brake warning light. Interaxle differential lockout warning light without buzzer (not included in the Medium Duty model). Inlet air heater and alternator charging system warning lights without buzzers (only included in the Medium Duty model).	0	0
8072060	O	(2) Additional Toggle Switches	16	0
8111110	S	Headlights Composite Fender Mounted w/Integral Park, Turn, and Side Marker.	0	0
8121010	S	Marker Lights (5)	0	0
8133380	O	(1) Beacon Light Rotating Amber Mounted top center BOC Roof	238	2

Paint

8500690	O	Paint Color Selection within Paint Deck	-200	0
8530330	S	Dupont Single Stage Non-Metallic (Solid Color Paint) N85020 1 - N0006EA WHITE N85200 FRAME N0001EA BLACK N85300 WHEEL N0006EA WHITE	0	0

Shipping Destination

8999990	O	Shipping Destination (Specify by narrative) N8990 FIRST 3 ASAP LAST 3 01/21/08	0	0
---------	---	-----------------------------------------------------------------------------------	---	---

Miscellaneous

	O		0	0
--	---	--	---	---

Total Adjusted Price (W/O Freight & Warranty)

Freight Charge \$0

Options Not Subject to Discount \$0

Total Weight 14421#

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	3/20/2008 9:47:16 AM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2008		Quote/DYPO/CO:	Q34804325
Prepared by:	ID: gonzalezj		Version Number:	17.10



P.O. Box 1106
3200 Wade Street

Tamarkana, TX 76604
Tamarkana, TX 76601

PHONE (803) 834-4431
FAX (803) 831-2719
<http://www.ledwell.com>
sales@ledwell.com
1-800-LEDWELL
833-8308

March 20, 2008

Mr Joe Gonzalez
Rush Truck Center
4700 N Cage
Pharr, TX 78677
Phn 956-782-4511 Fax 956-782-8822

REVISED QUOTE

Dear Mr Gonzalez:

As per your request, we are pleased to quote the following equipment for your consideration.

- One (1) Ledwell Model 4000 gallon
- 4000 Gallon Water Tank Assembly Complete w/ Manway
- 16'4" length x 98" width x 74 3/4" height
- Two cross wise baffles
- Rear ladder, push bumper tool box
- All welded subframe
- Hydrant fill capability
- Top discharge hydrant fill water drop
- Built in hose reel w/ 50' 1 1/2" jet spray hose w/ nozzle
- 4" x 3" pump - PTO driven ("Hot Shift PTO")
- Sparger bar 8" OD
- Sparger bar 4' lay down extension w/up-down air cylinder
w/on-off shut valve to operate extension when needed
- Side spray nozzle w/ 1 1/2" hose outlet (on passenger side)
- Low point drain cocks
- In-cab operated control valves
- Steel fenders
- Suction plumbed reservoir
- Reservoir interior bleated and coated with POLIBRID
- Exterior painted one color
- Non-potable water warning labels on sides & rear of tank
- Back-up alarm
- DOT lights, reflectors, & mud flaps

Thank you very much.
Mickey Ward