


APPLICATION ENGINEERED:

The Galion PLD contractor flatbed incorporates all the strength of 301-UN dump body. It is designed for use with a scissors or twin telescopic type conversion hoist. The PLD is extremely versatile because the sides can be built up to suit your hauling needs without sacrificing strength between the floor and sides. This is accomplished by pre-punched stake pocket openings in the top rail of the body and corresponding stake pockets welded in place on the bottom rub rail. The permanent 42" headboard is fully gusseted. Strength and flexibility of application is what you get in this Galion engineered body.

~~PLD-12, PLD-14,~~
PLD-16 PACKAGES
STANDARD BODY LENGTHS 12, 14 & 16 FT.




**CONTINUOUS WELDED
CONSTRUCTION**

•
**TAPERED BOX
SIDE BRACES**

•
FLAT RUB RAILS

•
**42" PERMANENT
HEADBOARD**

•
2" SIDE-TO-FLOOR RADIUS



**APPLICATION ENGINEERED
TO JOB AND CHASSIS**

Top rails are prepunched with stake pocket openings. Stake pockets welded directly underneath on flat rub rail. Extra strong and versatile, allowing you to build up sides as desired

Galion[®]
DUMP BODIES & HOISTS

BuyBoard

Rush Truck Center - Houston

The following details shall be provided with any BuyBoard purchase order (Fax Purchase Order to (800)211-5454

BuyBoard Vendor:	<u>Rush Truck Center, Houston [FOR RTC-PHARR]</u>	Prepared By:	<u>Charlie Plouse</u>
[Address P.O. to:]	<u>10200 N. Loop East</u>	Vendor Phone:	<u>(713) 495-6300</u>
	<u>Houston, Texas 77029</u>	Vendor Fax:	<u>(713) 695-9620</u>
		Vendor Toll Free:	<u>(800) 580-7383</u>
		Date Prepared:	<u>March 26, 2009</u>
Government Agency:	<u>HIDALGO COUNTY (PCT 4)</u>	Gov. Agency:	<u>HIDALGO COUNTY</u>
[Ship to:]	<u>1102 N. DOOLITTLE ROAD</u>	[Bill to:]	<u>P. O. BOX 1356</u>
	<u>EDINBURG, TEXAS 78540</u>		<u>EDINBURG, TEXAS 78529</u>
Contacts Name:	<u>OSCAR GARZA</u>	Gov. Agn. Phone No:	<u>(956)318-2626</u>
Product Description:	<u>PETERBILT 340 DUMP TRUCKS</u>	G. A. Fax No:	<u>(956) 292-7612</u>

I: BuyBoard Contract #281-07	Price List:	<u>PETERBILT # 4</u>	Base Price	\$	<u>64,780.00</u>
II: Base Bid Options: (Itemize Below)					
* <u>Please See Attached List</u>	<u>\$ 21,819.18</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
* _____	<u>\$ -</u>	*	<u>\$</u>	<u>-</u>	
Subtotal	<u>\$ 21,819.18</u>	*	Subtotal	<u>\$</u>	<u>-</u>
III:	Unpublished Options added to Contract Price (Subtotal of Co. 1 & Col 2)			\$	<u>21,819.18</u>
IV: Total IV + VI				\$	<u>86,599.18</u>
V: Non-Base Options (Itemize below)	NON-BASE =	<u>0.24</u>	%		
VI: Non-Published Options (Please see attached)	EACH			\$	<u>20,724.82</u>
VII: Unit Cost with Discount				\$	<u>107,324.00</u>
VIII: Quantity Ordered Units:	<u>4</u>	x "E"			
			\$	<u>429,296.00</u>	
IX: Trade-in or other Credit(s)				\$	<u>-</u>
	<u>\$</u>	<u>-</u>	<u>0</u>	\$	<u>-</u>
X: TOTAL PURCHASE PRICE INCLUDING VIII + IX				\$	<u>429,296.00</u>

Delivery to Hidalgo County, Pct # 4 90 DAYS A.R.O.
 CONTRACT 10/1/2007 TO 9/30/2010

Fax all Purchase Orders to BuyBoard at (800) 211-5454

HIDALGO COUNTY

BUYBOARD OFFER

MARCH, 2009

March 26, 2009

RUSH TRUCK CENTERS OPTIONS
HIDALGO COUNTY, PRECINCT #4

PUBLISHED OPTIONS:

PLEASE REFER TO THE FOLLOWING SPECIFICATIONS

BID CHASSIS LIST	\$ 100,221.00
LESS CHASSIS LIST	\$ (77,727.00)
OPTIONS OFFERED TOTAL	\$ 22,494.00
LESS 3% CONTRACT DISCOUNT	\$ 21,819.18

UNPUBLISHED OPTIONS:

16-18 CU YD DUMP BODY	\$ 14,902.64
LINER [LINE-X]	\$ 5,572.18
STOBE LIGHT	\$ 250.00
TOTAL OF UNPUBLISHED OPTIONS FOR PAGE 1	\$ 20,724.82



BLUEFIRE™

For HOT asphalt up to 400°F!

**UP TO
400°F**

- Maximum impact resistance
- Maximum abrasion resistance
- 1/2" thick only
- 10' wide
- 100% virgin UHMW w/ additional heat stabilizer
- Steel hold down plate comes installed for unmatched life expectancy

Virgin UHMW
w/heat stabilizer



BLUEICE™

For maximum impact, maximum abrasion applications.

- Maximum impact resistance
- Maximum abrasion resistance
- 3/8" and 1/2" thick
- 8' and 18' wide
- 100% virgin UHMW
- NOT suitable for asphalt hauling

Virgin
UHMW




SUPERFINE™

UHMW BEDLINERS

For high impact, high abrasion applications

- High impact resistance
- High abrasion resistance
- 3/8" and 1/2" thick
- 8' and 10' wide
- 100% virgin reprocessed UHMW
- NOT suitable for asphalt hauling

Available in rolls
or custom kits
ready to install!!





GENERAL INFO

All Diamond**Slide** lining systems are available in 8' or 10' widths. Our state of the art welding capabilities enable us to provide each liner in one continuous sheet to fit the exact length of your truck. Diamond**Slide** kits come complete with all installation hardware and are custom fabricated to your customer's specific dimensions. This will speed the installation time and get your customers back on the road to hauling more loads... safer... and with minimal haul back.

NON-STICK / NON-FREEZE

Diamond**Slide** allows your customers to haul sticky, wet, frozen, or almost any load that would normally require hours to pressure wash, shovel, or back-hoe out of the bed.

Diamond**Slide** will help release material faster and at lower dumping stages. These benefits allow for safer dumping and eliminate slam dumping that can lead to costly repairs.

ABRASION / IMPACT RESISTANCE

UHMW Diamond**Slide** liners are lighter than steel, but wear two to three times better than steel. This means that on average your customers can more than double the normal life expectancy of their dump bodies.

BENEFITS OF DiamondSlide:

- Haul more loads per day
- Release loads faster
- Smooth predictable clean-outs
- Safer, lower stage dumping
- Better thermal insulation
- Wider variety of materials hauled
- Extended life of floor and side walls
- Minimize loads freezing to the floor
- Reduce the need for release agents or heated bodies
- Backed with 18 month warranty
- State of the art welding capabilities
- Custom factory scoring
- No stocking requirements
- Compatibility of hot asphalt up to 400°!
- Donovan's commitment to excellence