

TEXAS Association of School Boards Yard Equipment

Contract Number: 292-08
Contract Period: June 1, 2008 – May 31, 2011
Eligibility: This is a statewide purchasing cooperative for school districts, junior colleges, cities, counties, other political subdivisions and eligible non-profit entities. For more information, agencies may call the Cooperative hot line at 1-800-695-2919 or [click here](#) to logon to the TASB Buyboard site. Once on the site, enter User ID "JohnDeereDealer" and password "Dealer". Once new page displays, click on "Resources" at to top of the page. Then, under the Vendor information on the right hand side, click on "All Buyboard Members".

Price Pages: Click on contract number above to view price pages.
Parts are not included in the contract

Price Book Section	Category Description		Discount off MSRP
L10	Hand-Held Product		13%
L15	Walk-Behind Product		13%
L25	Lawn Tractors (excludes LA100 series Tractors)		18%
L25	Lawn Tractors (models: LA100's)		3%
L30	Lawn and Garden Tractors		23%
L35	Equipment For Riders and Tractors		23%
L40	Compact Utility Vehicle (model: CX)		16%
C10	Commercial Walk-Behind Mowers		23%
C13	ZTRAK Mowers and Equipment		23%
C15	Front Mowers and Equipment		23%
C18	Wide-Area Mowers and Equipment		23%
C20	Compact Utility Tractors		18%
C25	Equipment for Compact Utility Tractors		23%
C27	Tractor Loader Backhoe and Equipment		23%
C30	Utility Tractors		26%
C35	Equipment for Utility Tractors		26%
C40	Utility Vehicles and Equipment		19%
C41	High-Performance Utility Vehicles		19%
C45	M-Gators		23%
G10-G30	Golf & Turf Equipment		24%
A2-A10	Agricultural Equipment		26%
Frontier	Frontier Equipment		20%

The agency must submit purchase orders electronically through the TASB website or faxed to TASB Buyboard at 800-211-5454.

If you have questions concerning this contract please call: 1-800-358-5010, option 1, option 1.



Purchase Order COUNTY OF HIDALGO

PO#: 614087

DATE: 12/09/08

Page No 1 Of 1
Needed 12-04-08

VENDOR: 305898 REQ:00144664

FAX (309) 749-2313 Email:

Phone: (800) 535-2967

JOHN DEERE COMPANY

2000 JOHN DEERE RUN

CARY NC 27513

Vendor Acct:

BUYER:

SHIP TO: BUILDINGS & GROUNDS

100 E. CANO, 2ND FL

EDINBURG TX 78539

CONTACT:

SITE: GENERAL GOVERNMENT BUILDINGS

Contract No:

Special Instructions:

REQ 1506

VENDOR NOTES

- DO NOT ADD TO, OR ALTER THIS PURCHASE ORDER. THIS ORDER IS NOT RENEWABLE.
- TAX EXEMPTION: THIS PURCHASE ORDER MAY BE ACCEPTED IN LIEU OF EXEMPTION CERTIFICATE.
- THIS ORDER IS ALSO PLACED F.O.B. DESTINATION. VENDOR MUST REPAY ALL SHIPPING COSTS.
- INVOICE EACH PURCHASE ORDER SINGLY. ORIGINAL INVOICES ARE REQUIRED. CUSTOMER COPY MAY BE ACCEPTED. OUT NUMBER MUST APPEAR ON ALL INVOICES, BILLS OF LADING, AND PACKAGES.
- PAYMENT WILL BE MADE ONLY FOR A BONA FIDE AND FULLY COMPLETED ORDER, UNLESS OTHERWISE ATTACHED.

QUANTITY	UOM	DESCRIPTION	UNIT PRICE	AMOUNT
		DO NOT DUPLICATE ORDER		
		TX-MAS 3-23V040		
1	EACH	5103 TRACTOR 2WD, 13.6-28 4PR RI BIAS, 7.50-16 6PR NIGP 020-89	10,774.50	10,774.50
1	EACH	512 LOADER, MOUNTING FRAME & PARTS, 1850MM GP BUCKET NIGP 020-61	3,903.75	3,903.75
1	EACH	MX6 LIFT-TYPE ROTARY CUTTER NIGP 020-16 ASSET #48721	2,172.75	2,172.75
		REPORT ROAD HAZARDS 1-866-HCR-SAFE OR 1-866-427-7233		
		Total		16,851.00

		For Hidalgo County use only		
		8-1100-419-40-220-001-0-742	16,851.00	
		Approved _____		

Authorized by:

Martina S. Salazar ^{PC}

AGRICULTURAL PRODUCTS

JOHN DEERE TRACTORS

5103 Utility Tractor Equipment for Base Machine

ENGINE:

45 (33.6 kW) SAE Gross Engine
Horsepower @ 2400 RPM*
38 (28.3 kW) PTO Horsepower
@ 2400 RPM*
3 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
179 C.I.D. (2.9 L)
Dry Type Air Cleaner with
Safety Element
Underhood Muffler with
Vertical Exhaust Stack
Anti Freeze
Hand and Foot Throttles
Key Engine Shutoff
Fan Finger Guard

TRANSMISSION:

2WD: 9F/3R SyncReverser -
2R, 5R and 8R Synchronized
Shuttle Shifts and
Non-Synchronized Speed Shifts
MFWD: 9F/3R SyncShuttle -
2R, 5R and 8R Synchronized
Shuttle Shifts and Speed Shifts
Right Hand Shifted Speeds
Left Hand Shifted Ranges
Park Lock
Differential Lock
Neutral Start Safety Switch

REAR AXLE:

Flanged Rear Axle
Planetary Final Drives

STEERING AND BRAKES:

Hydrostatic Power Steering
Mechanically Actuated Wet Disk
Brakes Self-Equalizing and
Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 18.2 GPM (68.9 LPM)
Maximum Total Flow
Steering Pump 6.8 GPM (25.7 LPM)
Implement Pump 11.4 GPM (43.1 LPM)
One Rear Selective Control Valve

POWER TAKE-OFF SHAFT:

Independent "Live" 540 RPM
Rear PTO Shaft
Operator Presence Safety
Warning - PTO
Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR:

Rear Rockshaft with Position Control,
Draft Control, and Adjustable
Rate of Drop
3-Point (Category II) Hitch
with Sway Chains -
Category II Hitch Balls
Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light

ELECTRICAL:

12-Volt Electrical System
One Battery - 623 CCA** with
145 Minute Reserve Capacity
40 Amp Alternator

LIGHTS:

Two Front Halogen Headlights
Two Turn/Flashing Warning Lights
Two Tail Lights

MISCELLANEOUS:

SMV Emblem
Tilt-Up Hood
Fender Mounted Toolbox

BASE MACHINE:

2-Post Foldable Roll-Over
Protective Structure (ROPS)
Deluxe Adjustable Vinyl Seat with
Retractable Seat Belt
18 U.S. Gallon (68.1 L)
Fuel Tank Capacity
Adjustable Front Axle (56-80 In.)
2-Position Steel Rear Wheels with
Two 13.6-28 6PR (R1) Tires
2WD: Two 7.50-16 6PR (F2)
Front Tires

* Manufacturer's Rating
** Cold Cranking Amps

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	REF.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5103 Utility Tractor
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	REF.	SUGGESTED LIST PRICE USD (\$)
BASE MACHINE ...Continued...				
0053LV		5103 Utility Tractor	101K2211	14,366.00
FRONT AXLE				
1002		2 Wheel Drive <i>Includes 9F/3R SyncReverser - 2R, 5R and 8R Synchronized Shuttle Shifts and Non-Synchronized Speed Shifts.</i>		In Base Price
1004		4 Wheel Drive <i>Limited Slip MFWD Axle. Anti-Wrapping Guards for MFWD Drive Shaft. Includes 9F/3R SyncShuttle - Synchronized Shuttle and Speed Shifts.</i>	503K680	4,330.00
REAR WHEELS WITH TIRES (TWO)				
<i>All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>				
4010		21.5L-16.1 In. 6PR R3 Bias <i>2WD requires Code 6206. MFWD requires Code 6416.</i>	904K02	474.00
4037		16.9-24 In. 6PR R4 Bias <i>2WD requires Code 6211. MFWD requires Code 6430.</i>	701K37	162.00
4040		13.6-28 In. 4PR R1 Bias		In Base Price
4045		14.9-28 In. 6PR R1 Bias <i>2WD requires Code 6220. MFWD requires Code 6445.</i>	601K66	196.00
4050		16.9-28 In. 6PR R1 Bias <i>2WD requires Code 6220. MFWD requires Code 6445.</i>	703K41	402.00
FRONT WHEELS WITH TIRES (TWO)				
<i>All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.</i>				
FOR OPTION CODE 1002 (2WD):				
6206		27/12LL-15 In. 6PR Turf Special Bias	603K19	376.00
6211		11L-15 In. 8PR F3(Truck Type) Bias	206K1	72.00
6220		7.50-16 In. 6PR F2 Bias		In Base Price
FOR OPTION CODE 1004 (MFWD):				
6416		9.50-16 In. 6PR R3 Bias	802K44	288.00
6430		12.5/80-18 In. 6PR I3(R4 Type) Bias	605K06	596.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5103 Utility Tractor
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	REF.	SUGGESTED LIST PRICE USD (\$)
6440		FRONT WHEELS WITH TIRES (TWO) ...Continued... 8.3-24 In. 6PR R1 Bias	753K18	375.00
6445		9.5-24 In. 6PR R1 Bias	753K86	455.00

HYDRAULIC CONTROL VALVES

7001		Less Mid Valves		In Base Price
7221		Dual Mid-SCV with Joystick Control	208K26	972.00

ATTACHMENTS - ORDER AS DESIRED

Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.

9000		French Operators Manual and Decal Kit		No Charge
9002		Spanish Operators Manual and Decal Kit		No Charge
9510		512 Non-Self Leveling Loader Factory Installation <i>Code 9510 will generate a separate order for the Loader with the following codes: 2361W, 1005, 2000, 3095, 4000, 9050, 9010 (Includes ICV for loader operation). Loader pricing is not reflected in Code 9510 List Price, see Loader price pages. Loader will be invoiced separately. Compatible Tractor Codes: 1002, 7001, 4037, or 4040 or 4045 or 4050.</i>	002K75	275.00
9520		522 Non-Self Leveling Loader Factory Installation <i>Code 9520 will generate a separate order for the Loader with the following codes: 2371W, 1000, 2000, 3095, 4000, 5000, 9010. Loader pricing is not reflected in Code 9520 List Price, see Loader price pages. Loader will be invoiced separately. Loader utilizes tractor Dual Mid-SCV with Joystick Control. Compatible Tractor Codes: 7221, 4037 or 4040 or 4045 or 4050.</i>	002K75	275.00

ATTACHMENTS FOR FIELD CONVERSION

L154683		Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>		See Parts
L154682		Rear Axle 1.6 In. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.</i>		See Parts
L154684		Rear Axle 4.4 In. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.</i>		See Parts
LV100030		Engine: Auxiliary Front Drive Coupler Kit <i>Also order from Parts (R500588) Front Drive Adapter.</i>	525K8	76.00
LV150155		Engine Coolant Heater Kit (3 Cyl.)	284K9	64.00

**AGRICULTURAL PRODUCTS
JOHN DEERE LOADERS**

**512 Standard Loader
Equipment for Base Machine**

66 in. (1680 mm) General Purpose Bucket
Hoses, Valve and Power Beyond Kit for
5103, 5203, 5303, 5403, 5045D, 5055D,
5065E and 5075E 2WD Tractors
(refer to serial number compatibility)
Quik-Change Attachment
Mounting Frame for 2WD Tractors
5105, 5205, 5045D and 5055D

Hood Guard for 2WD Tractors
5045D, 5055D, 5065E and 5075E

Refer to Sales Manual for specifications and Tractor requirements and/or recommendations. Tractors with rollover protection and seatbelts are recommended for Loader operation.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	REF.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

*EX-WORKS Welland, Ontario or Freight Equalization Point.
(Refer to Freight Equalization Chart located with Price List on Dealer Pathways.)*

2362W	512 Standard Loader		753K676	4,775.00
-------	---------------------	--	---------	----------

HYDRAULIC HOSES AND COUPLERS

1002	2 Function Single Lever Independent Loader Valve and Hose Kit <i>For 5105, 5205, 5200, 5210, 5220, 5300, 5310 and 5320 2WD Tractors.</i>			Same Price
1003	2 Function Hoses and Parts <i>For 5103, 5203, 5303, 5403, 5105, 5205, 5220, 5320, 5045D, 5055D, 5065E and 5075E 2WD Tractors Equipped with Mid-Mounted SCVs.</i>		884K18	(544.00)
1005	2 Function Single Lever Independent Loader Valve, Hoses and Power Beyond Connection <i>For 5103 Tractors (SN PY5103U013641 and above), 5203 Tractors (SN PY5203U005570 and above), 5303 Tractors (SN PY5303U007754 and above) and 5403 Tractors (SN PY5403U000735 and above), 5045D, 5055D, 5065E and 5075E 2WD Tractors.</i>			In Base Price
1095	Less Hydraulic Controls		565K60	(728.00)

TRACTOR MOUNTING FRAMES

2000	Mounting Frame <i>For 5103, 5203, 5303, 5200, 5210, 5220, 5300, 5310, 5320, 5403, 5065E and 5075E 2WD Tractors.</i>		511K25	163.00
2010	Mounting Frame <i>For 5105, 5205, 5045D and 5055D 2WD Tractors.</i>			In Base Price

BALLAST BOX

Rear Tractor Ballast is required for Tractor stability. See Loader Sales Manual or Operator's Manual for Ballast recommendations.

3000	Ballast Box		621K58	206.00
3010	Ballast Box with Extension		852K34	305.00

AGRICULTURAL PRODUCTS
JOHN DEERE LOADERS

512 Standard Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	REF.	SUGGESTED LIST PRICE USD (\$)
		BALLAST BOX ...Continued...		
3020		Large Ballast Box	826K66	866.00
3095		Less Ballast Box		In Base Price

BUCKETS

8415		66 In. (1680 mm) General Purpose Bucket		In Base Price
8425		73 In. (1850 mm) General Purpose Bucket (John Deere Carrier)	708K4	110.00
8995		Less Bucket	055K12	(665.00)

ATTACHMENTS - ORDER AS DESIRED

		Guards:		
9010		Hood Guard <i>For 5103, 5203, 5303, 5403, 5105, 5205, 5200, 5210, 5220, 5300, 5310 and 5320 2WD Tractors.</i>	891K20	157.00
9014		Hood Guard <i>For 5045D, 5055D, 5065E and 5075E 2WD Tractors.</i>	001K54	200.00
		Miscellaneous:		
9050		Bucket Level Indicator	653K4	45.00
9070		Competitive Attachment Adapter Brackets - 1 Pair	111K87	243.00
9080		Parking Stands and Couplers	202K00	260.00
9095		Australian Code of Practice Kit		No Charge
9098		Spanish Operator's Manual and Decal Kit		No Charge
9099		French Operator's Manual and Decal Kit		No Charge

ATTACHMENTS FOR FIELD CONVERSION

		Buckets:		
BW15566		66 In. (1680 mm) General Purpose Bucket <i>Compatible with John Deere Carrier.</i>	055K12	665.00
BW15573		73 In. (1850 mm) General Purpose Bucket <i>Compatible with John Deere Carrier.</i>	755K96	775.00
		Guards:		
BW13780		Hood Guard <i>For 5103, 5203, 5303, 5403, 5105, 5205, 5200, 5210, 5220, 5300, 5310 and 5320 2WD Tractors.</i>	891K20	157.00
BW15817		Hood Guard <i>For 5045D, 5055D, 5065E and 5075E 2WD Tractors.</i>	001K54	200.00

AGRICULTURAL PRODUCTS
JOHN DEERE ROTARY CUTTERS

MX6 Lift-Type Rotary Cutter Stocker Package

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	REF.	SUGGESTED LIST PRICE USD (\$)
		<i>EX-WORKS Welland, Ontario or Freight Equalization Point. (Refer to Freight Equalization Chart located with Price List on Dealer Pathways.) Front and rear safety shields reduce the risk of thrown objects which could be hazardous.</i>		
		PACKAGE 11 ORDER CODE		
2142W11		MX6 Lift-Type Rotary Cutter Stump Jumper Slip Clutch Puncture Proof Laminated Tire Front Safety Chain Shield Rear Safety Chain Shield Bushing Kit for iMatch Quick Coupler	052K283	2,965.00