

2774

Requisition SHERIFF'S LAW ENFORMENT FACILITY

Req # 00198697

PO #

Date: 07/07/11

Bill To: x
x

Vendor : 365904
ICX TACTICAL PLATFORMS
105 FOREST PKWY, STE 400
FOREST PARK GA 30297
FAX (770)850-1551

Ship To: SHERIFF'S LAW ENFORMENT FACILITY
711 EL CIBOLO RD.
EDINBURG TX 78539

Contact: EVER OCHOA
956-393-6024

Contract No: GS-07F-0117U

Special Instructions:

QUANTITY	UOM	DESCRIPTION	UNIT PRICE	AMOUNT
		GS-07F-0117U DO NOT DUPLICATE ORDER		
2.00	EACH	SENTINAL ASSY, WHITE SW 102, ITEM# SW-1003	86,646.33	173,292.66
2.00	EACH	DAY/NIGHT ALL WEATHER CAMERA WITH MONITOR, JOYSTICK AND INTEGRATION, ITEM# SWO-1107	10,502.60	21,005.20
2.00	EACH	SOUND COMMANDER PUBLIC SYSTEM, ITEM# SW-1117	6,990.51	13,981.02
2.00	EACH	DIGITAL VIDEO RECORDER WITH WORK TABLE, ITEM# SW-1115	3,401.68	6,803.36
1.00		SAVING, ITEM# SAV-00005	-2,681.92	-2,681.92
1.00	EACH	SHIPPING AND HANDLING	8,616.00	8,616.00
		<u>Account No</u>	<u>Encumbrance</u>	
		1-1284-421-00-280-082-1-748	221,016.32	
			Freight	.00
			Total	221,016.32
		REPORT ROAD HAZARDS 1-866-HCR-SAFE OR 1-866-427-7233		

Authorized By: _____



**QUOTATION
#11-02478**

Hidalgo County Sheriff Department - Frontier

For: Hidalgo County Sheriff's Dept
Rudy Espinoza
110 Obobold Rd
Edinburg, TX 78840

Phone: (556) 383-8114

Fax:

E-Mail: rudoespinoza@hidalgo.gov

Date: 7/11/2011

Terms: Net 30

Rep: Burt Strange

Phone: (404) 429-9006

E-Mail: burt.strange@icxt.com

Ship Via: ICx Carrier

Item No.	Part No.	Description	Qty.	Unit Price	Ext. Price
1.	SW-1000		1	USD -2,681.92	USD -2,681.92
2.	SW-1113	4-Grid/480 Recorder and Table Combination, includes hard drive, permanent deep writing/work table installed in cab with 2 additional 110 volt outlets	2	USD 3,401.68	USD 6,803.36
3.	SW-1103	Digital Night Vision Weather Camera with Monitor, Joystick and Integration	2	USD 10,502.60	USD 21,005.20
4.	SW-1008	3x17'x4'x6' Frontier Salient Characteristics: Arched ascent and descent (non-scissor lift) - max height 25 foot vantage point (eye level in cab); Ground level entry-Easier to load/unload equipment; No steps or guardrails necessary No tethering needed- max speed 40 mph; tethering points for higher velocities; Dual hydraulic pump system 14 Gauge Steel Cab; Shore power or diesel generator power operation; 75 Gallon Fuel Tank (150 Hour Run Time); OilMate System- Generator Oil Filter replacement frequency-1000 hours; Solar panel for drip charge to start battery; 12 month parts and labor warranty ; ISO 9001:2008 certified manufacturer Other Important Specifications: Deployed Width- Outriggers Set 15ft 6in; 4 Tinted- Sliding Windows; Steel Outriggers: 1/4 inch Tube Steel; Trailer Steel: 1/4 inch Tube Steel; Weight Capacity in Cab 500 pounds; Digital Wind Speed Meter with storm tracker; 4 Roof Mounted Flood Lights; Climate Controlled (Heat & AC); Chair; Two 110V GFI outlets; One 12V outlet; Hydraulic Cylinders- 60" Stroke- 3.5 in; Fail safe hydraulic system with a static and manual ascent and descent controls inside cab and in control area for placement. Company Relevant Experience: Over 650 Units Deployed over 12 Year Product Development History. Units heavily used by US Military, Law Enforcement Agencies, US Customs and Border Protection, Product Protected by U.S. Patent # 2,953,555	2	USD 86,646.33	USD 173,292.66
5.	SW-1117	Roof Mounted Inter Public Address System Includes four roof-mounted speakers with 25' microphone, 5 ft. of mic cable and a push to talk mic.	2	USD 6,990.51	USD 13,981.02
6.	S&H	Open Market Shipping and Handling.	2	USD 4,308.00	USD 8,616.00

Total USD 221,016.32

This Quote is Valid Until 6/30/2011

Longest Lead Time Item (AR00110) Please allow ICX to ship partials if authorized.

Notes: ESTIMATED COMPLETION DATE: 120 DAYS ARO
This order is subject to the attached TERMS AND CONDITIONS OF SALE. Where those terms or conditions differ from that of our GSA Schedule contract GS-07F-0117U, its terms and conditions will govern. Applicable GSA Schedule ordering Information can be found in SUPPLEMENT 1.

Prepared by: **Burt Strange**
Regional Account Executive
(404) 429-9006
burt.strange@icxt.com

Any purchase order or order acknowledgment generated from this quotation for the export of goods, technology or services is subject to the Export Control Laws of the United States. As a result, the customer may be subject to re-export of such goods may require an export license prior to shipment.

ICx Technologies
5940 Cabot Parkway, Suite 100 - Alpharetta - GA 30005
Phone: (770) 850 1550 - Fax: (770) 850 1551

18. **SEVERABILITY:** If any provision of this Agreement is held invalid or otherwise unenforceable, the enforceability of the remaining provisions shall not be impaired thereby.
19. **NO WAIVER:** The failure by any party to exercise any right provided for herein shall not be deemed a waiver of any rights hereunder.
20. **ENTIRE AGREEMENT:** This agreement constitutes the entire agreement between the parties relating to the matters contained herein. This Agreement may not be amended, extended or modified in any manner orally or otherwise, except by an instrument in writing signed by a duly authorized representative of each party.

ICX Technologies TERMS AND CONDITIONS OF SALE – SPECIAL PROVISIONS

SUPPLEMENTAL FIDO EXPLOSIVES DETECTION SYSTEMS

The following special provisions apply to the sale of any Fido Explosives Detection Systems:

SAFETY ACT TECHNICAL WAIVER OF CLAIMS: Seller's Fido Explosives Detection System has been designated by the U.S. Department of Homeland Security as a Qualified Anti-terrorism Technology (QATT) under the Support Anti-terrorism by Fostering Effective Technologies Act of 2002 (SAFETY Act), which affords certain legal liability protections to providers of the QATT. Where the QATT has been deployed in defense against, response to, or recovery from an act of terrorism as that latter term is defined under the SAFETY Act, Seller and Buyer and its QATT agree to waive all claims against each other, including their officers, directors, agents or other representatives, arising out of the manufacture, sale, use or operation of the QATT, and further agree that each is responsible for losses, including business interruption losses, that it sustains, or for losses sustained by its own employees resulting from liability arising out of such act of terrorism.

SUPPLEMENTAL DEVELOPMENTAL PRODUCTS

The following special provisions apply to the sale of any of Seller's developmental Products:

1. The Product is a developmental and confidential product of Seller and has not been released to the public. As such, this Product and all information related thereto are confidential and proprietary. Buyer agrees not to disclose any information to any third party without the express written approval of Seller.
2. Buyer shall obtain Seller's prior written approval for all performance data and reports generated by Buyer in the use and operation of the Product.

SUPPLEMENTAL US GOVERNMENT SPECIAL ORDERING INFORMATION

1. Worldwide Federal Supply Schedule Contract for FSO Group 084 – TOTAL SOLUTIONS FOR LAW ENFORCEMENT, SECURITY, FACILITY MANAGEMENT SYSTEMS, FIRE, RESCUE, PROTECTIVE DETECTION, MARINE CRAFT AND EMERGENCY/DISASTER RESPONSE.
2. Contract Number – GS-37-00017.
3. Contract Period – December 1, 2011 through September 5, 2012.
4. Business days – Large.
5. Minimum order – \$100,000 US.
6. Geographic coverage (if applicable) – The 48 contiguous states, Alaska, Hawaii, Puerto Rico, Washington, DC, and U.S. territories.
7. Prompt delivery (days) – 90 days.
8. Expedited, overnight and weekend delivery for urgent requirements – Available, please inquire on cost.
9. Warranty and support – Standard commercial warranty applies.
10. Government purchase order (if applicable).
11. Data Universal Number System (DUNS) Number – 81-538-2210
12. CAGE Code – 44518

ICXSYS_TC Rev 12/13




Vantage point is everything when it comes to surveillance. Patrolling an area on foot provides intelligence and deterrence, but requires increased personnel levels. Through simple elevation, security personnel are provided a greater field of view and increased assessment capabilities. The SkyWatch family of stand alone, mobile surveillance towers can be specifically tailored to meet customer requirements. Whether the need is simply for an elevated line of sight or full ballistic capabilities, SkyWatch provides a powerful deterrent and mobile security solution.

**THE POWER, HEIGHT
AND MOBILITY FOR
SURVEILLANCE OPERATIONS**



WHEN SKYWATCH GOES UP



APPLICATIONS

- Force Protection
- Perimeter and Border Surveillance
- Special Event Crowd Control
- Emergency Response
- Portable Air Traffic Control
- Port Security
- Flight Line Protection
- Parking Lot Surveillance and Deterrence

RADAR

Short-range, ground-based radar can alert personnel to suspected encroachment on a facility or protection zone. When networked with available cameras, radars will provide automatic slewing capability so operators are provided with accurate, immediate information about a potential intrusion.

DVD RECORDER & WRITING TABLE

Installed inside cab.

DIESEL GENERATOR


Diesel Generator standard on Frontier models. Upgrade not available on Sentinel models.

TWO PERSON CAB

In many situations, such as protecting sensitive resources or performing range control, two people are required to provide 360 degree situational awareness. The SkyWatch tower with the optional dual cab allows mutual support and personnel redundancy. To that end, the SkyWatch with a dual cab allows two people to work safely and comfortably. The dual cab is available in standard or ballistic resistant materials.

BALLISTIC RESISTANCE OPTIONS

The mobility and functionality of the SkyWatch with optional ballistic resistance make it ideal for use at impermanent bases or as part of security operations around critical infrastructure facilities. The addition of ballistic resistant materials adds capabilities for use with forward deployed military forces as well as specific needs of local law enforcement agencies. The SkyWatch is available with ballistic options – NIJ Levels III and IV – to resist everything from small arms fire to armor piercing rounds.



OPTIONS

CAMERAS

Thermal and CCD imagers mounted on a SkyWatch platform extend the operator's field of view and allow them to see in adverse weather conditions, zoom in on areas of interest or record evidence for future study and review.

PUBLIC ADDRESS SYSTEM

State-of-the-art, full featured sound system that delivers clear and articulate commands with distances of 1000 meters.

WIND SPEED METER

Weather Station Windspeed Meter provides climate information in addition to the wind speed. Windspeed meter sounds an alarm for winds exceeding 45 mph. Digital upgrade available on Sentinel model.



STANDARD FEATURES

CUSTOMIZATION AND ADAPTABILITY

The SkyWatch platform can be outfitted with ICx surveillance and detection solutions as well as legacy systems to meet specific customer needs. SkyWatch provides the flexibility and capability to make the most advanced technologies mobile.

BASIC COMFORTS

Every tower includes the basics for comfort and safety through adjustable heat and air conditioning, tinted windows, comfortable seating, flood lights, safety equipment, and toolbox. Regardless of the location or application, only one person is required to set up and deploy a unit.

ADDITIONAL FEATURES


- Rises to a second story sight line
- Generator or shore power options
- Fail safe hydraulic system with electric and manual ascent and descent controls
- Control console with weatherproof switch panel
- Tinted windows
- Customizable accessory options
- Flood lights



CRIMINAL ACTIVITY GOES DOWN

SkyWatch provides the surveillance and deterrence capability necessary to any security solution in a highly mobile, elevated unit. These towers rise to a two-story height, providing a platform for innovative surveillance solutions in addition to the personal input a "man on the ground" provides. All SkyWatch units can be outfitted to provide full command and control capabilities for fluid operations whether on the front lines or at hometown events.

The SkyWatch provides a high level platform for an array of surveillance options. SkyWatch units can easily be relocated and are rugged enough to handle even the most primitive off-road conditions. All models are adaptable for cameras, radars, radios, public address systems as well as other equipment.



MAXIMIZING MANPOWER & ASSETS

The SkyWatch is accessible to police forces and municipalities as well as military and commercial security entities. The SkyWatch platform facilitates a completely customized surveillance platform suitable for high-level, temporary security ventures, providing a bird's eye view of the surrounding area. Compared to a mobile force, the SkyWatch provides constant deterrence with nearly unlimited location flexibility. The SkyWatch is ideal for temporary or mobile security operations.

SUPPORT AND TRAINING

We pride ourselves in providing not only exceptional 'best in class' technologies and products but also in delivering the complete customer package including application knowledge, training and maintenance support. Our design and simulation capabilities ensure that we optimize the solution to meet both the performance requirements while maximizing budgets. Our products are designed for reliability, endurance and quality in certified manufacturing facilities around the world.

Having made an investment in an ICx solution, we understand the value and importance training and education to realize the full potential and functionality of our systems and software. We can design and implement preventative maintenance schedules in order to reduce downtime and logistical support programs that deliver the assurance of continuous operation in the most demanding of environments, ensuring 24/7 operability.

Our customer support group is there to ensure that your critical assets remain secure. Our team will provide the 'back up' you need, where ever and when ever, it is needed.

ICx Technologies, Inc.
2100 Crystal Drive
Suite 650
Arlington, VA 22202

T+ 1.866.458.ICXT (4298)
F+ 1.703.678.2112

www.icxt.com

