

- LEGEND**
- FOUND 1/2" IR.
 - FOUND 1/2" IR. AND 24" IN LENGTH
 - ⊗ SET COTTON PICKER SPINDLE
 - ⊙ SET 3/4" REBAR
 - ⊠ CONCRETE BENCHMARK
 - ⊗ 1/2" IRON PIPE FOUND
 - FOUND 80-D NAL.

STATE OF TEXAS
COUNTY OF HIDALGO

OWNER'S DEDICATION, CERTIFICATION, AND ATTESTATION:

I, JULIO GOMEZ, AS OWNER (S) OF THE 3.00 ACRE TRACT OF LAND ENCOMPASSED WITHIN THE PROPOSED LOS GOMEZ SUBDIVISION, HEREBY SUBDIVIDE THE LAND AS DEPICTED IN THIS SUBDIVISION PLAT AND DEDICATED TO PUBLIC USE THE STREET, PARK, AND EASEMENTS SHOWN HEREIN.

I CERTIFY THAT I HAVE COMPLIED WITH THE REQUIREMENTS OF TEXAS LOCAL GOVERNMENT CODE 232.032 AND THAT:

- THE WATER QUALITY AND CONNECTIONS TO THE LOTS MEET, OR WILL MEET, THE MINIMUM STATE STANDARDS;
- SEWER CONNECTIONS TO THE LOTS OR SEPTIC TANKS MEET, OR WILL MEET, THE MINIMUM REQUIREMENTS OF THE STATE STANDARDS;
- ELECTRICAL CONNECTIONS PROVIDED TO THE LOTS MEET, OR WILL MEET, THE MINIMUM STATE STANDARDS; AND
- GAS CONNECTIONS, IF AVAILABLE, PROVIDED TO THE LOTS MEET, OR WILL MEET, THE MINIMUM STATE STANDARDS. I ATTEST THAT THE MATTERS ASSERTED IN THIS PLAT ARE TRUE AND COMPLETE.

BY: JULIO GOMEZ
ADDRESS: 512 MAKAYLA DRIVE
SAN JUAN, TEXAS 78589
(956) 605-0181

STATE OF TEXAS
COUNTY OF HIDALGO:

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED JULIO GOMEZ, KNOWN TO ME BY THE PERSON (S) WHOSE NAME (S) IS (ARE) SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR PURPOSES AND CONSIDERATION THEREIN STATED, GIVEN UNDER MY HAND AND SEAL OF OFFICE THIS THE _____ DAY OF _____, 2012.

NOTARY PUBLIC
MY COMMISSION EXPIRES ON _____

HIDALGO COUNTY DRAINAGE DISTRICT NO. 1

HIDALGO COUNTY DRAINAGE DISTRICT NO. 1 HEREBY CERTIFIES THAT THE DRAINAGE PLANS FOR THIS SUBDIVISION COMPLY WITH THE MINIMUM STANDARDS OF THE DISTRICT ADOPTED UNDER TEXAS WATER CODE 49.211(C). THE DISTRICT HAS NOT REVIEWED AND DOES NOT CERTIFY THAT THE DRAINAGE STRUCTURES DESCRIBED ARE APPROPRIATE FOR THE SPECIFIC SUBDIVISION, BASED ON GENERALLY ACCEPTED ENGINEERING CRITERIA. IT IS THE RESPONSIBILITY OF DEVELOPER OF THE SUBDIVISION AND ITS ENGINEER TO MAKE THESE DETERMINATIONS.

DISTRICT MANAGER _____ DATE _____

STATE OF TEXAS
COUNTY OF HIDALGO

I, THE UNDERSIGNED, CHAIRPERSON OF THE PLANNING AND ZONING COMMISSION OF THE CITY OF SAN JUAN HEREBY CERTIFY THAT THIS SUBDIVISION PLAT KNOWN AS LOS GOMEZ SUBDIVISION CONFORMS TO ALL REQUIREMENTS OF THE SUBDIVISION REGULATIONS OF THIS CITY WHEREIN MY APPROVAL IS REQUIRED AND HAS BEEN APPROVED FOR RECORDING ON THE _____ DAY OF _____, 2012.

PLANNING & ZONING COMMISSION CHAIRPERSON

NAME	ADDRESS	PHONE NUMBER	FAX NUMBER
OWNER: JULIO GOMEZ	512 MAKAYLA DRIVE, SAN JUAN, TEXAS 78589	(956) 605-0181	N/A
OWNER: GILBERT QUEZADA	RT. 2, BOX 514, SAN JUAN, TEXAS 78589	(956) 605-0181	N/A
ENGINEER: ISRAEL POSADAS	1703 W. OWASSA RD., EDINBURG, TX. 78539	(956) 783-7834	(956) 783-7834
SURVEYOR: JOSE MARIO GONZALEZ	8207 MATEO ESCOBAR, MONTE ALITO, TX. 78538	(956) 380-5154	(956) 380-5154

HIDALGO COUNTY
CERTIFICATE OF PLAT APPROVAL

I, THE UNDERSIGNED CERTIFY THAT THIS PLAT OF LOS GOMEZ SUBDIVISION WAS REVIEWED AND APPROVED BY THE HIDALGO COUNTY HEALTH DEPARTMENT ON _____, 2012.

ENVIRONMENTAL HEALTH DIVISION MANAGER _____ DATE _____

STATE OF TEXAS
COUNTY OF HIDALGO

I, JOSE MARIO GONZALEZ, A REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, HEREBY CERTIFY THAT THE MAP ON THIS SHEET SHOWING THE LOTS, EASEMENTS, AND STREETS OF LOS GOMEZ SUBDIVISION AND ITS METES AND BOUNDS DESCRIPTION WERE PREPARED FROM A SURVEY OF THE PROPERTY MADE ON THE GROUND BY ME OR UNDER MY SUPERVISION ON NOVEMBER 15, 2010.

JOSE MARIO GONZALEZ, R.P.L.S. No. 005571 DATE _____

HIDALGO COUNTY
CERTIFICATE OF PLAT APPROVAL

I, THE UNDERSIGNED CERTIFY THAT THIS PLAT OF LOS GOMEZ SUBDIVISION WAS REVIEWED AND APPROVED BY THE HIDALGO COUNTY RIGHT OF WAY DEPARTMENT ON _____, 2012.

HIDALGO COUNTY RIGHT OF WAY DIRECTOR _____ DATE _____

STATE OF TEXAS
COUNTY OF HIDALGO

I, ISRAEL POSADAS, A LICENSED PROFESSIONAL ENGINEER IN THE STATE OF TEXAS, DO HEREBY CERTIFY THAT PROPER ENGINEERING CONSIDERATION HAS BEEN GIVEN TO THIS PLAT.

ISRAEL POSADAS, P.E., C.F.M.
LICENSED PROFESSIONAL ENGINEER NO. 89435 DATE _____

HIDALGO COUNTY
CERTIFICATE OF PLAT APPROVAL
UNDER LOCAL GOVERNMENT CODE S 232.028(A)

I, THE UNDERSIGNED CERTIFY THAT THIS PLAT OF LOS GOMEZ SUBDIVISION WAS REVIEWED AND APPROVED BY THE HIDALGO COUNTY COMMISSIONERS COURT ON _____, 2012.

HIDALGO COUNTY JUDGE _____ DATE _____
HIDALGO COUNTY CLERK _____ DATE _____

- HIDALGO COUNTY GENERAL SUBDIVISION PLAT NOTE:**
- FLOOD ZONE STATEMENT:**
FLOOD ZONE DESIGNATION: ZONE "B" COMMUNITY-PANEL NUMBER: 480334 0425 C EFFECTIVE DATE: NOVEMBER 16, 1982. AREAS BETWEEN LIMITS OF THE 100-YEAR FLOOD AND 500-YEAR FLOOD, OR CERTAIN AREAS SUBJECT TO 100-YEAR FLOODING WITH AVERAGE DEPTHS LESS THAN ONE (1) FOOT OR WHERE THE CONTRIBUTING DRAINAGE AREA IS LESS THAN ONE SQUARE MILE; OR AREAS PROTECTED BY LEVEES FROM THE BASE FLOOD.
 - SETBACKS:**
FRONT: 50.00 FEET
REAR: 40.00 FEET OR EASEMENT WHICHEVER IS GREATER
SIDE: 6.00 FEET OR EASEMENT WHICHEVER IS GREATER
 - NO MORE THAN ONE SINGLE FAMILY DETACHED DWELLING SHALL BE LOCATED ON EACH LOT. ANY OTHER USE SHALL REQUIRE PLANNING DEPARTMENT, HEALTH DEPARTMENT AND FIRE MARSHALL APPROVAL. APPLICATIONS FOR CONSTRUCTION APPROVED BY THE PLANNING DEPARTMENT, HEALTH DEPARTMENT AND FIRE MARSHALL ARE REQUIRED PRIOR TO OCCUPANCY OF THE LOT. THIS MUST BE STIPULATED ON ALL DEEDS AND CONTRACT FOR DEEDS.**
 - MINIMUM FINISH FLOOR ELEVATION SHALL BE 18" ABOVE THE CENTER LINE OF STREET OR 18" ABOVE NATURAL GROUND, WHICHEVER IS GREATER. ELEVATION CERTIFICATE MAY BE REQUIRED FOR LOTS LOCATED OUTSIDE A DESIGNATED FLOOD ZONE AT THE TIME FOR APPLICATION FOR CONSTRUCTION TO VERIFY PRE AND POST CONSTRUCTION FINISH FLOOR ELEVATIONS. AN ELEVATION CERTIFICATE SHALL BE REQUIRED FOR ALL LOTS WITHIN A DESIGNATED FLOOD ZONE AT THE TIME FOR A DEVELOPMENT PERMIT APPLICATION.**
 - THE FOLLOWING BENCHMARKS ARE IDENTIFIED ON THE FACE OF THE PLAT AND ON THE ATTACHED ENGINEERING PLANS:**
--> B.M. NO. 1 - ELEV. 109.85 H.C.V.D. 29 DESCRIPTIONS: 2"X2" CONCRETE SLAB WITH A 1/2" SET AT THE SOUTHWEST CORNER OF LOT 2, LOS GOMEZ SUBDIVISION.
--> B.M. NO. 2 - ELEV. 112.75 H.C.V.D. 29 DESCRIPTIONS: 1/2" IRON ROD SET AT THE NORTHEAST CORNER OF LOT 2 OF LOS GOMEZ SUBDIVISION.
 - IN ACCORDANCE WITH THE HIDALGO COUNTY DRAINAGE DISTRICT NO. 1 AND HIDALGO COUNTY REQUIREMENTS, THIS DEVELOPMENT WILL BE REQUIRED TO DETAIN A TOTAL OF 3,557.98 CUBIC FEET (0.128 ACRE-FEET) OF STORM WATER RUNOFF. DRAINAGE RETENTION IN ACCORDANCE WITH THE LOCAL REQUIREMENTS WILL BE ACCOMPLISHED AS FOLLOWS: (SEE SHEET NO.2 FOR STORM SEWER IMPROVEMENTS.)**
 - NO FILL OR PERMANENT STRUCTURES SHALL BE ALLOWED WITHIN ANY DRAINAGE SWALE EASEMENT. EACH DRAINAGE SWALE EASEMENT SHALL BE KEPT CLEAR OF FENCES, BUILDINGS, PLANTINGS, AND OTHER OBSTRUCTIONS THAT WOULD INTERFERE WITH THE OPERATION OF THE DRAINAGE SWALE EASEMENT. THE LOT OWNER SHALL BE RESPONSIBLE FOR THE MAINTENANCE OF THE SWALE.**
 - NO STRUCTURE SHALL BE PERMITTED OVER ANY EASEMENT. EASEMENTS SHALL BE KEPT CLEAR OF FENCES, BUILDINGS, SHEDS, SHRUBS TREES, AND OTHER PLANTINGS (EXCEPT LOW, LESS THAN 18 INCHES MATURE HEIGHT, GROUND COVER, GRASS, OR FLOWERS) AND OTHER OBSTRUCTIONS THAT WOULD INTERFERE WITH THE OPERATIONS AND MAINTENANCE OF THE EASEMENT.**
 - EACH PURCHASED CONTRACT MADE BETWEEN A SUBDIVIDER AND PURCHASER OF A LOT IN THIS SUBDIVISION SHALL CONTAIN A STATEMENT DESCRIBING HOW AND WHEN WATER, SEWER, ELECTRICITY, AND GAS SERVICES WILL BE MADE AVAILABLE TO THE SUBDIVISION.**
 - ALL PUBLIC UTILITIES EASEMENTS DEPICTED BY THIS PLAT SHALL BE A MINIMUM WIDTH OF 15.00 FEET AS PER THE HIDALGO COUNTY MODEL SUBDIVISION RULES. BY SIGNING THIS PLAT DEVELOPER AND ENGINEER CERTIFY THAT ALL OTHER EASEMENTS SHOWN COMPLY WITH THE SIZE REQUIRED BY EACH UTILITY PROVIDER OCCUPANCY AN EASEMENT.**
 - ON-SITE SEWAGE FACILITIES (OSSF) NOTE: THIS SUBDIVISION SHALL USE ON-SITE SEWAGE FACILITIES IN ACCORDANCE WITH TCEQ AND HIDALGO COUNTY REGULATIONS FOR SEWAGE DISPOSAL. THE SUBDIVIDER IS RESPONSIBLE FOR PROVIDING AN OSSF ON ALL LOTS.**
 - AN OSSF SYSTEM IS BEING DESIGNED FOR DISPOSAL OF DOMESTIC SEWAGE ONLY. A SEPARATE DESIGN SHALL BE SUBMITTED FOR COMMERCIAL USE.
 - EACH LOT ON THIS PLAT COMPLES WITH THE MINIMUM 21,780 SQUARE FEET LOT AREA WITH POTABLE WATER SUPPLY.
 - AN OSSF SYSTEM SHALL REQUIRE INSPECTION AND APPROVAL BY HIDALGO COUNTY AUTHORIZED DEPARTMENT
 - SOIL ANALYSIS HAVE BEEN SUBMITTED TO THE AUTHORIZED HIDALGO COUNTY DEPARTMENT AND EXCEPTS MAY BE ALSO SEEN ON THE UTILITY LAYOUT FOR THIS SUBDIVISION AS SUBMITTED TO THE HIDALGO COUNTY PLANNING DEPARTMENT. THE ENGINEER HAS DETERMINED THAT THE SOIL IS SUITABLE FOR A STANDARD SEPTIC TANK AND ABSORPTIVE DRAIN FIELD SYSTEM.
 - APPROVED "OSSF" PERMIT APPLICATION IS REQUIRED INCLUDING INDIVIDUAL LOT PLANNING MATERIALS PRIOR TO OCCUPANCY A LOT.
 - A SPECIAL DESIGN IS REQUIRED FOR ALL OSSF SYSTEMS LOCATED WITHIN A DESIGNATED FLOOD ZONE. THE DESIGN SHALL INCLUDE BUT NOT BE LIMITED TO THE FOLLOWING ITEMS:**
 - BACKGROUND OF SEPTIC TANK(S)
 - BACK FLOW VALVES
 - SEPTIC TANK COVER SHALL BE ABLE TO SEAL.
 - JULIO GOMEZ, THE OWNER & SUBDIVIDER OF LOS GOMEZ SUBDIVISION RETAINS AN EASEMENT UPON EACH LOT FOR THE PURPOSE OF INSTALLING AN APPROVED OSSF ON THE LOT AS DESCRIBED ON SHEET NO.2 OF THIS PLAT.**
 - A 5.0' SIDEWALK IS REQUIRED ALONG NEBRASKA ROAD AT THE BUILDING PERMIT STAGE.**
 - ALL LOTS IN (LOS GOMEZ SUBDIVISION) ARE HEREBY GRANTED A "DRAINAGE SWALE EASEMENT" WITH RESPECT TO SURFACE WATER RUN-OFF FROM ALL LOTS IN (LOS GOMEZ SUBDIVISION) TO THE AREA DEPICTED ON THE SUBDIVISION PLAT AS THE "DRAINAGE SWALE" AREAS. LOT OWNERS OF (LOS GOMEZ SUBDIVISION) THEIR ASSIGNS AND ANY SUBSEQUENT OWNER OF THE REAL PROPERTY DESIGNATED ON THE SUBDIVISION PLAT ARE RESPONSIBLE FOR THE MAINTENANCE OF THE DRAINAGE SWALES. THE COUNTY OF HIDALGO, TEXAS (COUNTY), AND THE HIDALGO COUNTY DRAINAGE DISTRICT NO. 1 ("DRAINAGE DISTRICT") MAY ENFORCE THIS PLAT NOTE BY INJUNCTION OR ANY OTHER REMEDY PROVIDED BY LAW, AND THE COUNTY AND / OR THE DRAINAGE DISTRICT ARE ALSO ENTITLED TO RECOVER ALL ENFORCEMENT COSTS AND / OR MAINTENANCE COSTS FROM THE LOT OWNERS IN VIOLATION. IN THE EVENT THE DRAINAGE SWALES DEPICTED ON THE SUBDIVISION PLAT ARE NO LONGER NECESSARY FOR DRAINAGE OF THE LOTS COMPRISING (LOS GOMEZ SUBDIVISION) BECAUSE AN ALTERNATE DRAINAGE SYSTEM, CONSTRUCTED AND MAINTAINED BY A POLITICAL SUBDIVISION IN ACCORDANCE WITH ALL APPLICABLE STATE AND LOCAL LAWS AND REGULATIONS, IS FULLY OPERATIONAL AND ACTUALLY SERVICING ALL THE LOTS IN (LOS GOMEZ SUBDIVISION), THE COUNTY AND THE DRAINAGE DISTRICT ARE HEREBY GRANTED THE RIGHT AND AUTHORITY (AND EACH LOT OWNER, BY THE ACCEPTANCE OF A DEED TO LOT IN (LOS GOMEZ SUBDIVISION) ACKNOWLEDGES AND AGREES THAT THE COUNTY AND THE DRAINAGE DISTRICT HAS THE RIGHT AND AUTHORITY), TO RELEASE THE DRAINAGE EASEMENT BURDENSING THE DRAINAGE SWALES PURSUANT TO THIS PLAT NOTE, BY AN INSTRUMENT IN WRITING RECORDED IN THE OFFICIAL RECORDS, HIDALGO COUNTY, TEXAS.**
 - THERE ARE NO WATER WELLS WITHIN 150 FEET FROM THE BOUNDARIES OF THIS SUBDIVISION.**
 - AN OFF-STREET PARKING LOT SITE PLAN & DRAINAGE PLAN APPROVAL BY THE HIDALGO COUNTY PLANNING DEPARTMENT SHALL BE REQUIRED FOR COMMERCIAL & INDUSTRIAL USE AT THE TIME OF APPLICATION FOR CONSTRUCTION, PRIOR TO THE ISSUANCE OF A BUILDING AND/OR DEVELOPMENT PERMIT. NO WATER OR LIGHT CLEARANCES SHALL BE ISSUED UNTIL THE SITE PLAN, DRAINAGE PLAN ARE APPROVED AND PROPOSED IMPROVEMENTS ARE CONSTRUCTED IN ACCORDANCE WITH THE COUNTY AND STATE STANDARDS.**

HIDALGO COUNTY
CERTIFICATE OF PLAT APPROVAL

THIS PLAT IS HEREBY APPROVED BY THE HIDALGO COUNTY IRRIGATION DISTRICT NO. 2 THIS THE _____ DAY OF _____, 2012

NO IMPROVEMENTS OF ANY KIND (INCLUDING WITHOUT LIMITATION, TREES, FENCES, AND BUILDINGS) SHALL BE PLACED UPON HIDALGO COUNTY DISTRICT NO. 2 RIGHT OF WAYS EASEMENTS.

SECRETARY _____ DATE _____
PRESIDENT - H.C.I.D. NO. 2 _____ DATE _____

STATE OF TEXAS
COUNTY OF HIDALGO

I, THE UNDERSIGNED MAYOR OF THE CITY OF SAN JUAN, TEXAS, HEREBY CERTIFY THAT THIS PLAT OF LOS GOMEZ SUBDIVISION CONFORMS WITH ALL THE CITY REQUIREMENTS OF THE CITY.

CITY OF SAN JUAN, CLERK _____ DATE _____
CITY OF SAN JUAN, MAYOR _____ DATE _____


COUNTY CLERK'S RECORDING CERTIFICATE:

I, _____ COUNTY CLERK OF HIDALGO, CERTIFY THAT THE PLAT BEARING THIS CERTIFICATE WAS FILED FOR RECORD AT _____ O'CLOCK _____ ON _____ AND WAS RECORDED IN BOOK _____ SHEET(S) _____ THE PLAT RECORDS OF HIDALGO COUNTY AT _____ O'CLOCK _____ ON _____

NOTARY PUBLIC
MY COMMISSION EXPIRES ON _____

SDI ENGINEERING, LLC
CIVIL • TRANSPORTATION • PLANNING • STORMWATER
1733 A. OWASSA RD., EDINBURG, TEXAS
EDINBURG, TEXAS (956) 783-7834 PH. (956) 287-5977 FAX
INFO@SDI-ENGINEERING.COM
TBE REG. NO. F-13216

NO.	SHEET	REVISION	DATE	APPROVED
1	PLAT	SWALE & UTILITY EASEMENT COMBINED	7/21/12	LP.



LOCATION MAP
SCALE: 1" = 3000'

PREPARED BY: SDI ENGINEERING, L.L.C.
1703 W. OWASSA RD.
EDINBURG, TEXAS 78539

DATE PREPARED: JUNE 7, 2011
DATE SURVEYED: JUNE 7, 2011

LOS GOMEZ SUBDIVISION IS LOCATED WITHIN HIDALGO COUNTY PRECINCT NO. 2 IN THE CENTRAL AREA OF HIDALGO COUNTY, ON THE EAST SIDE OF NEBRASKA ROAD APPROXIMATELY 3 MILE SOUTH FROM MOORE ROAD. THE ONLY NEARBY MUNICIPALITY IS THE CITY OF SAN JUAN, ACCORDING TO THE CITY MAP IN THE OFFICE OF THE SECRETARY OF THE CITY OF SAN JUAN. POPULATION IS 3,558. LOS GOMEZ SUBDIVISION LIES ADJACENT TO THE CITY LIMITS OF THE CITY OF SAN JUAN AND IS LOCATED WITHIN THE TWO MILE EXTRAJURISDICTIONAL JURISDICTION (E.L.J.) UNDER LOCAL GOVERNMENT CODE 212.001.

SUBDIVISION PLAT OF LOS GOMEZ SUBDIVISION
BEING A 3.00 ACRE TRACT OF LAND OUT OF LOT 7, BLOCK 9 JOHN CLOSNER ET, AL SUBDIVISION HIDALGO COUNTY, TEXAS VOLUME 0, PAGES 4 & 5 H.C.M.R.

METES AND BOUNDS

A 3.00 ACRE TRACT OF OUT OF LOT 7, BLOCK 9, JOHN CLOSNER ET AL SUBDIVISION AS RECORDED ON VOLUME 0 PAGES 4 & 5 MAP RECORDS, HIDALGO COUNTY, TEXAS, REFERENCE TO WHICH IS HERE MADE FOR ALL PURPOSES AND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS.

COMMENCING AT THE NORTHWEST CORNER OF SAID LOT 7, BLOCK 9, THENCE SOUTH 8°29'00" WEST, WITH AND ALONG THE WEST LINE OF SAID LOT 7, A DISTANCE OF 827.84 FEET TO A 60-D NAL FOUND FOR THE NORTHWEST CORNER OF THIS TRACT AND ALSO BEING THE POINT OF BEGINNING.

THENCE SOUTH 81°31'00" EAST, PARALLEL TO THE NORTH LINE OF SAID LOT 7, A DISTANCE OF 50.0 FEET TO AN 1/2" IRON ROD 24" IN LENGTH SET FOR THE NEW EAST RIGHT-OF-WAY LINE OF NEBRASKA ROAD AND CONTINUING ON THE SAME BEARING FOR A TOTAL DISTANCE OF 528.19 FEET TO AN 1/2" IRON ROD 24" IN LENGTH FOUND FOR THE NORTHEAST CORNER OF THIS TRACT.

THENCE SOUTH 8°29'00" WEST, PARALLEL TO THE WEST LOT LINE OF SAID LOT 7, A DISTANCE OF 248.53 FEET TO A 1/2" IRON ROD 24" IN LENGTH SET FOR THE SOUTHWEST CORNER OF THIS TRACT.

THENCE NORTH 81°31'00" WEST, PARALLEL TO THE NORTH LINE OF SAID LOT 7, A DISTANCE OF 478.19 FEET TO AN 1/2" IRON ROD 24" IN LENGTH SET FOR THE NEW EAST RIGHT-OF-WAY LINE OF NEBRASKA ROAD AND CONTINUING ON THE SAME BEARING FOR A TOTAL DISTANCE OF 526.19 FEET TO A 60-D NAL SET FOR THE SOUTHWEST CORNER OF THIS TRACT.

THENCE NORTH 8°29'00" EAST, WITH AND ALONG THE WEST LINE OF SAID LOT 7, A DISTANCE OF 248.53 FEET TO THE POINT OF BEGINNING AND CONTAINING 3.00 ACRES OF LAND MORE OR LESS OUT OF LOT 7, BLOCK 9, JOHN CLOSNER ET AL SUBDIVISION.

INDEX TO SHEET LOS GOMEZ SUBDIVISION

1	LOCATION MAP AND ET, PRINCIPAL CONTACTS, PLAT WITH LOTS, STREETS, AND EASEMENT DESIGNATIONS; LEGAL DESCRIPTION (METES AND BOUNDS); SURVEYOR'S AND ENGINEER'S CERTIFICATION; PLAT NOTES AND RESTRICTIONS; OWNER'S DEDICATION, CERTIFICATION, AND ATTESTATION; CITY APPROVAL CERTIFICATE; COUNTY CLERK'S RECORDING CERTIFICATE; HIDALGO COUNTY CERTIFICATE OF PLAT APPROVAL; DESCRIPTION OF LOCATION OF SUBDIVISION WITH RESPECT TO THE ETJ OF A MUNICIPALITY AND DESIGNATE THE PRECINCT THE PROJECT IS SITUATED; H.C.D.O. No. 1 CERTIFICATION; H.C.I.D. No. 2 CERTIFICATION, RIGHT OF WAY CERTIFICATION; H.C.I.D. CERTIFICATION; REVISION NOTES.
2	WATER DISTRIBUTION AND SANITARY SEWER (OSSF) MAP, ENGINEERING REPORT (ENGLISH AND SPANISH VERSION), INCLUDING DESCRIPTION OF WATER AND WASTE WATER (OSSF) AND ENGINEER'S CERTIFICATION (ENGLISH AND SPANISH VERSION); SAMPLE OF LOG BORE FOR OSSF SYSTEM, TYPICAL WATER SERVICE CONNECTION; DRAINAGE REPORT; SUBDIVIDER CERTIFICATE AND STATEMENT; DRAINAGE REPORT INCLUDING DESCRIPTION OF DRAINAGE AND HOW IT WILL SERVE THIS DEVELOPMENT; MAP OF TOPOGRAPHY AND DRAINAGE, AND ENGINEER'S CERTIFICATION; REVISION NOTES; TYPICAL SWALE DETAIL; CULVERT DETAIL FOR PROPOSED DRIVEWAY.