

COUNTY OF HIDALGO - URBAN COUNTY PROGRAM

Price Proposal Form

Price Proposal Form must be submitted to Urban County for pre-approval prior to the purchase. Use additional forms as needed.

Name of Cooperative: Buy board Person Contacted: Bob Yancey
 Purchase #1 Vendor Name: Casco Inc. Contract No.: 363-10 Phone: (281) 442-1800

Quantity	Description of Items	Price per Unit	Total Amount
1	Bauer Compressor	\$39,209.00	\$35,288.10
1	Dual Fill / Position	\$425.00	\$382.50
1	CGA 346	\$250.00	\$225.00
1	HOS 25' Hose	\$170.00	\$153.00

TOTAL:	\$36,048.60
--------	-------------

Recommended by: [Signature] UCP Approval: [Signature] Date: 5/29/13
 Requested by: [Signature] Date: 4-24-13

Received

APR 25 2013

Hidalgo County Engineer

[Signature]

QUOTATION



Fire Equipment Sales & Service
INDUSTRIES, INC.

Fire Equipment Sales & Service

*Providing Protection for those Who Protect Us
 since 1950*

Lavilla, TX PD
 Attention: Dino

*When entering a P.O., please make sure the ship to address is supplied, the pressure setting and voltage. An order cannot be processed until these items are supplied.
 If test documents (\$110.00) and certificate of origin (\$ 270.00) required must be requested at time of purchase order.*

BUY BOARD CONTRACT # 363-10

April 05, 2013

1	1	Bauer Compressor Model mini-Unicus I-13H-E3 Special Package E, with standard scope of supply Motor, starter, V-belt drive, PLC controller, NEMA 4 rated electrical enclosure, UL listed Control panel, ACD system, inter-stage gauges, CO monitor w/calibration, Remote fill, Two (2) UN (DOT-) code stamped air cylinders Sound attenuating enclosure w/slam-action, Two position containment fill station And Securus purification system	Your Cost \$35,288.10
2	1	Dual Fill/1 position (2216/4500)	Your Cost : \$ 382.50
3	1	CGA 346 (BFFD 346)	Your Cost \$225.00
4	1	HOS 0129 (25 ft. hose)	Your Cost \$153.00

Total List \$40,054.00

Buy Board Cost \$36,048.60

Compressor System Performance

Maximum Pressure	6,000 PSI
Charging Rate SCFM	13.0
Free Air Delivery	8.1
Motor Horsepower	10
Number of Stages	4
Motor Voltage	230 Volt, 3-phase, 60 Hz
Purification System	P 2 Securus
Air Processing Capability	67,000 cubic feet
Dimensions	L 72 in, W 34 in, H 70 in.
Weight	2300 lbs.

Current production lead time is 8 to 10 weeks after receipt of your valued order



Administration RFQ Reports

Search Results

Search:

All
 Vendor Discounts Only
 Catalog Pricing Only

Vendors: None Selected Price Range: Show all prices Category: None Selected Contract: None selected

Showing 1 to 1 of 1 entries (filtered from 60 total entries)

Vendor	Description
Casco Industries, Inc.	10% Discount Off Bauer Compressors Pricelist for all C Supplies.

Show 25 results Narrow Res

Additional Searches:

[Search by Vendor](#)

[Browse Contracts](#)

[Instructional Materials](#)

[Additional Resources](#)

Contact us 800-695-2919

Effective: 01/01/11

UNICUS III PRICE LIST

Model	Charging rate ¹⁾	scfm	ft ³ /min	Number of stages	Motor hp	FAD ²⁾	RPM	Purification system	Price
5000 psig (345 bar)									
UNIII/20-E3	21	595	4	15	11	17.5	1300	P5 SECURUS	\$44,483
UNIII/26-E3	26.4	748	4	20	15	22	1350	P5 SECURUS	\$50,060
UNIII/42-E3 ³⁾	42	1190	4	30	22	35	1300	P10 SECURUS	\$67,393
6000 psig (414 bar)									
UNIII/10H-E1	9.7	275	4	7.5	5.6	8.1	1180	P2 SECURUS	\$40,324
UNIII/10H-E3	9.7	275	4	7.5	5.6	8.1	1180	P2 SECURUS	\$40,001
UNIII/13H-E1	13	368	4	10	7.5	10.8	1420	P2 SECURUS	\$42,509
UNIII/13H-E3	13	368	4	10	7.5	10.8	1420	P2 SECURUS	\$42,185
UNIII/18H-E3	18	510	4	15	11	15	1325	P5 SECURUS	\$47,910
UNIII/25H-E3	25.2	714	5	20	15	21	1300	P5 SECURUS	\$52,585
UNIII/35H-E3 ³⁾	35.9	1017	4	30	22	29.8	1200	P10 SECURUS	\$69,454

1) Based on recharging an 80 cubic foot tank from 500 to 3000 psig.
2) Compressor capacity referenced to standard inlet conditions.
3) Reference drawing ASY-2003.

E1 = Single phase electric, 230 VAC/60 Hz. E3 = Three phase electric, 230/460 VAC/60 Hz. Other voltages available on request.

Optional Accessories

Item	Part number	Price
Electronic carbon monoxide monitor complete with calibration kit	/MNR-29/CAL	\$3,166
wired for alarm and shutdown (calibration gas included)		
Each additional ASME 5000 psig cylinder with relief valve and mounting clamps	/CYL-9/5K	\$2,476
Each additional ASME 6000 psig cylinder with relief valve and mounting clamps	/CYL-9/6K	\$2,693
Panel mounted remote fill hose connection. Includes bulkhead fitting, adjustable regulator for up to 6000 psig service, gauge, isolation valve and quick connect/disconnect fitting (hose not included)	/RR/REG	\$1,061
UNIII remote fill hose connection including adjustable regulator for up to 6000 psig service, gauge and isolation valve connected to a cabinet enclosed hose reel with 75 feet of hose rated for 6000 psig service	UNIII/RR/REL-9	\$2,335
Safety relief valve for additional dedicated fill pressure (specify fill pressure)	/ADD FILL	\$207
DUAL-FILL, high/low, quick connect fill system (specify fill pressures)	DUAL-FILL/1 Position	\$425
DUAL-FILL, high/low, quick connect fill system (specify fill pressures)	DUAL-FILL/2 Position	\$761
DUAL-FILL, high/low, quick connect fill system (specify fill pressures)	DUAL-FILL/3 Position	\$1,036
TRI-FILL, high/low/SCUBA, quick connect fill system (specify fill pressures)	TRI-FILL/1 Position	\$648
TRI-FILL, high/low/SCUBA, quick connect fill system (specify fill pressures)	TRI-FILL/2 Position	\$1,141
TRI-FILL, high/low/SCUBA, quick connect fill system (specify fill pressures)	TRI-FILL/3 Position	\$1,540
Stainless steel fill adaptors	SS/3 Position	\$196

*Per fill position.



Effective: 01/01/11

VERTECON II PRICE LIST

Model	Charging rate ¹⁾ scm /min	Number of stages	Motor hp	kW	FAD ²⁾	RPM	Purification system	Price
-------	---	---------------------	-------------	----	-------------------	-----	------------------------	-------

5000 psig (345 bar)								
VTC-06-E1	6	3	5	3.7	5	1050	P0	\$9,854
VTC-06-E3	6	3	5	3.7	5	1050	P0	\$9,789
VTC-08-E1	8.4	3	7.5	5.6	7	1250	P31	\$10,485
VTC-08-E3	8.4	3	7.5	5.6	7	1250	P31	\$10,263
VTC-20-E3	21	4	15	11	17.5	1300	P5	\$23,103
VTC-26-E3	26.4	4	20	15	22	1350	P5	\$28,232

6000 psig (414 bar)								
VTC-05-E1	5	3	5	3.7	4	1050	P2 SECURUS	\$16,821
VTC-05-E3	5	3	5	3.7	4	1050	P2 SECURUS	\$16,757
VTC-10-E1	9.7	4	7.5	5.6	8.1	1180	P2	\$17,648
VTC-10-E3	9.7	4	7.5	5.6	8.1	1180	P2	\$17,192
VTC-13-E1	13	4	10	7.5	10.8	1420	P2	\$18,102
VTC-13-E3	13	4	10	7.5	10.8	1420	P2	\$17,645
VTC-18-E3	18	4	15	11	15	1325	P5	\$26,520
VTC-25-E3	25.2	5	20	15	21	1300	P5	\$31,695

¹⁾ Based on recharging an 80 cubic foot tank from 500 to 3000 psig. ²⁾ Compressor capacity referenced to standard inlet conditions. E1 = Single phase electric, 230 VAC/60 Hz. E3 = Three phase electric, 230/460 VAC/60 Hz. Other voltages available on request.

Optional Accessories

Item	Description	Price
Interstage gauges (locally mounted, 3-stage)		\$168
Interstage gauges (locally mounted, 4-stage)		\$224
Interstage gauges (locally mounted, 5-stage)		\$279
Automatic condensate drain - 3-stage		\$1,743
Automatic condensate drain - 4-stage		\$1,888
SECURUS		\$720
Dual pressure switch		\$1,512
Visual CO/Moisture monitor indicator		\$124
Electronic carbon monoxide monitor complete with calibration kit		\$3,166
Wired for alarm and shutdown. (Calibration gas included)		
Purification upgrades (P0 to P31)		\$754
Purification upgrades (P0 to P2)		\$1,597
Purification upgrades (P31 to P2)		\$948
Purification upgrades (P2 to P5)		\$1,188



MINI & MAXI VERTICUS PRICE LIST

Effective: 01/01/11

Model	Charging rate ¹⁾ l/min	scfm	hp	kW	FAD ²⁾	RPM	Purification system	Price
-------	-----------------------------------	------	----	----	-------------------	-----	---------------------	-------

5000 psig (345 bar)								
mVT6-E1	6	170	3	5	3.7	5	P2 SECURUS	\$16,723
mVT6-E3	6	170	3	5	3.7	5	P2 SECURUS	\$16,678
mVT8-E1	8.4	238	3	7.5	5.6	7	P2 SECURUS	\$17,903
mVT8-E3	8.4	238	3	7.5	5.6	7	P2 SECURUS	\$17,808
mVT20-E3	21	595	4	15	11	17.5	P5 SECURUS	\$29,337
mVT26-E3	26.4	748	4	20	15	22	P5 SECURUS	\$33,596
mVT42-E3 ³⁾	42	1190	4	30	22	35	P10 SECURUS	\$54,477

6000 psig (414 bar)								
mVT5-E1	5	142	3	5	3.7	4	P2 SECURUS	\$17,946
mVT5-E3	5	142	3	5	3.7	4	P2 SECURUS	\$17,903
mVT10-E1	9.7	275	4	7.5	5.6	8.1	P2 SECURUS	\$24,744
mVT10-E3	9.7	275	4	7.5	5.6	8.1	P2 SECURUS	\$24,394
mVT13-E1	13	368	4	10	7.5	10.8	P2 SECURUS	\$26,123
mVT13-E3	13	368	4	10	7.5	10.8	P2 SECURUS	\$25,564
mVT18-E3	18	510	4	15	11	15	P5 SECURUS	\$31,184
mVT25-E3	25.2	714	5	20	15	21	P5 SECURUS	\$35,364
mVT35-E3 ³⁾	35.9	1017	4	30	22	29.8	P10 SECURUS	\$57,249

1) Based on recharging an 80 cubic foot tank from 500 to 3000 psig.
 2) Compressor capacity referenced to standard inlet conditions.
 3) 30 hp units are in a cabinet other than depicted.
 E1 = Single phase electric, 230 VAC/60 Hz. E3 = Three phase electric, 230/460 VAC/60 Hz. Other voltages available on request.
 MVT = MINI VERTICUS MWT = MAXI VERTICUS

Optional Accessories

Item	Part number	Price
Dual pressure switch	/DPS-2	\$1,516
Visual CO/Moisture monitor indicator (5000 psig service only)	/IND-16	\$124
Visual CO/Moisture monitor indicator (6000 psig service only)	/IND-35	\$181
Electronic carbon monoxide monitor complete with calibration kit wired for alarm and shutdown. (Calibration gas included)	MNR-29	\$3,166
SCUBA fill hose assembly, 5 ft length	BFDV	\$250
SCBA (CGA-346) fill hose assembly, 5 ft length	BFD-346	\$250
SCBA (CGA-347) fill hose assembly, 5 ft length	BFD-347	\$297
Interstage pressure gauges mounted (3-stage)	/GAUGES/3 STG	\$168
Interstage pressure gauges mounted (4-stage)	/GAUGES/4 STG	\$224