



1320 South 25th Street
 Edinburg, TX 78539
 (956) 289-7600
 Fax (956) 383-6819

May 15, 2013

Governmental Contract Initiative (GOV-11-NJPA) with the National Joint Powers Alliance Contract – 060311-CAT.

Hidalgo County PCT #1
 Raul Lozano
 1902 Joe Stephens, Suite 101
 Weslaco, TX 78596

Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New Cat Model CT660 Wrecker Truck with standard equipment in addition to the additional specifications listed in the attached detailed truck proposal.

NJPA Pricing

<u>Base Model</u>	<u>Part #</u>	<u>List Price</u>
CT660	Tractor	\$131,197.22
<u>Options</u>		
Optional Attachments		\$8,114.74 ✓
Sub Total		<u>\$139,311.96</u>
*NJPA Member Discount 23% + Holt Discount 10.9%		(47,226.96)
Machine Price with Discount applied		\$92,085.00
<u>Customer Invoice-Non-Discountable Items</u>		
Freight and PDI		\$2268 ✓
Emissions Charge and Labels		\$8000 ✓
On Board Diagnostics		\$650.00 ✓
600TR-16-42 Dump Body		\$15,750.00 ✓
Sale Price		\$118,753.00 Per TRK

Mark Brunnemann
 Sales Representative
 Direct (956) 289-7636
 Cell (956) 330-0630
Mark.Brunnemann@holtcat.com

Proposal: 707 Version: 1 Model: CT660S SBA 6x4 Build Date: 6/13/2013
 Dealer: HOLT TEXAS LTD. (E140) (CF7AA)
 Status: Incomplete GVWR: 53200 Application: Construction Dump Price Date: 1/2/2013

Worksheet Summary			
	Sale Price	Dealer Net Price	Gross Profit
Chassis [131,197.22]	131,197.22	131,197.22 ✓	0.00
Opt. Attach Incl. in SPA [8,114.74]	8,114.74	8,114.74 ✓	
Product excl. from SPA [8,650.00]	8,650.00	8,650.00	
Service excl. from SPA [0.00]	0.00	0.00	
Markup (Product)	0.00		0.00
Markup (Service)	0.00		0.00
Goods Purchased	0.00	0.00	0.00
Special P&D	0.00	0.00	0.00
Freight	2,025.00	2,025.00 ✓	
Other Allowances	0.00	0.00	
SPA Number: [0.000%]	0.00	0.00	
Total Vehicle Price	149,986.96	149,986.96	0.00
Body/Allied Equipment	0.00	0.00	0.00
Extended Warranty	0.00	0.00	0.00
Sale Price without FET	149,986.96	149,986.96	
FET	17,737.82		
Sale Price Per Vehicle	167,724.78		0.00
Sale Price 1 Vehicle	167,724.78		0.00
Trade Allowance	0.00	0.00	0.00
License, Title, Taxes	0.00		0.00
Sales Commission			
Total Sale 1 Vehicle	167,724.78		0.00



HOLT CAT Truck Center
 1320 South 25th Street
 Edinburg, TX 78539
 956-289-7600

Customer Proposal Letter

May 15, 2013

Thank you for the opportunity to earn your business.
 We look forward to working with you on your future business needs.
Please accept the following proposal.

CUSTOMER: Hidalgo County PCT #1
ADDRESS: 1902 Joe Stephens, Suite 101
CITY, STATE, ZIP: Weslaco, TX 78596

NIPA CONTRACT#
 060311-CAT

CONTACT: Raul Lozano
PHONE: 956-968-8733
FAX:

VEHICLE BUYER'S ORDER

Make CAT Model CT660 Year 2014 Stock Number TDB
 To be delivered on or about 6 to 8 Weeks Upon
 Vin # _____ Ordering

ADDITIONAL VEHICLE & ACCESSORIES DESCRIPTION: Dump truck with 16' dump body from Truckers Equipment

Quantity	<u>1</u>	
Truck Price Per Unit	<u>\$103,003.00</u>	<u>\$103,003.00</u>
Optional Equipment	<u>\$15,750.00</u>	<u>\$15,750.00</u>
12% F.E.T. (Factory & Dealer Paid)	<u>N/A</u>	<u>N/A</u>
Net Sales Price	<u>\$118,753.00</u>	<u>\$118,753.00</u>
Optional Extended Warranty(ies)	_____	_____
6.25% State Sales Tax	_____	_____
License, License Transfer, Registration Fee	_____	_____
Documentary Fee	_____	_____
1% Emissions Fee	_____	_____
Administration Fee	_____	_____
.0024170% Vehicle Inventory Tax	_____	_____
Additional Taxes	_____	_____
Out of State Vehicle Fee	_____	_____
Total Sales Price	<u>\$118,753.00</u>	<u>\$118,753.00</u>

Trade Allowance _____ *

* See DISCLAIMER below

Sales Representative _____ signature _____ Mark Brunemann printed name

Purchaser _____ signature _____ printed name

_____ title _____ date

Quote good until 30 days

NOTES:	Truck will come with Model 500TR-16-42 (16' dump body) supplied by Truckers Equipment With Manual tarp.



CT660S SBA 6x4

Sales Proposal For:
Hidalgo County PCT 1 - Dump Truck

Presented By:
HOLT TEXAS LTD.



May 15, 2013

Prepared For:
Hidalgo County PCT 1 - Dump Truck

Reference ID: N/A

Presented By:
HOLT TEXAS LTD.
Mark Brunneemann
3302 S W W WHITE RD
SAN ANTONIO TX 78222 - 4843
(210)648-8343

We are pleased to have the opportunity to offer the following proposal for the application you requested.

Model Profile
2014 CT660S SBA 6x4 (CF7AA)

APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 54000. Calc. GVWR: 53200 Calc. Start / Grade Ability: 34.00% / 2.77% @ 55 MPH Calc. Geared Speed: 84.4 MPH
FUEL ECONOMY:	7.09 MPG @ 55 MPH
DIMENSION:	Wheelbase: 215.00, CA: 153.00, Axle to Frame: 59.00
ENGINE, DIESEL:	{CT 13} EPA 10, 410 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max)
TRANSMISSION, MANUAL:	{Fuller FRO-14210C} 10-Speed Manual, With Overdrive, With Air Shift
CLUTCH:	{Eaton Fuller Easy-Pedal Advantage} Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MFS-13-143A} Wide Track, I-Beam Type, 13,200-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DFR-P} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, With Lube Oil Pump Gear Ratio: 4.11
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 HSC1 (CONTINENTAL) 496 rev/mile, load range H, 16 ply
TIRE, REAR:	(8) 11R22.5 HDR2 (CONTINENTAL) 491 rev/mile, load range G, 14 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson RT-403} Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
PAINT:	Cab schematic 100KT Location 1: 9219, Winter White (Std) Chassis schematic N/A



Vehicle Specifications

May 15, 2013

2014 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
CF7AA00	Base Chassis, Model CT660S SBA 6x4 with 215.00 Wheelbase, 153.00 CA, and 59.00 Axle to Frame.	\$131,197.22
1570	TOW HOOK, FRONT (2) Frame Mounted	\$372.38
1652	CROSSMEMBER, REAR Relocated to End of Frame	\$234.14
1CDH	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 543.0" (13793mm) Maximum OAL	\$0.00
1LBC	BUMPER, FRONT Multi-piece Stainless Steel	\$0.00
	<u>Includes</u> : FOG LIGHT OPENING (2) and with Rectangular Hole for Step	
1WVS	WHEELBASE RANGE 183" (465cm) Through and Including 228" (580cm)	\$704.13
2ASG	AXLE, FRONT NON-DRIVING {Meritor MFS-13-143A} Wide Track, I-Beam Type, 13,200-lb Capacity	\$0.00
3ACH	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 14,000-lb Capacity; With Shock Absorbers	\$0.00
	<u>Includes</u> : SPRING PINS Threaded	
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : INVERSION VALVE Bendix SR-1 and Double Check Valve : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted	
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR, Wheels; Tires.	
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	\$0.00
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
4EBS	AIR DRYER {Bendix AD-9} With Heater	\$0.00
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab	
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	\$0.00



Vehicle Specifications

May 15, 2013

2014 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	\$0.00
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder	\$0.00
5710	STEERING COLUMN Tilting and Telescoping	\$0.00
5PSA	STEERING GEAR {Sheppard M-100} Power	\$0.00
5WBH	STEERING WHEEL {Caterpillar} 2-Spoke, 18" Diam., Dark Neutral, Leather Wrapped	\$0.00
7BDS	EXHAUST SYSTEM Single, Vertical Aftertreatment Device Frame Mounted Right Side; Includes Vertical Tail Pipe & Guard	\$0.00
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Non-Bright Finish	
7WBA	TAIL PIPE (1) Turnback Type, Bright, for Single Exhaust	\$84.21
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	\$119.15
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u> : BATTERY BOX Aluminum : CIGAR LIGHTER Includes Ash Cup, Center Console Mounted : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Integral with Turn Signal Switch : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Composite with Halogen Projector Beam : HORN, AIR Single, Chrome : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : READING LIGHT, CAB (2) with Individual Switches; One Above Each Door : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL FLASHER : TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature : TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash, Steering Column Mounted : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	
8653	HORN, AIR Single, Located Under Cab	\$0.00
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	\$0.00
8GGN	ALTERNATOR {Bosch LH160} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	\$0.00
8MMJ	BATTERY SYSTEM {Caterpillar} (3) 12 Volt 2130CCA Total	\$0.00
8RKW	ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, Without Splitter, Separate Lead-Ins, With CB Antenna Mounted on Right Mirror and AM/FM Antenna Mounted on Left Mirror	\$0.00



Vehicle Specifications

May 15, 2013

2014 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
8RLR	RADIO AM/FM Stereo with Weatherband, Clock, Auxiliary Input, Includes Multiple Speakers	\$0.00
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	\$0.00
8WEZ	TURN SIGNAL SWITCH Self-Canceling	\$0.00
8WKG	BATTERY BOX Aluminum With Aluminum Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Right Side Under Cab	\$0.00
8WNH	RUNNING LIGHT (2) Daytime	\$0.00
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	\$88.69
9ASE	FRONT END Tilting Composite	\$0.00
	<u>Includes</u> : GRILLE SURROUND Brushed Stainless Steel	
9HAN	INSULATION, UNDER HOOD for Sound Abatement	\$143.62
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	\$65.36
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10UAB	VEHICLE REGISTRATION IDENTITY ID for US States EXCLUDING: California, Connecticut, Delaware, Georgia, Maine, Massachusetts, New Jersey, New York, North Carolina, Pennsylvania	\$0.00
11MGZ	CLUTCH (Eaton Fuller Easy-Pedal Advantage) Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity	\$0.00
	<u>Includes</u> : CLUTCH RELEASE BEARING Greasable	
12KWX	ENGINE, DIESEL {CT 13} EPA 10, 410 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max)	\$2,156.27
12THT	FAN DRIVE (Horton Drivemaster) Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	\$0.00
12UBH	RADIATOR Aluminum; Welded, Front to Back Down Flow System, 1564 SqIn, 1572 SqIn Dual CAC, 1293 SqIn 3 Core LTR	\$0.00
12VBT	AIR CLEANER Single Element, Heavy Duty	\$0.00
12VED	FEDERAL EMISSIONS for 2010; CT 13 Engines	\$8,000.00
12WBR	FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)	\$28.06
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	\$29.99
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	\$0.00
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	\$0.00



Vehicle Specifications

May 15, 2013

2014 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
12XAN	OBD COMPLIANCE for 2013 OBD (On Board Diagnostics)	\$650.00
13GHL	TRANSMISSION, MANUAL (Fuller FRO-14210C) 10-Speed Manual, With Overdrive, With Air Shift <u>Includes</u> : CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC	\$410.29
13WAP	TRANSMISSION LUBE PUMP for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION	\$278.64
13WGJ	OIL COOLER, MANUAL TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)	\$211.88
13WLB	TRANSMISSION OIL (EmGard 50W) Synthetic; 22 thru 33.99 Pints	\$101.23
13WVD	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Control Valve, Piping and Wiring, Wired for PTO	\$53.75
14862	PDL WARNING BUZZER Power Divider Lock	\$26.88
14GVU	AXLE, REAR, TANDEM (Meritor MT-40-14X-4DFR-P) Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, With Lube Oil Pump . Gear Ratio: 4.11 <u>Includes</u> : POWER DIVIDER LOCK Air Operated, Cab Control with Indicator Light in Cluster : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle	\$0.00
14UHD	SUSPENSION, REAR, TANDEM (Hendrickson RT-403) Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings <u>Includes</u> : CROSSMEMBER, SUSPENSION 5-Piece <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	(\$311.54)
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions	\$171.10
14WLD	AXLE, REAR, LUBE (EmGard 75W-90) Synthetic Oil; 50 thru 64.99 Pints	\$153.94
15LKU	FUEL/WATER SEPARATOR (Racor) Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	\$0.00
15SHC	FUEL TANK Non-Polished Aluminum, 24" Diam., 100 U.S. Gal., 378 L Capacity Left Side, Under Cab.	\$474.79
16031	CAB Conventional <u>Includes</u> : COAT HOOK, CAB Located on Rear Wall, Behind Passenger Seat : CONSOLE, CENTER Plastic, Driver Convenience with a Cup and Change Holder, Ash Tray and Lower Storage Area : DOME LIGHT, CAB (2) Driver and Passenger Dome Lights with Individual Switches, in Headliner : DOOR CHECK STRAP (2) One Each Door : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side	\$0.00



Vehicle Specifications

May 15, 2013

2014 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
	: GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : SKIN Riveted : STEP (4) Two Steps Per Door	
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
16HGL	GAUGE, OIL TEMP, REAR AXLE	\$85.14
16JPC	SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover	\$0.00
16RAC	SEAT, PASSENGER {National 2000 Model 292} Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle Adjustment	\$484.65
16SKT	MIRRORS (2) {Lang Mekra} Aero; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostat Controlled, Amber Lens Clearance Light LED, Turn Signals, Black Painted Finish Heads, Brackets & Arms	\$4.30
16VRT	HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates	\$0.00
16VTH	CAB INTERIOR TRIM Premium Level; for Caterpillar, Day Cab	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Vinyl : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Strap for CB Radio Mounting; Two with Netting, Courtesy Lights with Switches : COURTESY LIGHT (2) Driver and Passenger Door Mounted : DOOR TRIM PANELS Vinyl Upper with Power Locks and Windows, Upper and Lower Grab Handles, Both Sides : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Vinyl : HEATER BOX Metal, Painted Black : INSTRUMENT PANEL TRIM Vinyl : MIRROR, CONVEX, LOOK DOWN Black Finish; 6" x 10-1/4"; Located on Passenger Side : STORAGE POCKET, DOOR (2) Driver and Passenger Door : SUN VISOR (2) Vinyl with Molded Toll Ticket Retainer	
16VZA	WINDOW, REAR 52.25" Wide	\$0.00
16WAK	WINDOW, POWER (2) in Left and Right Doors	\$0.00
16WJG	CAB DOOR LOCKS Power	\$0.00
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster	\$0.00
16WKR	WINDSHIELD Single Piece	\$0.00
16WLD	CAB REAR SUSPENSION {Link Z9079D1} Dual Frame Mounted Cab Rear Air Suspension; Includes Special Crossmember Assembly	\$0.00
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights	\$0.00
16ZDU	GRAB HANDLE Exterior; Towel Bar Type In Lieu Of Non-Bright Grab Handles; for use with Cab or Cab/Sleeper Non-Bright Access, Without Frame Access or Chassis Skirts	\$29.03
27DMD	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Aluminum Hubs	\$210.70



Vehicle Specifications

May 15, 2013

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
	2014 CT660S SBA 6x4 (CF7AA)	
28DMD	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Aluminum Hubs.	\$502.24
29WLA	WHEEL BEARING, FRONT, LUBE (EmGard 50W) Synthetic Oil	\$21.50
7372135423	(8) TIRE, REAR 11R22.5 HDR2 (CONTINENTAL) 491 rev/mile, load range G, 14 ply	\$916.48
7382135419	(2) TIRE, FRONT 11R22.5 HSC1 (CONTINENTAL) 496 rev/mile, load range H, 16 ply	\$263.74
	Total of Product Features	\$147,961.94
	Total List Price Including Options:	\$147,961.94



Electronic Parameters Summary

May 15, 2013

2014 CT660S SBA 6x4 (CF7AA)
ENGINE, DIESEL (0012KWX)

ATTACHMENTS: 0016HBA (GAUGE CLUSTER) 0015LKU (FUEL/WATER SEPARATOR) 0012WEG (COLD STARTING EQUIPMENT) 0012THT (FAN DRIVE)

<u>Parameter</u>	<u>Value</u>	<u>UOM</u>
Max Accelerator Vehicle Speed:7902	75	
Vehicle Speed Limiter Override:7911	0, DISABLE FEATURE OR FUNCTION	MPH
VSLO Speed Increment:7912	10	N/A
VSLO Maximum Activation Time:7914	30	MPH
VSLO Time Interval to Reset:7915	8.0	MIN
VSLO Time Duration Source:7934	1, INTERVAL BASED ON REAL TIME CLOCK	HOURS
Progressive Shift Enable:7744	0, DISABLE FEATURE OR FUNCTION	N/A
Low Gear Ratio Break Point:7742	5.825000	N/A
High Gear Ratio Break Point:7743	1.643500000	N/A
Low Gear Engine Speed Limit:7738	1550.0	N/A
High Gear Engine Speed Limit:7739	1600.0	RPM
Low Gear Engine Speed Range:7740	200.0	RPM
High Gear Engine Speed Range:7741	200.0	RPM
Min Gear Ratio for ProShift:7755	0.50	RPM
Gear Down Protection Enable:7714	0, DISABLE FEATURE OR FUNCTION	N/A
Top Gr Minus 2 Light Ld VS Lim:7715	33	N/A
Top Gr Minus 1 Light Ld VS Lim:7716	44	MPH
Top Gr Minus 2 Heavy Ld VS Lim:7735	36	MPH
Top Gr Minus 1 Heavy Ld VS Lim:7736	49	MPH
Driver Reward Enable:7918	0, DISABLE FEATURE OR FUNCTION	MPH
Driver Reward Mode:7930	2, BOTH ACCELERATOR AND CRUISE VEHICLE SPEED LIMIT INCREASE	N/A
Driver Reward Performance Crit:7925	0, FUEL ECONOMY BASED REWARD SYSEM	N/A
Fuel Economy - Expected Level:7921	6.00	
Fuel Economy - Good Level:7920	6.25	MPG
Fuel Economy - Excellent Level:7919	6.40	MPG
% Idle Time - Expected Level:7924	25	MPG
% Idle Time - Good Level:7923	18	%
% Idle Time - Excellent Level:7922	10	%
Driver Reward Ambient Temp H:7938	150.0	%
Driver Reward Ambient Temp L:7939	-40.0	C
VS Lim Increase - Expected Lvl:7926	0	C
VS Lim Increase - Good Lvl:7927	2	MPH
VS Lim Increase - Excel Lvl:7928	4	MPH
VS Lim Decrease - Penalty Lvl:7929	-2	MPH
Idle Engine Speed:8202	600.0	MPH
Idle Speed Adjustment Enable:8215	1, ENABLE FEATURE OR FUNCTION	RPM
Idle Spd Adjust - Max Eng Spd:8212	0.0	N/A
Idle Spd Adjust - Bump Step:8216	5.0	RPM
Idle Spd Adjust Ramp Rate:8211	25	RPM
Maximum Standstill Eng Speed:7753	2100.0	RPM/SEC
Idle Shutdown Mode:7400	0, DISABLE FEATURE OR FUNCTION	RPM
ISD Time w/Park Brk Released:7401	15.0	N/A
ISD Time w/Park Brake Set:7404	5.0	MIN
ISD Latched Driver Override En:7407	0, DISABLE FEATURE OR FUNCTION	MIN
ISD Ambient Temp Override En:7408	0, DISABLE FEATURE OR FUNCTION	N/A
ISD Int Amb Temp Enable:7405	0, DISABLE FEATURE OR FUNCTION	N/A
ISD Max Ambient Temp Override:7402	20.0	N/A
ISD Int Amb Temp Override:7406	15.0	C
ISD Min Ambient Temp Override:7403	5.0	C
ISD Max Engine Coolant Temp:7412	150.0	C
ISD Min Engine Coolant Temp:7413	16.0	C
ISD Idle Shutdown Max Eng Trq:7409	80	C
Cruise Control Enable:7600	1, ENABLE FEATURE OR FUNCTION	%
		N/A



Electronic Parameters Summary

May 15, 2013

2014 CT660S SBA 6x4 (CF7AA)

CC Max Vehicle Speed:7604	75	MPH
CC Min Vehicle Speed:7603	25.0000	MPH
AESC Control:7500	2, IN CAB AESC MODE SELECTED	N/A
AESC In-cab Mode:7502	2, VARIABLE ENGINE SPEED CONTROL SELECTED	N/A
AESC Min Engine Speed:7522	600.0	RPM
AESC Max Engine Speed:7508	1500.0	RPM
AESC Preset Engine Speed 1:7505	800.0	RPM
AESC Preset Engine Speed 2:7506	900.0	RPM
AESC Preset Engine Speed 3:7514	1000.0	RPM
AESC Preset Engine Speed 4:7515	1100.0	RPM
AESC Preset Engine Speed 5:7516	1200.0	RPM
AESC Preset Engine Speed 6:7517	1300.0	RPM
AESC Activate at Preset Speed:7528	0, NO PRESET PRESELECTION	N/A
AESC Ramp Up Rate:7507	100.00	RPM/SEC
AESC Ramp Down Rate:7524	100.00	RPM/SEC
AESC Bump Up/Down Step:7525	25.0	RPM
AESC In-cab Operator Interface:7503	0, NO (OFF) OR DISABLE	N/A
AESC Disable w/ Clutch Pedal:7510	1, ENABLE FEATURE OR FUNCTION	N/A
AESC Disable w/ Brake Pedal:7511	1, ENABLE FEATURE OR FUNCTION	N/A
AESC Accel Pedal Mode:7513	1, AESC OVERRIDDEN BY ACCELERATOR PEDAL	N/A
AESC Max Engine Load:7519	100.0000	%
AESC Control to Engine Load:7530	0, KICK OUT OF AESC ABOVE PROGRAMMED LIMIT	N/A
AESC Max Engine Load Time:7527	8	SEC
AESC Vehicle Speed Limit:7521	5.0000	MPH
AESC Max Mobile Veh Spd:7501	5	MPH
AESC Eng Spd Limit w/VSS Fault:7518	1500	RPM
AESC Force Fan On:9007	0, DISABLE FEATURE OR FUNCTION	N/A
AESC Park Brake Override:7534	1, ENABLE FEATURE OR FUNCTION	N/A
AESC Transfer Case Signal Mode:8910	0, DRIVELINE	N/A
AESC Splitshaft Veh SPD Dsply:9307	0, SPEED SENSOR LOCATED IN WHEEL RIM	N/A
AESC Remote Accel Pedal Enable:7504	0, DISABLE FEATURE OR FUNCTION	N/A
AESC Remote Accel Pedal Switch:8914	0, DISABLE FEATURE OR FUNCTION	N/A
AESC Accel Max Eng Spd Ovr:7520	1900.0	RPM
Rem Accelerator Switch Input:9929	1, SAE J1939 MULTIPLEXED	N/A
Preset Remote AESC Input Type:9932	0, DISCRETE (HARDWIRED) INPUT	N/A
Variable Remote AESC Input:9933	0, DISCRETE (HARDWIRED) INPUT	N/A
Rem Accelerator Position Input:9935	1, SAE J1939 MULTIPLEXED	N/A
Engine Protection Mode:7700	1, TWO WAY WARNING (OIL PRES, WATER TEMP)	N/A
Powertrain Protection Enable:7722	0, DISABLE FEATURE OR FUNCTION	N/A
Max Torque w/o Vehicle Speed:7712	1450.0000	LB-FT
Torque Limiting in Gear:7717	0, DISABLE FEATURE OR FUNCTION	N/A
Highest Gear of Low Range:7718	2	N/A
Highest Gear Rat of Low Range:7745	6.00	N/A
Highest Gear of Int. Range:7748	4	N/A
Highest Gear Rat of Int. Range:7746	4.00	N/A
Highest Gear of High Range:7749	6	N/A
Highest Gear Rat of High Range:7747	2.00	N/A
Max Torque in Low Gear Range:7713	1450.0000	LB-FT
Max Torque in Int. Gear Range:7750	1450.0000	LB-FT
Max Torque in High Gear Range:7751	1450.0000	LB-FT
VSS Anti-Tamper Max Eng Speed:7901	1200.0	RPM
Auxillary Shutdown Input Type:9931	0, DISCRETE (HARDWIRED) INPUT	N/A
Veh Speed Sensor Antitampering:7905	0, DISABLE FEATURE OR FUNCTION	N/A
Veh Overspd Threshold Level 1:7723	5.000000	MPH
Veh Overspd Threshold Level 2:7724	7.000000	MPH
Service Interval Enable	0, DISABLE FEATURE OR FUNCTION	N/A
Fuel Used Service Interval:9501	0	GALLONS
Engine Hour Service Interval:9502	0	HOURS
Veh Distance Service Interval:9503	0	MILES



Electronic Parameters Summary

May 15, 2013

	2014 CT660S SBA 6x4 (CF7AA)	
Service Soon Percent to Notify:9507	90	%
Customer Unit Number:6605	0	N/A
Hard Braking Incident Counter:8904	1, ENABLE FEATURE OR FUNCTION	N/A
Hard Braking Decel Threshold:8905	7.40	MPH/SEC
Vehicle Over-speed Indicator:7754	0, FEATURE OR FUNCTION IS DISABLED	N/A
Customer Password:8700	00000000	N/A

These Electronic Parameters are complete with error

908	\$108,600.00	25%
914	\$108,970.00	26%
924	\$152,840.00	26%
928	\$150,300.00	26%
930	\$179,680.00	26%
938	\$201,700.00	26%
950	\$270,960.00	24%
962	\$268,420.00	24%
966	\$396,100.00	21%
972	\$415,380.00	16%
980	\$480,830.00	12%

Track Loaders

953	\$225,560.00	20%
963	\$301,670.00	23%
973	\$436,650.00	23%

Vocational Trucks

CT660	\$133,232.33	23%
Worktools***		15%

*Base list price reflects the top level price and is meant to provide a relative baseline for that model size class. Please refer to the equipment price sheets for the actual pricing for the individual models and configurations.

**The models listed represent the most current offerings however depending on dealer inventory and new factory releases additional models within the respective product families may be available. Please contact the local dealer for actual model availability.

*** Please see work tool price sheets for model and base price information.

LANDSTAR - ELEVEN SHIPPING ZONE : Freight Rates: Based on a "Ship From" zone to Destination State Zone

Shipping Zones - Based on Destination States

Product:	Unit	Ship From	NY, PA, NJ	VT, NH, ME	VA, WV, NC	OH, IN,	FL, GA	WI, MN,	CO, NM	WA, OR	CA, NV	NE, KS	TX, OK
			DE, MD	RI, IA, CT	KY, TN	MI, IL	SC, AL	ND, SD	WY, UT	ID, MT	AZ	MO, IA, LA, AK, MS	
938	4		\$3,445	\$,044	\$3,161	\$1,847	\$4,860	\$3,384	\$4,882	\$7,441	\$7,585	\$2,466	\$4,154
950	4		\$3,502	\$,128	\$3,214	\$1,878	\$4,942	\$3,440	\$4,963	\$7,565	\$7,711	\$2,507	\$4,223
962	4		\$3,502	\$,128	\$3,214	\$1,878	\$4,942	\$3,440	\$4,963	\$7,565	\$7,711	\$2,507	\$4,223
966	4		\$3,686	\$,497	\$3,445	\$2,014	\$5,298	\$3,689	\$5,321	\$8,111	\$8,267	\$2,687	\$4,529
972	4		\$4,226	\$,186	\$3,877	\$2,266	\$5,962	\$4,152	\$5,988	\$9,128	\$9,304	\$3,025	\$5,096
980	4		\$10,420	\$1,326	\$8,072	\$8,836	\$9,197	\$5,656	\$7,459	\$16,340	\$17,464	\$4,386	\$8,654
953	5		\$2,546	\$,820	\$1,654	\$2,558	\$1,200	\$4,184	\$4,699	\$7,031	\$6,403	\$2,923	\$3,230
963	5		\$3,980	\$,389	\$2,081	\$3,134	\$2,376	\$3,354	\$3,612	\$5,424	\$4,862	\$2,606	\$1,699
973	5		\$3,395	\$,982	\$2,191	\$3,838	\$1,440	\$5,546	\$6,088	\$10,277	\$8,902	\$4,271	\$4,385
	11		\$6,286	\$,888	\$3,124	\$4,703	\$3,660	\$4,446	\$4,477	\$8,136	\$6,158	\$3,454	\$2,202
	5		\$3,858	\$,944	\$2,623	\$4,591	\$1,637	\$6,637	\$7,284	\$17,296	\$10,651	\$5,111	\$5,246
	11		\$7,145	\$,965	\$3,736	\$5,627	\$4,379	\$5,320	\$5,357	\$9,734	\$7,369	\$4,133	\$2,635
CT660	11		\$2,500	\$,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500	\$2,500

0011MGS	CLUTCH 15.5" EATON SOLO ADVANTAGE	\$	483.60
0011MGU	CLUTCH 15.5" EATON SOLO ADVANTAGE	\$	523.20
0011MGZ	CLUTCH 15.5" EATON EASY-PEDAL ADVANTAGE	\$	-
0011MHA	CLUTCH 15.5" EATON EASY-PEDAL ADVANTAGE	\$	271.20
0011MHD	CLUTCH 15.5" EATON EASY-PEDAL ADVANTAGE	\$	(1.80)
0011MRG	CLUTCH 15.5" ZF SACHS HC15L	\$	15.00
0011WAE	GREASE FITTING REMOTE CLUTCH CROSS SHAFT	\$	18.60
0011WAG	CLUTCH BRAKE - TWO-PIECE	\$	18.60
0011WAK	CLUTCH EFFECTS HYDRAULIC SYS W/AIR	\$	274.20
12864	ENGINE BLOCK HEATER(PHILLIPS)120V/1500W	\$	53.40
0012BAV	MAXXFORCE 13 430HP/2100 GOV	\$	167.25
0012BAW	MAXXFORCE 13 475HP/2100 GOV	\$	783.75
0012KWX	CT13 410HP/2100 GOV	\$	-
0012KWY	CT13 430HP/2100 GOV	\$	167.25
0012KWZ	CT13 475HP/2100 GOV	\$	783.75
0012THJ	FAN DRIVE ON/OFF HORTON (DRIVEMASTER)	\$	(36.60)
0012THT	FAN DRIVE HORTON (DRIVEMASTER 2SPD)	\$	-
0012UBH	RAD 1564" CAC 1572" LTR 1293"	\$	-
0012UXH	2010 FEDERAL EMISSIONS MAXXFORCE 13	\$	8,000.00
0012VBT	AIR CLEANER SINGLE ELEMENT HEAVY DUTY	\$	-
0012VBU	AIR CLEANER SINGLE ELEMENT HD W/PRECLNR	\$	154.80
0012VED	2010 FEDERAL EMISSIONS CT13	\$	8,000.00
0012WBR	MANUAL FAN DRIVE OVERRIDE	\$	17.40
0012WCG	HOSE CLAMPS(MINI FLEX SEAL)TYPE	\$	32.40
0012WCT	ENG BLOCK HTR & "Y" CORD FOR FUEL HTR	\$	75.00
0012WCX	HOSE CLAMPS GATES SHRINK BAND	\$	18.60
0012WEG	AUTO COLD START W/ENGINE ECM CONTROL	\$	-
0012WPP	PTO, ENGINE REAR MAXXFORCE 11 & 13	\$	2,654.25
0012WPT	PTO, ENGINE REAR CT 11 & 13	\$	2,654.25
0012WTA	FAN DRIVE SPECIAL EFFECTS COOLING RING	\$	-
0012WUA	COOLANT FILTER 2010 MF 11 & 13 ENGINES	\$	70.20
0012WUD	COOLANT FILTER 2010 CT11 & CT13 ENGINES	\$	70.20
0012WYW	BLOCK HEATER ENGINE PHILLIPS	\$	106.20
0012WZB	LOW NOX IDLE ENG CA COMPLY W/HOOD DECAL	\$	37.20
0012WZD	ENGINE SHUTDOWN EXEMPT CA COMPLY	\$	-
0012WZE	EMISSION COMPLIANT FEDERAL NOT CA	\$	-
0012WZJ	LOW NOX IDLE ENG CA COMPLY W/DOOR DECAL	\$	37.20
13607	FULLER AT-1202 2-SPD AUX TRANS	\$	4,813.50
13901	SGL THRU-SHAFT PTO PROVISION W/FULLER	\$	28.80
13902	SGL THRU-SHAFT PTO PROVISION W/CAT	\$	1,506.00
0013AMN	ALLISON 4500_RDS_P 6SP PTO LESS RETARDER	SQ Only	
0013AMP	ALLISON 4500_RDS_P 5SP PTO LESS RETARDER	SQ Only	
0013AMR	ALLISON 4500_RDS_P 6SP PTO LESS RETARDER	SQ Only	
0013AMS	ALLISON 4000_RDS_P 5SP PTO LESS RETARDER	SQ Only	
0013AMT	ALLISON 4000_RDS_P 6SP PTO LESS RETARDER	SQ Only	
0013AMU	ALLISON 4000_RDS_P 5SP PTO LESS RETARDER	SQ Only	
0013AMV	ALLISON 4000_RDS_P 6SP PTO LESS RETARDER	SQ Only	
0013CZX	TRANS AUTO CATERPILLAR CX35 8 SPEED	\$	28,114.50
0013CZY	TRANS AUTO CATERPILLAR CX31R 6 SPEED	\$	33,503.25
0013CZZ	TRANS AUTO CATERPILLAR CX31 6 SPEED	\$	21,601.50
0013GHJ	FULLER FR-14210B 10-SPD TRANS	\$	-



- [Home](#)
 - [Contract Purchasing Solutions](#)
 - [Regional Programs](#)
 - [Education Solutions](#)
 - [About NJPA](#)
 - [Contact Us](#)
 - [Contract Solutions](#)
 - [ezIQ](#)
 - [Join NJPA](#)
 - [Legal Authority](#)
 - [Procurement Process](#)
 - [Contract Purchasing FAQ](#)
 - [Become A Vendor](#)
- [Home Page](#) [Contract Purchasing Solutions](#) [Contract Solutions](#) [Contract Details](#) [Contract Details](#)

[Back To Contract Index](#)

Heavy Construction Equipment

Caterpillar, Inc. - #060311-CAT



Contact

Jason Walker
Office: 309-675-4095
Walker_Jason_C@cat.com
www.govbidspec.com

NJPA Contract Manager: Jeremy Schwartz
Direct Phone: 218-894-5488
[Email](#)

Caterpillar has grown to be the largest manufacturer of construction and mining equipment, diesel and natural gas engines, and industrial gas turbines in the world. Team Caterpillar is proud to be providing our products to the NJPA membership by way of contract #060311.

Through Caterpillar's extensive dealer network, NJPA members will be able to select from over 120 models spanning from 14 product families. In addition to the breath of products, Caterpillar's dealer network will deliver the exceptional service and support our customers have grown to expect.

[Find a CAT Dealer](#)



[CAT Heavy Equipment - Contract Summary](#)

Marketing Documents

[Caterpillar, Inc. Customer Flyer](#)
[Caterpillar Sustainability Report](#)

Contract Documentation (#060311-CAT)

[Request for Proposal \(RFP\)](#)
[Bidders Response](#)
[Bid Acceptance & Award](#)

Documentation of Competitive Bidding Process

[Affidavit of Advertisement](#)
[Bid Opening Witness Page](#)
[Bid Evaluation](#)
[Bid Comment & Review](#)
[Board Minutes 7-19-11](#)

Documentation of Contract Maintenance

[Renewal Extension 10/19/12](#)

[Back To Contract Index](#)

[Learn More](#)

[Contract Solutions](#)

[Regional](#)

[News & Events](#)

[Join NJPA](#)

ANNUAL RENEWAL OF AGREEMENT

made by and between

Caterpillar, Inc. (Vendor)
100 NE Adams
Peoria, IL 61629
and

National Joint Powers Alliance® (NJPA)
202 12th Street NE
Staples, Minnesota 56479
Phone: (218) 894-5482

Whereas:

"Vendor" and "NJPA" have entered into 1) an "Acceptance of Bid and Award #060311-CAT" for Heavy Construction Equipment Together with Related Accessories, Supplies and Services, and 2) with an effective date of October 19, 2011, a maturity date of October 19, 2015, and which are subject to annual renewals at the option of both parties.

Now therefore:

"Vendor" and "NJPA" hereby desire and agree to extend and renew the above defined contracts for the period of October 19, 2012 through October 18, 2013.

National Joint Powers Alliance®(NJPA)

By: Todd Lyson, Its: EXCLUSIVE DIRECTOR

Name printed or typed: TODD LYSON

Date 9/17/12

Caterpillar, Inc.

By: Steve Hinton, Its: GCI Marketing Manager

Name printed or typed: Steve Hinton

Date September 17, 2012

If you do not want to extend contract, please sign below and return this agreement.
Discontinue: We desire to discontinue the contract.

Signature: _____ Date: _____