

H & V Equipment, Inc.

P.O. Box 909
Progreso, TX 78579

28-May-13

HIDALGO CO PCT # 4
1102 N. Doolittle Rd.
Edinburg, Tx. 78541

ATTN: Joseph Palacios / Roman Rodriguez

H & V Equipment, Inc is pleased to quote the following DOOSAN DL-250 Loader with a 3.5 cu yd bucket. An optional hydraulic quick coupler and 72" pallet forks are shown. These prices are off of the Buy Board Contract # 345-10.

One New DOOSAN DL-250 Loader With The Following Standard Equipment:

Hydraulic control valve with three sections	
FNR mono lever with 3 rd function lever for third section	
Hydraulically driven fan with adjustable speed control	
Additional lighting	
Boom Float kick-out	
DL-250-3-US10	\$146,208.00

Following Optional Equipment:

Additional 440# Counter Weight (200)	2,335.00
Radial Tires (BRG)	7,350.00
Load Isolation System (LIH)	3,500.00
3.5 Cubic Yard Bucket (7203905)	9,877.00
60" Pallet Forks (7203953)	7,626.00
Hydraulic Quick Coupler (7222320)	<u>6,181.00</u>
Total List Price	\$183,077.00
Less BuyBoard Discount (12%)	<u>21,969.24</u>
Total	161,107.86

Total Delivered Price \$161,107.76
Delivery 60 to 90 days

BUYBOARD CONTRACT # 345-1. ITEM # 16, INTEGRATED TOOL CARRIERS / WHEEL LOADERS. **Make P.O. out to H & V Equipment with a copy of the P. O. to the BuyBoard attention Sharon McAfee @ Sharon.mcafee@tasb.org**

Thank you for the business you have given us in the past, and for the opportunity to bid this loader.

Yours truly,



Thad R. Moore



Search Results

Search:

- All
- Vendor Discounts Only
- Catalog Pricing Only

Vendors

[H & V Equipment, Inc.\[X\]](#)

Price Range

[Show all prices](#)

Category

[None Selected](#)

Contract

[None selected](#)

Additional Searches:

[Search by Vendor](#)

[Browse Contracts](#)

[Instructional Materials](#)

Additional Resources

Show results

Narrow Results:

Vendor	Description	Pr
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Integrated Tool Carriers. Texas Regions 1-3, 20 only.	P
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Wheel Loaders. Texas Regions 1-3, 20 only.	P

Extended Product Information

Reference Number: 345-10

Brand: Doosan

Part Number: Catalog

Unit Measure: EA

Vendor Website: www.rgvequipment.com

Full Description: 12% Discount Off Doosan Pricelist for Wheel Loaders

H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Wheel Excavators. Texas Regions 1-3, 20 only.	P
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Tracked Excavators. Texas Regions 1-3, 20 only.	P
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Track & Wheel Material Handlers. Texas Regions 1-3, 20 only.	P
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Multi Terrain Loaders. Texas Regions 1-3, 20 only.	P
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Material Handlers. Texas Regions 1-3, 20 only.	P

Showing 1 to 7 of 7 entries

[First](#) [Previous](#) [1](#) [Next](#) [Last](#)

Contact us 800-695-2919

CODE	DESCRIPTION	APPROX WEIGHT	LIST PRICE
DL250-3-US10	DL250 Base Machine With Standard Front With Out Bucket Steel Cab with Integrated ROPS/FOPS Tires: Kumho OR Hankook 20.5X25-16PR (L3) Bias	14,400KG	146,208.00

➤ **OPTIONAL EQUIPMENT - Factory Installed**

N.S. = Non Stock options shipped from vendor freight collect do not include installation

OPTION	CODE	DESCRIPTION	LIST PRICE
LOADER BUCKET	28C	3.7YD3, GP PIN ON W/3 PIECE CUTTING EDGE	8,075
DIFFERENTIAL TYPE	DHL	HYDRAULIC DIFFERENTIAL LOCK	2,000
ADDITIONAL COUNTERWEIGHT	200	440 LB ADDITIONAL COUNTERWEIGHT	2,335
FENDER	FUL	FULL FENDER WITH RUBBER PROTECTOR	2,335
TIRE	BR7	TRIANGLE 20.5R25 (L3) RADIAL	1,870
	BR8	YOKOHAMA 20.5R25 (L3) RADIAL	6,440
	BRG	BRIDGESTONE 20.5R25 VJT (L3) RADIAL	7,350
	BR6	BRIDGESTONE 20.5R25 VMT (L3) RADIAL	7,350
CONTROL VALVE	4SV	4TH SPOOL CONTROL VALVE	2,280
JOYSTICK TYPE	FT3	FINGER TIP THREE LEVER	1,670

OPTION	CODE	DESCRIPTION	LIST PRICE
EMERGENCY STEER	ESS	EMERGENCY STEER	3,300
LOAD ISOLATION SYSTEM	LIH	HYDRAULIC LOAD ISOLATION SYSTEM	3,500
FUEL FILLER PUMP	FIL	FUEL FILLER PUMP	420
SEAT	ARH	AIR SUSPENSION WITH HEAT SEAT	350
ROTATING BEACON	ROB	ROTATING BEACON	275
ALTERNATOR	80A	80A ALTERNATOR	120
CAMERA	RVC	REAR VIEW CAMERA	1,550
FUEL DEHYDRATION	WIH	WATER SEPERATOR WITH HEATER	215

➤ **OPTIONAL EQUIPMENT - Dealer Installed**

N.S. = Non Stock options shipped from vendor freight collect do not include installation

OPTION	DESCRIPTION	APPROX WEIGHT	LIST PRICE
139304-01-B	3 INCH SEAT BELT	0.00	126.83
7203009	GPBKT; 108IN 3.5YD PIN ON. BOT	2,611.00	11,683.00
7203010	GPBKT; 108IN 3.5YD PIN ON. BOCE	2,521.00	9,877.00
7203904	GPBKT; 108IN 3.5YD; JRB QC; BOT	2,499.00	11,683.00
7203905	GPBKT; 108IN 3.5YD; JRB QC; BOCE	2,409.00	9,877.00
7203920	LMBKT; 120IN 5.0YD; PIN ON; BOCE	3,664.00	13,213.00
7203921	LMBKT; 120IN 5.0YD; JRB QC; BOCE	3,572.00	13,213.00

OPTION	DESCRIPTION	APPROX WEIGHT	LIST PRICE
7203936	MPBKT; 108IN 3.25YD; PIN ON; BOT	5,119.00	19,089.00
7203937	MPBKT; 108IN 3.25YD; PIN ON; BOCE	5,030.00	18,590.00
7203946	MPBKT; 108IN 3.25YD; JRB QC; BOT	3,908.00	19,089.00
7203947	MPBKT; 108IN 3.25YD; JRB QC; BOCE	3,819.00	17,616.00
7203952	PALLET FORKS -JRB QC; 48IN TINE LENGTH	1,438.00	6,905.00
7203953	PALLET FORKS - JRB QC;60IN TINE LENGTH	1,528.00	7,626.00
7222320	QUICK COUPLER, DL250-3 JRB STYLE	950.00	6,181.00
7223389	QUICK COUPLER, DL250-3, ISO STYLE	903.00	6,679.00
7224986	GPBKT; 108IN 3.5YD; ISO QC; BOT	2,575.00	11,683.00
7224987	GPBKT; 108IN 3.5YD; ISO QC; BOCE	2,485.00	9,877.00
7225050	LMBKT; 120IN 5.0YD; ISO QC; BOCE	3,495.00	13,213.00
7225055	MPBKT; 108IN 3.25YD; ISO QC; BOT	4,775.00	19,089.00
7225056	MPBKT; 108IN 3.25YD; ISO QC; BOCE	4,682.00	18,590.00
7225061	PALLET FORKS -ISO QC; 48IN TINE LENGTH	1,410.00	6,905.00
7225062	PALLET FORKS - ISO QC;60IN TINE LENGTH	1,500.00	7,626.00

Doosan Infracore America Price Pages are subject to change. Notice of changes will be communicated to Dealerships via email with updated price information available from the Doosan Infracore America web site.

STANDARD EQUIPMENT FOR BASE MACHINE

ENGINE:

Doosan DL06: Turbo Charged, Air to Air Intercooled, iT4

	<p>Electronically Controlled Common Rail Direct Injected</p> <p>360 cu.in., 6 Cylinder</p> <p>172 SAE Gross Flywheel Horsepower @ 2,100 RPM</p> <p>Air Cleaner: Dry Type (Double Stage)</p> <p>Engine Self Diagnostic System</p> <p>Plastic Reversible Fan Driven by Hydraulic Fan Motor</p> <p>Auto Idle</p>
<p>HYDRAULIC SYSTEM:</p>	<p>Variable Displacement Axial Piston Pump</p> <p>Closed-Center (LS) Hydraulic Systems with Variable Pumps, Pilot Control with Float Spool, 2 Spools</p> <p>3rd Valve with Lines & Control (lines terminate at boom base)</p> <p>Automatic Boom / Lift - Kick-Out (Set and Adjust from inside the cab)</p> <p>Automatic Return-to-Dig Position (Adjustable Electro-Magnetic)</p> <p>Accumulator for Emergency Pilot System</p>
<p>BRAKE SYSTEM:</p>	<p>Dual Pedal Braking system</p> <p>4 Wheel Outboard Wet Disc Brakes with Separate Front & Rear Circuits</p>

	<p>Accumulator for Emergency Stopping</p> <p>Parking Brake: Spring Apply Hydraulic Release, sliding caliper disc brake on the face of the transmission</p>
STEERING:	<p>Load Sensing Type with a Flow Amplifier and a Priority Valve</p> <p>40 Degree Articulation, Full Hydraulic Power Steering</p> <p>Steering Cylinder Cushion Valve</p> <p>Tilt and Telescopic Steering Wheel</p>
CAB WITH ROPS:	<p>Air Conditioner</p> <p>Heater & Defroster</p> <p>Double Filtered Air Cab</p> <p>Combination Lever</p> <p>Accelerator Pedal</p> <p>Transmission Lever</p> <p>Rear Hinged & Locking Doors (Both sides) / Right side is emergency access door</p> <p>Radio, AM-FM Stereo, with CD</p> <p>Switches:</p>

Transmission Shift Switch (Manual, Auto 1-4 and Auto 2-4)

Economy Mode Switch (Power, Normal & Economy Modes)

Headlight Switch

Front Work Light Switch

Rear Work Light Switch

Rear Wiper Switch

Pilot Cutoff Switch

Parking Brake Switch

Transmission Cutoff Switch

Mirror Heater Switch

Reverse Fan Switch

Display Screen Control Switch

Display Screen Selector Switch

Hazard Warning Light Switch

Boom Kick Out Switch

Diesel Particulate Filter (DPF) Switch

Rear View Mirrors with Heat

Safety Glass, Tinted

Fully Adjustable Air Suspension Seat

Seat Belt (2 Wide)

Sliding Door Windows (Left Side)

Sound Suppression

Sun Visor

Windshield Wipers & Washers - Front and Rear

Digital Clock

Arm Rest

12 Volt Power Supply

Cup Holders

Cigarette Lighter

TRANSMISSION / AXLES:

Full Automatic Power Shift

4 Forward & 3 Reverse Speeds

Differentials - Limited Slip Front & Rear

Self Adjusting Brake Disc Clearance

Torque Converter, Fixed Wheel Stator

Electrical T/M Clutch Disconnect with Service Brake

T/M Down Shift on Shift Control and Joy Stick Control

Transmission Oil Level Gauge

ELECTRICAL:

Alternator, 60 Amp., 24 Volt

Batteries, (2) 12 Volt, 100 Amp, 1050 CCA

Starter, 24 Volt 6 KW

Horn

Hour Meter

Lights:

(2) Front Headlights with High / Low Beams

(2) Stop Lights, Tail Lights & Directional Indicators

(2) Front & Rear Floodlights

Alarm Buzzer for:

Transmission Overheat

Engine Oil Pressure

Coolant Temperature

Electronic Monitoring & Display for:

Fuel Level Gauge

Engine Coolant Temperature Gauge

Transmission Oil Temperature Gauge

Speedometer

Tachometer

ECO Bar

Transmission Actual Gear

Transmission Gear Select

Preheat Indicator Light

Air Cleaner Clogging Warning Light

Multi Function Gauge (can display one of the following at a time)

Trip Meter

Battery Voltage

Total Time of Operation

Left Turn and Hazard Warning Light

Right Turn and Hazard Warning Light

High Beam Indicator Light

Work Light Indicator Light

Reverse Fan Indicator Light

Mirror Heater Indicator Light

Parking Brake Indicator Light

F/R (Forward/Reverse) Selector Indicator Light

Brake Fluid Pressure Warning Light

Charge Warning Symbol

Engine Oil Pressure Warning Symbol

Transmission Warning Symbol

	<p>Engine Warning Symbol</p> <p>Water in Fuel Warnings Symbol</p> <p>DPF Regeneration Warning Symbol</p> <p>DPF High Temperature Warning Symbol</p> <p>Back-Up Alarm</p>
TIRES:	Kumho or Hankook 20.5X25-16PR (L3) Bias
OTHER STANDARD EQUIPMENT:	<p>Single Lever Control with FNR Control Buttons</p> <p>Air Cleaner with Pre-cleaner</p> <p>Engine Side Covers</p> <p>Boom / Float</p> <p>Drawbar and Pin</p> <p>Neutral Safety Start System</p> <p>Muffler</p> <p>Fenders, Front & Rear</p> <p>Ladders & Service Platforms</p> <p>Manuals, Parts & Operator's</p>

GPS with 1 Year Subscription

Remote Drain Ports

➤ **PACKAGE ARRANGEMENT**

CODE	DESCRIPTION	APPROX WEIGHT	LIST PRICE
DL250-3-US20	DL250 High Lift Base Machine With High Lift Front and Additional Counterweight With Out Bucket Steel Cab with Integrated ROPS/FOPS Tires: Kumho OR Hankook 20.5X25-16PR (L3) Bias	14,400KG	149,046.00

➤ **OPTIONAL EQUIPMENT - Factory Installed**

N.S. = Non Stock options shipped from vendor freight collect do not include installation

OPTION	CODE	DESCRIPTION	LIST PRICE
LOADER BUCKET	26C	3.4YD3, GP PIN ON W/3 PIECE CUTTING EDGE	7,585
DIFFERENTIAL TYPE	DHL	HYDRAULIC DIFFERENTIAL LOCK	2,000
FENDER	FUL	FULL FENDER WITH RUBBER PROTECTOR	2,335
TIRE	BR7	TRIANGLE 20.5R25 (L3) RADIAL	1,870
	BR8	YOKOHAMA 20.5R25 (L3) RADIAL	6,440
	BRG	BRIDGESTONE 20.5R25 VJT (L3) RADIAL	7,350
	BR6	BRIDGESTONE 20.5R25 VMT (L3) RADIAL	7,350