

H & V Equipment, Inc.

P.O. Box 909
Progreso, TX 78579

28-May-13

HIDALGO CO PCT # 4
1102 N. Doolittle Rd.
Edinburg, Tx. 78541

ATTN: Joseph Palacios / Roman Rodriguez

H & V Equipment, Inc is pleased to quote the following DOOSAN DX-490LC Hydraulic Excavator: These prices are off of the BuyBoard, Contract # 345-1.

One New DOOSAN DX490LC-3-US20 Excavator		\$424,321.00
23' 4" Boom	(standard US20)	
11' 0" Arm	(standard US20)	
35.4" Triple Grouser Shoes	(standard US20)	
Vandalism Covers	(110921-00038)	2,850.44
48" Bucket	(HF65-048)	12,773.00
60" Bucket	(HF65-060)	14,132.00
Total List Price		\$454,076.44
Less BuyBoard Discount (12%)		54,489.17
Total		399,587.27
Less additional factory discount		4,100.27
Total BuyBoard Cost		\$395,487.00

Delivery 60 to 120 Days

BUYBOARD CONTRACT # 345-1. ITEM 37, TRACKED EXCAVATORS. Make P. O. out to H & V Equipment with a copy of the P. O. to the BuyBoard attention Sharon McAfee @ Sharon.mcafee@tasb.org.

Thank you for the business you have given us in the past, and for the opportunity to bid this hydraulic excavator.

Yours Truly,



Thad R. Moore



Search Results

Search:

All

Vendor Discounts Only

Catalog Pricing Only

Vendors

H & V Equipment, Inc.[X]

Price Range

Show all prices

Category

None Selected

Contract

None selected

Additional Searches:

[Search by Vendor](#)

[Browse Contracts](#)

[Instructional Materials](#)

[Additional Resources](#)

Show 25 results

Narrow Results:

Vendor	Description	Pricing Sheet	Price	Qty	Add to Cart
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Integrated Tool Carriers. Texas Regions 1-3, 20 only.	Pricing Sheet	\$0.00	<input type="checkbox"/>	Add Show Details
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Wheel Loaders. Texas Regions 1-3, 20 only.	Pricing Sheet	\$0.00	<input type="checkbox"/>	Add Show Details
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Wheel Excavators. Texas Regions 1-3, 20 only.	Pricing Sheet	\$0.00	<input type="checkbox"/>	Add Show Details
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Tracked Excavators. Texas Regions 1-3, 20 only.	Pricing Sheet	\$0.00	<input type="checkbox"/>	Add Hide Details

Extended Product Information

Reference Number: 345-10

Brand: Doosan

Part Number: Catalog

Unit Measure: EA

Vendor Website: www.rvequipment.com

Full Description: 12% Discount Off Doosan Pricelist for Tracked Excavators

H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Track & Wheel Material Handlers. Texas Regions 1-3, 20 only.	Pricing Sheet	\$0.00	<input type="checkbox"/>	Add Show Details
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Multi Terrain Loaders. Texas Regions 1-3, 20 only.	Pricing Sheet	\$0.00	<input type="checkbox"/>	Add Show Details
H & V Equipment, Inc.	12% Discount Off Doosan Pricelist for Material Handlers. Texas Regions 1-3, 20 only.	Pricing Sheet	\$0.00	<input type="checkbox"/>	Add Show Details

Showing 1 to 7 of 7 entries

Rear View Camera

Self-Diagnostic System Manuals, Parts and Operator's

GPS 1 Year Subscription

➤ **PACKAGE ARRANGEMENT**

CODE	DESCRIPTION	APPROX WEIGHT	LIST PRICE
DX490LC-3- US10	DX490LC-3 BASE MACHINE W/O BOOM, ARM and BUCKET NO BOOM NO ARM 34.5" (900 mm) TRIPLE GROUSER SHOES 12' 10" (3.9 M RETRACTED TRACK) NORMAL TRACK GUARD 20,283 LBS (9.2 METRIC TON) COUNTERWEIGHT ONE WAY AUXILIARY PIPING TO END OF THE ARM ONE WAY PILOT PIPING	48,200KG	376,389.00

➤ **OPTIONAL EQUIPMENT - Factory Installed**

N.S. = Non Stock options shipped from vendor freight collect do not include installation

OPTION	CODE	DESCRIPTION	LIST PRICE
TRACK SHOE	750	29.5" (750 mm) TRIPLE GROUSER SHOE	-1,600
	800	31.5" (800 mm) TRIPLE GROUSER SHOE	-1,067
ONE-WAY PIPING	ONE	ONE WAY PILOT PIPING (STD. EQUIPMENT)	0
TWO-WAY PIPING(PE3C)	PE3	PE3C	6,000
STRAIGHT TRAVEL	STT	STRAIGHT TRAVEL	720

OPTION	CODE	DESCRIPTION	LIST PRICE
FUEL FILLER PUMP	FIL	FUEL FILLER PUMP	383
RAIN SHIELD	RAI	CAB RAIN SHIELD	267
FOGS GUARD	FOG	FOG (FALLING OBJECT GUARD)	2,600
CABIN FRONT GUARD	FUL	UPPER AND LOWER FRONT WINDOW GUARD	1,120
ADDITIONAL WORK LAMP	2LA	2 ADDITIONAL WORKING LAMPS	680
	6LA	6 ADDITIONAL WORKING LAMPS	1,360
ROTATING BEACON	ROB	ROTATING BEACON	440
LOWER WIPER	LOW	LOWER WIPER	240
ALTERNATOR	80A	80 AMP ALTERNATOR	360
FUEL DEHYDRATION	WIH	WATER SEPARATOR WITH HEATER	680
ENGINE COOLANT HEATER	DHR	DIESEL POWERED COOLANT HEATER	3,050
AIR COMPRESSOR	ACO	AIR COMPRESSOR	4,567

OPTIONAL EQUIPMENT - Dealer Installed

N.S. = Non Stock options shipped from vendor freight collect do not include installation

OPTION	DESCRIPTION	APPROX WEIGHT	LIST PRICE
110921-00038	VANDALISM COVERS (ROPS)	71.58	2,850.44
139304-01-A	3 INCH SEAT BELT	0.00	130.65
19406032	PLATE COMPACTOR -PCX220 FOR DX480/DX520	3,453.00	18,943.00

OPTION	DESCRIPTION	APPROX WEIGHT	LIST PRICE
DX480HK1	BREAKER KIT (B) SINGLE ACTING HKX	0.00	6,933.74
DX480HK2	THUMB KIT (T) DOUBLE ACTING HKX PIPING E	0.00	6,125.60
DX480HK3	BREAKER / THUMB (BT) SINGLE & DOUBLE ACT	0.00	9,864.14
HF65-030	1.38 CU YD 30" WIDTH BUCKET	2,847.00	10,169.00
HF65-036	1.75 CU YD 36" WIDTH BUCKET	3,134.00	11,413.00
HF65-042	2.13 CU YD 42" WIDTH BUCKET	3,376.00	12,303.00
HF65-048	2.50 CU YD 48" WIDTH BUCKET	3,619.00	12,773.00
HF65-060	3.27 CU YD 60" WIDTH BUCKET	4,104.00	14,132.00
QH120-H	HYDRAULIC QUICK COUPLER	2,535.00	11,982.00

Doosan Infracore America Price Pages are subject to change. Notice of changes will be communicated to Dealerships via email with updated price information available from the Doosan Infracore America web site.

STANDARD EQUIPMENT FOR BASE MACHINE

Engine	<p>ISUZU AL-6WG1X; Variable Geometry Turbo Charged Air to Air Intercooler</p> <p>Electronically Controlled Common Rail Direct Injected</p> <p>Exhaust Gas Recirculation With DPF Filter</p> <p>Displacement 957 cu.in.</p> <p>6 Cylinder Bore 147mm Diameter x 154mm Stroke</p> <p>Torque, 1431 ft. lbs @ 1,350 rpm</p>
--------	---

370 HP(SAE J1349) Net Flywheel Horsepower @ 1800 rpm

Auto Idle System

Equipped with the Fuel Pre-filter with Water Separator

Radiator Reserve Tank

Large Capacity Double Element Air Cleaner with Evacuate

Electronic Engine Speed Control

Engine Overheat and Low Oil Pressure Prevention System

High Idle 1950 ± 30 rpm, Low Idle 950 ± 25 rpm

24 V, 80 amp Alternator

24 V x 7.0 kW Starter

24V system, 2 x 12V batteries with 150AH Capacity

Hydraulic

Pilot Operated Control Valves, (9) Spools

Main Pump: Tandem Bent Axis, Axial Piston Type, Max. Flow Rate 2 X 95.1 Gal./min.

Pilot Circuit, Gear Type Pump

Swing Motor, Axial Piston Type

Swing Speed Control up to 8.7 RPM

Maximum Swing Torque 145,490 ft.·lbs.

Spring Set, Hydraulic-released Brakes

Travel Motor: Axial Piston Type, Automatic 2-Speed Control

Travel Speed (High/Low): 3.6 mph/2.0 mph

Maximum Tractive Force 85,540 lbs. in low speed

In-Shoe Design, Oil Disc Parking Brake

Cross Sensing Pump Control for Fuel Saving

Three Operating Modes, Four Power Modes

Button Control of Flow in Auxiliary Equipment Circuits

Button Control to Preset Attachment Flow and Pressure

Computer-aided Pump Power Control

e-EPOS (Electronic Power Optimizing System) Controller

Cab

Steel, All Weather Sound Suppressed ROPS Type

Fully Automatic Controlled Air Conditioner with Heat

7" Multi-function Color LCD Monitor Panel

Cigarette Lighter

Door Locks

Front Windshield Wiper with Washer

Radio: MP3 Stereo with CD Player

Audio Control Panel On/Off Switch, Control Volume, Channel Select

Auxiliary Mode Switch J

Engine Emergency Stop Switch

Work Light Switch I

Travel Speed Selector Switch

Breaker, Power-up. Shear Switch

Diesel Particulate Filter (DPF) Switch

Safety Glass. Tinted

Safety Lock Lever

Heated Air Suspension with Seat Belt (2" Wide)

Reclining, Height Adjustable

Adjustable Arm Rests

Sliding Control Console

Skylight

Pull Up Type Front Window

Removable Lower Front Window with Storage Behind Seat

Sliding Side Windows

Front Window Air Defroster

Travel Pedals with Hand Levers

Emergency Breakout Tool

Lunch Box with Hot & Cool Air

12V Power Socket

Height Adjustable Control Stands

Joystick Lever with 3 Switches, Two Button and One Rotate

Cup Holder

Room Light

Serial Communication Port for Laptop PC Interface (DMS)

	Viscous Cab Mounts
Electrical	Lights: Hologen Working Light (2) Machine, (2) Boom Electric Horn Hour Meter Alarm Buzzer for: Engine Oil Pressure Coolant Temperature Electronic Monitor for: Engine Coolant Temperature Gauge Fuel Gauge Hydraulic Oil Temperature Gauge Multi-function Display for: Engine RPM Battery Voltage Front and Rear Hydraulic Pump Pressure

ECO Gauge

Hydraulic Oil Overheating Warning

Fuel Shortage Warning

Air Cleaner Clogging Warning

Pilot Filter Clogging Warning

Return Filter Clogging Warning

Digital Clock

Engine Check Warning Light

Engine Oil Pressure Warning Light

Charge Warning Light

Preheat Indicator Light

Coolant Temperature Warning Light

Work Light Indicator Light

Water in the Fuel Warning Light

Diesel Particulate Filter (DPF) Regeneration Warning Light

Diesel Particulate Filter (DPF) High Temperature Warning Light

<p>Operation Modes for:</p>	<p>Power Mode Select Button (P+,P,S,E)</p> <p>Work Mode Selector Button (Excavation, Lifting, and Attachment)</p> <p>Flow Rate Control</p> <p>Auto Idle Select Button</p> <p>4 Display Selection Buttons</p> <p>Rear View Camera Button</p> <p>Jog Switch to Control Monitor</p>
<p>Undercarriage</p>	<p>Track Guards and Chains with Adjusters</p> <p>Track Rollers: 2 and 1 (Center) Upper, (11) Lower Each Side</p> <p>Triple Grouser Shoes, 53 Each Side</p>
<p>Other</p>	<p>Joystick Pattern Change Valve Centralized Lube Points</p> <p>Centralized Lube Points</p> <p>Large Handrail</p> <p>Punched Metal Anti-slip Plates</p> <p>Engine Restart Prevention System</p> <p>Rear View Camera</p>