



ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

John Deere Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

Quote Summary

Prepared For:

Hidalgo Co.
TX

Delivering Dealer:

Neuhaus & Company, Ltd
R.d. Machen
2000 East Expressway 83
Weslaco, TX 78596
Phone: 956-968-7502
rdm@neuhausco.com

Quote ID: 8861295

Created On: 06 November 2013

Last Modified On: 06 January 2014

Expiration Date: 06 December 2013

| Equipment Summary | Suggested List | Selling Price | Qty | Extended |
|---|----------------|----------------|-----|---------------|
| JOHN DEERE 5100E Utility Tractor (85 PTO hp) Contract: TASB_373-11 Price Effective Date: December 17, 2012 | \$ 57,188.60 | \$ 41,924.10 X | 3 = | \$ 125,772.30 |
| JOHN DEERE CX15 - 10 Ft. Flex- Wing Rotary Cutter - 540 RPM Stump Jumpers - Single Suction Blades - 5 Wheels Contract: TASB_373-11 Price Effective Date: December 17, 2012 | \$ 18,349.00 | \$ 13,779.50 X | 3 = | \$ 41,338.50 |

Equipment Total **\$ 167,110.80**

* Includes Fees and Non-contract items

Quote Summary

| | |
|--------------------|----------------------|
| Equipment Total | \$ 167,110.80 |
| Trade In | |
| SubTotal | \$ 167,110.80 |
| Total | \$ 167,110.80 |
| Down Payment | (0.00) |
| Rental Applied | (0.00) |
| Balance Due | \$ 167,110.80 |

Salesperson : X _____

Accepted By : X _____



JOHN DEERE

Selling Equipment

Quote Id: 8861295

Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

John Deere Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

JOHN DEERE 5100E Utility Tractor (85 PTO hp)

Contract: TASB_373-11

Price Effective Date: December 17, 2012

Suggested List *

\$ 57,188.60

Selling Price *

\$ 41,924.10

* Price per item - includes Fees and Non-contract items

| Code | Description | Qty | List Price | Discount% | Discount Amount | Contract Price | Extended Contract Price |
|--|--|-----|--------------------|-----------|--------------------|----------------------|-------------------------|
| 6970LV | 5100E Utility Tractor (85 PTO hp) | 3 | \$ 46,110.00 | 26.00 | \$ 11,988.60 | \$ 34,121.40 | \$ 102,364.20 |
| Standard Options - Per Unit | | | | | | | |
| 0409 | English Operators Manual and Decal Kit | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 2050 | Standard Cab | 3 | \$ 8,938.00 | 26.00 | \$ 2,323.88 | \$ 6,614.12 | \$ 19,842.36 |
| 2110 | Mechanical Suspension Seat for Cab Tractors | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 3020 | Vertical Exhaust | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 3320 | Dual Rear SCV's with Lever Control | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 3400 | Less Mid Valves | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 5911 | 18.4 - 30 In. 8PR R1 Bias | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 6040 | MFWD (4 Wheel Drive) | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| 6701 | 12.4 - 24 In. 8PR R1 Bias | 3 | \$ 0.00 | 26.00 | \$ 0.00 | \$ 0.00 | \$ 0.00 |
| Standard Options Total | | | \$ 8,938.00 | | \$ 2,323.88 | \$ 6,614.12 | \$ 19,842.36 |
| Dealer Attachments/Non-Contract/Open Market | | | | | | | |
| LVB25728 | Back Up Alarm Kit | 3 | \$ 158.40 | 0.00 | \$ 0.00 | \$ 158.40 | \$ 475.20 |
| R262449 | Front Weight Support, 187 Lbs | 3 | \$ 275.00 | 26.00 | \$ 71.50 | \$ 203.50 | \$ 610.50 |
| BW16009 | Hood Guard | 3 | \$ 407.00 | 26.00 | \$ 105.82 | \$ 301.18 | \$ 903.54 |
| 1234 | Non-Contract Radio Kit | 3 | \$ 495.00 | 0.00 | \$ 0.00 | \$ 495.00 | \$ 1,485.00 |
| R127764 | Weight, Front Suitcase (104 Lb.) Quantity of One | 18 | \$ 134.20 | 26.00 | \$ 34.89 | \$ 99.31 | \$ 1,787.58 |
| Dealer Attachments Total | | | \$ 1,469.60 | | \$ 212.21 | \$ 1,257.39 | \$ 5,261.82 |
| Suggested Price | | | | | | \$ 127,468.38 | |
| Additional Discounts | | | | | | | |



Email

Welc

Administration

RFQ

Reports

Shopping Cart

Vendor Contract Information

Proposal Document

Search:

- All
- Vendor Discounts Only
- Catalog Pricing Only

Refine Your Search:

Vendors

John Deere[X]

Price Range

Show all prices

Category

None Selected

Contract

None selected

Additional Searches:

Search by Vendor

Browse Contracts

Instructional Materials

Additional Resources

Vendor Name: John Deere

Address: 2000 John Deere Run
Cary, NC 27513

Phone Number: (800) 358-5010

Email: gnsshared@johndeere.com

Website: http://www.deere.com/en_US/deerecom/usa_canada.html

Federal ID: 36-2382580

Contact: Tamara Hebert

Accepts RFQs: Yes

Minority Owned Vendor: No

Women Owned Vendor: No

Contract Name: Grounds Equipment, Irrigation Parts, Supplies & Installation

Contract#: 373-11

Effective Date: 06/01/2011

Expiration Date: 05/31/2014

Payment Terms: Net 30 days

Delivery Days: 180

Shipping Terms: Free Freight

Freight Terms: FOB Destination

Ship Via: Common Carrier

Region Served: All Texas Regions

States Served: Texas

Contract Exceptions: FOB Shipping Point of 4% & delivery fee of \$1.80 per loader

Extended Exceptions: [John Deere's Extended Exceptions](#)

Additional Info: See extended exceptions for dealer list and warranty. John Deere Multiple Unit Discount on this contract. When applicable the discount is added to the contract discount using the following procedure: units – 3% 9 units or more – 4% Sales of 3 or more like self-propelled products must be listed in the multi-unit discount section (price tabs/sections shown below) and included on the exception of our utility vehicles found in price tabs C40, C41 products in these three price tabs can be combined. Compact machines will also qualify. Frontier Equipment is excluded from this discount.

Quote Reference Number: 373-11

Return Policy: Outside a piece of equipment being defective John Deere dealer service will be performed at no charge.

[John Deere](#) **26% Discount Off A2 Tractors Pricelist for Tractors, Supplies & Accessories, 20 to 175 Engine HP.**

[Pricing Sheet](#) \$0.00

[Add
Hide
Details](#)

Extended Product Information

Reference Number: 373-11
Brand: Various
Part Number: Catalog
Unit Measure: EA
Vendor Website: http://www.deere.com/en_US/deerecom/usa_canada.html
Full Description: 26% Discount Off A2 Tractors Pricelist for Tractors, Supplies & Accessories, 20 to 175 Engine HP

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)
Equipment for Base Machine

5100E Equipment for Base Machine

ENGINE:

100 (74.6 kW) 97/68/EC Engine Horsepower @ 2400 RPM*
85 (62.5 kW) PTO Horsepower @ 2400 RPM*
4 Cylinder Turbocharged
John Deere PowerTech PWX Diesel Engine
EPA Interim Tier 4 Compliant
276 C.I.D. (4.5 L) High Pressurer Common Rail
Oil Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Water Separator
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard
Fuel Cooler

TRANSMISSION:

12F/12R PowrReverser Transmission
LH Electrohydraulic (EH)
Directional Reverser
Integrated Park Position
Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

FRONT AXLE AND TIRES:

Mechanical Front Wheel Drive
(4 Wheel Drive) Front Axle
Mechanical MFWD Engagement
Planetary Final Drives
8-Position Steel Front Wheels
with Two 12.4-24 8PR (R1)

REAR AXLE AND TIRES:

Flanged Rear Axle
Planetary Final Drives
8-Position Steel Rear Wheels
with Two 18.4-30 8PR (R1)

STEERING AND BRAKES:

Hydrostatic Power Steering
Hydraulic Wet Disk Brakes
Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 22.5 GPM
(85.1 LPM) Maximum Total Flow
Steering Pump 6.6 GPM (24.9 LPM)
Implement Pump 15.9 GPM (60.1 LPM)
Hydraulic Oil Cooler
Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT:

Independent "Live" 540 RPM /540E
Rear PTO Shaft
Electro-hydraulic PTO engagement
@ 2400 Rated Engine RPM
Economy PTO setting for 540 PTO RPM
@ 1716 Engine RPM
Wet PTO Clutch
Operator Presence Safety
Warning - PTO

Safety Start Switch
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:
Telescopic Draft Links with Category II Balls
Adjustable Sway Chains
Adjustable Straight Drawbar
Top Link Draft Sensing

INSTRUMENTATION:

Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Indicator Light
PTO Engagement Indicator Light
MFWD Engagement Indicator Light

ELECTRICAL:

12-Volt Electrical System
One Battery - 950 CCA** with
180 Minute Reserve Capacity
7-Pin ASAE Outlet Socket
90 Amp Alternator

LIGHTS:

Open Operator Station -
Two Front Halogen Headlights
Two Turn/Warning Lights
Single Rear Work Light
Cab -
Two Front Halogen Headlights
Six Turn/Warning Lights
Two Rear Work Lights
Two Front Work Lights

MISCELLANEOUS:

SMV Emblem
Tilt-Up Hood
Side-Mounted Toolbox

OPEN OPERATOR STATION:

25 U.S. Gallon (95 L)
Fuel Tank Capacity
Open Station
Cup Holder
Deluxe Floor Mat

CAB

30 U.S. Gallon (115 L)
Fuel Tank Capacity
Left Hand Door Only
Air Conditioning
Cup Holders
Radio/CD Ready (Antenna Cable,
Two Speakers, and Wiring Harness)
Front Windshield Wiper
90 Amp Alternator
* Manufacturer's Rating
** Cold Cranking Amps

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|----------------------------------|
|------|-----------------------|-------------|----------------------------------|

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

| | | | |
|--------|--|-----------------------------------|-----------|
| 6970LV | | 5100E Utility Tractor (85 PTO hp) | 46,110.00 |
|--------|--|-----------------------------------|-----------|

OPERATORS MANUAL

| | | | |
|------|--|--|---------------|
| 0409 | | English Operators Manual and Decal Kit | In Base Price |
| 0413 | | French Operators Manual and Decal Kit | Same Price |
| 0437 | | Spanish Operators Manual and Decal Kit | Same Price |

OPERATOR STATION

| | | | |
|------|--|--|---------------|
| 2000 | | Open Operator Station <i>Fixed Open Operator Station Tilt/ Telescopic Steering Column 2 post Foldable Roll- Over Protection Structure (ROPS) Adjustable seat with Armrests and seatbelt Speedometer</i> | In Base Price |
| 2050 | | Standard Cab <i>Left Side Door Air Conditioning Cup Holders Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness) Front Windshield Wiper Mechanical Suspension Seat</i> | 8,938.00 |

SEAT SUSPENSION

| | | | |
|------|--|---|---------------|
| 2115 | | Vinyl Seat for Open Operator Station | In Base Price |
| 2110 | | Mechanical Suspension Seat for Cab Tractors | Same Price |
| 2120 | | Air Suspension Seat for Cab Tractors | 706.00 |

ENGINE EXHAUST

| | | | |
|------|--|--|---------------|
| 3020 | | Vertical Exhaust | In Base Price |
| 3025 | | Deluxe Cornerpost Exhaust <i>Only compatible with the Cab Operator Station.</i> | 816.00 |

REAR SELECTIVE CONTROL VALVES

| | | | |
|------|--|------------------------------------|---------------|
| 3300 | | Less Rear SCV with Lever Control | -1,057.00 |
| 3320 | | Dual Rear SCV's with Lever Control | In Base Price |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|--|-----------------------|--|-------------------------------|
| REAR SELECTIVE CONTROL VALVES ...Continued... | | | |
| 3335 | | Triple Rear SCV's with Lever Control <i>Features:</i> - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve. | 1,135.00 |
| MID SELECTIVE CONTROL VALVES | | | |
| 3400 | | Less Mid Valves <i>Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i> | In Base Price |
| 3420 | | Dual Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i> | 1,236.00 |
| REAR WHEELS WITH TIRES (TWO) | | | |
| 5121 | | 16.9 - 30 In. 6PR R1 Bias <i>MFWD (4WD) requires Code 6111.</i> | -410.00 |
| 5911 | | 18.4 - 30 In. 8PR R1 Bias <i>MFWD (4WD) requires Code 6701.</i> | In Base Price |
| 5914 | | 19.5L - 24 In. 10PR R4 Bias <i>MFWD (4WD) requires Code 6114.</i> | -320.00 |
| FRONT AXLE | | | |
| 6040 | | MFWD (4 Wheel Drive) | In Base Price |
| FRONT WHEELS WITH TIRES (TWO) | | | |
| <i>See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.</i> | | | |
| 6111 | | 11.2 - 24 In. 6PR R1 Bias | -318.00 |
| 6114 | | 12.5/80 - 18 In. 6PR I3 (R4 Type) Bias | -336.00 |
| 6701 | | 12.4 - 24 In. 8PR R1 Bias <i>Not compatible with the 553 Loader.</i> | In Base Price |
| ATTACHMENTS - ORDER AS DESIRED | | | |
| 9076 | | Customer Gold Key Program: Gold Key Experience Tour <i>This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 180 day window (90 days prior to or 90 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.</i> | No Charge |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|---|-----------------------|--|-------------------------------|
| ATTACHMENTS FOR FIELD CONVERSION | | | |
| | | Axle - Rear: | |
| L154683 | | Rear Axle 1.2 In. Extension (30 mm) <i>Requires (Qty. 2). Order installation hardware separate - See Parts. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i> | See Parts |
| L154682 | | Rear Axle 1.6 In. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.</i> | See Parts |
| L154684 | | Rear Axle 4.4 In. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.</i> | See Parts |
| | | Engine: | |
| RE227949 | | Engine Block Heater (110V) | See Parts |
| LVB25787 | | Radiator Clean Out Screen | 62.70 |
| BLV10165 | | Side Exhaust Kit | 734.80 |
| | | Fenders: | |
| AL180330 | | MFWD Front Fenders 14.6 In. (370 mm) Wide <i>Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.</i> | See Parts |
| AL180327 | | MFWD Front Fenders 16.5 In. (420 mm) Wide <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.</i> | See Parts |
| LVB25703 | | Mounting Brackets and Hardware Kit - MFWD Fenders WITH LOADER <i>Compatible with 553 loader only. Kit contains parts for both left and right sides. Requires Front Fenders (2 pieces each of AL180328 (320 mm), AL180330 (370 mm) OR L64560 (400 mm) ordered separately.) Requires Loader installation.</i> | 442.20 |
| LVB25776 | | Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER <i>Requires Fenders (AL180330, AL180327) ordered separately through parts.</i> | 831.60 |
| LVB25714 | | Rear Fender Extension Kit <i>Cab Only.</i> | 209.00 |
| BW15741 | | Stationary Fenders (Quik-Tach) | 541.20 |
| | | Guards: | |
| BW16009 | | Hood Guard | 407.00 |
| | | Hitch and Drawbar: | |
| T12553 | | Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i> | See Parts |
| R66432 | | Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i> | See Parts |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)

Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| | R133359 | Drawbar - Offset | See Parts |
| | R196191 | Drawbar - Straight Heavy-Duty | See Parts |
| | RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | See Parts |
| | RE39829 | Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar | See Parts |
| | TY16042 | Quik-Coupler, Economy, Category 2 | See Parts |
| | BLV10121 | Sway Bar Conversion Kit for Cab Tractors <i>Converts factory supplied sway chains to sway bars.</i> | 668.80 |
| | BLV10078 | Sway Bar Conversion Kit for Open Station Tractors <i>Converts factory supplied sway chains to sway bars.</i> | 668.80 |
| | | Hitch: | |
| | LVB25255 | iMatch Quick Hitch Category 1 | 315.70 |
| | | Hydraulics: | |
| | BLV10072 | Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders. Cab Tractors Only.</i> | 1,458.60 |
| | BLV10324 | Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders. Open station tractors Only.</i> | 1,458.60 |
| | BLV10070 | Dual Rear SCV Kit with Lever Controls <i>Includes second rear SCV lever, valve, hoses, and mounting bracket to add a second rear SCV with Extend/Retract/Re-Gen functionality. Cab Tractors Only.</i> | 1,140.70 |
| | BLV10322 | Dual Rear SCV Kit with Lever Controls <i>Includes second rear SCV lever, hoses, and mounting bracket to add a second rear SCV with Extend/Retract/Re-Gen functionality. Open Station Tractors Only.</i> | 1,140.70 |
| | BLV10074 | Mid Couplers Kit | 180.40 |
| | LVB25697 | Power Beyond Coupler Kit | 467.50 |
| | BLV10325 | Triple Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) <i>Only for tractors already equipped with Dual Mid Hydraulics. Fits all 5E 4 Cyl. tractors that already have dual mid SCVs installed. For 5E 4-cyl already equipped with triple rear SCVs, also order SJ12253 and SJ12285. Tractors not equipped with Rear SCVs also require RE226516.</i> | 1,762.20 |
| | BLV10071 | Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls <i>For use with Tractors already equipped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve For cab tractors only.</i> | 1,298.00 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|----------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| BLV10323 | | Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls (Converting Dual Rear to Triple Rear) <i>Open Station Tractors Only.</i> | 1,989.90 |
| | | Lighting: | |
| LVB24997 | | Auxiliary Loader Light Kit <i>For Open Station and Cab Tractors.</i> | 757.90 |
| LVB25547 | | Auxiliary Rear Work Light Kit (1 Light) | 62.70 |
| LVB25720 | | Auxiliary Work Light Kit (2 Lights) <i>Cab Tractors Only. Compatible at Front or Rear of Cab.</i> | 150.70 |
| LVB25729 | | Brake Light Kit <i>Cab Tractors Only.</i> | 110.00 |
| LVB25978 | | Brake Light Kit <i>Open Operator Station Only.</i> | 240.90 |
| | | Miscellaneous: | |
| RE554568 | | 120 Amp Alternator | See Parts |
| LVB25728 | | Backup Alarm Kit | 158.40 |
| BLV10368 | | Operator's Manual and Decal Kit - French | 0.00 |
| BLV10369 | | Operator's Manual and Decal Kit - Spanish | 0.00 |
| LVB25727 | | PowrReverser Modulation Control Kit | 147.40 |
| RE19428 | | Safety Chain Support Kit | See Parts |
| LVB26096 | | Single Horn Kit | 51.70 |
| LVB24951 | | Tool Box Kit - Rear Mounted <i>For Open Station tractors.</i> | 123.20 |
| | | Operator Environment: | |
| LVB24983 | | Air Seat Suspension Kit (Cab Only) <i>Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat. (Only works with S/N 340001 and above).</i> | 723.80 |
| SJ10170 | | Antenna <i>Compatible with MY2012 and MY2013 Cab Tractors.</i> | See Parts |
| AH104259 | | Ash Tray | See Parts |
| BLV10419 | | Cab Instructional Seat <i>For Cab Tractors only.</i> | 559.90 |
| LVB25785 | | Canopy - Deluxe <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.</i> | 961.40 |

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)
Continued

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|--|-------------------------------|
| | | ATTACHMENTS FOR FIELD CONVERSION ...Continued... | |
| | LVB25334 | Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.</i> | 583.00 |
| | LVB25332 | Canopy Mounting Bracket and Hardware Kit <i>Open Operator Station Only. Requires LVB25785 or LVB25334 Canopy Kit Ordered Separately.</i> | 105.60 |
| | AR60937 | Cigarette Lighter | See Parts |
| | RE244177 | Kit, Rear View Mirror Mounting Kit <i>Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.</i> | See Parts |
| | AL80126 | Mirror, Telescopic, LH, Manually Adjustable <i>Cab Compatible Only.</i> | 168.30 |
| | AL80127 | Mirror, Telescopic, RH, Manually Adjustable <i>Cab Compatible Only.</i> | 168.30 |
| | RE68495 | Power Strip with Six Outlets | See Parts |
| | RE265545 | Radio, AM/FM Stereo with Clock and Weatherband <i>Requires Standard Cab Antenna Kit (SJ10170), ordered separately.</i> | See Parts |
| | LVB26040 | Right Hand Door Kit | 291.50 |
| | BLV10173 | Wiper/Washer, Rear | 343.20 |
| | BLV10370 | PTO: 540/1000 RPM Power Take Off Kit <i>Converting from 540/540E to 540/1000. For 5EN tractors starting MY2012 with green chassis.</i> | 1,560.90 |
| | AL71345 | Vandal Protection: Vandal Protection, Door Locks - Custom Key | 185.90 |
| | AL113087 | Vandal Protection, Lockable Fuel Tank Cap | See Parts |
| | R262449 | Weights: Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i> | See Parts |
| | R127764 | Weight, Front Suitcase (104 Lb.) Quantity of One | 134.20 |
| | R213907 | Weight, Rear Wheel - 95 Lb. <i>Maximum of 2 per wheel.</i> | 147.40 |
| | AL156778 | Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) <i>Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.</i> | 657.80 |

attached

See Parts ✓
134.20 ✓

REVIEWED

By Oscar Garza at 11:38 am, Jan 07, 2014



NEUHAUS & COMPANY



www.neuhausco.com

Neuhaus & Company
2000 E. Expressway 83
PO Box 386
Weslaco, TX 78596
Phone: (956) 968-7502
Fax: (956) 968-4173

Brownsville, TX (956) 350-9865
Harlingen, TX (956) 423-3592
Raymondville, TX (956) 689-2481
Weslaco, TX (956) 968-7502

PARTS QUOTATION

Invoice To Account No.: 3712



Deliver To:

HIDALGO CO. PRECINCT #1
1902 JOE STEPHENS AVE
WESLACO TX 78596
US

HIDALGO CO. PRECINCT #1
1902 JOE STEPHENS AVE
WESLACO TX 78596

Home Ph: Mob Ph:
Work Ph: 956-968-8733

Quotation No.: 254533
Date: 1/7/2014
Page: 1 of 1

| Supplied Quantity | Back Order Quantity | Part Number | Part Description | Bin Loc | List Price | Net Price | Extended Price |
|-------------------|---------------------|-------------|------------------|---------|------------|-----------|----------------|
| 0 | 1.00 | R262449 | Support | AT12 | 275.00 | 275.00 | \$275.00 |

Customer PO No.:
Salesperson: PAUL FRANKLIN

Delivery Note:

Sub Total: \$275.00
Sales Tax: \$0.00
Total: \$275.00
Deposit Received: \$0.00
Balance Due: \$275.00

EXCLUDES TAX

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor (85 PTO hp)
Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

[John Deere](#)

26% Discount Off A9 Material Handling Pricelist for Cutters & Shredders, Supplies & Accessories.

[Pricing Sheet](#)

[Add](#)
[Hide](#)
[Details](#)

Extended Product Information

Reference Number:

373-11

Brand:

Various

Part Number:

Catalog

Unit Measure:

EA

Vendor Website:

http://www.deere.com/en_US/deerecom/usa_canada.html

Full Description:

26% Discount Off A9 Material Handling Pricelist for Cutters & Shredders, Supplies & Accessories



JOHN DEERE

Selling Equipment

Quote Id: 8861295

Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

John Deere Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580;
DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

| Code | Description | Qty | List Price | Discount% | Discount Amount | Contract Price | Extended Contract Price |
|----------------------------|----------------------------------|-----|---------------------|-----------|---------------------|---------------------|-------------------------|
| | Multi-unit Discount | 3 | | | \$ 565.35 | \$ -565.35 | \$ -1,696.05 |
| | Additional Discount Total | | | | \$ 565.35 | \$ -565.35 | \$ -1,696.05 |
| Total Selling Price | | | \$ 56,517.60 | | \$ 15,090.04 | \$ 41,427.56 | \$ 125,772.33 |

JOHN DEERE CX15 - 10 Ft. Flex-Wing Rotary Cutter - 540 RPMStump

Contract: TASB_373-11

Price Effective Date: December 17, 2012

Suggested List *

\$ 18,349.00

Selling Price *

\$ 13,779.50

* Price per item - includes Fees and Non-contract items

| Code | Description | Qty | List Price | Discount% | Discount Amount | Contract Price | Extended Contract Price |
|--|---|-----|---------------------|-----------|--------------------|---------------------|-------------------------|
| 225CP | CX15 - 10 Ft. Flex-Wing Rotary Cutter - 540 RPMStump Jumpers - Single Suction Blades - 5 Wheels | 3 | \$ 17,575.00 | 26.00 | \$ 4,569.50 | \$ 13,005.50 | \$ 39,016.50 |
| Dealer Attachments/Non-Contract/Open Market | | | | | | | |
| 1234 | Non-Contract HD PTO Guards | 3 | \$ 475.00 | 0.00 | \$ 0.00 | \$ 475.00 | \$ 1,425.00 |
| 2468 | Non-Contract Jack Kits | 3 | \$ 299.00 | 0.00 | \$ 0.00 | \$ 299.00 | \$ 897.00 |
| | Dealer Attachments Total | | \$ 774.00 | | \$ 0.00 | \$ 774.00 | \$ 2,322.00 |
| Suggested Price | | | | | | | \$ 41,338.50 |
| Total Selling Price | | | \$ 18,349.00 | | \$ 4,569.50 | \$ 13,779.50 | \$ 41,338.50 |

AGRICULTURAL PRODUCTS
JOHN DEERE ROTARY CUTTERS

CX15 - 10 Ft. Flex-Wing Rotary Cutter - 540 RPM
Stump Jumpers - Single Suction Blades - 5 Wheels
Equipment for Base Machine

| | |
|--|--|
| <p>Pull Type Double Deck Design Easy Clean Dome Shaped Top Deck Deck Thickness: Upper Deck Thickness: 0.138 In. (3.5mm) Lower Deck Thickness: 0.177 In. (4.5mm) Three Gearcases Peak Drivetrain Horsepower Rating: Splitter 300 HP (223 kW) Wing 216 HP (161 kW) Continuous Drivetrain Horsepower Rating: Splitter 250 HP (186 kW) Wing 150 HP (111.9 kW) 3 In. Brush Cutting Capacity 1-3/4 In. Gearcase Input Shafts Unibody Frame: 10.5 In. (267mm) Body Depth 1/4 In (6mm) Side Skirt Thickness 10 Ft. (3m) Cutting Width Blade Tip Speed: Center: 15733 fpm, 178.8 mph, 79.9 m/s Wing: 15586 fpm, 177.1 mph, 79.2 m/s Center section, right side wing and weight box on left side 2-Section Flexible 90 Degrees Up, 22 Degrees Down Level Lift (Fore/Aft and Side-to-Side) Lift and Fold Hydraulics Lift Cylinder Depth Stops Double Leveling Rods Easy Adjust Wing Leveling Turnbuckles Adjustable Wheel Spacing</p> | <p>(Refer to Ag Sales Manual for available row spacings, especially for ridge-till applications) Five Wheels - 26" X 9" X 14.5" - 24 PR "Fat Boy" Severe Duty Ag Tires Constant Velocity with Lock-Slide Collar Tractor-to-Cutter Driveline Two Slip Clutches, Factory Preset, Self Adjusting Front and Rear Double Row Safety Shields - Chains Bolt-On Wear Shoes Safety Tow Chain Hitch Integrated Jack Stand, Implement Jack SMV Emblem and Support Fully Assembled Commercial Duty Rating Deck Rings Continuous, Full Length, Greaseable Hinges Splined Telescoping Driveshaft Members Ball Type Self Level Hitch Clevis 30 mm Pivot Pins with Double Bushings Air Cushioned Suspension with Shock Absorbers 5-Bolt Wheel Hubs Independent Wing Lift</p> |
|--|--|

| CODE | ATTACHMENT IDENTIFIER | DESCRIPTION | SUGGESTED LIST PRICE USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo Texas; Marinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

| | | |
|-------|--|-----------|
| 225CP | CX15 - 10 Ft. Flex-Wing Rotary Cutter - 540 RPM Stump Jumpers - Single Suction Blades - 5 Wheels <i>Serial Number POCX15G008500 and above.</i> | 17,575.00 |
|-------|--|-----------|

ATTACHMENTS - ORDER AS DESIRED

| | | |
|------|---|-----------|
| 9070 | Miscellaneous: Walking Tandem Kit <i>Kit just for center section. For full coverage order 1 additional kit and 2 additional tires. Machine is not available with the walking tandem installed, kit to be installed by the dealer.</i> | 1,713.00 |
| 9099 | French Operator's Manual and Decal Kit | No Charge |
| 9100 | Spanish Operator's Manual and Decal Kit | No Charge |