



1320 South 25th Street
Edinburg, TX 78539
(956) 289-7600
Fax (956) 383-6819

February 4, 2014

Governmental Contract Initiative (GOV-11-NJPA) with the National Joint Powers Alliance Contract – 060311-CAT.

Hidalgo County PCT #1
Raul Lozano
1902 Joe Stephens, Suite 101
Weslaco, TX 78596

Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

ONE (1) New 2014 Cat Model CT660 Roll-Off Trucks with standard equipment in addition to the additional specifications listed in the attached detailed truck proposal.

NJPA Pricing

<u>BASE MODEL</u>	<u>PART#</u>	<u>LIST PRICE</u>
CT660	Tractor	\$128,499.65
<u>OPTIONS</u>		
Optional Truck Attachments		<u>\$ 26,166.10</u>
Sub-Total		<u>\$154,665.75</u>
*NJPA Member Discount 23%		<u>(\$35,573.12)</u>
Holt Competitive Allowance Discount 8.9%		<u>(\$13,765.25)</u>
Truck Price with Discounts Applied		<u>\$105,327.38</u>
<u>CUSTOMER NON-DISCOUNTABLE ITEMS</u>		
Freight		<u>\$ 1,925.00</u>
Emission Charge and Labels		<u>\$ 8,000.00</u>
On Board Diagnostics		<u>\$ 650.00</u>
Galbreath U75-IO-174 (75,000lb Roll-Off Hoist)		<u>\$35,795.00</u>
Sale Price Per Truck		<u>\$151,697.38</u>
TOTAL SALE PRICE FOR (1) TRUCK		\$151,697.38

Mark Brunnemann
Sales Representative
Direct (956) 289-7636
Cell (956) 330-0630
Mark.Brunnemann@holtcat.com

ORDER CONTENT

Print Date : 3/11/2013 10:21

TRK01478

HOLT TEXAS LTD.

Job Number : 498353

Order No.: 691256
Dealer Account: E140
Telephone: --
Type: STOCK
Region: 652
Vehicle ID:

Dealer Order No: 000656

Customer PO No:

Order Details

Model: CF7AA
Proposal No: 000368
Reference ID: Roll-Off 908LL

Description: CT660S SBA 6x4
Order Qty: 1

Order Date: 12/13/2012
Ship Rqst. Date: 2/15/2013
Delivery Date: 3/2/2013

Sales Person: Mark Mims
Build Date: 2/11/2013
VIN: 1HTJGTKT3EJ498353
Plant: GARLAND ASSEMBLY PLANT
Step: 60 Revenue Recognized

Shipping Information

Movement	Destination	At Carrier	Paired	Decked	Dispatched	Delivered
Final	TEXOMA WASTE CONTROL 2800 NORTH 1ST STREET DURANT, OK 74701					

Market/Application/Mission

Country Of Use: UNITED STATES
Market: USA
Vehicle Type: TRUCK
Application Family: Refuse

Application Name: Roll-On/Roll-off
GVWR(Calc): 65480
GCWR:
Start/Grade Ability: 38.20% / 2.62% @ 55 MPH

Dimensions

Wheelbase: 260.0
Axle To Frame(AF): 61.0

Rear Axle Ratio(s): 4.10
Front Axle Ratio(s):

Feature Information

0001DAV FRAME RAILS , High Strength Heat Treated Alloy Steel (120,000 PSI Yield); 12.00" x 3.25" x 0.25" (304.8mm x 82.6mm x 6.35mm); 478.1" (12143mm) Maximum OAL
0001GDL FRAME REINFORCEMENT , Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 12.65" x 3.50" x 0.25"(321.0mm x 88.9mm x 6.35mm); 445.4" (11313mm) Maximum OAL
0001LBC BUMPER, FRONT , Multi-piece Stainless Steel
0001WVT WHEELBASE RANGE , 230" (585cm) Through and Including 285" (725cm)
0001570 TOW HOOK, FRONT , (2) Frame Mounted
0001652 CROSSMEMBER, REAR , Relocated to End of Frame
0002ARY AXLE, FRONT NON-DRIVING , {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
0003ACS SUSPENSION, FRONT, SPRING , Multileaf, Shackle Type, Single Stage Spring; 20,000-lb Capacity; Less Shock Absorbers
0004AZA AIR BRAKE ABS , {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
0004EBS AIR DRYER , {Bendix AD-9} With Heater
0004ETE BRAKE CHAMBERS, FRONT AXLE , {Haldex} 24 SqIn
0004EVL BRAKE CHAMBERS, REAR AXLE , {Haldex GC3030LHDHO} 30/30 Spring Brake
0004JBH BRAKE IDENTITY, FRONT , {Dana Spicer Extended Service} Air, Cam Type, Size 16.5" x 6.0"; Includes Cast Spider, Gusseted Brackets and Severe Service Linings
0004NBH BRAKE IDENTITY, REAR , {Dana Spicer ES-165-7} Rear, Air, S-Cam Type, Extended Service, Size 16.5" x 7"
0004NDB BRAKES, REAR, AIR CAM , S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and SpringActuated Parking Brake
0004SPM AIR COMPRESSOR , {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder

ORDER CONTENT

Print Date : 3/11/2013 10:21

HOLT TEXAS LTD.

Job Number : 498353

- 0004WCC BRAKE PACKAGE, FRONT , {Dana Spicer ES-165-6} Air, Cam Type, Extended Service; Size 16.5" x 6", Includes Automatic Slack Adjusters
- 0004WCD BRAKE PACKAGE, REAR , {Dana Spicer ES-165-7} Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters
- 0004091 BRAKE SYSTEM, AIR , Dual System for Straight Truck Applications
- 0004193 BRAKES, FRONT, AIR CAM , 16.5" x 6", Includes 24 Sqli Long Stroke Brake Chambers
- 0004732 DRAIN VALVE , {Berg} Manual; With Pull Chain, for Air Tank
- 0005PTB STEERING GEAR , (2) {Sheppard M-100/M-80} Dual Power
- 0005WBH STEERING WHEEL , {Caterpillar} 2-Spoke, 18" Diam., Dark Neutral, Leather Wrapped
- 0005710 STEERING COLUMN , Tilting and Telescoping
- 0007BDS EXHAUST SYSTEM , Single, Vertical Aftertreatment Device Frame Mounted Right Side; Includes Vertical Tail Pipe & Guard
- 0007WBA TAIL PIPE , (1) Turnback Type, Bright, for Single Exhaust
- 0007WBS MUFFLER/TAIL PIPE GUARD , (1) Bright Stainless Steel
- 0007WZY SWITCH, FOR EXHAUST , 2 Position, Lighted & Latching, ON/OFF Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in ON Position
- 0008GGN ALTERNATOR , {Bosch LH160} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount
- 0008HAB BODY BUILDER WIRING , Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame;Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
- 0008MMJ BATTERY SYSTEM , {Caterpillar} (3) 12 Volt 2130CCA Total
- 0008RKW ANTENNA BASE , (2) Single Function, (1) for CB and (1) for Entertainment Radio, Without Splitter, Separate Lead-Ins, With CB Antenna Mounted on Right Mirror and AM/FM Antenna Mounted on Left Mirror
- 0008RKX RADIO , Red Display, AM/FM/CD/WB/Clock with Alarm, Front & Rear Aux Input, USB Input, iPod Command and Control, With Multiple Speakers
- 0008WCK POWER SOURCE, TERMINAL TYPE , 2-Post
- 0008WEZ TURN SIGNAL SWITCH , Self-Canceling
- 0008WKG BATTERY BOX , Aluminum With Aluminum Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Right Side Under Cab
- 0008WNH RUNNING LIGHT , (2) Daytime
- 0008WXG STARTING MOTOR , {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
- 0008XAH CIRCUIT BREAKERS , Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All FusesExcept For 5-Amp Fuses
- 0008000 ELECTRICAL SYSTEM , 12-Volt, Standard Equipment
- 0008653 HORN, AIR , Single, Located Under Cab
- 0008718 POWER SOURCE , Cigar Type Receptacle without Plug and Cord
- 0009ASE FRONT END , Tilting Composite
- 0009HAN INSULATION, UNDER HOOD , for Sound Abatement
- 0009HBN INSULATION, SPLASH PANELS , for Sound Abatement
- 0010UAB VEHICLE REGISTRATION IDENTITY , ID for US States EXCLUDING: California, Connecticut, Delaware, Georgia, Maine, Massachusetts, New Jersey, New York, North Carolina, Pennsylvania
- 0010060 PAINT SCHEMATIC, PT-1 , Single Color, Design 100
- 0010210 LABEL , Emissions, Fuel Economy and Noise.
- 0010761 PAINT TYPE , Base Coat/Clear Coat, 1-2 Tone
- 0010769 PAINT CLASS , Premium Color
- 0011MGZ CLUTCH , {Eaton Fuller Easy-Pedal Advantage} Manual Adjust, Two-Plate, Cast Angle Spring;Ceramic, 15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity
- 0011WAE GREASE FITTINGS , Remote; for Clutch Cross Shaft
- 0012KWZ ENGINE, DIESEL , {CT 13} EPA 10, 475 HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max)
- 0012THT FAN DRIVE , {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed
- 0012UBH RADIATOR , Aluminum; Welded, Front to Back Down Flow System, 1564 Sqli, 1572 Sqli Dual CAC, 1293 Sqli 3 Core LTR
- 0012VBT AIR CLEANER , Single Element, Heavy Duty
- 0012VED FEDERAL EMISSIONS , for 2010; CT 13 Engines
- 0012WBR FAN OVERRIDE , Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)

ORDER CONTENT

Print Date : 3/11/2013 10:21

HOLT TEXAS LTD.

Job Number : 498353

- 0012WCX HOSE CLAMPS, RADIATOR HOSES , {Gates} Shrink Band Type
- 0012WEG COLD STARTING EQUIPMENT , Automatic; With Engine ECM Control
- 0012WTA FAN DRIVE SPECIAL EFFECTS , Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
- 0012WZE EMISSION COMPLIANCE , Federal, Does Not Comply With California Clean Air Idle Regulations
- 0012XAN OBD COMPLIANCE , for 2013 OBD (On Board Diagnostics)
- 0012864 BLOCK HEATER, ENGINE , {Phillips} 120 Volt/1500 Watt
- 0013GHX TRANSMISSION, MANUAL , {Fuller RTO(F)-16908LL} 10-Speed Manual; Double Lo With Overdrive, Internal LubePump and With Air Shift
- 0013WGJ OIL COOLER,MANUAL TRANSMISSION , Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)
- 0013WLB TRANSMISSION OIL , {EmGard 50W} Synthetic; 22 thru 33.99 Pints
- 0013WVD PTO CONTROL, DASH MOUNTED , For Customer Provided PTO; Includes Control Valve, Piping and Wiring, Wired forPTO
- 0014HRL AXLE, REAR, TANDEM , {Meritor RT-46-160P} Single Reduction, 46,000-lb Capacity, With Lube Pump, WithDriver Controlled Locking Differential in Forward Rear and Rear Rear Axle and 200 Wheel Ends
- 0014ULY SUSPENSION, REAR, TANDEM , {Hendrickson HMX-460-54} Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity,With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
- 0014WAL SUSPENSION/REAR-AXLE IDENTITY , for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions
- 0014WBN DIFF. SWITCH CONTROLS , Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash
- 0014WLE AXLE, REAR, LUBE , {EmGard 75W-90} Synthetic Oil; 65 thru 89.99 Pints
- 0014862 PDL WARNING BUZZER , Power Divider Lock
- 0015LKU FUEL/WATER SEPARATOR , {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
- 0015SSK FUEL TANK , Polished Aluminum, 24" Diam.; 100 U.S. Gal., 378 L Capacity Mounted Left Side Under Cab
- 0016HBA GAUGE CLUSTER , English With English Electronic Speedometer
- 0016HGL GAUGE, OIL TEMP, REAR AXLE ,
- 0016HKB GAUGE, MANIFOLD PRESSURE , Data Link Driven; Mounted in Instrument Panel, Includes Controller Module
- 0016JPD SEAT, DRIVER , {National 2000 Model 195} Air Suspension, High Back, Vinyl Boxing With Cloth Facing, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover
- 0016RAN SEAT, PASSENGER , {National 2000 Model 192} Non Suspension, High Back, Vinyl Boxing With Cloth Facing, 11 Degree Back Angle Adjust
- 0016SKU MIRRORS , (2) {Lang Mekra} Aero; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostat Controlled, Power Both Sides, Amber Lens Clearance Light LED, Black Painted Finish Heads, Brackets & Arms
- 0016VRT HEATER, ENHANCED CIRCULATION , {Bergstrom} Control, for Extreme Cold Weather Climates
- 0016VTH CAB INTERIOR TRIM , Premium Level; for Caterpillar, Day Cab
- 0016VZA WINDOW, REAR , 52.25" Wide
- 0016WAK WINDOW, POWER , (2) in Left and Right Doors
- 0016WJG CAB DOOR LOCKS , Power
- 0016WKB AIR CONDITIONER , {International Blend-Air} With Integral Heater & Defroster
- 0016WKR WINDSHIELD , Single Piece
- 0016WLD CAB REAR SUSPENSION , {Link Z9079D1} Dual Frame Mounted Cab Rear Air Suspension; Includes Special Crossmember Assembly
- 0016XWD SUNSHADE, EXTERIOR , Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights
- 0016ZDU GRAB HANDLE , Exterior; Towel Bar Type In Lieu Of Non-Bright Grab Handles; for use with Cab orCab/Sleeper Non-Bright Access, Without Frame Access or Chassis Skirts
- 0016000 FLOOR COVERING , Transmission Cover, Floor Mats and Seal
- 0016031 CAB , Conventional
- 0027DHJ WHEELS, FRONT , DISC; 22.5" Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 12.25 DC Rims; With Steel Hubs
- 0028DRN WHEELS, REAR , DUAL DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted,Flanged Nut, Metric Mount, 8.25 DC Rims; With .472" Thick Increased Capacity Disc and Steel Hubs
- 0029WLA WHEEL BEARING, FRONT, LUBE , {EmGard 50W} Synthetic Oil

Tires

ORDER CONTENT

Print Date : 3/11/2013 10:21

HOLT TEXAS LTD.

Job Number : 498353

07382135420 (8) TIRES, REAR 11R22.5 HDC1 (CONTINENTAL) 488 rev/mile, load range H, 16 ply
07792655412 (2) TIRES, FRONT 385/65R22.5 HTC1 (CONTINENTAL) 495 rev/mile, load range L, 20 ply

Paint

CAB Schematic: 100KT S 9221 light cameo white (Prem)

Parameters

0012KWZ ENGINE, DIESEL , {CT 13} EPA 10, 475 HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed
Speed, 475 Peak HP (Max)
VS Lim Decrease - Penalty Lvl:7929 -2 MPH
Auxillary Shutdown Input Type:9931 0
AESC Activate at Preset Speed:7528 0
AESC Control to Engine Load:7530 0
AESC Control w/Auto Start/Stop:7500 0
AESC Control:7500 0
AESC Force Fan On:9007 0
AESC In-cab Operator Interface:7503 0
AESC Remote Accel Pedal Enable:7504 0
AESC Remote Accel Pedal Switch:8914 0
AESC Splitshaft Veh SPD Dsply:9307 0
AESC Transfer Case Signal Mode:8910 0
Customer Unit Number:6605 0
Driver Reward Enable:7918 0
Driver Reward Performance Crit:7925 0
Gear Down Protection Enable:7714 0
Idle Shutdown Mode w/Auto S/S:7400 0
Idle Shutdown Mode:7400 0
ISD Ambient Temp Override En:7408 0
ISD Int Amb Temp Enable:7405 0
ISD Latched Driver Override En:7407 0
Powertrain Protection Enable:7722 0
Preset Remote AESC Input Type:9932 0
Progressive Shift Enable:7744 0
Service Interval Enable 0
Torque Limiting in Gear:7717 0
Variable Remote AESC Input:9933 0
Veh Speed Sensor Antitampering:7905 0
Vehicle Over-speed Indicator:7754 0
Vehicle Speed Limiter Override:7911 0
Fuel Used Service Interval:9501 0 GALLONS
Engine Hour Service Interval:9502 0 HOURS
Veh Distance Service Interval:9503 0 MILES
VS Lim Increase - Expected Lvl:7926 0 MPH
Idle Spd Adjust - Max Eng Spd:8212 0.0 RPM
Min Gear Ratio for ProShift:7755 0.50
Customer Password:8700 00000000
AESC Accel Pedal Mode:7513 1
AESC Disable w/ Brake Pedal:7511 1
AESC Disable w/ Clutch Pedal:7510 1
AESC Park Brake Override:7534 1
Cruise Control Enable:7600 1
Engine Protection Mode:7700 1
Hard Braking Incident Counter:8904 1
Idle Speed Adjustment Enable:8215 1
Rem Accelerator Position Input:9935 1

ORDER CONTENT

Print Date : 3/11/2013 10:21

HOLT TEXAS LTD.

Job Number : 498353

Rem Accelerator Switch Input:9929	1
VSLO Time Duration Source:7934	1
High Gear Ratio Break Point:7743	1.595000000
% Idle Time - Excellent Level:7922	10 %
VSLO Speed Increment:7912	10 MPH
AESC Ramp Down Rate:7524	100.00 RPM/SEC
AESC Ramp Up Rate:7507	100.00 RPM/SEC
AESC Max Engine Load:7519	100.0000 %
AESC Preset Engine Speed 3:7514	1000.0 RPM
AESC Preset Engine Speed 4:7515	1100.0 RPM
AESC Preset Engine Speed 5:7516	1200.0 RPM
AESC Preset Engine Speed 6:7517	1300.0 RPM
VSS Anti-Tamper Max Eng Speed:7901	1308.3 RPM
ISD Int Amb Temp Override:7406	15.0 C
ISD Time w/Park Brk Released:7401	15.0 MIN
ISD Max Engine Coolant Temp:7412	150.0 C
AESC Eng Spd Limit w/VSS Fault:7518	1500 RPM
AESC Max Eng Spd w/AutoStart/S:7508	1500.0 RPM
AESC Max Engine Speed:7508	1500.0 RPM
Low Gear Engine Speed Limit:7738	1550.0 RPM
ISD Min Engine Coolant Temp:7413	16.0 C
High Gear Engine Speed Limit:7739	1600.0 RPM
Max Torque in High Gear Range:7751	1700.0000 LB-FT
Max Torque in Int. Gear Range:7750	1700.0000 LB-FT
Max Torque in Low Gear Range:7713	1700.0000 LB-FT
Max Torque w/o Vehicle Speed:7712	1700.0000 LB-FT
% Idle Time - Good Level:7923	18 %
AESC Accel Max Eng Spd Ovr:7520	1900.0 RPM
AESC In-cab Mode:7502	2
AESC Incab Mode w/Auto Start/S:7502	2
Driver Reward Mode:7930	2
Highest Gear of Low Range:7718	2
VS Lim Increase - Good Lvl:7927	2 MPH
Highest Gear Rat of High Range:7747	2.00
ISD Max Ambient Temp Override:7402	20.0 C
High Gear Engine Speed Range:7741	200.0 RPM
Low Gear Engine Speed Range:7740	200.0 RPM
Maximum Standstill Eng Speed:7753	2100.0 RPM
% Idle Time - Expected Level:7924	25 %
Idle Spd Adjust Ramp Rate:8211	25 RPM/SEC
AESC Bump Up/Down Step:7525	25.0 RPM
CC Min Vehicle Speed:7603	25.0000 MPH
VSLO Maximum Activation Time:7914	30 MIN
Top Gr Minus 2 Light Ld VS Lim:7715	33 MPH
Top Gr Minus 2 Heavy Ld VS Lim:7735	36 MPH
Highest Gear of Int. Range:7748	4
VS Lim Increase - Excel Lvl:7928	4 MPH
Highest Gear Rat of Int. Range:7746	4.00
Top Gr Minus 1 Light Ld VS Lim:7716	45 MPH
AESC Max Mobile Veh Spd:7501	5 MPH
ISD Min Ambient Temp Override:7403	5.0 C
ISD Time w/Park Brake Set:7404	5.0 MIN
Idle Spd Adjust - Bump Step:8216	5.0 RPM
AESC Vehicle Speed Limit:7521	5.0000 MPH
Low Gear Ratio Break Point:7742	5.435000000
Top Gr Minus 1 Heavy Ld VS Lim:7736	50 MPH
Highest Gear of High Range:7749	6

ORDER CONTENT

Print Date : 3/11/2013 10:21

HOLT TEXAS LTD.

Job Number : 498353

Highest Gear Rat of Low Range:7745	6.00
Fuel Economy - Expected Level:7921	6.00 MPG
Fuel Economy - Good Level:7920	6.25 MPG
Fuel Economy - Excellent Level:7919	6.40 MPG
AESC Min Engine Speed:7522	600.0 RPM
Idle Engine Speed:8202	600.0 RPM
Hard Braking Decel Threshold:8905	7.40 MPH/SEC
AESC Max Engine Load Time:7527	8 SEC
VSLO Time Interval to Reset:7915	8.0 HOURS
ISD Idle Shutdown Max Eng Trq:7409	80 %
CC Max Vehicle Speed:7604	80 MPH
Max Accelerator Vehicle Speed:7902	80 MPH
AESC Preset Engine Speed 1:7505	800.0 RPM
Veh Overspd Threshold Level 1:7723	85.000000 MPH
Veh Overspd Threshold Level 2:7724	87.000000 MPH
Service Soon Percent to Notify:9507	90 %
AESC Preset Engine Speed 2:7506	900.0 RPM

ORDER CONTENT

Print Date : 3/11/2013 10:21

HOLT TEXAS LTD.

Job Number : 498353

Summary Of Changes Since Original Order

Modified	Action	Item Changed	Description
1/3/2013	CHG	Slot Date	OLD: 02-14-2013 NEW: 02-13-2013
1/3/2013	CHG	Slot Date	OLD: 02-13-2013 NEW: 02-11-2013
12/20/2012	CHG	Step 21	21-Fully Coded
12/17/2012	CHG	Slot Date	OLD: 02-12-2013 NEW: 02-13-2013
12/17/2012	CHG	Slot Date	OLD: 02-13-2013 NEW: 02-14-2013
12/14/2012	ADD	Feature	0004JBH - BRAKE IDENTITY, FRONT , {Dana Spicer Extended Service} Air, Cam Type, Size 16.5" x 6.0"; Includes Cast Spider, Gusseted Brackets and Severe Service Linings
12/14/2012	ADD	Feature	0004NBH - BRAKE IDENTITY, REAR , {Dana Spicer ES-165-7} Rear, Air, S-Cam Type, Extended Service, Size 16.5" x 7"
12/14/2012	ADD	Feature	0010000 -
12/14/2012	ADD	Feature	0010210 - LABEL , Emissions, Fuel Economy and Noise.
12/14/2012	ADD	Feature	0016000 - FLOOR COVERING , Transmission Cover, Floor Mats and Seal
12/14/2012	CHG	Slot Date	OLD: NEW: 02-20-2013
12/14/2012	CHG	Slot Date	OLD: 02-20-2013 NEW: 02-14-2013
12/14/2012	CHG	Slot Date	OLD: 02-14-2013 NEW: 02-13-2013
12/14/2012	CHG	Slot Date	OLD: 02-13-2013 NEW: 02-12-2013
12/14/2012	CHG	Slot Year/Week	OLD: 1357 NEW: 1309
12/14/2012	CHG	Slot Year/Week	OLD: 1309 NEW: 1308
12/14/2012	ADD	Tires	0427DTP0520 (1) - PROPSHAFT
12/14/2012	ADD	Tires	0429DTC0930 (1) - PROPSHAFT
12/14/2012	ADD	Tires	0429DTC1100 (1) - PROPSHAFT
12/14/2012	ADD	Tires	0429DTM1585 (1) - PROPSHAFT



-12/13/2012

proposal #368-2

2

Dealer / Office HOLT TEXAS LTD. PO Box 207916 78220-7916 Phone : (1) (210) 648-1111 e-mail : Mark.Mims@Holtcat.com	Truck Quotation TOPS Unsubmitted Order Reference No. 000656 Number/Date 20046436 / 12/13/2012 Delivery date Day 02/15/2013 Customer# E140 Validity period 12/13/2012 To 06/11/2013 Issue Status Started Market Segment Truck Subsidiary Cat U.S. Voc Truck
Contact Info	

External Notes :

Due to standard engineering changes, a quote may be invalidated at anytime. Should this occur, a new un-submitted order and quote will need to be generated. Also note that a quote can only be ordered one time, with a quantity of 1. After order submission, the quote will be expired. A new un-submitted order and quote will need to be generated to create another order. Pricing may not be final if an "Order by Description/SpecialQuote" feature is desired. Order price is determined based on the price effective at the date of order creation.

Internal Notes :
Factory Notes :
SQ Notes :
Net Price :
Est. Shipping Weight :

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
------	----	-----	----------	-------------	-----	------------	-----------



Dealer / Office
HOLT TEXAS LTD.
PO Box 207916
78220-7916

Phone : (1) (210) 648-1111

e-mail : Mark.Mims@Holtcat.com

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
100	I	1	CF7AA	CT660 SBA 116" BBC 6X4 AXLE			
	I	1	0001570_I	HOOK AR-TOW (0001570)		372.38	
	I	1	0001652_I	CROSSMEMBER AR (0001652)		234.14	
	I	1	0001DAV_I	FRAME AR-RAILS (0001DAV)		219.73-	
	I	1	0001GDL_I	FRAME AR-REINF (0001GDL)		1,912.60	
	I	1	0001LBC_I	BUMPER AR-FRONT (0001LBC)		V/I	
	I	1	0001WVT_I	WHEELBASE AR (0001WVT)		1,090.23	
	I	1	0002ARY_I	AXLE AR-FRONT (0002ARY)		2,105.21	
	I	1	0003ACS_I	SUSPENSION AR-FR (0003ACS)		207.83	
	I	1	0004091_I	BRAKE AR-AIR SYS (0004091)		V/I	
	I	1	0004193_I	BRAKE AR-AIR FR (0004193)		V/I	
	I	1	0004732_I	DRAIN AR-VALVE (0004732)		V/I	
	I	1	0004AZA_I	BRAKE AR-ABS (0004AZA)		V/I	
	I	1	0004EBS_I	DRYER AR-AIR HTR (0004EBS)		V/I	
	I	1	0004ETE_I	BRAKE AR-CHAMBER (0004ETE)		11.65	
	I	1	0004EVL_I	BRAKE AR-CHAMBER (0004EVL)		V/I	
	I	1	0004NDB_I	BRAKE AR-AIR RR (0004NDB)		V/I	
	I	1	0004SPM_I	COMPR AR-AIR (0004SPM)		V/I	
	I	1	0004WCC_I	BRAKE AR-FRT PKG (0004WCC)		335.72	
	I	1	0004WCD_I	BRAKE AR-RR PKG (0004WCD)		574.70	
	I	1	CF7AA00_I	SBA 116' BBC 6X4 AXLE		128,499.65	
	I	1	PRODLNK_I	PRODUCT LINK		V/I	
	I	1	0005710_I	STEERING AR-COL (0005710)		V/I	
	I	1	0005PTB_I	STEERING AR-GEAR (0005PTB)		1,047.23	
	I	1	0005WBH_I	STEERING AR-WHEEL (0005WBH)		V/I	
	I	1	0007BDS_I	EXHAUST AR-SYS (0007BDS)		V/I	
	I	1	0007WBA_I	PIPE AR-TAIL (0007WBA)		84.21	
	I	1	0007WBS_I	MUFFLER AR-TAIL PP (0007WBS)		119.15	
	I	1	0007WZY_I	SWITCH AR-EXH (0007WZY)		42.57	
	I	1	0008000_I	ELECTRICAL AR (0008000)		V/I	
	I	1	0008653_I	HORN AR-AIR (0008653)		V/I	
	I	1	0008718_I	POWER AR-SOURCE (0008718)		V/I	
	I	1	0008GGN_I	ALTERNATOR AR (0008GGN)		V/I	
	I	1	0008HAB_I	WIRING AR-BODY (0008HAB)		82.24	
	I	1	0008MMJ_I	BATTERY AR (0008MMJ)		V/I	
	I	1	0008RKW_I	ANTENNA AR-BASE (0008RKW)		V/I	
	I	1	0008RKX_I	RADIO AR (0008RKX)		167.52	
	I	1	0008WCK_I	POWER AR-SOURCE (0008WCK)		V/I	
	I	1	0008WEZ_I	SWITCH AR-TURN (0008WEZ)		V/I	
	I	1	0008WKG_I	BOX AR-BATTERY (0008WKG)		V/I	
	I	1	0008WNH_I	LIGHT AR (0008WNH)		V/I	



Doc. no./Date
20046436 / 12/13/2012

Internal Use Only Custom Quote

Page 3 of 9

Dealer / Office
 HOLT TEXAS LTD.
 PO Box 207916
 78220-7916

 Phone : (1) (210) 648-1111

 e-mail : Mark.Mims@Holtcat.com

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
I		1	0008WXG_I	MOTOR AR-STG (0008WXG)			V/I
I		1	0008XAH_I	CIRCUIT AR-BRKR (0008XAH)		88.69	
I		1	0009HBN_I	INSULN AR-PANEL (0009HBN)		65.36	
I		1	0010060_I	PAINT AR-SCHEMATIC (0010060)			V/I
I		1	0010761_I	PAINT AR-TYPE (0010761)			V/I
I		1	0010769_I	PAINT AR-CLASS (0010769)		203.18	
I		1	0010UAB_I	REGISTRATION AR(0010UAB)			V/I
I		1	0011MGZ_I	CLUTCH AR (0011MGZ)			V/I
I		1	0011WAE_I	FITTING AR (0011WAE)		29.99	
I		1	0012864_I	ENGINE AR-BLK (0012864)		86.11	
I		1	0012KWZ_I	ENGINE AR-DIESEL (0012KWZ)		3,092.42	
I		1	0012THT_I	FAN AR-DRIVE (0012THT)			V/I
I		1	0012UBH_I	RADIATOR - ALUMINUM (0012UBH)			V/I
I		1	0012VBT_I	FITTING AR (0012VBT)			V/I
I		1	0012WBR_I	FAN AR-OVERRIDE (0012WBR)		28.06	
I		1	0012WCX_I	HOSE AR-CLAMP (0012WCX)		29.99	
I		1	0012WEG_I	EQUIPMENT AR (0012WEG)			V/I
I		1	0012WTA_I	FAN AR-DRIVE (0012WTA)			V/I
I		1	0009ASE_I	END AR-FRONT (0009ASE)			V/I
I		1	0009HAN_I	INSULN AR-HOOD (0009HAN)		143.62	
I		1	0013GHX_I	XMSN AR-MANUAL (0013GHX)		2,131.08	
I		1	0013WGJ_I	XMSN AR-MANUAL (0013WGJ)		211.88	
I		1	0013WLB_I	XMSN AR-OIL (0013WLB)		101.23	
I		1	0013WVD_I	CONTROL AR-PTO (0013WVD)		53.75	
I		1	0014862_I	BUZZER AR-WRN (0014862)		26.88	
I		1	0014HRL_I	AXLE AR-REAR (0014HRL)		5,421.58	
I		1	0014ULY_I	SUSPENSION AR-RR (0014ULY)		566.17	
I		1	0014WAL_I	SUSPENSION AR-RR (0014WAL)		171.10	
I		1	0014WBN_I	CONT AR-DIFF SW (0014WBN)		256.39	
I		1	0014WLE_I	AXLE AR-RR LUB (0014WLE)		203.82	
I		1	0015LKU_I	FILTER AR-FUEL (0015LKU)			V/I
I		1	0015SSK_I	TANK AR-FUEL (0015SSK)		878.81	
I		1	0016031_I	CAB AR (0016031)			V/I
I		1	0016HBA_I	GAUGE AR-CLUSTER (0016HBA)			V/I
I		1	0016HGL_I	GAUGE AR-TEMP (0016HGL)		85.14	
I		1	0016HKB_I	GAUGE AR-MANF (0016HKB)		83.42	
I		1	0016JPD_I	SEAT AR-DRIVER (0016JPD)		99.76	
I		1	0016RAN_I	SEAT AR (0016RAN)		499.88	
I		1	0016SKU_I	MIRROR AR (0016SKU)		43.00	
I		1	0016VRT_I	HEATER AR (0016VRT)			V/I
I		1	0016VTH_I	CAB AR-INTERIOR (0016VTH)			V/I



Doc. no./Date
20046436 / 12/13/2012

Internal Use Only Custom Quote
Page 4 of 9

Dealer / Office

HOLT TEXAS LTD.
PO Box 207916
78220-7916

Phone : (1) (210) 648-1111

e-mail : Mark.Mims@Holtcat.com

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
I		1	0016VZA_I	WINDOW AR-REAR (0016VZA)			V/I
I		1	0016WAK_I	WINDOW AR-POWER (0016WAK)			V/I
I		1	0016WJG_I	CAB AR-LK (DOOR) (0016WJG)			V/I
I		1	0016WKB_I	AIR CONDR AR (0016WKB)			V/I
I		1	0016WKR_I	WINDSHIELD AR (0016WKR)			V/I
I		1	0016WLD_I	CAB AR-SUSP (RR) (0016WLD)			V/I
I		1	0016XWD_I	SUNSHADE AR (0016XWD)			V/I
I		1	0016ZDU_I	HANDLE AR-GRAB (0016ZDU)		29.03	
I		1	0027DHJ_I	WHEEL AR-FRONT (0027DHJ)		840.29	
I		1	0028DRN_I	WHEEL AR-REAR (0028DRN)		397.32	
I		1	0029WLA_I	BEARING AR-WHL (0029WLA)		21.50	
I		1	0012VED_I	EMISSION AR-FED (0012VED)			8,000.00 - NON-DISC
I		1	0012WZE_I	EMISSION AR (0012WZE)			V/I
I		1	0012XAN_I	COMPLIANCE AR (0012XAN)			650.00 - NON-DISC

With the following configuration:

Cat CT660 North American Truck	HOOK AR-TOW (0001570)
Cat CT660 North American Truck	CROSSMEMBER AR (0001652)
Cat CT660 North American Truck	FRAME AR-RAILS (0001DAV)
Cat CT660 North American Truck	FRAME AR-REINF (0001GDL)
Cat CT660 North American Truck	BUMPER AR-FRONT (0001LBC)
Cat CT660 North American Truck	WHEELBASE AR (0001WVT)
Cat CT660 North American Truck	AXLE AR-FRONT (0002ARY)
Cat CT660 North American Truck	SUSPENSION AR-FR (0003ACS)
Cat CT660 North American Truck	BRAKE AR-AIR SYS (0004091)
Cat CT660 North American Truck	BRAKE AR-AIR FR (0004193)
Cat CT660 North American Truck	DRAIN AR-VALVE (0004732)
Cat CT660 North American Truck	BRAKE AR-ABS (0004AZA)
Cat CT660 North American Truck	DRYER AR-AIR HTR (0004EBS)
Cat CT660 North American Truck	BRAKE AR-CHAMBER (0004ETE)
Cat CT660 North American Truck	BRAKE AR-CHAMBER (0004EVL)
Cat CT660 North American Truck	BRAKE AR-AIR RR (0004NDB)
Cat CT660 North American Truck	COMPR AR-AIR (0004SPM)
Cat CT660 North American Truck	BRAKE AR-FRT PKG (0004WCC)
Cat CT660 North American Truck	BRAKE AR-RR PKG (0004WCD)
Cat CT660 North American Truck	STEERING AR-COL (0005710)
Cat CT660 North American Truck	STEERING AR-GEAR (0005PTB)
Cat CT660 North American Truck	STEERING AR-WHEEL (0005WBH)
Cat CT660 North American Truck	EXHAUST AR-SYS (0007BDS)
Cat CT660 North American Truck	PIPE AR-TAIL (0007WBA)
Cat CT660 North American Truck	MUFFLER AR-TAIL PP (0007WBS)
Cat CT660 North American Truck	SWITCH AR-EXH (0007WZY)



Doc. no./Date
 20046436 / 12/13/2012
 Internal Use Only Custom Quote
 Page 5 of 9

Dealer / Office

HOLT TEXAS LTD.
 PO Box 207916
 78220-7916

Phone : (1) (210) 648-1111

e-mail : Mark.Mims@Holtcat.com

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
Cat	CT660		North American Truck	ELECTRICAL AR (0008000)			
Cat	CT660		North American Truck	HORN AR-AIR (0008653)			
Cat	CT660		North American Truck	POWER AR-SOURCE (0008718)			
Cat	CT660		North American Truck	ALTERNATOR AR (0008GGN)			
Cat	CT660		North American Truck	WIRING AR-BODY (0008HAB)			
Cat	CT660		North American Truck	BATTERY AR (0008MMJ)			
Cat	CT660		North American Truck	ANTENNA AR-BASE (0008RKW)			
Cat	CT660		North American Truck	RADIO AR (0008RKX)			
Cat	CT660		North American Truck	POWER AR-SOURCE (0008WCK)			
Cat	CT660		North American Truck	SWITCH AR-TURN (0008WEZ)			
Cat	CT660		North American Truck	BOX AR-BATTERY (0008WKG)			
Cat	CT660		North American Truck	LIGHT AR (0008WNH)			
Cat	CT660		North American Truck	MOTOR AR-STG (0008WXG)			
Cat	CT660		North American Truck	CIRCUIT AR-BRKR (0008XAH)			
Cat	CT660		North American Truck	END AR-FRONT (0009ASE)			
Cat	CT660		North American Truck	INSULN AR-HOOD (0009HAN)			
Cat	CT660		North American Truck	INSULN AR-PANEL (0009HBN)			
Cat	CT660		North American Truck	PAINT AR-SCHEMATIC (0010060)			
Cat	CT660		North American Truck	PAINT AR-TYPE (0010761)			
Cat	CT660		North American Truck	PAINT AR-CLASS (0010769)			
Cat	CT660		North American Truck	REGISTRATION AR(0010UAB)			
Cat	CT660		North American Truck	CLUTCH AR (0011MGZ)			
Cat	CT660		North American Truck	FITTING AR (0011WAE)			
Cat	CT660		North American Truck	ENGINE AR-BLK (0012864)			
Cat	CT660		North American Truck	ENGINE AR-DIESEL (0012KWZ)			
Cat	CT660		North American Truck	FAN AR-DRIVE (0012THT)			
Cat	CT660		North American Truck	RADIATOR - ALUMINUM (0012UBH)			
Cat	CT660		North American Truck	FITTING AR (0012VBT)			
Cat	CT660		North American Truck	EMISSION AR-FED (0012VED)			
Cat	CT660		North American Truck	FAN AR-OVERRIDE (0012WBR)			
Cat	CT660		North American Truck	HOSE AR-CLAMP (0012WCX)			
Cat	CT660		North American Truck	EQUIPMENT AR (0012WEG)			
Cat	CT660		North American Truck	FAN AR-DRIVE (0012WTA)			
Cat	CT660		North American Truck	EMISSION AR (0012WZE)			
Cat	CT660		North American Truck	COMPLIANCE AR(0012XAN)			
Cat	CT660		North American Truck	XMSN AR-MANUAL (0013GHX)			
Cat	CT660		North American Truck	XMSN AR-MANUAL (0013WGJ)			
Cat	CT660		North American Truck	XMSN AR-OIL (0013WLB)			
Cat	CT660		North American Truck	CONTROL AR-PTO (0013WVD)			
Cat	CT660		North American Truck	BUZZER AR-WRN (0014862)			
Cat	CT660		North American Truck	AXLE AR-REAR (0014HRL)			



Doc. no./Date
 20046436 / 12/13/2012
 Internal Use Only Custom Quote
 Page 6 of 9

Dealer / Office

HOLT TEXAS LTD.
 PO Box 207916
 78220-7916

Phone : (1) (210) 648-1111

e-mail : Mark.Mims@Holtcat.com

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
------	----	-----	----------	-------------	-----	------------	-----------

Cat CT660 North American Truck				SUSPENSION AR-RR (0014ULY)			
Cat CT660 North American Truck				SUSPENSION AR-RR (0014WAL)			
Cat CT660 North American Truck				CONT AR-DIFF SW (0014WBN)			
Cat CT660 North American Truck				AXLE AR-RR LUB (0014WLE)			
Cat CT660 North American Truck				FILTER AR-FUEL (0015LKU)			
Cat CT660 North American Truck				TANK AR-FUEL (0015SSK)			
Cat CT660 North American Truck				CAB AR (0016031)			
Cat CT660 North American Truck				GAUGE AR-CLUSTER (0016HBA)			
Cat CT660 North American Truck				GAUGE AR-TEMP (0016HGL)			
Cat CT660 North American Truck				GAUGE AR-MANF (0016HKB)			
Cat CT660 North American Truck				SEAT AR-DRIVER (0016JPD)			
Cat CT660 North American Truck				SEAT AR (0016RAN)			
Cat CT660 North American Truck				MIRROR AR (0016SKU)			
Cat CT660 North American Truck				HEATER AR (0016VRT)			
Cat CT660 North American Truck				CAB AR-INTERIOR (0016VTH)			
Cat CT660 North American Truck				WINDOW AR-REAR (0016VZA)			
Cat CT660 North American Truck				WINDOW AR-POWER (0016WAK)			
Cat CT660 North American Truck				CAB AR-LK (DOOR) (0016WJG)			
Cat CT660 North American Truck				AIR CONDR AR (0016WKB)			
Cat CT660 North American Truck				WINDSHIELD AR (0016WKR)			
Cat CT660 North American Truck				CAB AR-SUSP (RR) (0016WLD)			
Cat CT660 North American Truck				SUNSHADE AR (0016XWD)			
Cat CT660 North American Truck				HANDLE AR-GRAB (0016ZDU)			
Cat CT660 North American Truck				WHEEL AR-FRONT (0027DHJ)			
Cat CT660 North American Truck				WHEEL AR-REAR (0028DRN)			
Cat CT660 North American Truck				BEARING AR-WHL (0029WLA)			
Distribution channel				C1			
MATERIAL NUMBER				CF7AA			
CT660 NAT BASE CHASSIS				SBA 116' BBC 6X4 AXLE			
Sales organization				M901			
PRODUCT LINK				PRODUCT LINK			

Sub-items 101 to 196 belong to item 100

101	I	1	3763214	CF7AA - BASE CHASSIS			
102	I	1	3963796	REGISTRATION AR			
103	I	1	4308958	COMPLIANCE AR			
104	I	1	4308959	WHEEL AR-FR DISC			
105	I	1	3730922	AIR CONDR AR			
106	I	1	3729961	ALTERNATOR AR			
107	I	1	3729968	ANTENNA AR-BASE			
108	I	1	3727738	AXLE AR-FRONT			
109	I	1	3730821	AXLE AR-REAR			



Doc. no./Date
 20046436 / 12/13/2012
 Internal Use Only Custom Quote
 Page 7 of 9

Dealer / Office

HOLT TEXAS LTD.
 PO Box 207916
 78220-7916

 Phone : (1) (210) 648-1111

 e-mail : Mark.Mims@Holtcat.com

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
110	I	1	3729970	BATTERY AR			
111	I	1	3731020	BEARING AR-WHL			
112	I	1	3729975	BOX AR-BATTERY			
113	I	1	3727753	BRAKE AR-ABS			
114	I	1	3736665	BRAKE AR-AIR RR			
115	I	1	3736663	BRAKE AR-AIR SYS			
116	I	1	3728706	BRAKE AR-CHAMBER			
117	I	1	3728711	BRAKE AR-CHAMBER			
118	I	1	3714526	BUMPER AR-FRONT			
119	I	1	3730924	CAB AR			
120	I	1	3730927	CAB AR-INTERIOR			
121	I	1	3730925	CAB AR-LK (DOOR)			
122	I	1	3730928	CAB AR-SUSP (RR)			
123	I	1	3730544	CIRCUIT AR-BRKR			
124	I	1	3736655	COMPR AR-AIR			
125	I	1	3730711	CONTROL AR-PTO			
126	I	1	3722817	CROSSMEMBER AR			
127	I	1	3728756	DRAIN AR-VALVE			
128	I	1	3736657	DRYER AR-AIR HTR			
129	I	1	3730546	ELECTRICAL AR			
130	I	1	3730679	EMISSION AR			
131	I	1	3730578	END AR-FRONT			
132	I	1	3730673	ENGINE AR-BLK			
133	I	1	3730697	RADIATOR - ALUMINUM			
134	I	1	3730676	EQUIPMENT AR			
135	I	1	3729942	EXHAUST AR-SYS			
136	I	1	3730689	FAN AR-DRIVE			
137	I	1	3730690	FAN AR-DRIVE			
138	I	1	3730691	FAN AR-OVERRIDE			
139	I	1	3730913	FILTER AR-FUEL			
140	I	1	3730670	FITTING AR			
141	I	1	3730671	FITTING AR			
142	I	1	3727719	FRAME AR-RAILS			
143	I	1	3727725	FRAME AR-REINF			
144	I	1	3730933	GAUGE AR-CLUSTER			
145	I	1	3730938	GAUGE AR-MANF			
146	I	1	3730939	GAUGE AR-TEMP			
147	I	1	3730941	HANDLE AR-GRAB			
148	I	1	3730945	HEATER AR			
149	I	1	3727728	HOOK AR-TOW			
150	I	1	3730548	HORN AR-AIR			



Doc. no./Date
20046436 / 12/13/2012

Internal Use Only Custom Quote

Page 8 of 9

Dealer / Office HOLT TEXAS LTD. PO Box 207916 78220-7916 Phone : (1) (210) 648-1111 e-mail : Mark.Mims@Holtcat.com
--

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
151	I	1	3730695	HOSE AR-CLAMP			
152	I	1	3730580	INSULN AR-HOOD			
153	I	1	3730579	INSULN AR-PANEL			
154	I	1	3730562	LIGHT AR			
155	I	1	3730952	MIRROR AR			
156	I	1	3730567	MOTOR AR-STG			
157	I	1	3729946	MUFFLER AR-TAIL PP			
158	I	1	3730623	PAINT AR-CLASS			
159	I	1	3730634	PAINT AR-SCHEMATIC			
160	I	1	3730636	PAINT AR-TYPE			
161	I	1	3729956	PIPE AR-TAIL			
162	I	1	3730556	POWER AR-SOURCE			
163	I	1	3730557	POWER AR-SOURCE			
164	I	1	3730559	RADIO AR			
165	I	1	3730962	SEAT AR			
166	I	1	3730955	SEAT AR-DRIVER			
167	I	1	3728799	STEERING AR-COL			
168	I	1	3728801	STEERING AR-GEAR			
169	I	1	3728802	STEERING AR-WHEEL			
170	I	1	3730964	SUNSHADE AR			
171	I	1	3727747	SUSPENSION AR-FR			
172	I	1	3730877	SUSPENSION AR-RR			
173	I	1	3730862	SUSPENSION AR-RR			
174	I	1	3729951	SWITCH AR-EXH			
175	I	1	3730576	SWITCH AR-TURN			
176	I	1	3730900	TANK AR-FUEL			
177	I	1	3730971	WHEEL AR-FRONT			
178	I	1	3730998	WHEEL AR-REAR			
179	I	1	3730966	WINDOW AR-POWER			
180	I	1	3730967	WINDOW AR-REAR			
181	I	1	3730968	WINDSHIELD AR			
182	I	1	3730542	WIRING AR-BODY			
183	I	1	3730710	XMSN AR-MANUAL			
184	I	1	3730746	XMSN AR-MANUAL			
185	I	1	3730717	XMSN AR-OIL			
186	I	1	3768874	CLUTCH AR			
187	I	1	3746726	BRAKE AR-AIR FR			
188	I	1	3788407	ENGINE AR-DIESEL			
189	I	1	3788408	EMISSION AR-FED			
190	I	1	3788412	BRAKE AR-FRT PKG			
191	I	1	3788413	BRAKE AR-RR PKG			



Doc. no./Date
20046436 / 12/13/2012
Internal Use Only Custom Quote
Page 9 of 9

Dealer / Office

HOLT TEXAS LTD.
PO Box 207916
78220-7916

Phone : (1) (210) 648-1111

e-mail : Mark.Mims@Holtcat.com

ITEM	AI	QTY	MATERIAL	DESCRIPTION	L/N	LIST PRICE	NET PRICE
192	I	1	3788416	CONT AR-DIFF SW			
193	I	1	3788417	AXLE AR-RR LUB			
194	I	1	3789189	WHEELBASE AR			
195	I	1	3789240	BUZZER AR-WRN			
196	I	1	3779503	CONTROL GP			
200	I	2	0V5120	TIRE - FRONT:7792655412_I		14.04-	
300	I	8	0V5121	TIRE - REAR:7382135420_I		2,123.04	
400	I	1	0V5125	COMMODITIES SURCHARGE			
500	I	1	0V5063	STANDARD FREIGHT CHARGE			1,925.00
600	I	1	0V3948	END USE: NA VOCATIONAL TRUCK			<i>NON-DESL</i>
700	I	1	0V5036	ROLL-ON/ROLL-OFF			
Tops Discount				154,665.75			0.00
Sum All List Price Items						154,665.75	

RECEIVED

APR 09 2013

B & C BODY COMPANY
P.O. BOX 2867
LONGVIEW, TX 75606
214-631-2196

DATE: April 5, 2013
CUSTOMER NAME: HOLT CAT
ADDRESS: 1601 EAST HWY 356
CITY/STATE/ZIP: IRVING, TX 75060
P.O. NUMBER: HC375486
SALESMAN: JIM LEWIS

INVOICE NUMBER 7165

	DESCRIPTION	AMOUNT
1	GALBREATH U75-IO-174 75,000# CAPACITY ROLL-OFF HOIST S/N 13H34434	\$ 35,795.00
1	PIONEER RP4500SARG ADJUSTABLE GANTRY TARPER S/N 22633	

MOUNTED ON :2013 CT660S VIN# 498353

A/c # 130610.22
ID# TRK 01478
VIN# 498353
Price \$ 35,795.⁰⁰
Approval CBA
Date 4/9/13

PAYMENT DUE NET 30
PLEASE REMIT PAYMENT TO ABOVE ADDRESS

FEDERAL EXCISE TAX

SUBTOTAL
STATE SALES TAX
LICENSE & REGISTRATION
TITLE FEE/COUNTY ROAD/BRIDGE

TOTAL PRICE 35,795.00

DEPOSIT ON ORDER
CASH ON DELIVERY 35,795.00

AMOUNT FINANCED

TOTAL PRICE \$ 35,795.00


CUSTOMER ACKNOWLEDGEMENT _____





Zimbra**evangelina.garcia@co.hidalgo.tx.us**

Holt Truck Center - Roll-Off Truck Quote

From : Katia Garcia <katia.garcia@co.hidalgo.tx.us> Thu, Feb 27, 2014 10:28 AM
Subject : Holt Truck Center - Roll-Off Truck Quote  1 attachment
To : Evangelina Garcia
<evangelina.garcia@co.hidalgo.tx.us>
Cc : Rolando Garcia <rolando.garcia@co.hidalgo.tx.us>,
Raul Lozano <raul.lozano@co.hidalgo.tx.us>

Good Morning Ms. Vangie,

Attached please find quote we spoke about this morning. Mr. Lozano is requesting this item be placed for next CC meeting of 3/6/14. Rolando Garcia will be providing us the funding information. Would appreciate if you could please email us the agenda item once you have it so he may have for his reference.

Please let us know if you have any questions or require additional information.

Thank You,

--

Katia Garcia
Accountant
Hidalgo County Pct # 1
1902 Joe Stephens Ave Ste. 101
Weslaco, Tx 78596
956-968-8733 ext. 1022

 **Holt Truck Center - Roll-Off Trucks quote 2.4.14.pdf**
3 MB
