



**AGENDA  
DRAINAGE DISTRICT  
BOARD OF DIRECTORS  
June 3, 2014  
9:00 A.M.**

**NOTICE is hereby given in accordance with Chapter 551, Texas Government Code, that a SPECIAL MEETING of the Drainage District #1 Board of Directors will be held at the Edinburg Council Chambers, 415 W. University Drive, Edinburg, Hidalgo County, Texas. Discussion and possible action relating to the following business will be transacted:**

1. **Roll Call**
2. **Open Forum**
3. **Approval of Consent Agenda**
4. **AI-44727** A. Presentation, discussion and action on the adoption of La Joya Watershed Master Plan.  
B. Presentation, discussion and acceptance of the Mission Inlet existing watershed.
5. **AI-44718** Maintenance & Operations:  
Request Approval of Payment Application No.4 in the amount of \$140,411.70 from Texas Cordia Construction, LLC. as it relates to Contract No. 13-014-11-26 Alamo Expressway Drain Border Crossing Improvements.
6. **AI-44753** 2014 Bond Series  
Discussion and action on Change Order #1 with IPR SC, LLC. as it relates to extension of time on Pct. 2 Rado Drain Re-route project.
7. **AI-44780 2013 BOND SERIES**  
A.) Requesting exemption from competitive bidding requirements under the Texas Local Government Code, Section 262.024 (A) (4) a professional service for engineering services in connection with Hidalgo County Drainage District No.1-Pct. 4 Rural Drainage Development La Blanca Area Drainage Improvements.  
B.) Presentation of scoring grid (for the purpose of ranking by the HCDD1 Board of Directors) of the firms graded and evaluated through the District's approved "Pool" of Engineers in connection with Professional Engineering Services required for Hidalgo County Drainage District No.1-Pct. 4 Rural Drainage Development La Blanca Area Drainage Improvements.

| <b>FIRM NAME:</b>  | <b>SCORE:</b> | <b>RANK:</b> |
|--------------------|---------------|--------------|
| Dos Logistics Inc. | 98            |              |

|                                |    |  |
|--------------------------------|----|--|
| R. Gutierrez Engineering Corp. | 95 |  |
| Cortran Engineering, PLLC      | 92 |  |

C.) Requesting approval for the Hidalgo County Drainage District No.1 to negotiate Agreement for Professional Engineering Services with the number one ranked firm of \_\_\_\_\_; for the provision of Engineering Services required for Hidalgo County Drainage District No.1-Pct.4 Rural Drainage Development La Blanca Area Drainage Improvements.

D.) Requesting approval to execute Payment Direction Agreement as it relates to Construction Contract No.: HCDD1-14-010-05-06-Pct. 2 Seminole Valley Subdivision Area Drainage Improvements.

8. **AI-44807** Requesting approval of Change Order No. 2 as it relates to Construction Contract No.: HCDD1-14-001-01-21 Pct.2 Rural Drainage Development - Northside Village / Hidden Valley Subdivision Area Drainage Improvements. Decrease in the amount of (13,054.96).

9. **Closed Session:**  
Board of Directors may go into Closed Session pursuant to Chapter 551, Texas Government Code, Sections 551.071 & 551.072 to discuss the following:

A. **Real Estate Acquisition**

B. **Pending and/or Potential Litigation**

10. **Open Session:**

A. **Real Estate Acquisition**

B. **Pending and/or Potential Litigation**

11. **Closed Session:**  
Board of Directors may reconvene into Closed Session for the discussion regarding the agenda items listed

12. **Open Session:**  
Board of Directors may reconvene into Open Session for the discussion regarding the agenda items listed

13. **Adjourn**

AI-44727

4.

**DRAINAGE DISTRICT**

**Meeting Date:** 06/03/2014

Submitted By: Sylvia Sanchez, DRAINAGE  
DISTRICT

Department: DRAINAGE DISTRICT

---

Information

CAPTION

- A. Presentation, discussion and action on the adoption of La Joya Watershed Master Plan.
- B. Presentation, discussion and acceptance of the Mission Inlet existing watershed.

BACKGROUND

---

Form Review

| <b>Inbox</b>                    | <b>Reviewed By</b> | <b>Date</b>                     |
|---------------------------------|--------------------|---------------------------------|
| Budget & Management             | Debbie Tamez       | 05/28/2014 09:03 AM             |
| Final Approval                  | Monica Badillo     | 05/30/2014 05:06 PM             |
| Form Started By: Sylvia Sanchez |                    | Started On: 05/27/2014 01:42 PM |
| Final Approval Date: 05/30/2014 |                    |                                 |

AI-44718

5.

**DRAINAGE DISTRICT**

**Meeting Date:** 06/03/2014

Submitted For: Financial Administration

Submitted By: Ana Garcia, DRAINAGE DISTRICT

Department: DRAINAGE DISTRICT

---

Information

CAPTION

Maintenance & Operations:

Request Approval of Payment Application No.4 in the amount of \$140,411.70 from Texas Cordia Construction, LLC. as it relates to Contract No. 13-014-11-26 Alamo Expressway Drain Border Crossing Improvements.

BACKGROUND

---

Attachments

Texas cordia Application no. 1

Form Review

| <b>Inbox</b>                | <b>Reviewed By</b>              | <b>Date</b>                     |
|-----------------------------|---------------------------------|---------------------------------|
| Budget & Management         | Debbie Tamez                    | 05/27/2014 01:30 PM             |
| Final Approval              | Monica Badillo                  | 05/30/2014 05:06 PM             |
| Form Started By: Ana Garcia |                                 | Started On: 05/23/2014 03:59 PM |
|                             | Final Approval Date: 05/30/2014 |                                 |

PMT#4-AED-BCI

PO 624009-R

APPLICATION FOR PMT #4

To: HIDALGO COUNTY DRAINAGE DISTRICT NO. 1 (OWNER)  
 From: Texas Cordia Construction, LLC (CONTRACTOR)  
 Contract: 13-014-11-26  
 Project: Alamo Expressway Drain / Border Crossing Improvements  
 OWNER's Contract No. 13-014-11-26 ENGINEER's Project No. ENG12.005  
 For Work accomplished through the date of: 4/26/2014

|   |                     |                      |
|---|---------------------|----------------------|
| 1. Original Contract Price:                                       |                     | \$ 381,968.40        |
| 2. Net change by Change Orders and Written Agreements (+ or -):   |                     | \$ -                 |
| 3. Current Contract Price (1 plus 2):                             |                     | \$ 381,968.40        |
| 4. Total completed and stored to date:                            |                     | \$ 283,758.40        |
| 5. Retainage (per Agreement):                                     |                     |                      |
| <u>10% of completed Work:</u>                                     | \$ <u>28,375.84</u> |                      |
| <u>10% of stored material:</u>                                    | \$ _____            |                      |
| Total Retainage:  |                     | \$ 28,375.84         |
| 6. Total completed and stored to date less retainage (4 minus 5): |                     | \$ 255,382.56        |
| 7. Less previous Application for Payments:                        |                     | \$ (114,970.86)      |
| 8. Balance to Finish:   |                     | \$ 98,210.00         |
| 9. AMOUNT DUE THIS APPLICATION (6 MINUS 7):                       |                     | \$ <u>140,411.70</u> |

RECEIVED  
HIDALGO COUNTY  
DRAINAGE DISTRICT #1

MAY 06 2014

10:09 AM / PM

BY: Rosa Ace

X 10% Ret.

Accompanying Documentation:

APPLICATION FOR PAYMENT  
 SCHEDULE OF VALUES  
 Estimated Quantity Worksheet  
 LIST OF SUPPLIERS AND SUB CONTRACTORS

PARTIAL WAIVER OF LIENS  
 TxDOT Form 252 Contract Time Statement  
 PAYROLL REPORTS

CONTRACTOR'S Certification:

The undersigned CONTRACTOR certifies that (1) all previous progress payments received from OWNER on account of Work done under the Contract referred to above have been applied on account to discharge CONTRACTOR's legitimate obligations incurred in connection with Work covered by prior Applications for Payment numbered 1 through PMT #4 inclusive; (2) title of all Work, materials and equipment incorporated in said Work or otherwise listed in or covered by this Application for Payment will pass to OWNER at time of payment free and clear of all Liens, security interests and encumbrances (except such as are covered by a Bond acceptable to OWNER indemnifying OWNER against any such Lien, security interest or encumbrance); and (3) all Work covered by this Application for Payment is in accordance with the Contract Documents and not defective.

Dated 5/1/2014

Texas Cordia Construction, LLC

CONTRACTOR

By: [Signature]


State of Texas

County of Hidalgo

Subscribed and sworn to before me this 1st day of May, 2014

Notary Public

My Commission expires: 12/03/17



Payment of the above AMOUNT DUE THIS APPLICATION is recommended.

Dated 5/1/2014

R. GUTIERREZ ENGINEERING CORPORATION

ENGINEER

By: [Signature]

De/As

14-110-433-006-47330-126 = 168,787.54

14-110-20600

28,375.84  
140,411.70



AI-44753

6.

**DRAINAGE DISTRICT**

**Meeting Date:** 06/03/2014

Submitted By: Sylvia Sanchez, DRAINAGE  
DISTRICT

Department: DRAINAGE DISTRICT

---

Information

CAPTION

2014 Bond Series

Discussion and action on Change Order #1 with IPR SC, LLC. as it relates to extension of time on Pct. 2 Rado Drain Re-route project.

BACKGROUND


---

Attachments

CO

Form Review

| <b>Inbox</b>                    | <b>Reviewed By</b>              | <b>Date</b>                     |
|---------------------------------|---------------------------------|---------------------------------|
| Budget & Management             | Debbie Tamez                    | 05/28/2014 01:43 PM             |
| Final Approval                  | Monica Badillo                  | 05/30/2014 05:06 PM             |
| Form Started By: Sylvia Sanchez |                                 | Started On: 05/28/2014 12:57 PM |
|                                 | Final Approval Date: 05/30/2014 |                                 |



TBPE Firm # F-1435  
TBPLS # 10096900

# MELDEN & HUNT INC.

CONSULTANTS • ENGINEERS • SURVEYORS  
FRED L. KURTH • ALLAN F. BOOE • KELLEY A. HELLER-VELA • ROBERT TAMEZ

May 28, 2014

Godfrey Garza, Manager  
Hidalgo County Drainage District No. 1  
902 N. Doolittle Rd  
Edinburg, Texas 78541

RE: Rado Drain

Dear Godfrey:

IPR SC, LLC. (contractor) is requesting an additional 30 calendar days to prepare pipe (EcoCast Application ) for this project. Please be advised of the following information:

|  |               |
|--|---------------|
| Original contract time ends:                     | May 26, 2014  |
| Rain day extension:                              | June 26, 2014 |
| 30 days additional request with Change Order #1: | July 26, 2014 |

If you have additional questions, please contact me at my office at 381-0981

Sincerely,

Fred L. Kurth, P.E.  
President

cc: Attachments

**CONTRACT CHANGE ORDER**

Contract No. 07129.01

Date May 22, 2014

Change Order No. 1

Project: Rado Drain Reroute

To: IPR SC, LLC.

Location Edinburg, Texas

You are hereby requested to comply with the following changes from the contract plans and/or specifications:

| Item No.<br>(1) | Description of Changes- Quantities, Units, Unit Prices, Change in Completion Schedule, Etc.<br>(2) | Decrease in Contract<br>(3) | Increase in Contract<br>(4) |
|-----------------|--|-----------------------------|-----------------------------|
| 1               | Extension of contract time add 30 days   |                             | 0                           |
|                 |  |                             |                             |
|                 |  |                             |                             |
|                 |  |                             |                             |
|                 |  |                             |                             |
|                 | Total Increase   |                             | 0                           |
|                 | Net Increase in Contract Price   |                             | 0                           |

The sum of **\$0.00** is hereby **added** to the total contract price of **\$5,600,044.80** and the total adjusted contract price to date thereby is not changed. The time for completion of the contract is 180 calendar days + 30 calendar days (rain days) + 30 calendar days (additional time to prepare pipe) = 240 calendar days extending contract time to July 26, 2014. This document shall become an amendment to the contract and all provisions of the contract will apply hereto.

Accepted by: \_\_\_\_\_  
**IPR SC, LLC.**


Date: \_\_\_\_\_

Recommended by: \_\_\_\_\_  
**Melden and Hunt, Inc.**

Date: \_\_\_\_\_

Approved by: \_\_\_\_\_  
**HCDD #1**

Date: \_\_\_\_\_



TBPE Firm # F-1435  
TBPLS # 10096900

# MELDEN & HUNT INC.

CONSULTANTS • ENGINEERS • SURVEYORS  
FRED L. KURTH • ALLAN F. BOOE • KELLEY A. HELLER-VELA • ROBERT TAMEZ

May 15, 2014

Godfrey Garza, Manager  
Hidalgo County Drainage District No. 1  
902 N. Doolittle Rd  
Edinburg, Texas 78541

RE: Rado Drain

Dear Godfrey:

IPR has requested 30 days for rain day allowance. After checking our inspectors logs and the calendars that were received from IPR, we agree with this request. Therefore, the contract time will change from May 27, 2014 to June 26, 2014.

Sincerely,

Fred L. Kurth, P.E.  
President

FLK:cs

Attachments



5/12/2014

Attn: Fred Kurth  
Melden & Hunt Inc.  
115 West McIntyre  
Edinburg, Texas 78541

RE: Hidalgo County Drainage District # 1 RADO Drain Reroute Rehab Project - Extension of Contract Days Request

Mr. Kurth,

Inland Pipe Rehab South Central is requesting an extension of contract days for the above mentioned project. The extension IPR SC is requesting is 30 days, reasoning of request is due to bad weather days.





























Weather days that effected production is as follows , also see attached:

Feb. - 10, 11, 14, 24, 26, 27  
March- 3,4,5,8,9,10,16,19,20,23,24,26,27  
April- 4, 6,14,17,21  
May- 7, 8, 9,10,13,14














Regards,

A handwritten signature in cursive script, appearing to read "Gerald Hoffpaur".

Gerald Hoffpaur – Sr. Project Manager IPR SC

| « Previous Month   | « 2013   | February 2014  |  |   |  | 2015 »   | Next Month » |
|--|--|--|--|---|--|--|--------------|
| Sunday   | Monday   | Tuesday  | Wednesday  | Thursday  | Friday   | Saturday   |              |
| <b>6 DAYS</b>  |  |  |  |   |  | <b>1</b> <br>Actual: 80   66<br>Precip: 0.00<br>Average: 73   52<br>Precip: 0.05  |              |
| <b>2</b> <br>Actual: 79   49<br>Precip: 0.00<br>Average: 73   52<br>Precip: 0.04    | <b>3</b> <br>Actual: 64   45<br>Precip: 0.01<br>Average: 73   52<br>Precip: 0.05    | <b>4</b> <br>Actual: 67   44<br>Precip: 0.00<br>Average: 73   52<br>Precip: 0.04  | <b>5</b> <br>Actual: 59   41<br>Precip: 0.00<br>Average: 73   53<br>Precip: 0.05    | <b>6</b> <br>Actual: 50   34<br>Precip: 0.01<br>Average: 74   53<br>Precip: 0.04    | <b>7</b> <br>Actual: 40   33<br>Precip: T<br>Average: 74   53<br>Precip: 0.04       | <b>8</b> <br>Actual: 60   40<br>Precip: 0.00<br>Average: 74   53<br>Precip: 0.04  |              |
| <b>9</b> <br>Actual: 75   53<br>Precip: 0.00<br>Average: 74   53<br>Precip: 0.04    | <b>10</b> <br>Actual: 83   48<br>Precip: 0.01<br>Average: 74   53<br>Precip: 0.03   | <b>11</b> <br>Actual: 48   40<br>Precip: 0.01<br>Average: 74   54<br>Precip: 0.05 | <b>12</b> <br>Actual: 63   37<br>Precip: 0.00<br>Average: 75   54<br>Precip: 0.04   | <b>13</b> <br>Actual: 73   38<br>Precip: 0.00<br>Average: 75   54<br>Precip: 0.05   | <b>14</b> <br>Actual: 86   49<br>Precip: 0.00<br>Average: 75   54<br>Precip: 0.05   | <b>15</b> <br>Actual: 80   56<br>Precip: 0.00<br>Average: 75   54<br>Precip: 0.04 |              |
| <b>16</b> <br>Actual: 84   64<br>Precip: 0.00<br>Average: 76   54<br>Precip: 0.05   | <b>17</b> <br>Actual: 87   65<br>Precip: 0.00<br>Average: 76   55<br>Precip: 0.04   | <b>18</b> <br>Actual: 85   66<br>Precip: 0.00<br>Average: 76   55<br>Precip: 0.04 | <b>19</b> <br>Actual: 85   67<br>Precip: 0.00<br>Average: 76   55<br>Precip: 0.03   | <b>20</b> <br>Actual: 90   69<br>Precip: 0.00<br>Average: 76   55<br>Precip: 0.03   | <b>21</b> <br>Actual: 77   57<br>Precip: 0.00<br>Average: 76   55<br>Precip: 0.04   | <b>22</b> <br>Actual: 80   59<br>Precip: 0.00<br>Average: 77   56<br>Precip: 0.03 |              |
| <b>23</b> <br>Actual: 82   68<br>Precip: 0.00<br>Average: 77   56<br>Precip: 0.03 | <b>24</b> <br>Actual: 78   69<br>Precip: 0.14<br>Average: 77   56<br>Precip: 0.03 | <b>25</b> <br>Actual: 82   70<br>Precip: T<br>Average: 77   56<br>Precip: 0.03  | <b>26</b> <br>Actual: 73   46<br>Precip: 0.02<br>Average: 77   56<br>Precip: 0.04 | <b>27</b> <br>Actual: 61   42<br>Precip: 0.02<br>Average: 78   57<br>Precip: 0.03 | <b>28</b> <br>Actual: 88   48<br>Precip: 0.00<br>Average: 78   57<br>Precip: 0.04 |  |              |
| Month Precipitation - Actual month total: 0.22 Normal month total: 1.11  |  |  |  |   |  |  |              |

Calendar Key

|   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|
|  |  | Mostly Cloudy   |  |  |  |  |
| Sunny Clear   | Sunny   | Partly  | Mostly Sunny Partly Cloudy  | Cloudy  | Rain  | Snow  |
|  |  |  |  |  |  |  |
| Hail Flurries   | Thunderstorms   | Hazy Fog  | Sleet   | denotes 'chance of'   | Unknown   |   |

|   |  |
|---|--|
| <b>Actual:</b> 90   58<br><b>Precip:</b> 0.00<br><b>Average:</b> 71   53<br><b>Precip:</b> 0.03 | Data Category<br>Condition<br>High Temp.<br>Lo Temp.<br>Precip. (in inches)<br>Daily Avg. Temp.<br>Temps in °F<br>-60 -30 0 30 60 90 120 |
|---|--|

| « Previous Month  | « 2013  | March 2014  |   |   |   | 2015 »  | Next Month » |
|---|---|---|---|---|---|---|--------------|
| Sunday  | Monday  | Tuesday   | Wednesday   | Thursday  | Friday  | Saturday  |              |
| <b>13 DAYS</b>  |   |   |   |   |   | 1<br>Actual: 80   64<br>Precip: T<br>Average: 78   57<br>Precip: 0.04     |              |
| 2<br>Actual: 90   55<br>Precip: 0.00<br>Average: 78   57<br>Precip: 0.04  | 3<br>Actual: 54   36<br>Precip: 0.02<br>Average: 79   57<br>Precip: 0.04  | 4<br>Actual: 49   38<br>Precip: T<br>Average: 79   58<br>Precip: 0.04     | 5<br>Actual: 62   46<br>Precip: T<br>Average: 79   58<br>Precip: 0.04     | 6<br>Actual: 72   48<br>Precip: 0.00<br>Average: 79   58<br>Precip: 0.03  | 7<br>Actual: 73   45<br>Precip: 0.00<br>Average: 80   58<br>Precip: 0.04  | 8<br>Actual: 82   64<br>Precip: 0.04<br>Average: 80   58<br>Precip: 0.03  |              |
| 9<br>Actual: 64   49<br>Precip: 0.72<br>Average: 80   58<br>Precip: 0.04  | 10<br>Actual: 58   50<br>Precip: 0.12<br>Average: 80   59<br>Precip: 0.03 | 11<br>Actual: 86   55<br>Precip: 0.00<br>Average: 81   59<br>Precip: 0.03 | 12<br>Actual: 73   56<br>Precip: 0.00<br>Average: 81   59<br>Precip: 0.03 | 13<br>Actual: 72   51<br>Precip: 0.00<br>Average: 77   58<br>Precip: 0.05 | 14<br>Actual: 81   54<br>Precip: 0.00<br>Average: 81   59<br>Precip: 0.03 | 15<br>Actual: 84   63<br>Precip: 0.00<br>Average: 82   60<br>Precip: 0.02 |              |
| 16<br>Actual: 74   58<br>Precip: 0.03<br>Average: 82   60<br>Precip: 0.03 | 17<br>Actual: 75   46<br>Precip: 0.00<br>Average: 82   60<br>Precip: 0.03 | 18<br>Actual: 84   53<br>Precip: 0.00<br>Average: 82   60<br>Precip: 0.03 | 19<br>Actual: 81   61<br>Precip: 0.07<br>Average: 83   60<br>Precip: 0.02 | 20<br>Actual: 78   66<br>Precip: T<br>Average: 83   61<br>Precip: 0.03    | 21<br>Actual: 80   60<br>Precip: 0.00<br>Average: 83   61<br>Precip: 0.04 | 22<br>Actual: 81   70<br>Precip: T<br>Average: 83   61<br>Precip: 0.03    |              |
| 23<br>Actual: 81   57<br>Precip: T<br>Average: 84   61<br>Precip: 0.04    | 24<br>Actual: 62   51<br>Precip: 0.02<br>Average: 84   61<br>Precip: 0.04 | 25<br>Actual: 71   57<br>Precip: T<br>Average: 84   62<br>Precip: 0.04    | 26<br>Actual: 71   60<br>Precip: 0.15<br>Average: 84   62<br>Precip: 0.03 | 27<br>Actual: 83   68<br>Precip: T<br>Average: 84   62<br>Precip: 0.04    | 28<br>Actual: 98   68<br>Precip: 0.00<br>Average: 85   62<br>Precip: 0.03 | 29<br>Actual: 85   63<br>Precip: 0.00<br>Average: 85   62<br>Precip: 0.04 |              |
| 30<br>Actual: 83   60<br>Precip: 0.00<br>Average: 85   63<br>Precip: 0.02 | 31<br>Actual: 87   64<br>Precip: 0.00<br>Average: 85   63<br>Precip: 0.03 |   |   |   |   |   |              |
| Month Precipitation - Actual month total: 1.17 Normal month total: 1.03   |   |   |   |   |   |   |              |

**Calendar Key**

|  |  |               |  |              |  |      |  |
|--|--|---------------|--|--------------|--|------|--|
|  |  | Mostly Cloudy |  | Mostly Sunny |  | Rain |  |
|  |  | Hazy          |  |              |  |      |  |

|   |  |
|---|--|
| <b>Actual:</b> 90   58<br><b>Precip:</b> 0.00<br><b>Average:</b> 71   53<br><b>Precip:</b> 0.03 | <br>Data Category<br>Condition<br>High Temp.<br>Lo Temp.<br>Precip. (In inches)<br>Daily Avg. Temp.<br>Temp. In °F |
|---|--|





















| « Previous Month  | « 2013  | April 2014  |  |  |  | 2015 »   | Next Month » |
|---|---|---|--|--|--|--|--------------|
| Sunday  | Monday  | Tuesday   | Wednesday  | Thursday   | Friday   | Saturday   |              |
| <b>5 DAYS</b>   |   | <b>1</b><br>Actual: 83   71<br>Precip: 0.00<br>Average: 85   63<br>Precip: 0.03   | <b>2</b><br>Actual: 94   72<br>Precip: 0.00<br>Average: 86   63<br>Precip: 0.02  | <b>3</b><br>Actual: 99   73<br>Precip: 0.00<br>Average: 86   63<br>Precip: 0.03  | <b>4</b><br>Actual: 81   69<br>Precip: 0.01<br>Average: 86   64<br>Precip: 0.04  | <b>5</b><br>Actual: 71   65<br>Precip: T<br>Average: 86   64<br>Precip: 0.03     |              |
| <b>6</b><br>Actual: 80   63<br>Precip: T<br>Average: 86   64<br>Precip: 0.03      | <b>7</b><br>Actual: 87   54<br>Precip: 0.02<br>Average: 86   64<br>Precip: 0.03   | <b>8</b><br>Actual: 88   56<br>Precip: 0.00<br>Average: 86   64<br>Precip: 0.03   | <b>9</b><br>Actual: 88   54<br>Precip: 0.00<br>Average: 86   65<br>Precip: 0.03  | <b>10</b><br>Actual: 87   64<br>Precip: 0.00<br>Average: 87   65<br>Precip: 0.04 | <b>11</b><br>Actual: 89   65<br>Precip: 0.00<br>Average: 87   65<br>Precip: 0.04 | <b>12</b><br>Actual: 86   70<br>Precip: 0.00<br>Average: 87   65<br>Precip: 0.04 |              |
| <b>13</b><br>Actual: 91   73<br>Precip: 0.00<br>Average: 87   65<br>Precip: 0.04  | <b>14</b><br>Actual: 87   68<br>Precip: T<br>Average: 87   66<br>Precip: 0.04     | <b>15</b><br>Actual: 72   48<br>Precip: 0.00<br>Average: 87   66<br>Precip: 0.04  | <b>16</b><br>Actual: 78   44<br>Precip: 0.00<br>Average: 87   66<br>Precip: 0.05 | <b>17</b><br>Actual: 77   63<br>Precip: T<br>Average: 87   66<br>Precip: 0.04    | <b>18</b><br>Actual: 78   62<br>Precip: 0.00<br>Average: 87   67<br>Precip: 0.05 | <b>19</b><br>Actual: 82   61<br>Precip: 0.00<br>Average: 88   67<br>Precip: 0.06 |              |
| <b>20</b><br>Actual: 80   69<br>Precip: 0.00<br>Average: 88   67<br>Precip: 0.05  | <b>21</b><br>Actual: 81   68<br>Precip: T<br>Average: 88   67<br>Precip: 0.05     | <b>22</b><br>Actual: 89   71<br>Precip: T<br>Average: 88   67<br>Precip: 0.05     | <b>23</b><br>Actual: 89   68<br>Precip: 0.00<br>Average: 88   68<br>Precip: 0.06 | <b>24</b><br>Actual: 95   71<br>Precip: 0.00<br>Average: 88   68<br>Precip: 0.06 | <b>25</b><br>Actual: 90   72<br>Precip: 0.00<br>Average: 88   68<br>Precip: 0.06 | <b>26</b><br>Actual: 95   72<br>Precip: 0.00<br>Average: 88   68<br>Precip: 0.06 |              |
| <b>27</b><br>Actual: 107   76<br>Precip: 0.00<br>Average: 88   69<br>Precip: 0.06 | <b>28</b><br>Actual: 103   72<br>Precip: 0.00<br>Average: 89   69<br>Precip: 0.06 | <b>29</b><br>Actual: 102   67<br>Precip: 0.00<br>Average: 89   69<br>Precip: 0.06 | <b>30</b><br>Actual: 84   64<br>Precip: 0.00<br>Average: 89   69<br>Precip: 0.06 |  |  |  |              |

Month Precipitation - Actual month total: 0.03 Normal month total: 1.34

Calendar Key














|       |       |               |               |              |  |        |  |                     |  |         |
|-------|-------|---------------|---------------|--------------|--|--------|--|---------------------|--|---------|
|       |       | Mostly Cloudy |               | Partly Sunny |  | Cloudy |  | Rain                |  | Snow    |
| Clear | Sunny |               | Partly Cloudy |              |  |        |  |                     |  |         |
|       |       | Thunderstorms |               | Hazy         |  | Sleet  |  | denotes 'chance of' |  | Unknown |








|   |  |
|---|--|
| Actual: 90   58<br>Precip: 0.00<br>Average: 71   53<br>Precip: 0.03 | Data Category<br>Condition<br>High Temp.<br>Lo Temp.<br>Precip. (in inches)<br>Daily Avg. Temp.<br>Temps in °F |
|---|--|

| « Previous Month  | « 2013  | May 2014   |  |  |   | 2015 »  | Next Month » |
|---|---|--|--|--|---|---|--------------|
| Sunday  | Monday  | Tuesday  | Wednesday  | Thursday   | Friday  | Saturday  |              |
| <b>6 DAYS</b>   |   |  |  | <b>1</b> <br>Actual: 79   64<br>Precip: 0.00<br>Average: 89   69<br>Precip: 0.08 | <b>2</b> <br>Actual: 82   59<br>Precip: T<br>Average: 89   70<br>Precip: 0.07    | <b>3</b> <br>Actual: 88   65<br>Precip: 0.00<br>Average: 89   70<br>Precip: 0.06     |              |
| <b>4</b> <br>Actual: 87   54<br>Precip: 0.00<br>Average: 89   70<br>Precip: 0.07     | <b>5</b> <br>Actual: 87   63<br>Precip: 0.00<br>Average: 90   70<br>Precip: 0.08     | <b>6</b> <br>Actual: 91   69<br>Precip: 0.00<br>Average: 90   70<br>Precip: 0.07    | <b>7</b> <br>Actual: 88   74<br>Precip: 0.01<br>Average: 90   71<br>Precip: 0.08  | <b>8</b> <br>Actual: 88   78<br>Precip: T<br>Average: 90   71<br>Precip: 0.07    | <b>9</b> <br>Actual: 94   70<br>Precip: 0.26<br>Average: 90   71<br>Precip: 0.07 | <b>10</b> <br>Actual: 92   66<br>Precip: 0.00<br>Average: 90   71<br>Precip: 0.07    |              |
| <b>11</b> <br>Actual: 93   72<br>Precip: 0.00<br>Average: 91   71<br>Precip: 0.07    | <b>12</b> <br>Actual: 93   79<br>Precip: T<br>Average: 91   72<br>Precip: 0.07       | <b>13</b> <br>Actual: 80   63<br>Precip: 0.23<br>Average: 91   72<br>Precip: 0.08   | <b>14</b> <br>Actual: 63   62<br>Precip: 0.00<br>Average: 90   69<br>Precip: 0.03 | <b>15</b> <br>Forecast: 86   56<br>Clear<br>Average: 91   72<br>Precip: 0.08     | <b>16</b> <br>Forecast: 88   63<br>Clear<br>Average: 92   72<br>Precip: 0.08     | <b>17</b> <br>Forecast: 88   68<br>Partly Cloudy<br>Average: 92   72<br>Precip: 0.08 |              |
| <b>18</b> <br>Forecast: 90   70<br>Partly Cloudy<br>Average: 92   73<br>Precip: 0.07 | <b>19</b> <br>Forecast: 92   70<br>Partly Cloudy<br>Average: 92   73<br>Precip: 0.07 | <b>20</b> <br>Forecast: 88   -<br>Partly Cloudy<br>Average: 93   73<br>Precip: 0.07 | <b>21</b><br>Record: 100   63<br>Precip: 1.09<br>Average: 93   73<br>Precip: 0.07  | <b>22</b><br>Record: 101   60<br>Precip: 1.66<br>Average: 93   73<br>Precip: 0.07  | <b>23</b><br>Record: 103   60<br>Precip: 0.65<br>Average: 93   73<br>Precip: 0.06   | <b>24</b><br>Record: 99   59<br>Precip: 2.85<br>Average: 93   74<br>Precip: 0.07  |              |
| <b>25</b><br>Record: 101   59<br>Precip: 0.97<br>Average: 94   74<br>Precip: 0.08   | <b>26</b><br>Record: 100   63<br>Precip: 1.22<br>Average: 94   74<br>Precip: 0.07   | <b>27</b><br>Record: 99   63<br>Precip: 1.84<br>Average: 94   74<br>Precip: 0.07   | <b>28</b><br>Record: 104   60<br>Precip: 2.10<br>Average: 94   74<br>Precip: 0.08  | <b>29</b><br>Record: 102   66<br>Precip: 1.50<br>Average: 94   74<br>Precip: 0.08  | <b>30</b><br>Record: 103   63<br>Precip: 2.10<br>Average: 95   74<br>Precip: 0.07   | <b>31</b><br>Record: 102   59<br>Precip: 1.20<br>Average: 95   75<br>Precip: 0.09   |              |

Month Precipitation - To date: 0.50 Normal to date: 0.36 Normal month total: 2.25

Calendar Key

|   |   |   |   |   |   |  |
|---|---|---|---|---|---|--|
|  |  |  |  |  |  |  |
| Sunny<br>Clear  | Mostly<br>Cloudy  | Partly<br>Sunny   | Mostly<br>Sunny   | Cloudy  | Rain  | Snow   |
|  |  |  |  |  |  |  |
| Hail<br>Flurries  | Thunderstorms   | Hazy<br>Fog   | Sleet   | denotes<br>'chance of'  | Unknown   |  |

|   |  |
|---|--|
| <b>Actual:</b> 90   58<br><b>Precip:</b> 0.00<br><b>Average:</b> 71   53<br><b>Precip:</b> 0.03 | <br>Data Category       |
|   | <br>Condition           |
|   | <br>High Temp.          |
|   | <br>Lo Temp.            |
|   | <br>Precip. (in Inches) |
|   | <br>Daily Avg. Temp.    |
|   | <br>Temps in "F"        |
|   | 60 90 0 30 60 90 120   |

AI-44780

7.

**DRAINAGE DISTRICT**

**Meeting Date:** 06/03/2014

Submitted By: Jaime Salazar, DRAINAGE DISTRICT

Department: DRAINAGE DISTRICT

Information

CAPTION

**2013 BOND SERIES**

A.) Requesting exemption from competitive bidding requirements under the Texas Local Government Code, Section 262.024 (A) (4) a professional service for engineering services in connection with Hidalgo County Drainage District No.1-Pct. 4 Rural Drainage Development La Blanca Area Drainage Improvements.

B.) Presentation of scoring grid (for the purpose of ranking by the HCDD1 Board of Directors) of the firms graded and evaluated through the District's approved "Pool" of Engineers in connection with Professional Engineering Services required for Hidalgo County Drainage District No.1-Pct. 4 Rural Drainage Development La Blanca Area Drainage Improvements.

| <b>FIRM NAME:</b>              | <b>SCORE:</b> | <b>RANK:</b> |
|--------------------------------|---------------|--------------|
| Dos Logistics Inc.             | 98            |              |
| R. Gutierrez Engineering Corp. | 95            |              |
| Cortran Engineering, PLLC      | 92            |              |

C.) Requesting approval for the Hidalgo County Drainage District No.1 to negotiate Agreement for Professional Engineering Services with the number one ranked firm of \_\_\_\_\_; for the provision of Engineering Services required for Hidalgo County Drainage District No.1-Pct.4 Rural Drainage Development La Blanca Area Drainage Improvements.

D.) Requesting approval to execute Payment Direction Agreement as it relates to Construction Contract No.: HCDD1-14-010-05-06-Pct. 2 Seminole Valley Subdivision Area Drainage Improvements.

BACKGROUND

Attachments

Payment Direction Agreement

Form Review

**Inbox**  
Budget & Management  
Final Approval

Form Started By: Jaime Salazar

**Reviewed By**  
Debbie Tamez  
Monica Badillo

Final Approval Date: 05/30/2014

**Date**  
05/30/2014 11:31 AM  
05/30/2014 05:06 PM  
Started On: 05/29/2014 01:51 PM





**EXHIBIT B**

**PAYMENT DIRECTION AGREEMENT**

This PAYMENT DIRECTION AGREEMENT (hereinafter "Agreement") is entered into this 27<sup>th</sup> day of May, 2014, between **RDH Site and Concrete, LLC** ("Contractor") and **Hidalgo County Drainage District No. 1** ("Obligee").

**RECITALS**

A. Contractor and Obligee have entered into a construction and services contract dated May 16th 2014, (as the same may be modified, supplemented or amended from time to time, the "Contract") relating to that certain project (the "Project") described on the schedule attached hereto as Exhibit A (the "Project Fact Sheet").

B. Contractor has selected Philadelphia Indemnity Insurance Company ("PIIC") to provide surety bonds as required by Obligee under the Contract.

C. In connection with its issuance of the Bonds, PIIC and Contractor have agreed that Maguire Insurance Agency Inc., underwriting manager for PIIC, will direct the disbursement, from an escrow account, of all monies paid by Obligee under the Contract.

E. In furtherance of the foregoing disbursement arrangement, the parties hereto desire to direct all payments made by Obligee under the Contract to the Escrow Agent described herein.

NOW THEREFORE, in consideration of the preceding recitals, and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, Contractor and Obligee agrees as follows:

Contractor hereby authorized and directs Obligee to remit, and Obligee hereby agrees to remit, all payments due to Contractor under the Contract directly to Bank of America Merrill Lynch, Global Custody and Agency Services, located at 135 South LaSalle Street Ste 1400, IL4-135-14-01, Chicago, Illinois 60603, attn: Valerie Opperman (312) 992-5771 ("Escrow Agent"), including, without limitation, any and all amounts now due, scheduled to become due in the future, or which become due on account of any increases in or amendments, additions, supplements, extensions, extras, change orders, additional work or other additional matters relating to the Contract (collectively the "Contract Payments").

1. Nothing contained in this Agreement shall prevent the Obligee from withholding payment to Escrow Agent of any amounts Obligee is entitled to withhold from Contractor by virtue of terms of the Contract or applicable law.



**PHILADELPHIA  
INSURANCE COMPANIES**

A Member of the Tokio Marine Group

---

2. This Agreement shall inure to the benefit of and be binding upon the parties successors and permitted assigns.

IN WITNESS WHEREOF, the parties hereto have executed and delivered, or caused to be executed and delivered, this Agreement as of the date first written above.

OBLIGEE:

**HIDALGO COUNTY DRAINAGE DISTRICT NO. 1**

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_

CONTRACTOR:

**RDH SITE AND CONCRETE, LLC**

Signature: \_\_\_\_\_

Name: Diavalyn De Hoyos

Title: General Manager

Date: 5/29/14

AI-44807

8.

**DRAINAGE DISTRICT**

**Meeting Date:** 06/03/2014

Submitted By: Jaime Salazar, DRAINAGE  
DISTRICT

Department: DRAINAGE DISTRICT

---

Information

CAPTION

Requesting approval of Change Order No. 2 as it relates to Construction Contract No.:  
HCDD1-14-001-01-21 Pct.2 Rural Drainage Development - Northside Village / Hidden Valley  
Subdivision Area Drainage Improvements. Decrease in the amount of (13,054.96).

BACKGROUND

---

Attachments

Change Order No. 2

Form Review

| <b>Inbox</b>                   | <b>Reviewed By</b>              | <b>Date</b>                     |
|--------------------------------|---------------------------------|---------------------------------|
| Budget & Management            | Debbie Tamez                    | 05/30/2014 02:19 PM             |
| Final Approval                 | Monica Badillo                  | 05/30/2014 05:06 PM             |
| Form Started By: Jaime Salazar |                                 | Started On: 05/30/2014 01:08 PM |
|                                | Final Approval Date: 05/30/2014 |                                 |

**CHANGE ORDER NUMBER TWO (2)**

PROJECT: PCT2 Rural Drainage Development - Northside Village / Hidden Valley Subd Area Drainage Improvements

DATE OF ISSUANCE: \_\_\_\_\_ EFFECTIVE DATE: \_\_\_\_\_

OWNER: Hidalgo County Drainage District No. 1

CONTRACTOR: Rojas Consturction & Paving, LLC ENGINEER: R. Gutierrez Engineering Corporation  
1005 E. Expressway 83 130 E. Park Ave.  
Alamo, Texas 78516 Pharr, TX 78577

You are directed to make the following changes in the Contract Documents.

**Description:**

1. Reduce: Cut & Restore Pavment (Hot Mix & Oil) to 80 SY
2. Reduce: Reinforced Concrete Pipe (18in CL III SPL) to 45 LF
3. Reduce: Inlet Complete (Ty C) to 1 EA
4. Increase: Reinforced Concrete pipe (30in CL III SPL) to 45 LF
5. Increase: Inlet Complete (Ty CC) to 1 EA
6. Add: Cut & Restore Pavement (without HMAc) 1308 SY
7. - 8. Additional 34 days for NAWSC delays and Rain or Too Wet to work conditions

**Reason:**

1. Items added to facilitate improvements for Gearhart Drive
2. Items added to facilitate improvements for Gearhart Drive
3. Items added to facilitate improvements for Gearhart Drive
4. Items added to facilitate improvements for Gearhart Drive
5. Items added to facilitate improvements for Gearhart Drive
6. Items added to facilitate improvements for Gearhart Drive
7. 20 additional days for delay caused by NAWSC water pipeline conflicts
8. 14 additional days for rain or too wet to work days

**Attachments:**

| Change in Contract Price:                               |                | CHANGE IN CONTRACT TIME:                      |  |
|---|----------------|---|--|
| Original Contract Price                                 | \$ 693,763.81  | Original Contract Time for                    |  |
| Net Changes from previous Change Order                  | \$ 43,800.00   | Substantial Completion:                       | 60<br><small>calendar days or dates</small>  |
| Contract Price prior to this Change Order               | \$ 737,563.81  | Net change from previous Change Orders        | 15<br><small>calendar days</small>           |
| Net Increase (decrease) of this Change Order            | \$ (13,054.96) | Contract Time prior to this Change Order      |  |
| Contract Price with all approved Change Orders          | \$ 724,508.85  | Substantial Completion:                       | 75<br><small>calendar days or dates</small>  |
| Net % increase (decrease) from original contract price. | 4.40 %         | Net Increase (decrease) of this Change Order  | 34<br><small>calendar days</small>           |
|   |                | Contract Time with all approved Change Orders |  |
|   |                | Substantial Completion:                       | 109<br><small>calendar days or dates</small> |

**RECOMMENDED:**  
 By: \_\_\_\_\_  
Engineer (Authorized Signature)  
 Date: 05/29/2014

**APPROVED:**  
 By: \_\_\_\_\_  
Owner (Authorized Signature)  
 Date: \_\_\_\_\_

**ACCEPTED:**  
  
 By: \_\_\_\_\_  
Contractor (Authorized Signature)  
 Date: 5/28/14

CHANGE ORDER NO. 2 TABULATION

PCT2 Rural Drainage Development - Northside Village / Hidden Valley Subd Area Drainage Improvements

| Item Number                                     | Original Plan Quantity | Change Order #1 Quantities | Change Order #2 Quantities | Unit | Item Description   | Unit Price | Revised Unit Price | Original Contract Cost | Change in Contract Cost of C.O.#1 | Revised Contract Cost after C.O.#1 | Change in Contract Cost of C.O.#2 | Revised Contract Cost after C.O.#2 |
|---|------------------------|----------------------------|----------------------------|------|--|------------|--------------------|------------------------|-----------------------------------|------------------------------------|-----------------------------------|------------------------------------|
| <b>HIDDEN VALLEY SUBDIVISION AREA</b>           |                        |                            |                            |      |  |            |                    |                        |                                   |                                    |                                   |                                    |
| 1   | 8.00                   | 8.00                       | 8.00                       | EA   | Preparation R.O.W. (Trees) (Dia. Varies)                 | 1,200.00   | \$ 1,200.00        | \$ 9,600.00            | \$ -                              | 9,600.00                           | \$ -                              | 9,600.00                           |
| 2   | 2,415.00               | 2,415.00                   | 2,415.00                   | SY   | Cellulose Fiber Mulch Seeding (Permanent) (Rural) (Clay) | 1.25       | \$ 1.25            | \$ 3,018.75            | \$ -                              | 3,018.75                           | \$ -                              | 3,018.75                           |
| 3   | 26.90                  | 26.90                      | 26.90                      | MG   | Vegetated Watering                                       | 150.00     | \$ 150.00          | \$ 4,035.00            | \$ -                              | 4,035.00                           | \$ -                              | 4,035.00                           |
| 4   | 1,780.00               | 1,780.00                   | 1,780.00                   | LF   | Trench Excavation Protection                             | 1.75       | \$ 1.75            | \$ 3,115.00            | \$ -                              | 3,115.00                           | \$ -                              | 3,115.00                           |
| 5   | 19.00                  | 19.00                      | 19.00                      | CY   | Concrete Riprap (CL B) (5")                              | 385.00     | \$ 385.00          | \$ 7,315.00            | \$ -                              | 7,315.00                           | \$ -                              | 7,315.00                           |
| 6   | 64.00                  | 64.00                      | 64.00                      | LF   | Concrete Box Culvert (7-Ft x 3-Ft)                       | 401.31     | \$ 401.31          | \$ 25,683.84           | \$ -                              | 25,683.84                          | \$ -                              | 25,683.84                          |
| 7   | 12.00                  | 12.00                      | 12.00                      | LF   | Reinforced Concrete Pipe (24-IN) (CL III) (SPL)          | 38.00      | \$ 38.00           | \$ 456.00              | \$ -                              | 456.00                             | \$ -                              | 456.00                             |
| 8   | 320.00                 | 320.00                     | 320.00                     | LF   | Reinforced Concrete Pipe (36-IN) (CL III) (SPL)          | 70.00      | \$ 70.00           | \$ 22,400.00           | \$ -                              | 22,400.00                          | \$ -                              | 22,400.00                          |
| 9   | 316.00                 | 316.00                     | 316.00                     | LF   | Reinforced Concrete Pipe (42-IN) (CL III) (SPL)          | 85.00      | \$ 85.00           | \$ 26,860.00           | \$ -                              | 26,860.00                          | \$ -                              | 26,860.00                          |
| 10  | 1,076.00               | 1,076.00                   | 1,076.00                   | LF   | Reinforced Concrete Pipe (54-IN) (CL III) (SPL)          | 115.00     | \$ 115.00          | \$ 123,740.00          | \$ -                              | 123,740.00                         | \$ -                              | 123,740.00                         |
| 11  | 2.00                   | 2.00                       | 2.00                       | EA   | Inlet (Complete) (Ty M)                                  | 3,800.00   | \$ 3,800.00        | \$ 7,600.00            | \$ -                              | 7,600.00                           | \$ -                              | 7,600.00                           |
| 12  | 2.00                   | 2.00                       | 2.00                       | EA   | Inlet (Complete) (Ty M w/Grate)                          | 3,800.00   | \$ 3,800.00        | \$ 7,600.00            | \$ -                              | 7,600.00                           | \$ -                              | 7,600.00                           |
| 13  | 1.00                   | 1.00                       | 1.00                       | EA   | Junction Box (10-ft x 5-ft)                              | 10,500.00  | \$ 10,500.00       | \$ 10,500.00           | \$ -                              | 10,500.00                          | \$ -                              | 10,500.00                          |
| 14  | 78.00                  | 78.00                      | 78.00                      | SY   | Construction Exit (Ty II) (Install)                      | 20.00      | \$ 20.00           | \$ 1,560.00            | \$ -                              | 1,560.00                           | \$ -                              | 1,560.00                           |
| 15  | 78.00                  | 78.00                      | 78.00                      | SY   | Construction Exit (Ty II) (Remove)                       | 15.00      | \$ 15.00           | \$ 1,170.00            | \$ -                              | 1,170.00                           | \$ -                              | 1,170.00                           |
| 16  | 78.00                  | 78.00                      | 78.00                      | LF   | Temporary Sediment Control Fence                         | 3.50       | \$ 3.50            | \$ 273.00              | \$ -                              | 273.00                             | \$ -                              | 273.00                             |
| 17  | 20.00                  | 20.00                      | 20.00                      | LF   | RC Low Head Pressure Pipe (CL III) (16")                 | 50.00      | \$ 50.00           | \$ 1,000.00            | \$ -                              | 1,000.00                           | \$ -                              | 1,000.00                           |
| 18  | 24.00                  | 24.00                      | 24.00                      | LF   | Biodegradable Erosion Control Logs (12" Dia)             | 20.00      | \$ 20.00           | \$ 480.00              | \$ -                              | 480.00                             | \$ -                              | 480.00                             |
| 19  | 1.00                   | 1.00                       | 1.00                       | MO   | Barricades, Signs and Traffic Handling                   | 8,500.00   | \$ 8,500.00        | \$ 8,500.00            | \$ -                              | 8,500.00                           | \$ -                              | 8,500.00                           |
| <b>Total Hidden Valley Subdivision Area</b>     |                        |                            |                            |      |  |            |                    | \$ 264,906.59          | \$ -                              | 264,906.59                         | \$ -                              | 264,906.59                         |
| <b>NORTHSIDE VILLAGE SUBDIVISION AREA</b>       |                        |                            |                            |      |  |            |                    |                        |                                   |                                    |                                   |                                    |
| 1   | 1,220.00               | 1,220.00                   | 1,220.00                   | SY   | Cellulose Fiber Mulch Seeding (Permanent) (Rural) (Clay) | 1.35       | \$ 1.35            | \$ 1,647.00            | \$ -                              | 1,647.00                           | \$ -                              | 1,647.00                           |
| 2   | 13.56                  | 13.56                      | 13.56                      | MG   | Vegetated Watering                                       | 150.00     | \$ 150.00          | \$ 2,034.00            | \$ -                              | 2,034.00                           | \$ -                              | 2,034.00                           |
| 3   | 1,388.00               | 1,388.00                   | 80.00                      | SY   | Cut & Restore Pavement                                   | 35.00      | \$ 35.00           | \$ 48,580.00           | \$ -                              | 48,580.00                          | \$ (45,780.00)                    | 2,800.00                           |
| 4   | 29.00                  | 29.00                      | 29.00                      | SY   | Cut & Restore Asphalt Drive                              | 35.00      | \$ 35.00           | \$ 1,015.00            | \$ -                              | 1,015.00                           | \$ -                              | 1,015.00                           |
| 5   | 143.00                 | 143.00                     | 143.00                     | SY   | Cut & Restore Caliche Drive                              | 22.00      | \$ 22.00           | \$ 3,146.00            | \$ -                              | 3,146.00                           | \$ -                              | 3,146.00                           |
| 6   | 2,446.00               | 2,446.00                   | 2,446.00                   | LF   | Trench Excavation Protection                             | 1.75       | \$ 1.75            | \$ 4,280.50            | \$ -                              | 4,280.50                           | \$ -                              | 4,280.50                           |
| 7   | 20.00                  | 20.00                      | 20.00                      | CY   | Concrete Riprap (CL B) (5")                              | 385.00     | \$ 385.00          | \$ 7,700.00            | \$ -                              | 7,700.00                           | \$ -                              | 7,700.00                           |
| 8   | 56.00                  | 56.00                      | 56.00                      | LF   | Concrete Box Culvert (7-Ft x 4-Ft)                       | 413.87     | \$ 413.87          | \$ 23,176.72           | \$ -                              | 23,176.72                          | \$ -                              | 23,176.72                          |
| 9   | 45.00                  | 45.00                      | 0.00                       | LF   | Reinforced Concrete Pipe (18-IN) (CL III) (SPL)          | 30.00      | \$ 30.00           | \$ 1,350.00            | \$ -                              | 1,350.00                           | \$ (1,350.00)                     | 0.00                               |
| 10  | 80.00                  | 80.00                      | 80.00                      | LF   | Reinforced Concrete Pipe (24-IN) (CL III) (SPL)          | 38.00      | \$ 38.00           | \$ 3,040.00            | \$ -                              | 3,040.00                           | \$ -                              | 3,040.00                           |
| 11  | 260.00                 | 260.00                     | 305.00                     | LF   | Reinforced Concrete Pipe (30-IN) (CL III) (SPL)          | 52.00      | \$ 52.00           | \$ 13,520.00           | \$ -                              | 13,520.00                          | \$ 2,340.00                       | 15,860.00                          |
| 12  | 225.00                 | 225.00                     | 225.00                     | LF   | Reinforced Concrete Pipe (36-IN) (CL III) (SPL)          | 70.00      | \$ 70.00           | \$ 15,750.00           | \$ -                              | 15,750.00                          | \$ -                              | 15,750.00                          |
| 13  | 312.00                 | 312.00                     | 312.00                     | LF   | Reinforced Concrete Pipe (42-IN) (CL III) (SPL)          | 85.00      | \$ 85.00           | \$ 26,520.00           | \$ -                              | 26,520.00                          | \$ -                              | 26,520.00                          |
| 14  | 1,424.00               | 1,424.00                   | 1,424.00                   | LF   | Reinforced Concrete Pipe (54-IN) (CL III) (SPL)          | 140.00     | \$ 140.00          | \$ 199,360.00          | \$ -                              | 199,360.00                         | \$ -                              | 199,360.00                         |
| 15  | 2.00                   | 2.00                       | 3.00                       | EA   | Inlet (Complete) (Ty CC)                                 | 3,500.00   | \$ 3,500.00        | \$ 7,000.00            | \$ -                              | 7,000.00                           | \$ 3,500.00                       | 10,500.00                          |
| 16  | 2.00                   | 2.00                       | 1.00                       | EA   | Inlet (Complete) (Ty C)                                  | 3,000.00   | \$ 3,000.00        | \$ 6,000.00            | \$ -                              | 6,000.00                           | \$ (3,000.00)                     | 3,000.00                           |
| 17  | 2.00                   | 2.00                       | 2.00                       | EA   | Inlet (Complete) (Ty A)                                  | 3,000.00   | \$ 3,000.00        | \$ 6,000.00            | \$ -                              | 6,000.00                           | \$ -                              | 6,000.00                           |
| 18  | 1.00                   | 1.00                       | 1.00                       | EA   | Inlet (Complete) (Ty M w/Grate)                          | 3,500.00   | \$ 3,500.00        | \$ 3,500.00            | \$ -                              | 3,500.00                           | \$ -                              | 3,500.00                           |
| 19  | 3.00                   | 3.00                       | 3.00                       | EA   | Inlet (Complete) (Ty M)                                  | 3,500.00   | \$ 3,500.00        | \$ 10,500.00           | \$ -                              | 10,500.00                          | \$ -                              | 10,500.00                          |
| 20  | 3.00                   | 3.00                       | 3.00                       | EA   | Junction Box (10-ft x 5-ft)                              | 10,500.00  | \$ 10,500.00       | \$ 31,500.00           | \$ -                              | 31,500.00                          | \$ -                              | 31,500.00                          |
| 21  | 208.00                 | 208.00                     | 208.00                     | LF   | Temporary Sediment Control Fence                         | 3.50       | \$ 3.50            | \$ 728.00              | \$ -                              | 728.00                             | \$ -                              | 728.00                             |
| 22  | 78.00                  | 78.00                      | 78.00                      | SY   | Construction Exit (Ty II) (Install)                      | 20.00      | \$ 20.00           | \$ 1,560.00            | \$ -                              | 1,560.00                           | \$ -                              | 1,560.00                           |
| 23  | 78.00                  | 78.00                      | 78.00                      | SY   | Construction Exit (Ty II) (Remove)                       | 15.00      | \$ 15.00           | \$ 1,170.00            | \$ -                              | 1,170.00                           | \$ -                              | 1,170.00                           |
| 24  | 16.00                  | 16.00                      | 16.00                      | LF   | RC Low Head Pressure Pipe (CL III) (16")                 | 50.00      | \$ 50.00           | \$ 800.00              | \$ -                              | 800.00                             | \$ -                              | 800.00                             |
| 25  | 24.00                  | 24.00                      | 24.00                      | LF   | Biodegradable Erosion Control Logs (12" Dia)             | 20.00      | \$ 20.00           | \$ 480.00              | \$ -                              | 480.00                             | \$ -                              | 480.00                             |
| 25  | 1.00                   | 1.00                       | 1.00                       | MO   | Barricades, Signs and Traffic Handling                   | 8,500.00   | \$ 8,500.00        | \$ 8,500.00            | \$ -                              | 8,500.00                           | \$ -                              | 8,500.00                           |
| 26  | 0.00                   | 0.00                       | 1,308.00                   | SY   | Cut and Restore Pavement (without HMA)                   | 0.00       | \$ 23.88           | \$ -                   | \$ -                              | 0.00                               | \$ 31,235.04                      | 31,235.04                          |
| <b>Total Northside Village Subdivision Area</b> |                        |                            |                            |      |  |            |                    | \$ 428,857.22          | \$ -                              | 428,857.22                         | \$ (13,054.96)                    | 415,802.26                         |
| <b>GEARHART DRIVE</b>                           |                        |                            |                            |      |  |            |                    |                        |                                   |                                    |                                   |                                    |
| 1   | 0.00                   | 2.00                       | 2.00                       | EA   | Safety End Treatment (18") (6:1)                         | \$ -       | \$ 1,300.00        | \$ -                   | \$ 2,600.00                       | 2,600.00                           | \$ -                              | 2,600.00                           |
| 2   | 0.00                   | 200.00                     | 200.00                     | LF   | Roadside Ditch Excavation                                | \$ -       | \$ 13.00           | \$ -                   | \$ 2,600.00                       | 2,600.00                           | \$ -                              | 2,600.00                           |
| 3   | 0.00                   | 120.00                     | 120.00                     | LF   | Reinforced Concrete Pipe (18-In) (CL III) (SPL)          | \$ -       | \$ 30.00           | \$ -                   | \$ 3,600.00                       | 3,600.00                           | \$ -                              | 3,600.00                           |
| 4   | 0.00                   | 8.00                       | 8.00                       | EA   | Inlet (Complete) (Ty CC)                                 | \$ -       | \$ 3,500.00        | \$ -                   | \$ 28,000.00                      | 28,000.00                          | \$ -                              | 28,000.00                          |
| 5   | 0.00                   | 2.00                       | 2.00                       | EA   | Inlet (Complete) (Ty M)                                  | \$ -       | \$ 3,500.00        | \$ -                   | \$ 7,000.00                       | 7,000.00                           | \$ -                              | 7,000.00                           |
| <b>Total Northside Gearhart Drive</b>           |                        |                            |                            |      |  |            |                    | \$ -                   | \$ 43,800.00                      | 43,800.00                          | \$ -                              | 43,800.00                          |
| <b>TOTAL CONTRACT AMOUNTS</b>                   |                        |                            |                            |      |  |            |                    | \$ 693,763.81          | \$ 43,800.00                      | \$ 737,563.81                      | \$ (13,054.96)                    | \$ 724,508.85                      |