



ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):
 Deere & Company
 2000 John Deere Run
 Cary, NC 27513
 FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:
 Neuhaus & Company, Ltd
 2000 East Expressway 83
 Weslaco, TX 78596
 956-968-7502
 KIRK@NEUHAUSCO.COM

Quote Summary

Prepared For:
 Hidalgo Co. Pct
 TX

Delivering Dealer:
Neuhaus & Company, Ltd
 R.d. Machen
 2000 East Expressway 83
 Weslaco, TX 78596
 Phone: 956-968-7502
 rdm@neuhausco.com

Quote ID: 10951994
Created On: 17 February 2015
Last Modified On: 03 March 2015
Expiration Date: 19 March 2015

Equipment Summary	Suggested List	Selling Price	Qty	Extended
JOHN DEERE 5065E Cab Utility Tractor (49 PTO hp) Contract: TASB_447-14 Price Effective Date: December 3, 2014	\$ 42,181.60	\$ 31,420.88 X	3 =	\$ 94,262.64
JOHN DEERE MX7 Lift-Type Rotary Cutter - 540 RPM PTO Contract: TASB_447-14 Price Effective Date: November 3, 2014	\$ 4,884.00	\$ 3,609.10 X	3 =	\$ 10,827.30

Equipment Total **\$ 105,089.94**

Trade In Summary	Qty	Each	Extended
JOHN DEERE 5065E TRACTOR	1	\$ 52,500.00	\$ 52,500.00
PayOff			\$ 0.00
Total Trade Allowance			\$ 52,500.00

Trade In Total **\$ 52,500.00**

* Includes Fees and Non-contract items

Quote Summary

Equipment Total	\$ 105,089.94
Trade In	\$ (52,500.00)
SubTotal	\$ 52,589.94
Total	\$ 52,589.94
Down Payment	(0.00)
Rental Applied	(0.00)

Salesperson : X _____

Accepted By : X _____



**ALL PURCHASE ORDERS MUST BE MADE OUT
TO (VENDOR):**

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580; DUNS#: 60-7690989

**ALL PURCHASE ORDERS MUST BE SENT
TO DELIVERING DEALER:**

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

Balance Due

\$ 52,589.94

Salesperson : X _____

Accepted By : X _____

Confidential



Selling Equipment

Quote Id: 10951994 Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

JOHN DEERE 5065E Cab Utility Tractor (49 PTO hp)

Contract: TASB_447-14

Suggested List *

Price Effective Date: December 3, 2014

\$ 42,181.60

Selling Price *

\$ 31,420.88

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
1745LV	5065E Cab Utility Tractor (49 PTO hp)	3	\$ 37,426.00	26.00	\$ 9,730.76	\$ 27,695.24	\$ 83,085.72
Standard Options - Per Unit							
0409	English Operators Manual and Decal Kit	3	\$ 0.00	26.00	\$ 0.00	\$ 0.00	\$ 0.00
1381	12F/12R PowrReverser Transmission - 540/540E (PR)	3	\$ 0.00	26.00	\$ 0.00	\$ 0.00	\$ 0.00
3420	Dual Mid Valves with Joystick Control	3	\$ 1,123.00	26.00	\$ 291.98	\$ 831.02	\$ 2,493.06
5185	16.9-28 In. 6PR R1 Bias	3	\$ 0.00	26.00	\$ 0.00	\$ 0.00	\$ 0.00
6040	MFWD (4 Wheel Drive)	3	\$ 0.00	26.00	\$ 0.00	\$ 0.00	\$ 0.00
6101	9.5-24 In. 6PR R1 Bias	3	\$ 0.00	26.00	\$ 0.00	\$ 0.00	\$ 0.00
Standard Options Total			\$ 1,123.00		\$ 291.98	\$ 831.02	\$ 2,493.06
Dealer Attachments/Non-Contract							
LVB25728	Backup Alarm Kit	3	\$ 161.70	26.00	\$ 42.04	\$ 119.66	\$ 358.98
AL80126	Mirror, Telescopic, LH, Manually Adjustable	3	\$ 171.60	26.00	\$ 44.62	\$ 126.98	\$ 380.94
AL80127	Mirror, Telescopic, RH, Manually Adjustable	3	\$ 171.60	26.00	\$ 44.62	\$ 126.98	\$ 380.94
004	Non-Contract Attachment 100lbs Front Suit Case Weight	18	\$ 110.00	5.00	\$ 5.50	\$ 104.50	\$ 1,881.00
003	Non-Contract Attachment Beacon Light Kit	3	\$ 399.00	5.00	\$ 19.95	\$ 379.05	\$ 1,137.15
005	Non-Contract Attachment Hazard Cab Light Kit	3	\$ 399.00	5.00	\$ 19.95	\$ 379.05	\$ 1,137.15
001	Non-Contract Attachment Radio Cab Kit	3	\$ 499.00	5.00	\$ 24.95	\$ 474.05	\$ 1,422.15



Selling Equipment

Quote Id: 10951994 Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):
 Deere & Company
 2000 John Deere Run
 Cary, NC 27513
 FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:
 Neuhaus & Company, Ltd
 2000 East Expressway 83
 Weslaco, TX 78596
 956-968-7502
 KIRK@NEUHAUSCO.COM

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
002	Non-Contract Attachment Rear Valve Kit	3	\$ 899.00	5.00	\$ 44.95	\$ 854.05	\$ 2,562.15
LVB26096	Single Horn Kit	3	\$ 51.70	26.00	\$ 13.44	\$ 38.26	\$ 114.78
LVB25889	Weight, Front Support - 100 Lb.	3	\$ 220.00	26.00	\$ 57.20	\$ 162.80	\$ 488.40
Dealer Attachments Total			\$ 3,082.60		\$ 317.22	\$ 2,765.38	\$ 9,863.64
Suggested Price							\$ 95,442.42
Additional Discounts							
	Multi-unit Discount	3			\$ 393.26	\$ -393.26	\$ -1,179.78
Additional Discount Total					\$ 393.26	\$ -393.26	\$ -1,179.78
Total Selling Price			\$ 41,631.60		\$ 10,733.22	\$ 30,898.38	\$ 94,262.64

JOHN DEERE MX7 Lift-Type Rotary Cutter - 540 RPM PTO

Contract: TASB_447-14

Price Effective Date: November 3, 2014

Suggested List *

\$ 4,884.00

Selling Price *

\$ 3,609.10

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
2154P	MX7 Lift-Type Rotary Cutter - 540 RPM PTO	3	\$ 4,326.00	26.00	\$ 1,124.76	\$ 3,201.24	\$ 9,603.72
Standard Options - Per Unit							
9010	Dual Tailwheel Support, Hub and Wheel	3	\$ 359.00	26.00	\$ 93.34	\$ 265.66	\$ 796.98
Standard Options Total			\$ 359.00		\$ 93.34	\$ 265.66	\$ 796.98
Dealer Attachments/Non-Contract							
001	Non-Contract Attachment 3pt Pin Kit	3	\$ 199.00	5.00	\$ 9.95	\$ 189.05	\$ 567.15
Dealer Attachments Total			\$ 199.00		\$ 9.95	\$ 189.05	\$ 567.15
Suggested Price							\$ 10,967.85
Additional Discounts							



JOHN DEERE

Selling Equipment

Quote Id: 10951994 Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
	Multi-unit Discount	3			\$ 46.85	\$ -46.85	\$ -140.55
	Additional Discount Total				\$ 46.85	\$ -46.85	\$ -140.55
Total Selling Price			\$ 4,884.00		\$ 1,274.90	\$ 3,609.10	\$ 10,827.30

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

**5065E Cab Utility Tractor (49 PTO hp)
Equipment for Base Machine**

<p>ENGINE: 65 (47.5 kW) 97/68/EC Engine Horsepower @ 2400 RPM* 49 (36.0 kW) PTO Horsepower @ 2400 RPM* 3 Cylinder Turbocharged John Deere PowerTech Diesel Engine 179 C.I.D. (2.9L) Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Exhaust Stack Anti-Freeze Hand and Foot Throttles Key Engine Shutoff Fan Finger Guard Heavy Duty Air Intake Pre-Heater</p> <p>TRANSMISSION: 12F/12R PowrReverser Transmission LH Electrohydraulic (EH) Directional Reverser Right Hand Shifted Speeds and Ranges, Integrated Park Position Differential Lock Neutral Start Safety Switch Wet Traction Clutch</p> <p>REAR AXLE: Flanged Rear Axle Planetary Final Drives</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Hydraulically Actuated Wet Disk Brakes Self-Equalizing and Self-Adjusting</p> <p>HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 18.2 GPM (68.8 LPM) Maximum Total Flow Steering Pump 6.8 GPM (25.7 LPM) Implement Pump 11.4 GPM (43.1 LPM) One Rear Selective Control Valve</p> <p>POWER TAKE-OFF SHAFT: Independent "Live" 540 RPM /540E Rear PTO Shaft Electro-hydraulic PTO engagement @ 2400 Rated Engine RPM Economy PTO setting for 540 PTO RPM @ 1716 Engine RPM Wet PTO Clutch Flip Up PTO Shield Operator Presence Safety Warning - PTO Safety Start Switch</p> <p>ROCKSHAFT, HITCH AND DRAWBAR: Rear Rockshaft with Position Control, Draft Control, and Adjustable Rate of Drop 3-Point (Category II) Hitch with Sway Chains - Convertible to Category I</p>	<p>Adjustable Drawbar</p> <p>INSTRUMENTATION: Electric Fuel Gauge Digital Display - Hour Meter/ Ground speed / PTO speed Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Light PTO Engagement Light MFWD Engagement Indicator Light</p> <p>ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 90 Amp Alternator</p> <p>LIGHTS: Two Front Halogen Headlights Two Turn/Flashing Warning Lights Two Tail Lights</p> <p>MISCELLANEOUS: SMV Emblem Tilt-Up Hood Toolbox</p> <p>BASE MACHINE: CAB 21.6 U.S. Gallon (82 L) Fuel Tank Capacity Left Hand Door Only Tilt and Telescopic Steering system with 12F/12R PowrReverser Transmission Air Conditioning Comfort cloth Mechanical Seat Retractable Seat Belt Cup Holders Front Windshield Wiper Two Rear Roof-Mounted, Work Lights Two Front/Two Rear Roof-Mounted, Warning Lights MFWD (4 Wheel Drive) Front Axle 8-Position Steel Rear Wheels with Two 16.9-28 6PR (R1) Tires 8-Position Steel Front Wheels with Two 9.5-24 6PR (R1) Front Tires</p> <p>* Manufacturer's Rating ** Cold Cranking Amps</p>
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION		SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	--	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1745LV

5065E Cab Utility Tractor (49 PTO hp)

37,426.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5065E Cab Utility Tractor (49 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BASE MACHINE ...Continued...			
OPERATORS MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
TRANSMISSION			
1381		12F/12R PowrReverser Transmission - 540/540E (PR) <i>Electrohydraulic (EH) Directional Reverser</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Neutral Start Safety Switch</i> <i>Electrohydraulic (EH) PTO engagement</i> <i>Economic-PTO/Standard PTO</i> <i>MFWD indicator light</i> <i>Digital hour meter indicator</i> <i>Digital ground speed indicator</i> <i>Digital PTO speed indicator</i> <i>Requires Code 6040 - MFWD.</i>	In Base Price
MID SELECTIVE CONTROL VALVES			
3420		Dual Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i> <i>Requires Code 6040 - MFWD.</i>	1,123.00
REAR WHEELS WITH TIRES (TWO)			
5113		21.5L-16.1 In. 6PR R3 Bias <i>Code 6040 requires Code 6171.</i>	-90.00
5184		16.9-24 In. 6PR R4 Bias <i>Code 6040 requires Code 6133.</i>	-284.00
5185		16.9-28 In. 6PR R1 Bias <i>Code 6040 requires Code 6101.</i>	In Base Price
FRONT AXLE			
6040		MFWD (4 Wheel Drive) <i>Mechanical Engagement</i> <i>Engagement Indicator Light on PowrReverser Transmission.</i> <i>Requires Code 3420.</i>	In Base Price
FRONT WHEELS WITH TIRES (TWO)			
6101		FOR OPTION CODE 6040 (MFWD): 9.5-24 In. 6PR R1 Bias	In Base Price
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias	88.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

(MY2015) 5065E Utility Tractor (49-53 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
BLV10431		Second Rear SCV with Detented Float and Lever Control <i>For 12x12 PR Open Station Tractors.</i>	805.20
LVB25547		Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	63.80
LVB25728		Miscellaneous: Backup Alarm Kit <i>Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	161.70
LVB25727		PowrReverser Modulation Control Kit	147.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	51.70
LVB26096		Single Horn Kit <i>CAB tractors only</i>	51.70
SJ10170		Operator Environment: Antenna <i>Cab only</i>	See Parts
AH104259		Ash Tray <i>Cab only.</i>	See Parts
LVB25785		Canopy - Deluxe <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	961.40
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit <i>Requires LVB25334 or LVB25785 Canopy Kit ordered separately. Open Station Tractors Only.</i>	105.60
AR60937		Cigarette Lighter <i>Cab only.</i>	See Parts
RE244177		Kit, Rear View Mirror Mounting Kit <i>Cab only. Requires AL80127 and/or AL80126Kit contains support plates and hardware for one rear view mirror.</i>	See Parts
AL80126		Mirror, Telescopic, LH, Manually Adjustable <i>Cab only.</i>	171.60
AL80127		Mirror, Telescopic, RH, Manually Adjustable <i>Cab only.</i>	171.60
BLV10350		Right Hand Door <i>Cab Only</i>	291.50

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5065E Open Operator Station Utility Tractor (49-53 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	LVB25332	Canopy Mounting Bracket and Hardware Kit <i>Requires LVB25334 or LVB25785 Canopy Kit ordered separately.</i>	105.60
	LVB25889	Weights: Weight, Front Support - 100 Lb. <i>Kit includes front weight support and mounting hardware.</i>	220.00
	R213907	Weight, Rear Wheel - 95 Lb. <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel.</i>	222.20

AGRICULTURAL PRODUCTS
JOHN DEERE ROTARY CUTTERS

MX7 Lift-Type Rotary Cutter - 540 RPM PTO
Equipment for Base Machine

Smooth, Easy Clean, Top Deck

Deck Thickness:

Upper Deck - 9/64" (3.5 mm)

Lower Deck - 9/64" (3.5 mm)

Total - 9/32" (7.0mm)

One Gearcase, Power Rating:

75 HP (56 kW) Continuous

100 HP (74.5 kW) Peak

2 In. Brush Cutting Capacity

Slip Clutch Protection

Unibody Frame:

8.5 In. (216mm) Body Depth

1/4 In. (6.0mm) Skirt Thickness

Cutting Width: 84 In. (2.13m)

Transport Width: 88 In. (2.24m)

Cutting Height: 1 to 9.5 In. (25 - 241mm)

Blade Tip Speed: 16182 ft/min (82.2 m/s)

Hitch:

Integral Hitch (Cat. II and IIIN 3-Point

Hitch with or without Quick Coupler)

Weld on Full Length Wear Shoes - Replaceable

Driveline:

Standard Driveline (Cat. 4) - 540 RPM PTO

Round Pan Bladeholder (Stump Jumper)

Suction Blades (1/2 In. x 4 In.)

One Wheel Support (Swiveling,

Height Adjustable)

One Puncture Proof Laminated Tire

Front Safety Shield - Chain

Rear Safety Shield - Chain

Minimum Recommended Tractor PTO HP:

40 HP; 4 cyl. 5000 Series or equivalent

Front and rear safety shields reduce the risk of thrown objects which could be hazardous. The base rotary cutter complies with the Industrial Mower Safety Standard SAE J232.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2154P

MX7 Lift-Type Rotary Cutter - 540 RPM PTO
*Order Code 9020 for Quick Coupler Compatibility.
Serial Number P00MX7C017500 and above.*

4,326.00

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:		
9020	iMatch / Quik-Coupler Bushing Kit	86.00
9099	French Operator's Manual and Decal Kit	No Charge
9100	Spanish Operator's Manual and Decal Kit	No Charge
9200	Australia-New Zealand homologation kit <i>Mandatory for AU and New Zealand orders. Includes blade bushing, rubber guards and extra safety hardware.</i>	75.00

9010

Wheels and Tires:
Dual Tailwheel Support, Hub and Wheel
*Includes the following components:
1 AW30473 -dual tail wheel support and hub
1 AW30715 -4X8 Bolt Wheel Hub- Puncture Proof Laminated Tire.*

359.00

ATTACHMENTS FOR FIELD CONVERSION