



PRECINCT #1
(1) 2016 348 PETERBILT DISTRIBUTOR

Phone: 800-695-2919
 Fax: 800-211-5454
 Email: info@buyboard.com

Welcome **Oscar** [Log Off]

Administration

RFQ

Reports

Shopping Cart

Help

Vendor Contract Information

Back

Search:

- All
 Vendor Discounts Only
 Catalog Pricing Only

Refine Your Search:

Vendors

Rush Truck Centers of Texas[X]

Price Range

Show all prices

Category

None Selected

Contract

None selected

Additional Searches:

[Search by Vendor](#)

[Browse Contracts](#)

[Instructional Materials](#)

[Additional Resources](#)

Vendor Name: Rush Truck Centers of Texas

Address: 555 I.H. 35 South Suite 500
 New Braunfels, TX 78130

Phone Number: (830) 626-5254

Email: neubauerd@rushenterprises.com

Federal ID: 74-2786264

Contact: Drew Neubauer

Accepts RFQs: Yes

Minority Owned Vendor: No

Women Owned Vendor: No

Contract Name: Vehicles, Heavy Duty Trucks & Options

Contract#: 430-13

Effective Date: 12/01/2013

Expiration Date: 11/30/2016

Service Fee: Purchase order subject to a \$400 service fee

Payment Terms: Net 30 days

Delivery Days: 90

Shipping Terms: Pre-paid and added to invoice

Freight Terms: FOB Destination

Ship Via: Common Carrier

Region Served: All Texas Regions

States Served: All States

Additional Info: NOTE: As per the specifications for BuyBoard Proposal No. 430-13, and except for delivery fees as explained below, all vehicle fees (i.e. pre-deliver inspection, make ready, State of Texas inspection, manufacturer destination fees, etc.) charged for any purchase from this contract are included in the awarded vehicle base price(s). Vehicle fees not included in the price(s) are not allowed and should not appear on the awarded dealer's quote for a vehicle offered for purchase under the contract. The Cooperative service fee is not a "vehicle fee"; is not included in the base pricing. Only those vendors whose awarded pricing is stated on BuyBoard on a per mile basis may charge a vehicle delivery fee. The above information has been communicated to Cooperative members.

Quote Reference Number: 430-13

Additional Dealers: See Extended Exceptions for dealer list.

REVIEWED

By Oscar Garza at 10:44 am, Apr 06, 2015

FINAL

APPROVED

By Rudy Salinas at 11:00 am, Apr 10, 2015

Contract Documents

Proposal Documents: [Click to view BuyBoard Proposal Documents](#)

Extended Exceptions: [Click to view Extended Contract Exceptions](#)

Regulatory Notice: [Click to view Bonding Regulatory Notice](#)

Contact us 800-695-2919

TEXAS LOCAL GOVERNMENT PURCHASING COOPERATIVE BUYBOARD

Vendor: **RUSH TRUCK CENTER** Date Prepared: **4/1/2015**
 Contact for Vendor: **DREW NEUBAUER** Phone: **830-626-5254**
 End User: **Hidalgo County Pet 1**
 End User Contact: Phone/Fax: **956-968-8733**
 Product Description: **2016 Peterbilt 348 Distributor**

A: Base Price in Bid/Proposal Number: 430-13			Series: 348 \$71,360.00		
B: Published Options (Itemize Below)					
DESCRIPTION	AMOUNT	OPT #	DESCRIPTION	AMOUNT	
RTC-0051 Rush Service Pkg	\$ 1,236.00	Peterbilt	Cab and Equipment	\$ 2,819.00	
RTC-0125 Haz. Body Prep Pkg	\$ 3,421.00	Peterbilt	CabMate Air Susp	\$ 766.00	
RTC1060 Rush Flooring	\$ 1,427.20	Peterbilt	Axalta Two Stage Paint	\$ 159.00	
Peterbilt Frame, Front & Rear Equipment	\$ 82.00	Peterbilt	23" Alum 50 Gal Fuel tank	\$ 108.00	
Peterbilt Paccar Px9 and Equipment	\$ 2,215.00	Peterbilt	Tire and Wheel Pkg	\$ 999.00	
Peterbilt Fuller FRO11210C	\$ 544.00				
Subtotal Column 1: \$ 8,925.20			Subtotal Column 2: \$ 4,851.00		
Published Options added to Base Price (Subtotal of "Col 1" & "Col 2")				\$ 13,776.20	

C: Subtotal of A + B		\$85,136.20
D: Buyboard Awarded Bodies 424-13		
Etnyre Centennial 2K Distributor	\$91,097.25	
Subtotal Column 1: \$91,097.25		Subtotal Column 2: \$ -

Unpublished Options added to Base price (Subtotal "Col 1 + Col 2") \$91,097.25

E: Contract Price Adjustment (If any, explain here)

F: Total of C + D +/- E \$ 176,233.45

G: Quantity ordered Units: **1.00** x F \$ 176,233.45

H: BUYBOARD Administrative Fee % \$ 400.00

I: Non-Equipment Charges & Credits (i.e.: Ext. Warranty, Trade-In, Delivery, etc.)					
					\$ -

J: TOTAL PURCHASE PRICE INCLUDING (G+H+I) \$176,633.45



Phone: 800-695-2919
Fax: 800-211-5454
Email: info@buyboard.com

Welcome **Oscar** [Log Off]

Administration	RFQ	Reports	Shopping Cart	Help
--------------------------------	---------------------	-------------------------	-------------------------------	----------------------

Search Results

Search:

- All
- Vendor Discounts Only
- Catalog Pricing Only

Narrow Results:

Show 25 results

Refine Your Search:

- [Vendors](#)
- Rush Truck Centers of Texas[X]
- [Price Range](#)
- Show all prices
- [Category](#)
- None Selected
- [Contract](#)
- None selected

Vendor	Description	Pricing Sheet	Price	C
Rush Truck Centers of Texas	Peterbilt Model 567. Conventional cab vocational unit, PACCAR PX9 engine, 345 HP, Fuller 10 speed transmission, front axle weight 12000-22000lbs, rear axle weight 21000-70000lbs, 33000 GVWR, 121" BBC, complete with all mfg's stdd equip. Line Item 265.1	N/A	\$102,971.00	<input type="checkbox"/>
Rush Truck Centers of Texas	Peterbilt Model 348. Conventional cab, PACCAR PX8, 240-330 HP, 3000 RDS transmission, front axle weight 10000-20000lbs, rear axle weight 21000-46000lbs, 26000 GVWR, 108" BBC, complete with all manufacturer's standard equipment. Line Item 258	N/A	\$71,360.00	<input checked="" type="checkbox"/>

Extended Product Information

Reference Number: 430-13
 Part Number: 348
 Unit Measure: EA
 Full Description: Peterbilt Model 348. Conventional cab, PACCAR PX8, 240-330 HP, 3000 RDS transmission, front axle w 20000lbs, rear axle weight 21000-46000lbs, 26000 GVWR, 108" BBC, complete with all manufacturer's s Line Item 258

Showing 1 to 2 of 2 entries (filtered from 57 total entries)

First Previous 1 Next Last

Additional Searches:

[Search by Vendor](#)

[Browse Contracts](#)

[Instructional Materials](#)

[Additional Resources](#)

Contact us 800-695-2919



Proposal Invitation No. 430-13-Vehicles and Heavy Duty Trucks and Options

*ALL COLUMNS MUST BE COMPLETED OR PROPOSAL WILL NOT BE CONSIDERED

Item No.	Specified Brand or Equal	Short Description	Full Description	Delivered Price	Brand and Model	Options
256	Peterbilt	Peterbilt Model 330	Peterbilt Model 330 - Conventional cab, PACCAR PX6, 200-260 HP, Fuller 10 transmission, front gross axle weight 8,000-10,000lbs, rear gross axle weight 19,000-21,000lbs, 26,000 GVWR, 108" BBC, complete with all manufacturer's standard equipment	\$62,155.00	Peterbilt 330	Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
257	Peterbilt	Peterbilt Model 337	Peterbilt Model 337 - Conventional cab, PACCAR PX6, 240HP, Fuller 10 transmission, front gross axle weight 10,000-12,000lbs, rear gross axle weight 21,000-23,000lbs, 26,000 GVWR, 108" BBC, complete with all manufacturer's standard equipment	\$63,352.00	Peterbilt 337	Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
258	Peterbilt	Peterbilt Model 348	Peterbilt Model 348 - Conventional cab, PACCAR PX8, 240-330 HP, 3000 RDS transmission, front gross axle weight 10,000-20,000lbs, rear gross axle weight 21,000-46,000lbs, 26,000 GVWR, 108" BBC, complete with all manufacturer's standard equipment	\$71,360.00	Peterbilt 348	Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
259	Peterbilt	Peterbilt Model 365	Peterbilt Model 365 - Conventional cab, Cummins ISL engine, 345 HP, Fuller 10 transmission, front gross axle weight 12,000-22,000lbs, rear gross axle weight 21,000-70,000lbs, 33,000 GVWR, 115" BBC, complete with all manufacturer's standard equipment	\$93,536.00	Peterbilt 365	Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
260.1	Peterbilt	Peterbilt Model 367	Peterbilt Model 367 - Conventional cab, Cummins ISX 11.9 engine, 300 HP, Fuller 10 transmission, front gross axle weight 12,000-22,000lbs, rear gross axle weight 21,000-70,000lbs, 52,000 GVWR, 123" BBC, complete with all manufacturer's standard equipment	\$98,607	Peterbilt 367	Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
261.1	Peterbilt	Peterbilt Model 382	Peterbilt Model 382 - Conventional cab, Cummins ISL engine, 345 HP, Fuller 10 transmission, front gross axle weight 10,000-12,000lbs, rear gross axle weight 23,000-40,000lbs, 32,000 GVWR, 116" BBC, complete with all manufacturer's standard equipment	\$79,257.00	Peterbilt 382	Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)

PROPOSAL NOTE:

1. *All responses must be completed or response will not be considered.



Proposal Invitation No. 430-13-Vehicles and Heavy Duty Trucks and Options

*ALL COLUMNS MUST BE COMPLETED OR PROPOSAL WILL NOT BE CONSIDERED

Item No.	Specified Brand or Equal	Short Description	Full Description	Delivered Price	Brand and Model	Options
OPTIONAL EQUIPMENT- The majority of optional equipment is not listed since options will be selected at time of order. A COMPLETE LIST OF ALL OPTIONAL EQUIPMENT MUST BE SUBMITTED WITH PROPOSAL FOR PROPOSAL TO BE CONSIDERED!!						
268	Options	Discount (%) Off Optional Equipment	Discount (%) Off for all Optional Equipment	0%		Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
269	Program Vehicles	Discount (%) Off Program Vehicles (Lease and/or Pre-Owned)	Discount (%) Off for all Program Vehicles (Lease and/or Pre-Owned)	0%		Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
270	Third Party (not OEM) Options	Discount (%) Off Third Party (not OEM) Options	Discount (%) Off Third Party (not OEM) Options	0%		Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
271	Parts	Discount (%) Off Parts	Discount (%) Off Parts	10%		Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
272	Extended Warranty	Discount (%) Off Extended Service Maintenance Agreements	Discount (%) Off Extended Service Maintenance Agreements	0%		Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)

PROPOSAL NOTE:

- *All responses must be completed or response will not be considered.

000	0.0000 *
000	0.0000 *
000	0.0000 *
000	0.0000 *
000	0.0000 *
000	0.0000 *
002	45.0000 +
002	37.0000 +
002	82.0000 ✓
002	82.0000 *
005	1,683.0000 +
005	370.0000 +
005	116.0000 +
005	43.0000 +
005	3.0000 +
005	2,215.0000 ✓
005	2,215.0000 *
000	0.0000 *
000	0.0000 *
000	0.0000 *
001	544.0000 ✓
001	544.0000 *
001	544.0000 *

Frame & Equip

Paccar PK 9 & Equip.

Fuller FRO 11210C

000	206.0000 +
000	412.0000 +
000	127.0000 +
000	254.0000 +
004	999.0000 ✓
000	999.0000 *
000	0.0000 *
001	108.0000 ✓
001	108.0000 *
001	108.0000 *
000	0.0000 *
000	67.0000 +
000	17.0000 +
000	834.0000 +
000	68.0000 +
000	21.0000 +
000	126.0000 +
000	531.0000 +
000	291.0000 +
000	219.0000 +
000	39.0000 +
000	323.0000 +
000	40.0000 +
000	17.0000 +
000	84.0000 +
000	56.0000 +
000	10.0000 +
000	76.0000 +
017	2,819.0000 ✓
017	2,819.0000 *
000	

Tire & Wheel Pkg.

73" Aluminum

50 Gal Fuel Tank

CAB & Equipment

000	0.0000 *
000	766.0000 ✓
000	766.0000 *
000	0.0000 *
001	159.0000 ✓
000	159.0000 *
000	

Cab Make

Steel Suspension

Acetal Slope front

RECEIVED

By Oscar Garza at 11:45 am, Apr 07, 2015



RUSH PETERBILT S046

HIDALGO COUNTY PCT 1
1902 JOE STEPHENS AVE.

Pharr, Texas United States 78577
Phone:
Fax:
Email:

WESLACO, Texas United States 78596
Phone:
Fax:
Contact Email:
Prepared for:


Vehicle Summary

Unit		Chassis	
Model:	Model 348	Fr Axle Load (lbs):	12000
Type:	Full Truck	Rr Axle Load (lbs):	21000
Description:	OIL DIST	G.C.W. (lbs):	33000
Application		Road Conditions:	
Intended Serv.:	Tanker, Liquid Bulk	Class A (Highway)	100
Commodity:	Petroleum Products	Class B (Hwy/Mtn)	0
Body		Class C (Off-Hwy)	0
Type:	Tank	Class D (Off-Road)	0
Length (ft):	24	Maximum Grade:	6
Height (ft):	8.5	Wheelbase (in):	190
Max Laden Weight (lbs):	1000	Overhang (in):	62.7
Trailer		Fr Axle to BOC (in):	69.8
No. of Trailer Axes:	0	Cab to Axle (in):	120.2
Type:		Cab to EOF (in):	182.9
Length (ft):	0	Overall Comb. Length (in):	279
Height (ft):	0.0	Special Req.	
Kingpin Inset (in):	0	United States Registry	
Corner Radius (in):	0		
Restrictions			
Length (ft):	65		
Width (in):	102		
Height (ft):	13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.



Ask your dealer for a quote today, or visit our website @ www.paccarfinancial.com.

PACCAR Financial offers innovative finance, lease and insurance programs customized to meet your needs.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 4/11/2015 11:34:19 AM
Effective Date: Jul 1, 2014
Prepared by: Administrator

Complete

Model Number: Model 348
Quote/DTPO/CO: Q73304467
Version Number: 29.21



RUSH PETERBILT S046

HIDALGO COUNTY PCT 1
1902 JOE STEPHENS AVE.

Pharr, Texas United States 78577
Phone:
Fax:
Email:

WESLACO, Texas United States 78596
Phone:
Fax:
Contact Email:
Prepared for:

Data	Code	Description	\$ List	Weight
Base Model				
0003481	O	Model 348	91,932	10,695
0091130	O	Petroleum Products	0	0
0093020	O	Tanker, Liquid Bulk General freight (linehaul) service using a liquid bulk tanker body or tanker trailer.	0	0
0095150	O	Tank	0	0
0098170	O	United States Registry	0	0
Configuration				
0200699	O	Other Secondary Manufacturer (Specify by narrative) N02000 COOPER EQUIP. N02010 17474 JUDSON RD N02020 SAN ANTONIO, TX 78247	0	0
Frame & Equipment				
0515020	O	10-5/8in Steel Rails 286-325 in 10.625 x 3.45 x .313 Dimension, 1,776,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 14.8 cubic inches. Weight: 1.44 lbs/inch pair	45	152
0612160	O	178in Wheelbase	0	0
0613090	S	Three-Piece Crossmembers	0	0
0644090	S	EOF Square without Xmbr For use with body builder installed crossmember.	0	0
0651090	S	Omit Rear Mudflaps and Hangers	0	0
Front Axle & Equipment				
1011280	S	Dana Spicer E12021 12,000 lb 3.5" drop. Factory front axle alignment to improve handling & reduce tire wear. Zerk fittings on tie rod ends, king pins, & draglink ball joints for ease of maintenance & help extend service life of components. Cognis EMGARD® FE75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	0	0
1111190	S	Taper Leaf Springs, Shocks 12,000 lb	0	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/12/2016 11:34:19 AM	Complete	Model Number:	Model 348
Effective Date:	Jul 1, 2014		Quote/DTPO/CO:	Q73304467
Prepared by:	Administrator		Version Number:	29.21



Data	Code	Description	\$ List	Weight
1233100	S	Power Steering TRW THP60 Glidekote splines on steering shaft extend service life of components.	0	0
1250180	S	Power Steering Reservoir Frame Mounted	0	0
1353500	S	PHP10 Aluminum LMS Hubs 11-1/4" bolt circle. Includes a supplier extended coverage up to 3 years / 350,000 miles for bearings & seals.	0	0
1380260	S	Bendix Air Cam Front Drum Brakes 16.5x5 For use with 10,000 lbs to 14,600 lbs steer axles. Includes automatic slack adjusters & outboard mounted brake drums.	0	0
Rear Axle & Equipment				
1513160	O	Dana Spicer S21-170 21,000 lb Laser factory axle alignment to improve handling & reduce tire wear. Magnetic rear axle oil drain plug captures & holds any metal fragments in drive axle lube to extend service life. Parking brakes on all drive axles for optimal performance. Cognis EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	0	185
1616230	S	PHP10 Iron LMS Hubs 11-1/4" bolt circle. Includes a supplier extended coverage up to 3 years / 350,000 miles for bearings & seals.	0	0
1631310	S	Parking Brakes (Axle Package)	0	0
1680500	S	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0	0
1680950	S	Stability System Not Selected or Not Available	0	0
1682430	S	Anti-Lock Braking System (ABS) 484M ABS-6. Includes air braking system.	0	0
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0	0
1686348	S	Single Drive Axle (Model 348)	0	0
1687010	S	Bendix Air Cam Rear Drum Brakes 16.5x7 Inc automatic slack adjusters & outboard mounted brake drums.	0	0
1704560	O	Ratio 4.56 Rear Axle	0	0
1811210	S	Peterbilt Air Trac 23,000 lb Light Weight	0	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/1/2015 11:34:19 AM	Complete	Model Number:	Model 348
Effective Date:	Jul 1, 2014		Quote/DTPQ/CO:	Q73304467
Prepared by:	Administrator		Version Number:	29.21



Data	Code	Description	\$ List	Weight
1922260	O	Dash Mtd Dump Switch With Indicator Light For suspension	37	2
Engine & Equipment				
2074305	O	PACCAR PX-9 300@2000 GOV@2200 880@1300 (2013 Emissions) Includes alum flywheel housing, cruise control, and J1939 provisions (provides an interface point for the Electronic Service Analysis-ESA and other PACCAR approved diagnostic tools). Chevron Delo LE SAE 10W30 engine oil is specially formulated for new low emissions engines. Magnetic engine oil drain plug captures and holds any metal fragments in engine oil to extend service life.	1,683	0
		N21320 N205 120..Standard Maximum Speed Limit [LSL]		
		N21330 N207 0....Expiration Distance		
		N21340 P005 120..Hard Maximum Speed Limit		
		N21350 P001 64...Maximum Accelerator Pedal Vehicle Speed		
		N21360 P110 0....Accelerator Lower Droop		
		N21370 P059 64...Maximum Cruise Speed		
		N21380 P111 0....Cruise Control Lower Droop		
		N21400 N203 252..Reserve Speed Function Reset Distance		
		N21410 N202 0....Maximum Cycle Distance		
		N21420 N208 10...Maximum Active Distance		
		N21430 N201 0....Reserve Speed Limit Offset		
		N21440 P015 Yes..Engine Protection Shutdown		
		N21450 P026 No...Gear Down Protection		
		N21460 P046 1400.Max PTO Speed		
		N21470 P062 No...Cruise Control Auto Resume		
		N21480 P088 No...Auto Engine Brake In Cruise		
		N21500 N209 0....Expiration Distance		
		N21510 P620 Yes..Enable Idle Shutdown Park Brake Set		
		N21520 P030 5....Timer Setting		
		N21530 P233 Yes..Enable Impending Shutdown Warning		
		N21540 P234 60...Timer For Impending Shutdown Warning		
		N21550 P516 35...Engine Load Threshold		
		N21570 P031 No...Idle Shutdown Manual Override		
		N21590 P230 Yes..Enable Hot Ambient Automatic Override		
		N21610 P172 40...Low Ambient Temperature Threshold		
		N21620 P173 60...Intermediate Ambient Temperature Threshold		
		N21630 P171 80...High Ambient Temperature Threshold		
2091310	O	Engine Idle Shutdown Timer Disabled	0	0
2091315	O	Enable EIST Ambient Temp Override	0	0
2091372	O	Eff EIST NA Expiration Miles	0	0
2091640	O	Effective VSL Setting NA	0	0
2140200	O	CARB Engine Idling Compliance PACCAR PX-7, PX-9 and MX, Cummins ISL, ISM and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0	0
2513060	S	PACCAR 160 Amp Alternator, Brushed	0	0
2522050	S	PACCAR 12V Starter	0	0

over

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/1/2015 11:34:19 AM	Complete	Model Number:	Model 348
Effective Date:	Jul 1, 2014		Quote/DTPQ/CO:	Q73304467
Prepared by:	Administrator		Version Number:	29.21



Data	Code	Description	\$ List	Weight
2535030	O	2 Optima DT34T Batteries 1800 CCA Threaded Stud type terminal. AGM (Absorbent Glass Material). Stranded copper battery cables are double aught (00) or larger to reduce resistance.	370	-4
2539410	O	Battery Jumper Terminal Mounted Under Hood LH Frame Rail. Not available with PX-7 engines.	116	4
2621090	S	DM Advantage ON/OFF Fan Clutch	0	0
2723210	S	18.7 CFM Air Compressor Furnished on engine. Teflon lined stainless steel braided compressor discharge line.	0	0
2922720	S	Spin-on Fuel Filter Frame Mounted, Unheated In addition to the fuel filter supplied with the engine.	0	0
3010400	O	Engine Protection Shutdown Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.	3	0
3114270	S	High Efficiency Cooling System Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. KlimaTech extended life coolant extends maintenance intervals which reduces maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 587: 1330 sq in, 579/367 FEPTO: 1325 sq in, 587/365/367: 1440 sq in, 384/386: 1301 sq in, 382/365 FEPTO: 1184 sq in, 389/367 HH: 1689 sq in, 348: 1000 sq in.	0	0
3211120	S	Radial Seal, Dry Type Air Cleaner, Frontal Air Intake. Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0	0
3365040	S	Exhaust Single RH Side Of Cab DPF/SCR RH under cab. Includes cab entry RH under cab and full round stainless steel exhaust guard.	0	0
3381770	O	Curved Tip Standpipe(s)	43	0
3387870	S	24in Ht, 5in Dia Chrome, Clear Coat Standpipe(s)	0	0
Transmission & Equipment				
4023210	O	Fuller FRO11210C 10 Speed 1150 Torque - Synthetic lubricant to reduce friction, improve efficiency, & extend component life. Magnetic transmission oil drain plug captures & holds any metal fragments in transmission oil to extend service life. Torque limiting clutch brake.	544	215
4210080	S	1710 HD Driveline, Single Midship Bearing	0	0
4256100	S	Manual Shifter, Black	0	0

Air & Trailer Equipment

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 4/1/2015 11:34:19 AM Complete Model Number: Model 348
 Effective Date: Jul 1, 2014 Quote/DTFO/CO: Q73304467
 Prepared by: Administrator Version Number: 29.21



Data	Code	Description	\$ List	Weight
4510750	S	Bendix AD-1S Air Dryer with Heater An integrated system air dryer that incorporates the functions of the air dryer, purge reservoir (which increases the drying capacity), wet air tank, pressure relief valve, single check valves, and pressure protection valve for air susp and other air accessories. Includes easy-to-service spin-on desiccant cartridge.	0	0
4540420	S	Nylon Chassis Hose	0	0
4543320	S	Steel Painted Air Tanks All air tanks are steel with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.	0	0
Tires & Wheels				
5069520	O	FF: BR 16ply 11R22.5 R283 Ecopia Diameter = 41.2 inches; SLR = 19.2 inches	206	10
5169520	O	RR: BR 16ply 11R22.5 R283 Ecopia Diameter = 41.2 inches; SLR = 19.2 inches	412	20
5190004	O	Code-rear Tire Qty 04	0	0
5210600	O	FF: Accur Sti Armor 50291PK 22.5X8.25 Heavy Duty, 2 Hand Holes	127	28
5310600	O	RR: Accur Steel Armor 50291PK 22.5X8.25 Heavy Duty, Two Hand Holes	254	56
5390004	O	Code-rear Rim Qty 04	0	0
Fuel Tanks				
5534040	O	23in Aluminum 50 Gallon Fuel Tank LH U/C Includes steps for cab access. Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.	108	0
5602050	O	Location LH U/C 50 Gallon	0	0
5652890	O	DEF Tank Mounted LH BOC Models 210, 220 and 320 mounted LH cab fender.	0	0
5652990	O	Standard DEF To Fuel Ratio 2:1 Or Greater	0	0
5655019	S	DEF Tank Small	0	0
Battery Box & Bumper				
6010390	O	Omit Std Battery Box (For use with passenger seat/in-cab battery box codes only)	0	-45
6040550	S	Aftertreatment RH U/C Alum Non-Slip Cab Entry Step. DPF/SCR for diesel engines, catalyst for natural gas engines. On Models 579 specifying chassis fairings, the box will be aerodynamic.	0	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 4/1/2015 11:34:19 AM Complete Model Number: Model 348
 Effective Date: Jul 1, 2014 Quote/DYPO/CO: Q73304467
 Prepared by: Administrator Version Number: 29.21



Data	Code	Description	\$ List	Weight
6121190	O	Steel Styled Aero Bumper Painted Black Two Tow Pins	0	0
Cab & Equipment				
6510110	S	Alum Cab 108in BBC Metton Hood w/Bright Crown Includes view window RH door and convex mirror over RH door.	0	0
6540120	O	Severe Service Cab Package #1 Includes Aluminum side skins, aluminum rear skin, steel windshield mask, steel firewall, and steel front floor sheet on all cabs, and additional reinforcement structure on the back wall of the day cab.	67	39
6540160	O	Thermal Insulation Package in Cab Includes thick, closed-cell foam in floor, special mylar-faced foam in walls and roof structure.	17	2
6911700	S	Peterbilt UltraRide Driver Seat	0	0
6921700	S	Peterbilt UltraRide Passenger Seat	0	0
6939070	O	Mounted On In-Cab Battery Box For use with non-air passenger seats only.	834	39
6939400	S	Air Ride Driver	0	0
6939420	S	High Back Driver	0	0
6939470	S	Vinyl Driver	0	0
6939620	S	High Back Passenger	0	5
6939570	S	Vinyl Passenger	0	0
7000015	S	Adjustable Steering Column - Tilt Only	0	0
7001620	S	Steering Wheel with Peterbilt Logo Steering Wheel with embossed Peterbilt logo over horn button.	0	0
7036120	S	Interior Grey/Black Includes rugged charcoal instrument panels, glare-resistant gray dash, black bezels on gauges, (2) power ports, monochromatic molded door pads with durable in-mold color, gray molded back wall, 18 inch 4-spoke soft-touch steering wheel, soft-touch steering column cover, power lift passenger window, extruded rubber floor covering, header-mounted dome light, foot well lighting, integrated "dead pedal", (4) inside entry grab handles, (2) inside sunvisors, (2) coat hooks, (2) cup holders and map bin in dash.	0	0
7210430	O	Extended Rear Window ipo Std Window-Day Cab The extended rear window protrudes two inches more than the standard conventional rear cab window. Take this into consideration when determining your loadspace.	68	0
7210540	S	Day Cab Rear Window	0	0
7230060	S	One Piece Curved Windshield	0	0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0

2819

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/1/2015 11:34:19 AM	Complete	Model Number:	Model 348
Effective Date:	Jul 1, 2014		Quote/DTPO/CO:	Q73304467
Prepared by:	Administrator		Version Number:	29.21



Data	Code	Description	\$ List	Weight
7330700	O	Peterbilt Comfort Control - Cab	21	6
7410040	O	Outside Sunvisor - Stainless Steel	126	4
7561180	O	Aero Mirrors Ea Side Htd & Mtrzd 4-Way Adjustable Bright Finish with Convex	531	4
7564110	O	Power Package Includes power door locks and power windows.	291	0
7610470	O	(1) Air Horn 24.5in Chrome - Round w/Horn Shield	219	8
7725710	O	Standard Speaker Package For Cab (2) Speakers	39	4
7725715	O	ConcertClass Without CD, includes BT Phone and Audio, AM/FM, WB, USB and MP3.	323	10
7788140	O	Radio Antenna Mounted on LH Mirror Bracket	40	0
7851480	S	Peterbilt Electric Windshield Wipers With Intermittent Feature.	0	0
7851780	O	CabMate Cab Air Suspension Mfg by Link. The class 8 conventionals (except Model 348) includes (2) airbags, (2) shock absorbers, (1) leveling valve, radius rod, and height limiter. The Models 330, 337, and 348 includes (1) airbag and (1) shock absorber.	766	15
7900090	O	Triangle Reflector Kit Shipped Loose	17	13
7900270	O	5 lb 3A:40bc Fire Extinguisher Cab Mounted	84	8
7901130	O	Backup Alarm (107dB)	66	3
8021380	S	Air Restriction Indicator Mounted on air cleaner or intake piping.	0	0
8032420	O	Buzzer On Air Suspension Dump Valve Requires dash mounted dump valve (1922260)	10	0
8071870	S	Main Instrumentation Panel w/Graphics Display Includes speedometer with trip odometer, tachometer with hourmeter and outside air temperature display, voltmeter, engine oil pressure, engine coolant temperature, fuel level, primary and secondary air pressure gauges. Includes standard warning light package: high water temperature, low oil pressure, and low air pressure warning lights w/audible alarms, high beam, turn signal, low fuel, parking brake, and ice warning indicators; seat belt reminder; rocker switches with long-life LED indicators; multi-function turn stalk with flash-to-pass feature (night mode flashes headlights and marker lights; day mode flashes headlights only), intermittent windshield wiper and headlamp beam control. Hydraulic braked trucks do not include air pressure gauges.	0	0
8111110	S	Headlights Composite Fender Mounted Integral Park, Turn, and Side Marker	0	0
8120980	S	(5) Marker Lights, Aero LED Light Emitting Diodes	0	0
8133960	O	Daytime Running Lights (Required on Canadian units)	76	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 4/1/2015 11:34:19 AM Complete Model Number: Model 348
 Effective Date: Jul 1, 2014 Quote/DTPG/CO: Q73304467
 Prepared by: Administrator Version Number: 29.21



Data	Code	Description	\$ List	Weight
Paint				
8600710	O	Standard Paint Color Selection	0	0
8530770	O	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat	159	0
		N85020 A - L0006EB WHITE - Stand		
		N85400 HOOD TOP L0006EB WHITE - Stand		
		N85500 CAB ROOF L0006EB WHITE - Stand		
		N85200 FRAME N0001EA BLACK		
		N85700 BUMPER N0001EA BLACK		
		N85300 FENDER L0006EB WHITE - Stand		
Options Not Subject To Discount				
9408905	O	Medium Duty Emissions Surcharge	7,000	0
Miscellaneous				
9409960	O	Presentation Created Using Featured Spec For Model	0	0

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/1/2015 11:34:19 AM	Complete	Model Number:	Model 348
Effective Date:	Jul 1, 2014		Quote/DTPO/CO:	Q73304467
Prepared by:	Administrator		Version Number:	29.21

RECEIVED

By Oscar Garza at 11:44 am, Apr 07, 2015



EQUIPMENT COMPANY
17474 Judson Rd. San Antonio, Tx. 78247
Phone: (210) 657-5151 Fax: (210) 657-5871

March 30, 2015

Joe Gonzalez
Rush Truck Center
Pharr, TX



Contract no: 424-13

Etnyre Distributor BuyBoard Quotation

1 New Etnyre Centennial distributor, 2,000 gal., with all standard equipment, including 1 ft. cab controls, BT-I computer, ASME tank, 400 gpm pump...	\$	84,000.00
4" dial thermometer...	\$	150.00
Power wash-down system...	\$	600.00
4' of 1' bar extentions (16' total)...	\$	2,000.00
4' provisions (future 20' max width)...	\$	680.00
PTO off Flywheel...	\$	650.00
High output asphalt pump drive...	\$	1,925.00
Dual LPG Burners with frame mounted tank...	\$	10.00
Texas railroad commission specs for LPG system...	\$	900.00
Cone type strainer...	\$	110.00
Wet storage box...	\$	300.00
12' x 3" hose...	\$	400.00
Bar circulate override switch...	\$	100.00
Total List Price...	\$	91,825.00
BuyBoard Discount...	\$	(6,427.75)
Etnyre Body Cash Total...	\$	85,397.25
Drive-away Freight/PDI/Start-up assistance...	\$	5,700.00
Total FOB Rush Truck Center...	\$	91,097.25

Build date is approx. 6 months A.R.O

Chassis must be approved by Etnyre before ordered

Chassis must arrive approx. 2 weeks before build date

Signed:

Matt Cooper, District Manager

Any warranties on the product sold hereby are those made by the manufacturer. The Seller, Cooper Equipment Company, hereby expressly disclaims all warranties, either express or implied, including any implied warranty of merchantability or fitness for a particular purpose, and Cooper Equipment Company neither assumes nor authorizes any other person to assume



Phone: 800-695-2919

Fax: 800-211-5454

Email: info@buyboard.com

Welcome Oscar [Log Off]

[Administration](#)[RFQ](#)[Reports](#)[Shopping Cart](#)[Help](#)

Vendor Contract Information

[Back](#)

Search:

- All
- Vendor Discounts Only
- Catalog Pricing Only

Refine Your Search:

Vendors

Cooper Equipment Company[X]

Price Range

Show all prices

Category

None Selected

Contract

None selected

Additional Searches:

[Search by Vendor](#)[Browse Contracts](#)[Instructional Materials](#)[Additional Resources](#)**Vendor Name:** Cooper Equipment Company**Address:** 17474 Judson Road
San Antonio, TX 78247**Phone Number:** (210) 657-5151**Email:** george_cooper@sbcglobal.net**Website:** <http://www.cooperequip.com/>**Federal ID:** 74-1403310**Contact:** George Cooper**Accepts RFQs:** Yes**Minority Owned Vendor:** No**Women Owned Vendor:** No**Contract Name:** Construction, Road, Bridge & Other Equipment**Contract#:** 424-13**Effective Date:** 10/01/2013**Expiration Date:** 09/30/2016**Payment Terms:** Net 30 days**Delivery Days:** 60**Shipping Terms:** Pre-paid and added to invoice**Freight Terms:** FOB Destination**Ship Via:** Common Carrier**Region Served:** All Texas Regions**States Served:** All States**Contract Exceptions:** Different regions/states served for different brands. To maintain local dealer support for sale outside of Texas, we reserve the right to not transact with any out-of-state buyer whenever local dealer is uncooperative, though this has never happened.**Quote Reference Number:** 424-13**REVIEWED**

By Oscar Garza at 10:43 am, Apr 10, 2015

Contract Documents

Proposal Documents: [Click to view BuyBoard Proposal Documents](#)**Regulatory Notice:** [Click to view Bonding Regulatory Notice](#)

Contact us 800-695-2919



Email

Welcome

Administration

RFO

Reports

Shopping Cart

Search Results

Search:

Show 25 results

Narrow Results:

- All
- Vendor Discounts Only
- Catalog Pricing Only

Refine Your Search:

Vendors

Cooper Equipment Company[X]

Price Range

Show all prices

Category

None Selected

Contract

None selected

Additional Searches:

Search by Vendor

Browse Contracts

Instructional Materials

Additional Resources

Vendor	Description	P
Cooper Equipment Company	Rigid Gooseneck Trailer, 70,000 lb. Load capacity	
Cooper Equipment Company	Rigid Gooseneck Trailer, 100,000 lb. Load capacity	
Cooper Equipment Company	Hydraulic Detachable Gooseneck Trailer, 70,000 lb. Load capacity	
Cooper Equipment Company	Hydraulic Detachable Gooseneck Trailer, 100,000 lb. Load capacity	
Cooper Equipment Company	9% Discount Off Etnyre - Transport pricelist for All Other Trailers	
Cooper Equipment Company	9% Discount Off Broce pricelist for Road Broom Equipment	
Cooper Equipment Company	8% Discount Off Etnyre pricelist for Asphalt Emulsion Tanks	
Cooper Equipment Company	8% Discount Off Etnyre pricelist (8% to 9% discount) for All Other Construction Equipment	
Cooper Equipment Company	8% Discount Off Etnyre - TMLB-17 pricelist for Live Bottom Truck Bodies, Accessories, and Attachments	
Cooper Equipment Company	8% Discount Off Etnyre - Falcon Live Bottom pricelist for Live Bottom Trailers, Etc.	
Cooper Equipment Company	8% Discount Off Cimline pricelist for Asphalt Distributors	
Cooper Equipment Company	7% Discount Off Schwarze pricelist for Road Broom Equipment	
Cooper Equipment Company	7% Discount Off Schwarze pricelist (7% to 8% discount) for Pothole Patchers	
Cooper Equipment Company	7% Discount Off Puckett pricelist (7% to 8% discount) for Asphalt Pavers	
Cooper Equipment Company	7% Discount Off Etnyre pricelist for Chip Spreaders	
Cooper Equipment Company	7% Discount Off Etnyre pricelist (7% to 8% discount) for Asphalt Distributors	

Extended Product Information

Reference Number: 424-13

Part Number: Catalog

Vendor Website: <http://www.cooperequip.com/>

Full Description: 7% Discount Off of Etnyre pricelist (7% to 8% discount) for Asphalt Distributors

Vendor	Description	P
Cooper Equipment Company	7% Discount Off Cooper pricelist for Construction Equipment Rental	
Cooper Equipment Company	7% Discount Off Carlson pricelist for Asphalt Pavers	
Cooper Equipment Company	5% Discount Off Bagela pricelist for Road Reclaiming Equipment	
Cooper Equipment Company	4% Discount Off Midland pricelist (4% to 6% discount) for Material Handlers	
Cooper Equipment Company	13% Discount Off Cimline pricelist for Melter Crack Sealers	
Cooper Equipment Company	10% Discount Off Cooper pricelist for Pre-Owned/ Reconditioned/ Retired Rental Construction Equipment	

Showing 1 to 22 of 22 entries


[First](#) [Previ](#)

Contact us 800-695-2919

BODY MFR	MODEL NAME	<u>RUSH TRUCK CENTER OPTION NUMBER:</u>	OPTION DESCRIPTION	OFFERED PRICE
RUSH	STROBE LIGHTS	RTC 0046	LITE BAR	\$ 1,725
RUSH	SEALED GATE	RTC 0047	DUMP BODY	\$ 863
RUSH	VIBRATOR	RTC 0048	DUMP BODY	\$ 2,588
RUSH	SHOP LABOR	RTC 0049	MOUNTING [Per Hour]	\$ 95.00
RUSH	DUMP PREP PACKAGE	RTC 0050	DUMP PREP PACKAGE	\$ 3,393
RUSH	P.D.I SERVICE PACK	RTC 0051	P.D.I. SERVICE PACK	\$ 1,236
RUSH	SHOP LABOR	RTC 0052	PAINTING [Per Hour]	\$ 95.00
RUSH	BODY PREP	RTC 0053	BODY PREPARATION PACKAGE	\$ 2,438
WARREN	WSC5519	RTC 0054	CLASS 20 8'-11' BODIES	\$ 4,025
WARREN	U50-717	RTC 0055	CLASS50 8'-9'	\$ 4,370
WARREN	U60-823	RTC 0056	CLASS 50 9'-10' BODIES	\$ 4,485
WARREN	U70-824	RTC 0057	CLASS 70 12' BODIES	\$ 4,485
WARREN	U110-8824	RTC 0058	CLASS 110 13'-14' BODIES	\$ 6,095
RUSH	DEF,FUEL, & WASH	RTC 0059	FUELING	\$ 950.00
WARREN	T-10-585	RTC 0060	CLASS 70 10' BODIES	\$ 4,370
WARREN	T-10-6385	RTC 0061	CLASS 90 10' BODIES	\$ 4,485
WARREN	VTLW-6397	RTC 0062	CLASS 100 12' BODIES	\$ 4,600
WARREN	VTLW-63110	RTC 0063	CLASS 110 13-14' BODIES	\$ 4,888
WARREN	VTLW-63126	RTC 0064	CLASS 120 15-16' BODIES	\$ 4,888
WARREN	VTLW-63142	RTC 0065	CLASS 120 17-18' BODIES	\$ 5,175
WARREN	VTLW-74135	RTC 0066	CLASS 120 16-17' BODIES	\$ 5,175
WARREN	VTLW-74167	RTC 0067	CLASS 120 18-19' BODIES	\$ 5,693
RUSH	HEADACHE RACK	RTC 0068	ALUMINUM CAB PROTECTOR	\$ 2,013
RUSH	EPORTAL LISTING	RTC 0069	ANNUAL SERVICE PACKAGE	\$ 460
RUSH	10'	RTC 0070	10'	\$ 6,095
RUSH	12'	RTC 0071	12'	\$ 6,095
RUSH	14'	RTC 0072	14'	\$ 6,900
RUSH	16'	RTC 0073	16'	\$ 7,360
RUSH	18'	RTC 0074	18'	\$ 8,050
RUSH	20'	RTC 0075	20'	\$ 8,280
RUSH	22'	RTC 0076	22'	\$ 8,970
RUSH	24'	RTC 0077	24'	\$ 9,660
RUSH	16' Reefer Body	RTC 0078	Body and cooling unit	\$ 30,959
RUSH	20' Reefer Body	RTC 0079	Body and cooling unit	\$ 32,308
RUSH	24' Reefer Body	RTC 0080	Body and cooling unit	\$ 34,997
RUSH	HEATED FLOOR	RTC 0083	HEATED FLOOR	\$ 3,450
RUSH	STAKE SIDES FOR FLAT BEDS [Per Foot]	RTC 0084	STAKE SIDES FOR FLAT BEDS [Per Foot]	\$ 127
RUSH	SAFETY CAGE	RTC 0085	FOR HIGH LIFT	\$ 3,766
RUSH	APPROACH LADDER	RTC 0086		\$ 748
RUSH	LUBE TRUCK	RTC 0087	BASIC 1K TANK BODY	\$ 62,000.00

BODY MFGR	MODEL NAME	<u>RUSH TRUCK CENTER OPTION NUMBER:</u>	OPTION DESCRIPTION	OFFERED PRICE
PAC-MAC	PAC-MAC OPTION	RTC 0124	STOBE LIGHT ON OUTRIGGER	\$ 518
RUSH	REFUSE BODY PREP PACKAGE	RTC 0125	REFUSE BODY PREP PACKAGE	\$ 3,421
NATIONAL	500E	RTC 0126	WITH FLAT BED	\$ 121,641
STELLAR	Stellar HookLift Single Axle	RTC 0127	Hook Lift	\$ 40,250
STELLAR	Stellar Hooklift Tandem Axle	RTC 0128	Hook Lift	\$ 56,925
DURALIFT	DuarLift	RTC 0129	Rolloff Hoist/ Hooklift	\$ 59,800
PETERSON	TL3 Lightning Loaders	RTC 0130	Brush Loader w/Dump Body	\$ 40,382
KLAM	CFK-390	RTC 0131	KLAM RETARDER	\$ 11,730
KLAM	KA-240	RTC 0132	KLAM RETARDER	\$ 10,523
RUSH	CREW CAB MODIFICATION	RTC 0133	CREW CAB MODIFICATIONS	\$ 17,451
RUSH	12 VOLT REAR AIR CONDITIONING	RTC 0134	12 VOLT REAR AIR CONDITIONING	\$ 2,013
RUSH	H.O. BOSTROM VOCATIONAL REAR BENCH	RTC 0135	H.O. BOSTROM VOCATIONAL REAR BENCH	\$ 1,301
RUSH	BACK-UP CAMERA SYSTEM	RTC 0136	BACK-UP CAMERA SYSTEM	\$ 2,270
RUSH	LINK CAB MATE CREW CAB AIR RIDE SYSTEM	RTC 0137	LINK CAB MATE CREW CAB AIR RIDE SYSTEM	\$ 1,826
ANY/IF	FREIGHT FROM CREW CAB TO HOUSTON	RTC 0138	FREIGHT FROM CREW CAB TO HOUSTON	\$ 2,875
SPIZZER	LINCOLN AUTO LUBRICATION SYSTEM [BASIC SRA]	RTC 0139	LINCOLN AUTO LUBRICATION SYSTEM [BASIC SRA]	\$ 4,313
SPIZZER	LINCOLN AUTO LUBRICATION SYSTEM [BASIC TRA]	RTC 0140	LINCOLN AUTO LUBRICATION SYSTEM [BASIC TRA]	\$ 5,463
RUSH	JONES BLAIR ACRYLITHANE HS2 UERTHANE ENA.	RTC 0141	JONES BLAIR ACRYLITHANE HS2 UERTHANE ENA.	\$ 3,305
RUSH	SCISSOR LIFT, 16 FT WITH FLAT BED	RTC 0142	SCISSOR LIFT, 16 FT WITH FLAT BED	\$ 52,066
RUSH	EXPANDED METAL CAGE MATERIAL	RTC 0143	EXPANDED METAL CAGE MATERIAL	\$ 3,163
RUSH	SALT & SPREADER BODY	RTC 0144	SALT & SPREADER BODY	\$ 43,959
RUSH	3,000 GALLON WATER BODY	RTC 0145	3,000 GALLON WATER BODY	\$ 34,644
RUSH	4,000 GALLON WATER BODY	RTC 0146	4,000 GALLON WATER BODY	\$ 51,021
RUSH	2,000 GALLON MAXIMIZER II DISTRIBUTOR BODY	RTC 0147	2,000 GALLON MAXIMIZER II DISTRIBUTOR BODY	\$ 88,847
RUSH	FINANCE CHARGE FOR BODY MOUNT (for each 30 DAYS)	RTC 0148	FINANCE CHARGE FOR BODY MOUNT (for each 30 DAYS)	\$ 1,294
RUSH	DROP FRAME CONFIGURATION	RTC 0149	DROP FRAME CONFIGURATION	\$ 14,116
RUSH	SERVICE MANUAL ON LINE FIRST YEAR FEE	RTC 0150	2nd year on Each Year thereafter	\$ 430
RUSH	SEWER BODY PREP PACKAGE	RTC 0151	SEWER BODY PREP PACKAGE	\$ 3,393
RUSH	SERVICE PACK [P.D.I.]	RTC 0152	SERVICE PACK [P.D.I.]	\$ 1,236
RUSH	CHLORINE BODY WITH RUST INHIBTOR PAINT 12'	RTC 0153	CHLORINE BODY WITH RUST INHIBTOR PAINT 12'	\$ 33,638
McNEILUS	4 1/2 YD McNelus Standard Mixer	RTC 0154	4 1/2 YD McNelus Standard Mixer	\$ 37,913

BODY MFGR	MODEL NAME	<u>RUSH TRUCK CENTER OPTION NUMBER:</u>	OPTION DESCRIPTION	OFFERED PRICE
Terex	TC65	RTC 1034	Non-Overcenter Material Handling Aerial Device- 70 ft working height	\$ 124,165.00
Terex	C4045 TM	RTC 1035	Commander Center Mount Derrick with TM winch- Sheeve 45 ft	\$ 126,298.75
Terex	C4045 PG	RTC 1036	Commander Center Mount Derrick with PG winch- Sheeve 45 ft	\$ 125,422.50
Terex	C4047 TM	RTC 1037	Commander Center Mount Derrick with TM winch- Sheeve 47 ft	\$ 129,090.00
Terex	C4047 PG	RTC 1038	Commander Center Mount Derrick with PG winch- Sheeve height 47'	\$ 129,090.00
Terex	C4050 TM	RTC 1039	Commander Center Mount Derrick with TM winch- Sheeve height 50 ft	\$ 138,856.25
Terex	C6054	RTC 1040	Commander Center Mount Derrick- Sheeve height 54 ft	\$ 173,667.50
Terex	C6060	RTC 1041	Commander Center Mount Derrick- Sheeve height 60 ft	\$ 173,667.50
Terex	General 65	RTC 1042	General Center Mount Derrick- Sheeve height 65 ft	\$ 234,757.50
RUSH	REAR STEER APPLICATION	RTC 1043	REAR STEER FOR LOADER APPLICATION	\$ 53,747.50
PAC-MAC	SHUTTLE LOADER	RTC 1044	SHUTTLE LOADER	\$ 60,500.00
RUSH	CNG CONVERSION	RTC 1045	CUMMINS "L" only	\$ 49,937.50
RUSH	FRAME CLEAN	RTC 1046	Clean Stock Frame for Body Install	\$ 1,781.25
DICKSON	RUMBLER 6200	RTC 1047	Rumble Strip Machine	\$ 244,375.00
MRL	PAINT STRIPER	RTC 1048	Paint Striper	\$ 190,000.00
MRL	PAINT STRIPER	RTC 1049	Thermoplastic Paint Striper	\$ 281,250.00
		RTC 1050	Sewer Unit	
Amthor	Septic Tank	RTC 1051	1250 Portable Restroom Tank	\$ 32,990
Amthor	Septic Tank	RTC 1052	2000 Gallon Portable Restroom Tank	\$ 34,990
Amthor	Septic Tank	RTC 1053	2500 Gallon Vacuum Tank	\$ 34,950
Amthor	Septic Tank	RTC 1054	4000 Gallon Vacuum Tank	\$ 39,990
Amthor	Propane Tank	RTC 1055	3499 Gallon Propane Tank	\$ 55,950
CLS	Jetter Body	RTC 1056	2,000 Gallon Jetter Body	\$ 81,500
VacCon		RTC 1057	Single Engine 11 CY Jetter/Blower w/ 80 gpm	\$ 213,000
Rush	Ford Make Ready	RTC 1058	Dealer Prep / Make Ready	\$ 200
Rush	Lot Insurance	RTC 1059	Lot Insurance	2% of sales price
Rush	Flooring	RTC 1060	Dealership Flooring	2% of sales price







Proposal Invitation No. 430-13-Vehicles and Heavy Duty Trucks and Options

*ALL COLUMNS MUST BE COMPLETED OR PROPOSAL WILL NOT BE CONSIDERED

Item No.	Specified Brand or Equal	Short Description	Full Description	Delivered Price	Brand and Model	Options
DELIVERY FEES AND LABOR RATE FOR REPAIR/SERVICE OF VEHICLES						
273	Repair Labor	Hourly Labor Rate for: <u>Repair/Service of Vehicle</u>	Hourly Labor Rate for Repair/Service of Vehicle -- State the hourly labor rate for repair/service of Vehicle	\$95.00		Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)
274	Delivery Fees	Per Mile Delivery Fee for Vehicles	Per Mile Delivery Fee for Vehicles -- State the per mile delivery fee for Vehicles	\$ 0 /mile		Attached separate sheet with upgrade options to include all manufacturer options including alternative fuel choice equipment (CNG, LPG, Hybrid, etc.)

PROPOSAL NOTE:
1. *All responses must be completed or response will not be considered.

SAM Search Results
List of records matching your search for :
Functional Area: Entity Management
Record Status: Active
DUNS Number: 179456546

ENTITY	Rush Truck Centers Of Texas, Lp	Status:Active
DUNS: 179456546	+4:	CAGE Code: 74G17 DoDAAC:
Expiration Date: Apr 2, 2016	Has Active Exclusion?: No	Delinquent Federal Debt?: No
Address: 4700 N CAGE BLVD		
City: PHARR	State/Province: TEXAS	
ZIP Code: 78577-9694	Country: UNITED STATES	

REVIEWED

By Oscar Garza at 9:18 am, Apr 10, 2015

