



ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):
 Deere & Company
 2000 John Deere Run
 Cary, NC 27513
 FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:
 Neuhaus & Company, Ltd
 2000 East Expressway 83
 Weslaco, TX 78596
 956-968-7502
 KIRK@NEUHAUSCO.COM

Quote Summary

Prepared For:
 Hidalgo Co.
 TX

Delivering Dealer:
Neuhaus & Company, Ltd
 R.d. Machen
 2000 East Expressway 83
 Weslaco, TX 78596
 Phone: 956-968-7502
 rdm@neuhausco.com

Quote ID: 11236565
Created On: 10 April 2015
Last Modified On: 14 April 2015
Expiration Date: 10 May 2015

Equipment Summary	Suggested List	Selling Price	Qty	Extended
JOHN DEERE (MY2015) 5065E Utility Tractor (49-53 PTO hp) Contract: TASB_447-14 Price Effective Date: December 3, 2014	\$ 44,637.60	\$ 32,918.15 X	3 =	\$ 98,754.45
JOHN DEERE MX7 Lift-Type Rotary Cutter - 540 RPM PTO Contract: TASB_447-14 Price Effective Date: November 24, 2014	\$ 4,884.00	\$ 3,609.10 X	3 =	\$ 10,827.30

Equipment Total **\$ 109,581.75**

Trade In Summary	Qty	Each	Extended
JOHN DEERE 5065E TRACT PayOff	1	\$ 54,000.00	\$ 54,000.00
Total Trade Allowance			\$ 0.00
			\$ 54,000.00

Trade In Total **\$ 54,000.00**

* Includes Fees and Non-contract items

Quote Summary	
Equipment Total	\$ 109,581.75
Trade In	\$ (54,000.00)
SubTotal	\$ 55,581.75
Total	\$ 55,581.75
Down Payment	(0.00)
Rental Applied	(0.00)

Salesperson : X _____

Accepted By : X _____



**ALL PURCHASE ORDERS MUST BE MADE OUT
TO (VENDOR):**

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580; DUNS#: 60-7690989

**ALL PURCHASE ORDERS MUST BE SENT
TO DELIVERING DEALER:**

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

Balance Due

\$ 55,581.75

Salesperson : X _____

Accepted By : X _____

Confidential



Selling Equipment

Quote Id: 11236565 Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

Neuhaus & Company, Ltd
2000 East Expressway 83
Weslaco, TX 78596
956-968-7502
KIRK@NEUHAUSCO.COM

JOHN DEERE (MY2015) 5065E Utility Tractor (49-53 PTO hp)

Contract: TASB_447-14

Suggested List *

Price Effective Date: December 3, 2014

\$ 44,637.60

Selling Price *

\$ 32,918.15

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
1744LV	(MY2015) 5065E Utility Tractor (49-53 PTO hp)	3	\$ 24,708.00 ✓	26.00	\$ 6,424.08	\$ 18,283.92	\$ 54,851.76
Standard Options - Per Unit							
0409	English Operators Manual and Decal Kit	3	\$ 0.00 ✓	26.00	\$ 0.00	\$ 0.00	\$ 0.00
1381	12F/12R PowrReverser Transmission - 540/540E (PR)	3	\$ 2,160.00 ✓	26.00	\$ 561.60	\$ 1,598.40	\$ 4,795.20
2050	Cab	3	\$ 7,488.00 ✓	26.00	\$ 1,946.88	\$ 5,541.12	\$ 16,623.36
3420	Dual Mid Valves with Joystick Control	3	\$ 1,162.00 ✓	26.00	\$ 302.12	\$ 859.88	\$ 2,579.64
4120	Telescopic Draft Links	3	\$ 518.00 ✓	26.00	\$ 134.68	\$ 383.32	\$ 1,149.96
5185	16.9-28 In. 6PR R1 Bias	3	\$ 0.00 ✓	26.00	\$ 0.00	\$ 0.00	\$ 0.00
6040	MFWD (4 Wheel Drive)	3	\$ 5,296.00 ✓	26.00	\$ 1,376.96	\$ 3,919.04	\$ 11,757.12
6101	9.5-24 In. 6PR R1 Bias	3	\$ 1,052.00 ✓	26.00	\$ 273.52	\$ 778.48	\$ 2,335.44
Standard Options Total			\$ 17,676.00		\$ 4,595.76	\$ 13,080.24	\$ 39,240.72
Dealer Attachments/Non-Contract/Open Market							
LVB25728	Back up Alarm	3	\$ 161.70 ✓	26.00	\$ 42.04	\$ 119.66	\$ 358.98
LVB25889	Front Weight Support	3	\$ 220.00	26.00	\$ 57.20	\$ 162.80	\$ 488.40
LVB26096	Horn Kit	3	\$ 51.70 ✓	26.00	\$ 13.44	\$ 38.26	\$ 114.78
AL80127	Mirror Kit	3	\$ 171.60 ✓	26.00	\$ 44.62	\$ 126.98	\$ 380.94
AL80126	Mirror Kit	3	\$ 171.60 ✓	26.00	\$ 44.62	\$ 126.98	\$ 380.94
001	Non-Contract JD 100lbs Front Weights	18	\$ 104.00	5.00	\$ 5.20	\$ 98.80	\$ 1,778.40
003	Non-Contract JD Beacon Light Kit	3	\$ 379.00	5.00	\$ 18.95	\$ 360.05	\$ 1,080.15
002	Non-Contract JD Cab Radio Kit	3	\$ 474.00	5.00	\$ 23.70	\$ 450.30	\$ 1,350.90
Dealer Attachments Total			\$ 1,733.60		\$ 249.77	\$ 1,483.83	\$ 5,933.49



Selling Equipment

Quote Id: 11236565 Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):
 Deere & Company
 2000 John Deere Run
 Cary, NC 27513
 FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:
 Neuhaus & Company, Ltd
 2000 East Expressway 83
 Weslaco, TX 78596
 956-968-7502
 KIRK@NEUHAUSCO.COM

Suggested Price		\$ 100,025.97			
Additional Discounts					
Multi-unit Discount	3	\$ 423.84	\$ -423.84	\$ -1,271.52	
Additional Discount Total		\$ 423.84	\$ -423.84	\$ -1,271.52	
Total Selling Price		\$ 44,117.60	\$ 11,693.45	\$ 32,424.15	\$ 98,754.45

JOHN DEERE MX7 Lift-Type Rotary Cutter - 540 RPM PTO							
Contract: TASB_447-14						Suggested List *	
Price Effective Date: November 24, 2014						\$ 4,884.00	
						Selling Price *	
						\$ 3,609.10	
* Price per item - includes Fees and Non-contract items							
Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
2154P	MX7 Lift-Type Rotary Cutter - 540 RPM PTO	3	\$ 4,326.00 ✓	26.00	\$ 1,124.76	\$ 3,201.24	\$ 9,603.72
Standard Options - Per Unit							
9010	Dual Tailwheel Support, Hub and Wheel	3	\$ 359.00 ✓	26.00	\$ 93.34	\$ 265.66	\$ 796.98
Standard Options Total			\$ 359.00		\$ 93.34	\$ 265.66	\$ 796.98
Dealer Attachments/Non-Contract/Open Market							
001	Non-Contract 3pt Pin Kit	3	\$ 199.00	5.00	\$ 9.95	\$ 189.05	\$ 567.15
Dealer Attachments Total			\$ 199.00		\$ 9.95	\$ 189.05	\$ 567.15
Suggested Price		\$ 10,967.85					
Additional Discounts							
Multi-unit Discount	3				\$ 46.85	\$ -46.85	\$ -140.55
Additional Discount Total					\$ 46.85	\$ -46.85	\$ -140.55
Total Selling Price		\$ 4,884.00	\$ 1,274.90	\$ 3,609.10	\$ 10,827.30		

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

**(MY2015) 5065E Utility Tractor (49-53 PTO hp)
Equipment for Base Machine**

ENGINE:

65 (48 kW) 97/68/EC Engine Horsepower @ 2100 RPM*
 53 (39.0 kW) PTO Horsepower @ 2100 RPM* (Open Station)
 49 (36.0 kW) PTO Horsepower @ 2100 RPM* (Cab)
 3 Cylinder Turbocharged
 John Deere PowerTech Diesel Engine
 179 C.I.D. (2.9L)
 EPA Final Tier 4 Compliant
 Dry Type Air Cleaner with Safety Element
 Underhood Muffler with Vertical Exhaust Stack
 Anti-Freeze
 Hand and Foot Throttles
 Key Engine Shutoff
 Fan Finger Guard
 Heavy Duty Air Intake Pre-Heater
 Fuel Cooler

TRANSMISSION: 9F/3R TSS

9F/3R Sync Shuttle
 Synchronized Speed Shifts, Integrated Park Position
 Right Hand Shifted Speeds
 Left Hand Shifted Ranges
 Differential Lock
 Neutral Start Safety Switch

REAR AXLE:

Flanged Rear Axle
 Planetary Final Drives

STEERING AND BRAKES:

Hydrostatic Power Steering
 Hydraulically Actuated Wet Disk Brakes
 Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
 Tandem Gear Pump 18.2 GPM (68.8 LPM)
 Maximum Total Flow
 Steering Pump 6.8 GPM (25.7 LPM)
 Implement Pump 11.4 GPM (43.1 LPM)
 One Rear Selective Control Valve

POWER TAKE-OFF SHAFT: 9x3 TSS Transmission

Independent "Live" 540 RPM Rear PTO Shaft
 Operator Presence Safety Warning - PTO
 Safety Start Switch
 Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:

Rear Rockshaft with Position Control,
 Draft Control, and Adjustable Rate of Drop
 3-Point (Category II) Hitch

with Sway Chains -
 Convertible to Category I
 Interchangeable Hitch Balls
 Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge
 Tachometer/Hour Meter
 Oil Pressure Indicator Light
 Coolant Temperature Gauge
 Alternator Indicator Light
 Air Restriction Indicator Light
 Turn Signal Indicator Light
 High Beam Light
 PTO Engagement Light
 Digital Display - Hour Meter
ELECTRICAL: Open Station
 12-Volt Electrical System
 One Battery - 623 CCA** with
 145 Minute Reserve Capacity
 40 Amp Alternator

LIGHTS:

Two Front Halogen Headlights
 Two Turn/Flashing Warning Lights
 Two Tail Lights
 One Rear Work Light (Open Station)

MISCELLANEOUS:

SMV Emblem
 Tilt-Up Hood
 Fender Mounted Toolbox

BASE MACHINE:

Open Station
 2-Post Foldable Roll-Over Protective Structure (ROPS)
 Deluxe Adjustable Vinyl Seat with Retractable Seat Belt
 18 U.S. Gallon (68 L) Fuel Tank Capacity
 Adjustable Front Axle (56-80 In.)
 8-Position Steel Rear Wheels with Two Rear Tires 16.9-28 6PR (R1)
 2-Position Steel Front Wheels with Two Front Tires 7.50-16 6PR (F2)

* Manufacturer's Rating

** Cold Cranking Amps

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1744LV	(MY2015) 5065E Utility Tractor (49-53 PTO hp)	24,708.00
--------	---	-----------

OPERATORS MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
------	--	---------------

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

(MY2015) 5065E Utility Tractor (49-53 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		OPERATORS MANUAL ...Continued... French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
TRANSMISSION			
1363		9F/3R SyncShuttle Transmission (TSS) <i>9F/3R Full Top Shaft Synchronized [TSS]</i> <i>Synchronized Speed Shifts</i> <i>Integrated Park Position</i> <i>Code 1363 with Code 2050 - Standard Cab is NOT available on 5065E (Base Code 1744LV) and 5075E (Base Code 1754LV)</i>	In Base Price
1381		12F/12R PowrReverser Transmission - 540/540E (PR) <i>Electrohydraulic (EH) Directional Reverser</i> <i>Wet Traction Clutch</i> <i>Wet PTO Clutch</i> <i>Neutral Start Safety Switch</i> <i>Electrohydraulic (EH) PTO engagement</i> <i>Economy-PTO/Standard PTO</i> <i>MFWD indicator light</i> <i>Digital hour meter indicator</i> <i>Digital ground speed indicator</i> <i>Digital PTO speed indicator</i> <i>Requires Code 6040 - MFWD.</i>	2,160.00
OPERATOR STATION			
2000		Open Operator Station <i>Fixed Open Operator Station</i> <i>2 Post Foldable Roll-Over Protection Structure (ROPS)</i> <i>Beverage Holder</i> <i>Single Rear Work Light</i> <i>18 Gallon Fuel Tank</i>	In Base Price
2050		Cab <i>Left Side Door</i> <i>Air Conditioning</i> <i>Cup Holders</i> <i>Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness)</i> <i>Front Windshield Wiper</i> <i>Mechanical Suspension Seat</i> <i>21.6 Gallon Fuel Tank</i> <i>Requires Code 6040 MFWD.</i> <i>Requires Code 4120 Telescopic Draft Link.</i>	7,488.00
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders.</i> <i>Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i> <i>Requires Code 6020 - 2WD.</i>	In Base Price
3420		Dual Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i> <i>Requires Code 6040 - MFWD.</i>	1,162.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

(MY2015) 5065E Utility Tractor (49-53 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
DRAFT LINKS			
4115		Fixed Draft Links	In Base Price
4120		Telescopic Draft Links	518.00
REAR WHEELS WITH TIRES (TWO)			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>Requires Code 6103.</i>	777.00
5113		21.5L-16.1 In. 6PR R3 Bias <i>Code 6020 requires Code 6103. Code 6040 requires Code 6171.</i>	-621.00
5184		16.9-24 In. 6PR R4 Bias <i>Code 6040 requires Code 6133.</i>	-362.00
5185		16.9-28 In. 6PR R1 Bias <i>Code 6020 requires Code 6102. Code 6040 requires Code 6101.</i>	In Base Price
FRONT AXLE			
6020		2 Wheel Drive <i>Requires Code 1363.</i>	In Base Price
6040		MFWD (4 Wheel Drive) <i>Mechanical Engagement. Engagement Indicator Light on PowrReverser Transmission. Requires Code 3420.</i>	5,296.00
FRONT WHEELS WITH TIRES (TWO)			
FOR OPTION CODE 6020 (2WD):			
6102		7.50-16 In. 6PR F2 Bias <i>Requires Code 2000 - Open Operator Station.</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>Requires Code 2000 - Open Operator Station.</i>	486.00
FOR OPTION CODE 6040 (MFWD):			
6101		9.5-24 In. 6PR R1 Bias	1,052.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias	728.00
6171		9.5-16 In. 6PR R3 Bias	396.00

ATTACHMENTS FOR FIELD CONVERSION

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5065E Open Operator Station Utility Tractor (49-53 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	LVB25332	Canopy Mounting Bracket and Hardware Kit <i>Requires LVB25334 or LVB25785 Canopy Kit ordered separately.</i>	105.60
	LVB25889	Weights: Weight, Front Support - 100 Lb. <i>Kit includes front weight support and mounting hardware.</i>	220.00
	R213907	Weight, Rear Wheel - 95 Lb. <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel.</i>	222.20

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

(MY2015) 5065E Utility Tractor (49-53 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
BLV10431		Second Rear SCV with Detented Float and Lever Control <i>For 12x12 PR Open Station Tractors.</i>	805.20
LVB25547		Lighting: Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	63.80
LVB25728		Miscellaneous: Backup Alarm Kit <i>Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	161.70
LVB25727		PowrReverser Modulation Control Kit	147.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	51.70
LVB26096		Single Horn Kit <i>CAB tractors only</i>	51.70
SJ10170		Operator Environment: Antenna <i>Cab only</i>	See Parts
AH104259		Ash Tray <i>Cab only.</i>	See Parts
LVB25785		Canopy - Deluxe <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	961.40
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	583.00
LVB25332		Canopy Mounting Bracket and Hardware Kit <i>Requires LVB25334 or LVB25785 Canopy Kit ordered separately. Open Station Tractors Only.</i>	105.60
AR60937		Cigarette Lighter <i>Cab only.</i>	See Parts
RE244177		Kit, Rear View Mirror Mounting Kit <i>Cab only. Requires AL80127 and/or AL80126Kit contains support plates and hardware for one rear view mirror.</i>	See Parts
AL80126		Mirror, Telescopic, LH, Manually Adjustable <i>Cab only.</i>	171.60
AL80127		Mirror, Telescopic, RH, Manually Adjustable <i>Cab only.</i>	171.60
BLV10350		Right Hand Door <i>Cab Only</i>	291.50

AGRICULTURAL PRODUCTS
JOHN DEERE ROTARY CUTTERS

MX7 Lift-Type Rotary Cutter - 540 RPM PTO
Equipment for Base Machine

Smooth, Easy Clean, Top Deck

Deck Thickness:

Upper Deck - 9/64" (3.5 mm)

Lower Deck - 9/64" (3.5 mm)

Total - 9/32" (7.0mm)

One Gearcase, Power Rating:

75 HP (56 kW) Continuous

100 HP (74.5 kW) Peak

2 In. Brush Cutting Capacity

Slip Clutch Protection

Unibody Frame:

8.5 In. (216mm) Body Depth

1/4 In. (6.0mm) Skirt Thickness

Cutting Width: 84 In. (2.13m)

Transport Width: 88 In. (2.24m)

Cutting Height: 1 to 9.5 In. (25 - 241mm)

Blade Tip Speed: 16182 ft/min (82.2 m/s)

Hitch:

Integral Hitch (Cat. II and IIIN 3-Point

Hitch with or without Quick Coupler)

Weld on Full Length Wear Shoes - Replaceable

Driveline:

Standard Driveline (Cat. 4) - 540 RPM PTO

Round Pan Bladeholder (Stump Jumper)

Suction Blades (1/2 In. x 4 In.)

One Wheel Support (Swiveling,

Height Adjustable)

One Puncture Proof Laminated Tire

Front Safety Shield - Chain

Rear Safety Shield - Chain

Minimum Recommended Tractor PTO HP:

40 HP; 4 cyl. 5000 Series or equivalent

Front and rear safety shields reduce the risk of thrown objects which could be hazardous. The base rotary cutter complies with the Industrial Mower Safety Standard SAE J232.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2154P

MX7 Lift-Type Rotary Cutter - 540 RPM PTO
*Order Code 9020 for Quick Coupler Compatibility.
Serial Number P00MX7C017500 and above.*

4,326.00

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:		
9020	Match / Quik-Coupler Bushing Kit	86.00
9099	French Operator's Manual and Decal Kit	No Charge
9100	Spanish Operator's Manual and Decal Kit	No Charge
9200	Australia-New Zealand homologation kit <i>Mandatory for AU and New Zealand orders. Includes blade bushing, rubber guards and extra safety hardware.</i>	75.00
 Wheels and Tires:		
9010	Dual Tailwheel Support, Hub and Wheel <i>Includes the following components: 1 AW30473 -dual tail wheel support and hub 1 AW30715 -4X8 Bolt Wheel Hub- Puncture Proof Laminated Tire.</i>	359.00

ATTACHMENTS FOR FIELD CONVERSION