



HIDALGO COUNTY PRECINCT #1

(1) 2013 JOHN DEERE 310K BACKHOE

Phone: 800-695-2919

Fax: 800-211-5454

Email: info@buyboard.com

Administration RFQ

APPROVED
By Rudy Salinas at 3:06 pm, Jul 09, 2015

Welcome Oscar [Log Off]

Help

Search Results

REVIEWED
By Oscar Garza at 3:56 pm, Jul 07, 2015

FINAL

Search:

- All
- Vendor Discounts Only
- Catalog Pricing Only

Refine Your Search:

- Vendors
Doggett Machinery Services - Houston[X]
- Price Range
Show all prices
- Category
None Selected
- Contract
None selected

Additional Searches:

- [Search by Vendor](#)
- [Browse Contracts](#)
- [Instructional Materials](#)

Show 25 results

Vendor	Description	Pricing Sheet	Price
Doggett Machinery Services - Houston	Hourly Labor Rate for Repair/Service of Construction, Street, Road & Bridge Repair Equipment (\$110.00 per hour in shop, \$125.00 per hour in field, service call out fee \$385.00, first 100 miles thereafter \$2.50 from closest dealer)	N/A	\$110.00
Doggett Machinery Services - Houston	Hourly Labor Rate for Installation of Construction, Street, Road & Bridge Repair Equipment (\$110.00 per hour in shop, \$125.00 per hour in field, service call out fee \$385.00, first 100 miles thereafter \$2.50 from closest dealer)	N/A	\$110.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Vibratory Soil Compactors & Rollers. Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Pneumatic Compactors & Rollers. Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Cold Planers. Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Asphalt Pavers Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Asphalt Compactors Texas Rio Grand Valley & Texas Gulf Coast only	N/A	\$0.00
Doggett Machinery Services - Houston	30% Discount Off John Deere pricelist for Wheel Excavators	Pricing Sheet	\$0.00
Doggett Machinery Services - Houston	30% Discount Off John Deere pricelist for Mounted Excavators	Pricing Sheet	\$0.00
Doggett Machinery Services - Houston	30% Discount Off John Deere pricelist for Motor Graders	Pricing Sheet	\$0.00
Doggett Machinery Services - Houston	27% Discount Off John Deere pricelist for Backhoe/Loaders	Pricing Sheet	\$0.00

Extended Product Information

- Reference Number:** 424-13
- Part Number:** Catalog
- Vendor Website:** <http://www.rushequipmentcenter.com>
- Full Description:** 27% Discount Off of John Deere pricelist for Backhoe/Loaders

Doggett Machinery	18% Discount Off John Deere pricelist (18% to 28% discount) for Wheel Loaders	Pricing Sheet	\$0.00
-----------------------------------	---	-------------------------------	--------



Phone: 800-695-2919
 Fax: 800-211-5454
 Email: info@buyboard.com

Welcome **Oscar** [Log Off]

[Administration](#) [RFQ](#) [Reports](#) [Shopping Cart](#) [Help](#)

Search Results

Search:

Show 25 results

Narrow Results:

- All
- Vendor Discounts Only
- Catalog Pricing Only

Refine Your Search:

- Vendors
Doggett Machinery Services - Houston[X]
- Price Range
Show all prices
- Category
None Selected
- Contract
None selected

Additional Searches:

- [Search by Vendor](#)
- [Browse Contracts](#)
- [Instructional Materials](#)

Vendor	Description	Pricing Sheet	Price
Doggett Machinery Services - Houston	Hourly Labor Rate for Repair/Service of Construction, Street, Road & Bridge Repair Equipment (\$110.00 per hour in shop, \$125.00 per hour in field, service call out fee \$385.00, first 100 miles thereafter \$2.50 from closest dealer)	N/A	\$110.00
Doggett Machinery Services - Houston	Hourly Labor Rate for Installation of Construction, Street, Road & Bridge Repair Equipment (\$110.00 per hour in shop, \$125.00 per hour in field, service call out fee \$385.00, first 100 miles thereafter \$2.50 from closest dealer)	N/A	\$110.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Vibratory Soil Compactors & Rollers. Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Pneumatic Compactors & Rollers. Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Cold Planers. Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Asphalt Pavers Texas Rio Grand Valley & Texas Gulf Coast areas only	N/A	\$0.00
Doggett Machinery Services - Houston	20% Discount off Dynapac pricelist for Asphalt Compactors Texas Rio Grand Valley & Texas Gulf Coast only	N/A	\$0.00
Doggett Machinery Services - Houston	30% Discount Off John Deere pricelist for Wheel Excavators	Pricing Sheet	\$0.00
Doggett Machinery Services - Houston	30% Discount Off John Deere pricelist for Mounted Excavators	Pricing Sheet	\$0.00
Doggett Machinery Services - Houston	30% Discount Off John Deere pricelist for Motor Graders	Pricing Sheet	\$0.00
Doggett Machinery Services - Houston	27% Discount Off John Deere pricelist for Backhoe/Loaders	Pricing Sheet	\$0.00

Extended Product Information

- Reference Number: 424-13
- Part Number: Catalog
- Vendor Website: <http://www.rushequipmentcenter.com>
- Full Description: 27% Discount Off of John Deere pricelist for Backhoe/Loaders

Doggett Machinery	18% Discount Off John Deere pricelist (18% to 28% discount) for Wheel Loaders	Pricing Sheet	\$0.00
-----------------------------------	---	-------------------------------	--------



Houston: #42
10100 North Loop East
Houston, TX 77029
(713)679-6700

Corpus Christi: #45
433 Flato Rd
Corpus Christi, TX 78405
(361)289-0727

College Station #48
3911 Elaine Drive
Bryan, TX 77806
(979)778-4825

Vidor: #43
1210 Freeway Blvd
Vidor, TX 77662
(409)769-0416

Brownsville: #46
5994 S. Padre Island Hwy
Brownsville, TX 78521
(956)831-9377

Pharr: #44
900 E. Expressway 83
San Juan, TX 78589
(956)787-0001

Victoria: #47
6812 US 59 North
Victoria, TX 77905
(361)570-6666

Sales Proposal

Salesman: Andy Ramos
Phone #: 956-227-0877
E-Mail: andy.ramos@doggett.com

Store #: 44
Date: 7/8/2015
Quote Expiration : _____

Account #: _____
Customer: Hidalgo County pct# 1
Contact: Raul Lozano
Address: _____
City/St/Zip: Weslaco, Tx

Phone #: _____
Mobile #: _____
Fax #: _____

Customer PO #: Buyboard Contract # 424-13 ✓

Sale Terms: Finance
 Lease
 Cash
Term: Months % Rate

Warranty: Extended Full
 New EPT+Hyd
 Other EPT
Term: Months Hours

Year	Make	Model	Stock / Serial No.	Description of Equipment/Attachments	Sale Price \$
2013	JD	310K	247724 ✓	2013 John Deere 310K Backhoe 1750Hrs Cab/Air 4WD Extended Boom 2 Lever Controls 24" Digging Bucket 1.12 cu Yd Loader Bucket	\$ 139,057.00 ✓
				BuyBoard Discount -27%	\$ (37,545.40) ✓
				Doggett Discount	\$ (46,234.00) ✓
				Extended Warranty Until 10-28-2016 Powertrain & Hydraulic	
				Extended Warranty :	
				Total Selling Price :	\$ 55,277.60 ✓

Trade In Information

Less Applicable Rent: \$ -
Less Trade-In Value: _____
Taxable Amount: \$ 55,277.60
Ad Valorem Tax: \$ -
Sales Tax: \$ -
Less Down Payment: \$ -

Notes/Delivery Instructions/Other*

Total Amount Being Charged: \$ 55,277.60 ✓

Salesman: Andy Ramos
Customer: _____



JOHN DEERE

Equipment Details

Dealership: Andres Ramos
 DOGETT HEAVY MACH SERV LLC
 900 E. EXPRESSWAY 83
 SAN JUAN, TX 78589
 Phone: 9567870001

Date July 08, 2015

All amounts are displayed in USD

310K BACKHOE LOADER

Code	Description	Qty	List Price
02P0T	310K BACKHOE LOADER		\$106,304.00 ✓

Options

Required Items:

1095	John Deere PowerTech Plus (PowerTech PWX) 4.5L (276 Cu.In.) Engine Meets IT4 and Stage IIIB Emissions (88 Net Peak hp) Required for the United States	1	\$5,657.00 ✓
------	--	---	--------------

- Turbocharged
- Wet Sleeve Cylinder Liners
- Serpentine Belt with Automatic Belt Tensioner
- Enclosed Safety Fan Guard
- Vertical Spin-On Engine Oil Filter
- Spin-on Fuel filter with Water Separator
- Dual Safety Element Dry-Type Air Cleaner With Evacuator Valve
- Muffler, Underhood with Vertical Curved Exhaust Stack
- Self-cleaning exhaust aftertreatment system
- Glow plugs
- Electronically controlled, variable-speed cooling fan

1700	JDLink Ultimate Cellular for the Americas, excluding Costa Rica Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.	1	In Base Price ✓
------	--	---	-----------------

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 3 year subscription. Annual subscription renewal

Extendible Dipperstick
 Five-function hydraulics
 Standard stabilizers with cam-lock reversible pads

5225	Mechanical Controls, Two Lever, ISO (DEERE)	1	In Base Price ✓
5656	24" (610 mm) Wide, Heavy-Duty, 7.5 Cu. Ft. (0.21 Cu. M.) Capacity Bucket Bucket includes TK Teeth	1	\$1,333.00 ✓
5400	Less Coupler	1	In Base Price ✓
7025	Two-Function Loader Hydraulics, Single Lever	1	In Base Price ✓
8475	1000 Lb. (454 kg) Front Counterweight Recommended for: Standard Backhoe w/ rear attachment and w/o Backhoe Coupler Extendible Backhoe w/ 1.0 c.y. Loader Bucket w/o Backhoe Coupler	1	\$1,337.00 ✓
7635	1.0 Cu. Yd. (.76 Cu. M.) Heavy-Duty 86 in. (2.18 m) wide Bucket with Bolt-On Cutting Edge and Skid Plates Bucket Capacity is without Cutting Edge.	1	\$3,177.00 ✓

Optional Items:

9190	Boom Protection Plate	1	\$580.00 ✓
------	-----------------------	---	------------

Configuration Total: **\$139,057.00**

Summary

Equipment Totals (includes "Other Charges")	Qty	Each	Extended
310K BACKHOE LOADER	1	\$139,057.00	\$139,057.00 ✓

Price and availability subject to change without notice. Taxes, extended warranty and freight charges are extra.
 Some additional charges may apply.

Current Date 16Jan2014

310K BACKHOE LOADER

310K Standard Equipment

COOLING SYSTEM:

Engine Radiator
 Engine Coolant -34 Degrees
 F (-37C)
 Coolant Recovery Tank with
 Low Level Indicator
 Oil-to-Water Engine Oil
 Cooler
 Fold-Out Hinged Cooling
 System

High Ambient Temperature
 Engine Coolant

POWERTRAIN:

Powershift Transmission with
 Torque Converter
 Electronic Transmission
 controller with on-board
 diagnostics Single
 Electric transmission control
 lever (TCL) with integrated
 gear
 selection Vertical Spin-on
 transmission Filter
 Planetary Final Drives
 Differential Lock, Foot Switch
 Activated
 Mechanical Front Wheel
 Drive

Hydrostatic Power Steering
 with Emergency Manual
 Mode Power-Assisted
 Hydraulic Service Brakes
 Inboard, Wet Disc, Self-
 Adjusting and
 Self-Equalizing (Conforms to
 ISO 3450)

Parking/Emergency Brake:
 Independent of Service
 Brakes (Conforms to
 ISO 3450) Spring Applied,
 Hydraulically Released, Wet
 Multi-Disc

HYDRAULICS:

28 GPM (106 L/m) Single
 Gear Pump - Open Center
 Dedicated Hydraulic
 Reservoir
 6 Micron Vertical Spin-On
 Filter

Reversible Pad Stabilizer
 Feet with integrated lock
 Stabilizer

Two-Direction Anti-Drift
 Valves Less Bucket with
 Bucket Pins

LOADER:

Return-To-Dig Feature
 Bucket Level Indicator
 Hydraulic Self-Leveling (anti-
 spill)

Single Lever Control with
 Electric Clutch Cut-off Switch
 Less Bucket with Bucket Pins
 Loader Boom Service Lock
 High-Visibility Loader Arms

ELECTRICAL:

12 Volt System
 120 Amp Alternator
 (2) front driving/working
 halogen lights - 32,500
 Candlepower Each
 (2) rear working halogen
 lights - 32,500 Candlepower
 Each
 (4) turn signal/flashing/rear
 stop/tail lights - 2 front and
 rear
 (2) rear reflectors

Single Battery with 190
 Minute reserve Capacity and
 950 CCA

Blade Type Multi-Fused
 Circuits

By-Pass Start Safety Cover
 on Starter

Positive Terminal Battery
 Cover

OPERATOR STATION:

Modular Design ROPS/FOPS
 Level 2 Canopy Isolation
 Mounted with Molded
 Roof (Conforms to SAE
 J1040)

Left and Right Side Access
 Slip Resistant Steps and
 Ergonomically Located
 Handholds (Conforms to
 SAE J185)

Fuel Gauge

Electric Monitor System with
 Audible and Visual Warning:

Air Cleaner restriction
 Low Alternator Voltage
 Engine Oil Pressure
 Hydraulic Filter Restriction
 Park Brake On-Off
 Seat Belt
 Engine Coolant Temperature
 Transmission Oil
 Temperature

Fuel

Electric Hourmeter/
 Tachometer / Voltmeter

Key Start Switch with
 Electric Fuel Shut-Off

12 Volt Outlets (2)

Horn

Interior Rearview Mirror
 Rotary Hand Trottle

Suspended Foot Throttle

Built-In Operator's Manual

Storage Compartment

Built-In Cup Holder

Lockable Right Hand Storage
 Coat Hook

OVERALL VEHICLE:

(2) Front and (2) Rear built-
 In tie Downs

One Piece Unitized

Construction Mainframe

Extended Grille Frame

Front Cover

Dent Resistant Rear Fenders

Vandal Protection Locking
 for:

Engine Hood

Monitor

Tool Box

Fuel Tank

Hydraulic Reservoir

41 Gal. (155L) Fuel Tank

Reverse Warning Alarm

19.5L- 24 In. 10 PR (R4)

Tubeless Rear Tires

12 - 16.5 In. 8 PR Traction

Front Sure Grip Lug Tires

Ground Level Fueling

"O" Ring Face Seal Connectors	Seat, Deluxe Deep Foam, Vinyl Cover, High Back with Adjustable:	Remote Grease Bank for Front Axle
Circuit Relief Valve Protection	Suspension for Weight/Height	Removable Tool Box with Padlock Hasp
Economy Mode	Fore-Aft	Tilt Hood with (2) Service Positions
BACKHOE:	Lumbar Adjustment	JDLink Ultimate in Approved Countries
14 Ft. 3 In. (4 m) Digging Depth	Arm Rests	
Backhoe Transport Lock Lever	3 In. Seat Belt with Retractor	
Swing Locking Pin Stored in Op. Station	Engine Coolant Temperature Gauge	
ISO (Deere) Two Lever Mechanical Backhoe Controls		

Required - You must select one from each category

▼ BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description	Code	Price
310K BACKHOE LOADER	02P0T	\$106,304.00

▼ ENGINE

Description	Code	Price
John Deere PowerTech Plus (PowerTech PWX) 4.5L (276 Cu.In.) Engine Meets IT4 and Stage IIIB Emissions (88 Net Peak hp)	1095	\$5,657.00 ✓

Required for the United States

- Turbocharged
- Wet Sleeve Cylinder Liners
- Serpentine Belt with Automatic Belt Tensioner
- Enclosed Safety Fan Guard
- Vertical Spin-On Engine Oil Filter
- Spin-on Fuel filter with Water Separator
- Dual Safety Element Dry-Type Air Cleaner With Evacuator Valve
- Muffler, Underhood with Vertical Curved Exhaust Stack
- Self-cleaning exhaust aftertreatment system
- Glow plugs
- Electronically controlled, variable-speed cooling fan

▼ MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	In Base Price ✓

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.

Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Satellite for the Americas, excluding Costa Rica	1701	\$1,807.00
--	------	------------

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.

Includes 3 year dual mode subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

LANGUAGE DECALS

Description

English Decals with English Operator and Safety Manuals

Code

2401

Price

In Base Price ✓

Includes English decals installed and English language operator's manual and parts book

English Decals with Spanish Decals and Manuals Separate

2403

In Base Price

Includes English decals installed with Spanish decal packet and English language operator's manual and parts book

English Decals with French Decals and Manuals Separate

2404

In Base Price

Includes English decals installed and French decal packet and English language operator's manual and parts book

FRONT AXLE AND TRANSMISSION

Description

Mechanical Front Wheel Drive (MFWD) with Open Differential and 4F/2R Powershift Transmission

Code

3085

Price

In Base Price ✓

Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential and 4F/2R Powershift Transmission

3045

\$945.00

Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

2 Wheel Drive with 4F/2R Powershift Transmission

3035

(\$11,744.00)

Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

▼ TIRES AND WHEELS (FRONT AND REAR)

Description	Code	Price
<u>FOR USE WITH MECHANICAL FRONT WHEEL DRIVE</u>		
Firestone 19.5L- 24 In. 10 PR (R4) Tubeless Rear & 305/70D16.5 NHS 10 PR Traction Front Sure Grip Lug Tires	4771	In Base Price ✓
Requires Axle Code 3085. 86 in. (2.18 m) overall width. Rear tire chains require wheel spacers.		
Goodyear 19.5L- 24 In. 10 PR (R4) Tubeless Rear & 12 - 16.5 In. 8 PR Traction Front Sure Grip Lug Tires	4770	No Charge
Requires Axle Code 3085. 86 in. (2.18 m) overall width. Rear tire chains require wheel spacers.		
Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 12 PR Traction Front Sure Grip Lug Tires	4781	\$471.00
86 in. (2.18 m) overall width. Requires Axle Code 3045. Rear tire chains require wheel spacers.		
Firestone 21L - 24 12PR (R4) Tubeless Rear and 12.5/80-18 12PR Traction Front Sure Grip Lug Tires	4891	\$1,323.00
92 Inches (2.33 M) overall width Rear tire chains require wheel spacers. Requires Axle Code 3045		
<u>FOR USE WITH 2 WHEEL DRIVE</u>		
Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear and 11L - 16 In. 12 PR (F3) Front Tires	4768	(\$134.00)
Requires Front Axle code 3035. 86 in. (2.18 m) overall width. Rear tire chains require wheel spacers.		
Goodyear 16.9L x 28 In. 10 PR (R4) Tubeless Rear with Firestone 11L x 16 In. 12 PR (F3) Front Tires	4892	\$339.00
Requires Front Axle code 3035. 87 in. (2.22 m) overall width. Rear tire chains require wheel spacers.		
Goodyear 19.5L - 24 In. 10 PR (R4) Tubeless Rear and 11L - 16 In. 12 PR (F3) Front Tires	4260	(\$130.00)
Requires Front Axle code 3035. 86 in. (2.18 m) overall width. Rear tire chains require wheel spacers.		

▼ OPERATOR STATION

Description	Code	Price
-------------	------	-------

Canopy with Floor Mat (ROPS)/(FOPS)

2025 In Base Price

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof
 Molded floor mats if Code 5285 is ordered
 Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable
 3 In. Retractable Seat Belt
 (2) front driving/working halogen lights - 32,500 Candlepower Each
 (2) rear working halogen lights - 32,500 Candlepower Each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

Quarter Cab

2020 \$1,194.00

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof
 Molded floor mats if Code 5285 is ordered
 Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable
 3 In. Retractable Seat Belt
 Front wiper
 (2) front driving/working halogen lights - 35,200 Candlepower Each
 (2) rear working halogen lights - 35,200 Candlepower Each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

Cab with Dual Doors

2075 \$10,212.00

Without Air Conditioning
 Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof
 Tinted safety glass
 Deluxe interior trim
 Headliner
 Molded floor mats
 40,000 BTU heater/defroster/pressurizer (3-speed)
 Mechanical Suspension Deluxe, Cloth, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable
 3 in Seat Belt
 Sun Visor
 AM/FM/WB Radio
 Tilt Steering Wheel
 Front 2-speed wiper and washer and rear 1-speed wiper
 (2) front driving/working halogen lights - 32,500 Candlepower Each
 (2) rear working halogen lights - 32,500 Candlepower Each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

Premium Cab with Dual Doors and Air Conditioning

2080 \$11,547.00 ✓

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof
 Tinted safety glass
 Deluxe interior trim
 Headliner
 Molded floor mats
 26,000 BTU air conditioning (recommend ordering either H.D. bumper or counterweights)
 CFC free R134a refrigerant
 40,000 BTU heater/defroster/pressurizer (3-speed)
 Mechanical Suspension Deluxe, Cloth, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable
 3 in Seat Belt
 Front wiper
 Tilt Steering Wheel

Front 2-speed wiper and rear 1-speed wiper
 (2) front driving/working halogen lights - 32,500 Candlepower Each
 (2) rear working halogen lights - 32,500 Candlepower Each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflector

Ultimate Cab with Dual Doors and Air Conditioning	2085	\$12,331.00
---	------	-------------

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof
 Tinted safety glass
 Deluxe interior trim
 Headliner
 Molded floor mats
 26,000 BTU air conditioning (recommend ordering either H.D. bumper or counterweights)
 CFC free R134a refrigerant
 40,000 BTU heater/defroster/pressurizer (3-speed)
 Mechanical Suspension Deluxe, Cloth, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable
 3 in Seat Belt
 Sun Visor
 AM/FM/WB with CD Radio
 Tilt Steering Wheel
 Front 2-speed wiper and washer and rear 1-speed wiper
 (2) front driving/working halogen lights - 32,500 Candlepower Each
 (2) rear working halogen lights - 32,500 Candlepower Each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

▼ BATTERY

Description	Code	Price
Single Battery, 150 Minute Reserve Capacity (950 CCA)	8625	In Base Price

Not for use with Code 9132.

Dual Batteries, 300 Minute Reserve Capacity (1900 CCA)	8675	\$279.00 ✓
--	------	------------

Not for use with Code 9131
 Recommended for temperatures below 32 degrees F (0 degrees C)

▼ BACKHOE DIG COMPONENTS

Description	Code	Price
Standard Dipperstick	5020	In Base Price

Four-function hydraulics
 Standard stabilizers with cam-lock reversible pads

Standard Dipperstick and Auxiliary Hydraulics	5030	\$2,985.00
---	------	------------

Five-function hydraulics
 Selective flow control valve (9,13,16,18,22 or 25GPM) for one-way flow
 1000-3000 PSI adjustable
 Flow control auxiliary plumbing with foot switch
 Standard stabilizers with cam-lock reversible pads

Standard Dipperstick and Auxiliary Hydraulics with Thumb Mounting Ears	5040	\$3,597.00
--	------	------------

Six-function hydraulics
 Includes two-way valve with right foot pedal

Selective flow control valve (9,13,16,18,22 or 25GPM) for one-way flow
 1000-3000 PSI adjustable
 Flow control auxiliary plumbing with foot switch
 Standard stabilizers with cam-lock reversible pads
 Thumb cylinder ears compatible with Deere thumbs only

Extendible Dipperstick	5070	\$8,843.00
------------------------	------	------------

Five-function hydraulics
 Standard stabilizers with cam-lock reversible pads

Extendible Dipperstick and Auxiliary Hydraulics	5080	\$10,537.00
---	------	-------------

Six-function hydraulics
 Selective flow control valve (9,13,16,18,22 or 25GPM) for one-way flow
 1000-3000 PSI adjustable
 Flow control auxiliary plumbing with foot switch
 Standard stabilizers with cam-lock reversible pads

BACKHOE CONTROLS

Description	Code	Price
Mechanical Controls, Two Lever, ISO (DEERE)	5225	In Base Price
Pilot Controls, Two Lever, with Pattern Selection	5285	\$2,594.00

BACKHOE BUCKETS

For Deere buckets:
 All buckets include lift holes.
 Fanggs teeth are standard on HD buckets.
 Fabricated teeth are standard on regular buckets.

Description	Code	Price
Less Backhoe Bucket with Bucket Pins	5500	In Base Price
24" (610mm) Wide - Regular - 6.5 Cu. Ft. (0.18 Cu. M.) Capacity	5554	\$1,309.00
18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Bucket	5626	\$1,309.00
Top Hook 18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Coupler Bucket	5630	\$1,278.00
Requires Code 5430 Top Hook Coupler		
24" (610 mm) Wide, Heavy-Duty, 7.5 Cu. Ft. (0.21 Cu. M.) Capacity Bucket	5656	\$1,333.00
Top Hook 24" (610 mm) Wide, Heavy-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Coupler Bucket	5660	\$1,772.00

Requires Code 5430 Top Hook Coupler

BACKHOE QUICK COUPLERS

Description	Code	Price
Less Coupler	5400	In Base Price
	5410	\$1,231.00

DEERE Standard Quick Coupler

For use with DEERE 310E, G, J, K Series Backhoe Buckets. Not compatible with 310SE, SG, SJ, SK, 410E, G, J, K buckets

Multi-Brand Quick Coupler	5420	\$1,399.00
---------------------------	------	------------

For use with DEERE C, D, SE, SG, SJ, SK Series buckets and with Case K-L-M and CAT C Series Buckets.
Not for use with 710 Buckets.

Spacers are recommended for CAT and Case buckets, contact DMAC.

Top Hook Quick Coupler	5430	\$1,122.00
------------------------	------	------------

For use with DEERE Top Hook Coupler bucket codes 5630 or 5660 and CP or Pre-XLS Wain Roy Top Hook Buckets

▼ LOADER HYDRAULICS

All selections come with Return to Dig feature.

Description	Code	Price
Three-Function Loader Hydraulics, Single Lever	7080	\$3,181.00
Single lever loader control with electro-hydraulic auxiliary control For multi-purpose bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.		
Two-Function Loader Hydraulics, Single Lever	7025	In Base Price ✓
Three-Function Loader Hydraulics, Dual Lever	7075	\$1,781.00
For multi-purpose bucket and front attachments.		
Loader Coupler, 2-Function Hydraulics, Single Lever	7035	\$6,646.00
Includes Ride Control Cannot be used with Code 9110 Ride Control Will accept 310G, SG, SJ, SK & 410G, J, K loader coupler buckets		
Loader Coupler, 3-Function Hydraulics, Single Lever	7085	\$9,707.00
Includes Ride Control Not for use with Code 9110 Ride Control For multi-purpose coupler bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube. Will accept 310G, SG, SJ, SK & 410G, J, K loader coupler buckets		

▼ FRONT COUNTERWEIGHTS (PICK 1)

310K & 310K EP COUNTERWEIGHT SELECTION CHART

Select the Proper Counterweight for the Machine and Optional Equipment.

Recommend ordering either the heavy-duty bumper or counterweights for use with cab with air conditioning.

Add/subtract the option's front axle percent. Then select the counterweight that gives the desired weight distribution (between 27-32%, Target - 30%).

"310K Base configuration*** has 29.9% weight on front axle."

310K EP Base configuration***has 29.7% weight on front axle.

"To this percent weight, add/subtract the following option percents, according to configuration as ordered."

- Extendable (-4.1%)
- Backhoe Coupler (-1.8%)
- Bkhe Attachment over 600 lbs (-2.0%)
- M-P Loader Bucket (+7.3%)
- Loader Coupler (+5.0%)
- Standard Front Axle (-1.4%)
- Cab (-1.0%)

"Choose counterweight which results in the target front axle weight percent"

- Bumper 0%
- 450 lb. Cntwt (+2.7%)
- 700 lb. Cntwt (+4.3%)
- 1,000 lb. Cntwt (+5.5%)
- 1,250 lb. Cntwt (+6.8%)

*** Base configuration calculated using a Standard dipper, Canopy, Mechanical Front Wheel Drive, Standard Loader bucket, and a Standard Backhoe bucket.

=====

Description	Code	Price
Front Cover	8410	In Base Price
Requires Cab Code 2025 or 2075		
Recommended for: Standard Backhoe w/o Aux. Hyd. Extendible Backhoe w/ Multipurpose Bucket		
Heavy-Duty Bumper	8415	\$217.00
Recommended for: Standard Backhoe w/o Aux. Hyd. Extendible Backhoe w/ Multipurpose Bucket		
450 Lb. (204 kg) Front Counterweight	8425	\$599.00
750 Lb. (340 kg) Front Counterweight	8455	\$971.00
Recommended for: Extendible Backhoe w/ 1.0 c.y. Loader Bucket and w/o Coupler Extendible Backhoe w/ 1.13, 1.2, or 1.25 c.y. Loader Bucket		
1000 Lb. (454 kg) Front Counterweight	8475	\$1,337.00
Recommended for: Standard Backhoe w/ rear attachment and w/o Backhoe Coupler Extendible Backhoe w/ 1.0 c.y. Loader Bucket w/o Backhoe Coupler		
1250 Lb. (567 kg) Front Counterweight	8485	\$1,711.00
Recommended for: Standard Backhoe w/ rear attachment and w/o Backhoe Coupler Standard Backhoe w/ Aux. Hyd. and Backhoe Coupler Extendible Backhoe w/ 1.0 c.y. Loader Bucket and Backhoe Coupler		



LOADER BUCKETS

Loader Buckets include Skid Plates and Lift Hooks unless stated otherwise.

Description	Code	Price
<u>PIN-ON LOADER BUCKETS (Not for use with Coupler)</u>		

Less Loader Bucket with Pins for Buckets or Front Attachments	7600	In Base Price
Old Style pins will be necessary with older buckets and attachments		
1.0 yd ³ (0.76 m ³) Long-Lip Bucket with Auxiliary Cutting Edge and no Skid Plates	7615	\$2,627.00
Bucket Capacity is without Cutting Edge.		
1.0 Cu. Yd. (.76 Cu. M.) Heavy-Duty 86 in. (2.18 m) wide Bucket with Bolt-On Cutting Edge and Skid Plates	7635	\$3,177.00
Bucket Capacity is without Cutting Edge.		
1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m) Wide Long Lip Bucket no Auxiliary Cutting Edge, with Factory Skid Plates and no Additional Skid Shoes	7640	\$3,027.00
1.25 Cu. Yd. (.96 Cu. M.), 86 in.(2.18 m) wide Multipurpose Bucket	7675	\$7,019.00
Requires Code 7075, Aux. Loader Hydraulics. Includes reversible bolt-on cutting edge and skid plates. Pre-drilled for seven teeth. Order teeth from parts. Includes two lift holes.		

COUPLER LOADER BUCKETS

Requires codes 7035 or 7085 Loader Coupler

Less Coupler Bucket	7605	No Charge
1.3 Cu. Yd. (1.0 Cu. M.) 92 in. (2.34 m) wide Heavy-Duty Long-Lip Coupler Bucket with Cutting Edges and Skid Plates.	7650	\$3,428.00

Optional - Select as desired

OPTIONAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
<u>POWERTRAIN AND COOLING</u>		
Chrome Exhaust Extension	9045	\$173.00
110 Volt Engine Coolant Heater (1000 Watts)	9080	\$167.00
Requires Dual Batteries code 8675. For use with IT4 engine code 1095 only.		
Cold Start Package	9100	\$383.00
Includes ether starting aid and 110V engine block heater. Requires Dual Batteries code 8675. Not for use with engine code 1095, which uses glow plug cold start. For electric engine coolant heater for Engine Code 1095 see Code 9080.		
Single Battery Disconnect	9131	\$153.00
Dual Battery Disconnect	9132	\$170.00

Full MFWD Guard	9505	\$417.00
<u>OPERATOR STATION</u>		
Ride Control	9110	\$1,935.00
Cannot be used with Cab Codes 7035 and 7085		
Front View Mirror	9060	\$80.00
Left Side Console Storage with Cup Holders	9210	\$79.00
Machine Security	9095	\$438.00
(2) External Rear View Mirrors	9920	\$334.00
<u>OVERALL VEHICLE</u>		
Hydraulic 4-Tine (Standard Dipperstick) Backhoe Thumb	9020	\$6,583.00
Requires code 5040 Hydraulics. Includes plumbing from valve to thumb. Requires backhoe bucket code 5500, 5656 Not for use with backhoe coupler Codes 5430		
Boom Protection Plate	9190	\$580.00
Diagnostic Oil Sampling Ports	9515	\$201.00
Requires code engine code 1085 or 1086 or 1095. Includes 4 ports: Engine oil Engine coolant Transmission oil Hydraulic oil		
Non-Export Rust Preventive Coating	9909	\$167.00
Coating protects exposed unpainted surfaces from road salt during shipment.		

▼ ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeere.com/techinfo and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts.
Exception to above note is FRONTIER Dealer Installed Kits.

Description	Code	Price
<u>Attachments and Accessories:</u>		
Pins and Bushings for 310G/J/K and K EP Backhoes Less Backhoe Coupler, or with Deere Standard or Multi-Brand Coupler	AT352852	\$281.00
Required for use in addition to code 9804 Interface Adapter or AT371338 Interface Adapter.		
For Hammer quick connect to the machine, one will need quick connector couplings.		
Not for use with Top Hook Coupler.		

Backhoe:

Coupler, Deere Backhoe Bucket	AT336314	\$1,294.00
<p>Fits 310E, 310G, 310J, 310K and 310K EP backhoes. For use with 310E, 310G, 310J, 310K 310K EP backhoe buckets Proper counterweight is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate.</p>		
Coupler, Top Hook Backhoe Mechanical	AT315337	\$1,100.00
<p>Fits John Deere C-D-E-G-J and K Series except 710D buckets Fits Case K and L Series and Cat B and C Series Buckets. Recommend 300D-510D and 210C-610C buckets, use high strength pins: AT181348, Pin for 12 Inch Buckets AT179130, Pin for 18-36 Inch Buckets Proper counterweight is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate. Spacers are recommended for CAT and Case buckets, contact DMAC.</p>		
Coupler, Universal Backhoe Bucket	AT336313	\$1,310.00
<p>Fits John Deere C-D-E-G and J Series except 710D buckets Fits Case K and L Series and Cat B and C Series Buckets. Recommend 300D-510D and 210C-610C buckets, use high strength pins: AT181348, Pin for 12 Inch Buckets AT179130, Pin for 18-36 Inch Buckets Proper counterweighting is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate. Spacers are recommended for CAT and Case buckets, contact DMAC.</p>		
Heavy Duty Stabilizer Pads	AT376410	\$450.00
Hydraulic 2-Tine Thumb Kit	AT358430	\$5,179.00
<p>Recommended for use with 18 & 30 in. Backhoe Buckets. Requires plumbing kit.</p>		
Hydraulic 4-Tine Thumb Kit	AT358431	\$5,179.00
<p>Recommended for use with 24 in. Backhoe Buckets. Requires Plumbing Kit.</p>		
Standard Stabilizer Street Pads	AT376409	\$226.00
<u>Buckets:</u>		
BKH Pin-on 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT192006	\$1,258.00
BKH Pin-on 18 In. (457 mm) Standard Duty 4.6 Cu. Ft. (0.13 Cu. M.)	AT192005	\$1,035.00
BKH Pin-on 24 In. (610 mm) Standard Duty 6.5 Cu. Ft. (0.18 Cu. M.)	AT192007	\$1,216.00
BKH Pin-on Bucket 12 In. (305 mm) Heavy-Duty 3.3 Cu. Ft. (0.09 Cu. M.)	AT192004	\$1,077.00
BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT192008	\$1,354.00
BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.)	AT192009	\$1,726.00

BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT192010	\$1,639.00
BKH Top Hook Coupler Bucket 12 in. (305 mm) Heavy Duty 3.3 Cu. Ft. (.09 Cu. M.)	AT324448	\$1,059.00
BKH Top Hook Coupler Bucket 18 in. (457 mm) Heavy Duty - 5.1 Cu. Ft. (0.14 Cu. M.)	AT324447	\$1,223.00
BKH Top Hook Coupler Bucket 24 in. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT316706	\$1,433.00
LDR Coupler Bucket 1.0 Cu. Yd. (.76 Cu. M.) Heavy Duty 86 in. (2.18 m) wide with Reversible Bolt On Cutting Edge with Skid Plates	AT308991	\$2,852.00
LDR Coupler Bucket 1.13 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip with Reversible Bolt On Cutting Edge and Skid Plates	AT308970	\$3,041.00
LDR Coupler Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip without Bolt-On Cutting Edges or Skid Plates	AT308968	\$2,838.00
LDR Coupler Bucket 1.32 cu. yd. (1.0 cu. m) Heavy Duty 92 in. (2.34 m) Long Lip with Reversible Bolt On Cutting Edge and Skid Plates	AT308966	\$3,511.00
LDR Coupler Multi-Purpose Bucket 1.32 cu. yd. (1.0 cu. m) 92 in. (2.34 m) with Reversible Bolt On Cutting Edges and Skid Plates	AT363772	\$7,023.00
<p>Pre-drilled for eight teeth. Includes two built-in lift loops. Proper counterweighting is required. See Counterweight Selection Chart.</p>		
LDR Coupler Multipurpose Bucket 1.25 cu. yd. (.96 cu. m) 86 in. (2.18 m) wide with Reversible Bolt On Cutting Edges and Skid Plates	AT363771	\$6,735.00
<p>Requires Aux. Loader Coupler Hydraulics. 86 in. (2.18 m) bucket width. Includes reversible bolt-on cutting edge and skid plates. Pre-drilled for seven teeth. Order teeth from parts. Includes two built-in lift loops.</p>		
LDR Pin-on Bucket 1.0 cu. yd. (.76 cu. m) Heavy Duty 86 in. (2.18 m) wide with Skid Plates	AT308040	\$2,462.00
LDR Pin-on Bucket 1.13 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide with Reversible Bolt On Cutting Edge and Skid Plates	AT308071	\$3,053.00
LDR Pin-on Bucket 1.2 Cu.Yd. (.90 Cu. M.) Narrow 82 in. (2.08 m) Heavy-Duty Long Lip Narrow and Skid Plates	AT308188	\$2,540.00
LDR Pin-on Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) Long Lip and Skid Plates	AT308076	\$2,809.00
LDR Pin-on Multipurpose Bucket 1.00 Cu. Yd. (.76 Cu. M.) 82 in. (2.08 m) with Reversible Bolt On Cutting Edges and Skid Plates	AT308042	\$5,640.00

LDR Pin-on Multipurpose Bucket 1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m) with Reversible Bolt On Cutting Edge and Skid Plates	AT308191	\$6,520.00
Loader Coupler Attachment Adapter Hook Plates (2) Standard	AT336927	\$1,757.00
Power Link Grease Kit	AT194493	\$52.00
<u>Frame Attachment:</u>		
Counterweight, Front, 1,000 lbs (454 kg)	AT409587	\$1,306.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 1,250 lbs (567 kg)	AT409588	\$1,624.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 250 lbs (113 kg)	AT409592	\$361.00
If adding to the 450 lb. (204 KG) counterweight, order (4) T151797, (2) 19M9088, AND (2) 14M7587. For 750 lb. (340 KG), 1000 lb. (454 KG) and 1250 lb. (567 KG) counterweights, order (2) T151797 and (2) 19M8976		
Counterweight, Front, 450 lbs (204 kg)	AT409585	\$627.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 750 lbs (340 kg)	AT409586	\$998.00
Use with (4) T119912 AND (4) 19M9124.		
<u>Front Attachments:</u>		
Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fork Carriage	AT308139	\$3,565.00
Forks, Pallet (2) 48 in.(1.22m) with 60 in. (1.52m) Coupler Fork Carriage	AT308138	\$3,394.00
<u>Guards:</u>		
Backhoe Boom Protection Plate	AT407513	\$1,040.00
MFWD Wheel Fender Kit for 16.5 in. tires only	AT388473	\$697.00
Requires MFWD and 305/70D16.5 or 12-16.5 front tires.		
MFWD Wheel Fender Kit for 18 in. tires only	AT371257	\$697.00
Requires MFWD and 12.5/80-18 or 340/80R-18 front tires.		
<u>Hydraulics:</u>		
Accu-Swing Kit for Backhoe	AT312949	\$451.00
Auxiliary Hydraulic Selective Flow Control Kit	AT408680	\$1,214.00
Selective Flow Control Valve (9,13,16,18,22 or 25GPM) - One Way Flow Includes control pedal and circuit relief		

1000-3000 PSI Adjustable
K-Series backhoes except the 310K and 310K EP must order applicable
Software Part Number in JDPoint for Field Kit to function properly.

Auxiliary Backhoe Hydraulic Plumbing Kit for Thumb, Clamp, Swinger or Jaw Bucket	AT194368	\$232.00
<p>Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps and hardware. For Low Flow intermittent usage. Requires Dealer to make eight hoses per installation instructions. Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions and foot pedal to activate.</p>		
Auxiliary Backhoe Hydraulics for Auger, Extendible Dipperstick	AT335445	\$250.00
<p>Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.</p>		
Auxiliary Backhoe Hydraulics for Auger, Standard Dipperstick	AT335762	\$443.00
<p>Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.</p>		
Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	AT432227	\$3,923.00
<p>Must order applicable Software Part Number in JDPoint for Field Kit to function properly</p>		
Auxiliary Loader Hydraulics and Linkage Kit	AT330850	\$2,872.00
<p>Includes valve, control lever and linkage parts with plumbing.</p>		
Auxiliary Piping for Selective Flow, Extendible Dipperstick	AT325058	\$662.00
<p>Average installation, 2 hours. Requires Extendible Dipperstick. Requires Five Function Valve Plus Selective Flow Valve OR Selective Flow Valve. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick.</p>		
Auxiliary Piping for Selective Flow, Standard Dipperstick	AT325057	\$588.00
<p>Average installation, 2 hours. Requires Standard Dipperstick. Requires Five Function Valve Plus Selective Flow Valve OR Selective Flow Valve. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick.</p>		

Fifth Function Control Valve Section (Without Circuit Reliefs)	AT192247	\$1,394.00
Hand-Held Hydraulic Tool Kit	AT403096	\$447.00
Average installation, 4 hours. Includes two circuit reliefs, fittings, clamps and hardware. Requires Selective Flow Valve. Installed in Battery Box.		
Loader Coupler, Hydraulic	AT403006	\$5,485.00
K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Sixth Function Control Valve Section (Without Circuit Reliefs) for Manual Controls	AT192334	\$1,328.00
Average installation, 4 hours. Can use with Four Function Control Valve, Five Function Control Valve, or Five Function Control Valve Plus Selective Flow Valve. Requires Left Pedal, (Deere, Cat or Ford Controls). Cannot be used with Case Controls. Requires Attachment Hydraulic Plumbing Kit, for cylinder operated attachments. Requires longer tie bolts. (2) T161707, (1) T161708 when used with Five Function Control Valve Plus Selective Flow Valve.		
Sixth Function Control Valve Section (Without Circuit Reliefs) for Pilot Controls	AT320497	\$1,408.00
Average installation, 4 hours. Can use with Four Function Control Valve, Five Function Control Valve, or Five Function Control Valve Plus Selective Flow Valve. Requires Left Pedal, (Deere, Cat or Ford Controls). Cannot be used with Case Controls. Requires Attachment Hydraulic Plumbing Kit, for cylinder operated attachments. Requires longer tie bolts. (2) T161707, (1) T161708 when used with Five Function Control Valve Plus Selective Flow Valve.		
<u>INTERFACE ADAPTERS:</u>		
Interface Adapter, Hydraulic Hammer	AT371338	\$788.00
Requires AT352852 or AT352853 Pins and Bushings Kit		
<u>Operator Environment:</u>		
AM / FM / WB Radio	AT348557	\$730.00
Requires Code 2075 or 2085, Cab.		
AM/FM/WB/CD Stereo with Digital Clock for Cab	AT326271	\$978.00
Requires Code 2075 or 2085, Cab.		
Case Three Lever Controls 5th Function Lever Kit	AT309740	\$191.00
Adds lever to Case 3 lever backhoe controls to operate auxiliary valve on Standard Dipperstick or operates Extendable Dipperstick..		
Case Three Lever Controls with Foot Swing	AT309739	\$875.00
For units with code 5225.		

Ford Four Lever Controls for Standard and Extendible Dipperstick	AT185628	\$2,975.00
Ford Four Lever Controls for Standard and Extendible Dipperstick. For units with code 5225.		
ISO (Deere) Two Lever Mechanical Controls	AT185624	\$493.00
Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher	AT408903	\$96.00
Kit Does not Include Fire Extinguisher.		
Operator Manual Tether Cables for ROPS or Cab	AT192032	\$27.00
Ride Control	AT403002	\$1,444.00
K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Right Pedal for Fifth Function Backhoe Valve	AT185625	\$316.00
SAE Excavator Style Two Lever Controls	AT301434	\$250.00
Sixth Function Pedal for Lever Controls	AT185629	\$373.00
Sixth Function Pedal for Pilot Controls	AT301485	\$308.00
Storage Console	AT416297	\$146.00
Sun Visor	AT186307	\$92.00
Washer Kit, Windshield	AT407078	\$96.00
K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
<u>Overall Vehicle:</u>		
(2) External Rear View Mirrors	AT186155	\$282.00
Beacon/Strobe Ready Wiring Kit	AT313589	\$34.00
Kit for aftermarket Beacon or Strobe light Kit does not include Beacon		
Environmental Drain Kit	AT393180	\$573.00
Fluid Sampling Ports	AT375684	\$446.00
Not for use on Stage II (Tier 2) engines. May be used on Stage IIIa (Tier 3) engines.		
Jump Start Booster Kit	AT411249	\$128.00
License Plate Bracket and Light	AT187707	\$218.00
Machine Security	AT339526	\$416.00
K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		

Master Electrical Disconnect Switch	AT404487	\$213.00
Rear Wheel Spacers for Rear Tire Chains	AT347522	\$953.00
Rotating Beacon Kit	AT313592	\$257.00
Rubber Bumper for Grill Frame	AT406999	\$80.00
Slow Moving Vehicle Emblem	AT186288	\$111.00
Stabilizer Cylinder Guards (Set of Two)	AT305073	\$303.00
Strobe Light Kit	AT313583	\$342.00
Magnet mounted.		
<u>Powertrain:</u>		
Engine Air Intake Pre-Cleaner	AT419494	\$417.00
Full MFWD Driveshaft Guard	AT325678	\$417.00
Severe-Duty Fuel Filter	AT396921	\$903.00
For T3 engines only.		

▼ REFERRAL ATTACHMENTS

Description	Code	Price
<u>G.R. Mfg.:</u>		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.		
G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Guard, Transmission Bottom "J" Model	AT338274	\$1,579.00
Not for use with Low Noise Package or MFWD driveshaft guard.		

SAM Search Results
List of records matching your search for :
Functional Area: Entity Management
Record Status: Active
Entity Name: Doggett Heavy Machinery

ENTITY	Doggett Heavy Machinery Services, LLC	Status:Active
DUNS: 008117012	+4:	CAGE Code: 1G5F2 DoDAAC:
Expiration Date: May 5, 2016	Has Active Exclusion?: No	Delinquent Federal Debt?: No
Address: 900 E Expressway 83	City: San Juan	State/Province: TEXAS
ZIP Code: 78589-4500		Country: UNITED STATES

APPROVED