



HIDALGO COUNTY PLANNING DEPARTMENT

1304 SOUTH 25TH STREET
EDINBURG TEXAS 78539
Tel. 956-318-2840 Fax. 956-318-2844

T.J. Arredondo, CFM
Director of Planning

HIDALGO COUNTY COMMISSIONERS COURT MEETING

DATE: 09-01-2015

PROPOSED Juliway Estates SUBDIVISION, PRECINCT No. 4.

ENGINEER: KK Engineering DEVELOPER: Kyndel Bennett

PRELIMINARY APPROVAL FINAL APPROVAL FINAL APPROVAL WITH FINANCIAL GUARANTEE WITH VARIANCE
NUMBER OF LOTS: 74 *SINGLE FAMILY *MULTI-FAMILY COMMERCIAL INSTITUTIONAL

LOCATION DESCRIPTION: West of FM 493 approximately 700 feet North of Anderson Rd.

SUBDIVISION LIES WITHIN THE: ETJ of Donna and was approved by the P & Z and City Commission of said City

DRAINAGE REPORT WAS APPROVED BY HCDD#1: ON 08-20-14 PROPERTY LIES WITHIN FLOOD ZONE: "X" AS PER FEMA.

DRAINAGE DESIGN: Drainage will be provided via storm drainage pipe system and by regional detention pond, discharging in the Hidalgo County Irrigation District No. 2 Drain Ditch located approximately ¼ mile West of subdivision development.

DISTANCE TO A DRAIN DITCH: Approximately ¼ mile West of the development

ROAD R.O.W. DEDICATION: 20 feet to FM 493

H.C.R.O.W. PRELIMINARY APPROVAL DATE: 08-08-14 : By, Jesse Ozuna PCT 4 R.O.W. AGENT

H.C.H.D APPROVAL DATE: 09-12-14 by: Elizardo "Chardo" Ramos, Environmental Health Division Manager

SEWER SYSTEM: OSSF & SOIL ANALYSIS WERE CONDUCTED BY: Jose Angel Gonzalez

WATER SERVICE PROVIDER: N.A.W.S.C. LINE SIZE: 12" LOCATION: FM 493

H.C.O.E.C. PRELIMINARY APPROVAL DATE: 08-19-14 : By Martin Ramirez, Director of Office of Environmental Compliance

LARGE CONSTRUCTION

The applicant has submitted the required NOI as per Part II, Section E of the TPDES General Permit for Construction Activities (TXR150000) along with a copy of the Erosion Control Plan for the proposed project.

PRELIMINARY APPROVAL FROM THE
HIDALGO COUNTY COMMISSIONERS COURT ON:

REQUEST FOR FINAL APPROVAL WITH:

Cash Deposit: Amount: \$_____ For: OSSF(S) _____ PAVING DRAINAGE STREET SIGNS
 A Letter of Credit Financial Institution: _____ L.O.C No. _____

Amount: \$_____ For: OSSF(S) _____ PAVING DRAINAGE STREET SIGNS

STAFF RECOMMENDS: **Preliminary Approval** subject to comments and future recommendations by planning and other departments and the approval of the City of Donna.

Final Approval subject to recommendations other departments

Final Approval with financial guarantee.

This subdivision plat has been reviewed and complies with the Hidalgo County Subdivision Rules, Texas Water Development Board Model Subdivision Rules and The Texas Local Government Code.

PLAT OF JULIWAY ESTATES SUBDIVISION

47.27 ACRES OUT OF ALL OF LOT 4 & 7 AND A PART OR PORTION OF LOT 8 ENGLERMAN'S SUBDIVISION VOLUME 2, PAGE 56, MAP RECORDS HIDALGO COUNTY, TEXAS AND A PART OR PORTION OUT OF LOT 163 LA BLANCA AGRICULTURAL COMPANY'S SUBDIVISION VOLUME 2, PAGE 56, MAP RECORDS HIDALGO COUNTY, TEXAS.

PREPARED BY: K K ENGINEERING CONSULTANT
DATE: AUGUST, 2014

STATE OF TEXAS COUNTY OF HIDALGO
OWNER'S DEDICATION, CERTIFICATION, AND ATTESTATION

SOUTHERN VIBE ENTERPRISES, L.P., AS OWNER OF THE 47.27 ACRES TRACT OF LAND ENCOMPASSED WITHIN THE PROPOSED JULIWAY ESTATES SUBDIVISION HEREBY SUBDUDE THE LAND AS DEPICTED IN THIS SUBDIVISION PLAT AND DEDICATE TO PUBLIC USE OF STREETS, PARK, AND EASEMENTS SHOWN HEREIN.

I CERTIFY THAT I HAVE COMPLIED WITH THE REQUIREMENTS OF TEXAS LOCAL GOVERNMENT CODE § 232.032 AND THAT:

- (A) THE WATER QUALITY AND CONNECTIONS TO THE LOTS MEET, OR WILL MEET, THE MINIMUM STATE STANDARDS;
- (B) SEWER CONNECTIONS TO THE LOTS OR SEPTIC TANKS MEET, OR WILL MEET, THE MINIMUM REQUIREMENTS OF STATE STANDARDS;
- (C) ELECTRICAL CONNECTIONS PROVIDED TO THE LOTS MEET, OR WILL MEET, THE MINIMUM STATE STANDARDS; AND
- (D) GAS CONNECTIONS, IF AVAILABLE, PROVIDED TO THE LOTS MEET, OR WILL MEET, THE MINIMUM STATE STANDARDS.

I ATTEST THAT THE MATTERS ASSERTED IN THIS PLAT ARE TRUE AND COMPLETE.

OWNER: SOUTHERN VIBE ENTERPRISES, L.P. DATE _____
A TEXAS LIMITED PARTNERSHIP

BY: BENNETT FLORES INVESTMENTS, L.L.C.
A TEXAS LIMITED LIABILITY COMPANY
ITS: GENERAL PARTNER
P.O. BOX 365
LA BLANCA, TX 78558

STATE OF TEXAS COUNTY OF HIDALGO

BEFORE ME, THE UNDERSIGNED AUTHORITY ON THIS DAY PERSONALLY APPEARED KYNDEL W. BENNETT KNOWN TO ME TO BE THE PERSON (S) WHOSE NAME (S) IS (ARE) SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE (SHE) EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS THE _____ DAY OF _____ 201__.

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS
MY COMMISSION EXPIRES _____

MAYOR'S CERTIFICATION

I, THE UNDERSIGNED, MAYOR OF THE CITY OF DONNA, HEREBY CERTIFY THAT THIS SUBDIVISION PLAT CONFORMS TO ALL REQUIREMENTS OF THE SUBDIVISION REGULATIONS OF THE CITY OF DONNA. MY APPROVAL IS REQUIRED.

ATTEST: _____
MAYOR'S SIGNATURE DATE CITY SECRETARY DATE

PLANNING & ZONING COMMISSION CERTIFICATION

I, THE UNDERSIGNED, CHAIRPERSON OF THE PLANNING AND ZONING COMMISSION OF THE CITY OF DONNA, HEREBY CERTIFY THAT THIS SUBDIVISION PLAT KNOWN AS JULIWAY ESTATES CONFORMS TO ALL REQUIREMENTS OF THE SUBDIVISION REGULATIONS OF THE CITY OF DONNA. MY APPROVAL IS REQUIRED AND HAS BEEN APPROVED FOR RECORDING ON THE _____ DAY OF _____ 201__.

CHAIRPERSON-PLANNING & ZONING COMMISSION

THIS PLAT IS HEREBY APPROVED BY DONNA IRRIGATION DISTRICT No. 1 ON THIS, THE _____ DAY OF _____ 201__.

ATTEST: _____
PRESIDENT SECRETARY

HIDALGO COUNTY DRAINAGE DISTRICT No. 1 HEREBY CERTIFIES THAT THE DRAINAGE PLANS FOR THIS SUBDIVISION COMPLY WITH THE MINIMUM STANDARDS OF THE DISTRICT ADOPTED UNDER TEX. WATER CODES 49.211(C). THE DISTRICT HAS NOT REVIEWED AND DOES NOT CERTIFY THAT THE DRAINAGE STRUCTURES DESCRIBED ARE APPROPRIATE FOR THE SPECIFIC SUBDIVISION, BASED ON GENERALLY ACCEPTED ENGINEERING CRITERIA. IT IS THE RESPONSIBILITY OF THE DEVELOPER OF THE SUBDIVISION AND ITS ENGINEER TO MAKE THESE DETERMINATIONS.


HIDALGO COUNTY DRAINAGE DISTRICT No. 1
BY: _____

STATE OF TEXAS COUNTY OF HIDALGO

I, KAMBIZ S. KHADEMI A REGISTERED PROFESSIONAL ENGINEER IN THE STATE OF TEXAS, HEREBY CERTIFY THAT PROPER ENGINEERING CONSIDERATION HAS BEEN GIVEN TO THIS PLAT.

DATED THIS THE _____ DAY OF _____ 201__.

REGISTERED PROFESSIONAL ENGINEER
No. 57762 STATE OF TEXAS




STATE OF TEXAS COUNTY OF HIDALGO

I, JOSE MARIO GONZALEZ, REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, DO HEREBY CERTIFY THAT THIS PLAT AND DESCRIPTION OF THE JULIWAY ESTATES SUBDIVISION WAS PREPARED FROM A SURVEY OF THE PROPERTY MADE ON THE GROUND UNDER MY SUPERVISION.

DATED THIS THE _____ DAY OF _____ 201__.

REGISTERED PROFESSIONAL SURVEYOR
No. 5571 STATE OF TEXAS



GENERAL SUBDIVISION PLAT NOTES

1. MINIMUM FINISH FLOOR ELEVATION SHALL BE AS NOTED M.F.F.E. (TC+00') ON THE LOTS ABOVE THE TOP OF THE STREET CURB WHEN MEASURED AT THE CENTER FRONT OF ALL THE LOTS. ELEVATION CERTIFICATE MAY BE REQUIRED FOR LOTS LOCATED OUTSIDE A DESIGNATED FLOOD ZONE AT THE TIME FOR APPLICATION FOR CONSTRUCTION TO VERIFY PRE AND POST CONSTRUCTION FINISH FLOOR ELEVATIONS. AN ELEVATION CERTIFICATE SHALL BE REQUIRED FOR ALL LOTS WITHIN A DESIGNATED FLOOD ZONE AT THE TIME FOR A DEVELOPMENT PERMIT APPLICATION.
2. FLOOD ZONES STATEMENTS:
FLOOD ZONE DESIGNATION: ZONE "X"(SHADED) LOWR-APP (REMOVAL)
UNDER CASE NO. 15-06-2601P DATED 12-24-2015

ZONE "X" (SHADED) COMMUNITY-PANEL NO. 480334 0450 C EFFECTIVE DATE: JUNE 6, 2000, REVISED TO REFLECT LOWR 12-24-2015 AND ZONE "B" COMMUNITY-PANEL NO. 480334 0425 C EFFECTIVE DATE: NOVEMBER 16, 1982.

AREAS OF 500-YEAR, AREAS OF 100-YEAR FLOOD WITH AVERAGE DEPTHS OF LESS THAN 1 FOOT OR WITH DRAINAGE AREAS LESS THAN 1 SQUARE MILE, AND AREA PROTECTED BY LEVEES FROM 100-YEAR FLOOD.

THE AREAS WITHIN THE DRAINAGE EASEMENTS AND THE PROPOSED STREET RIGHT-OF-WAY ARE WITHIN THE 100-YEAR FLOOD PLAIN. COMMUNITY-PANEL NO. 480334 0450 C EFFECTIVE DATE: JUNE 6, 2000, REVISED TO REFLECT LOWR 05-30-2002 AND NO. 480334 0425 EFFECTIVE DATE: NOVEMBER 16, 1982. OF THE FEDERAL EMERGENCY MANAGEMENT AGENCY MAPS FOR HIDALGO COUNTY, TEXAS AND THE LOCAL FLOOD PLAIN ADMINISTRATOR HAVE IDENTIFIED NO OTHER AREAS AS SHOWN ON THIS PLAT ARE WITHIN THE PROPOSED SUBDIVISION TO BE WITHIN THE 100-YEAR FLOOD PLAIN.

CONSTRUCTION OF RESIDENTIAL HOUSING WITHIN ANY AREA OF THE SUBDIVISION THAT IS IN THE 100-YEAR FLOOD PLAIN IS PROHIBITED UNLESS THE HOUSING QUALIFIES FOR INSURANCE UNDER THE NATIONAL FLOOD INSURANCE ACT OF 1968 (42 U.S.C. SECTIONS 4001 THROUGH 4127).

3. SETBACKS:
FRONT: 25.00 FEET
REAR: 15.00 FEET OR EASEMENT WHICHEVER IS GREATER
CORNER SIDE: 15.00 FEET
GARAGE FRONT: 18.00 FEET
SIDE: 6.00 FEET OR EASEMENT WHICHEVER IS GREATER

4. NO MORE THAN ONE SINGLE-FAMILY DETACHED DWELLING SHALL BE LOCATED ON EACH LOT. THIS MUST BE STIPULATED ON ALL DEEDS AND CONTRACTS FOR DEEDS (ANY OTHER USE SHALL REQUIRE PLANNING DEPARTMENT, OFFICE OF ENVIRONMENTAL COMPLIANCE, HEALTH DEPARTMENT AND FIRE MARSHAL APPROVAL). APPLICATIONS FOR CONSTRUCTION ARE REQUIRED PRIOR TO OCCUPANCY OF THE LOT.

5. CORNER MARKERS, CONSISTING OF A ONE-HALF (1/2) INCH STEEL ROD 18 INCHES IN LENGTH, WITH PLASTIC CAP STAMPED "RIO DELTA SURVEYING", HAVE BEEN DRIVEN FLUSH WITH THE GROUND SURFACE TO MARK THE CORNERS OF ALL LOTS.

6. THE FOLLOWING BENCHMARKS ARE IDENTIFIED ON THE FACE OF THE PLAT AND ON THE ATTACHED ENGINEERING PLANS:
-->B.M. No. 1--ELEV. 70.13 SQUARE CUP ON LINET LOCATED EAST OF FM 493 R.O.W. APPROXIMATE 90 FEET NORTH FROM THE SOUTH EAST CORNER OF PROPERTY.
-->B.M. No. 2--ELEV. 70.55 SQUARE MARKER ON TOP OF INLET LOCATED SOUTH CURB OF KENNY LANE BETWEEN LOTS 48 AND 49.

7. IN ACCORDANCE WITH THE HIDALGO COUNTY DRAINAGE DISTRICT NO. 1 AND HIDALGO COUNTY REQUIREMENTS, THIS DEVELOPMENT WILL BE REQUIRED TO OBTAIN A TOTAL OF 71,379.00 CUBIC-Feet (1.64 Acre-Feet) OF STORM WATER RUNOFF. DRAINAGE RETENTION IN ACCORDANCE WITH THE LOCAL REQUIREMENTS WILL BE COMPLETED AS FOLLOWS: (SEE SHEET No.3 FOR STORM SEWER IMPROVEMENTS.)

8. NO STRUCTURE SHALL BE PERMITTED OVER ANY EASEMENT. EASEMENTS SHALL BE KEPT CLEAR OF BUILDINGS, SHEDS, SHRUBS TREES, AND OTHER PLANTINGS (EXCEPT LOW, LESS THAN 18 INCHES MATURE TREES, GRASS, OR FLOWERS) AND OTHER OBSTRUCTIONS THAT WOULD INTERFERE WITH THE OPERATIONS AND MAINTENANCE OF THE EASEMENT.

9. EACH PURCHASED CONTRACT MADE BETWEEN A SUBDIVIDER AND PURCHASER OF A LOT IN THIS SUBDIVISION SHALL CONTAIN A STATEMENT DESCRIBING HOW AND WHEN WATER, SEWER, ELECTRICITY, AND GAS SERVICES WILL BE MADE AVAILABLE TO THE SUBDIVISION.

10. ALL PUBLIC UTILITIES EASEMENTS DEDICATED BY THIS PLAT SHALL BE A MINIMUM WIDTH OF 15.00 FEET AS PER THE HIDALGO COUNTY MODEL SUBDIVISION RULES. BY SIGNING THIS PLAT, DEVELOPER AND ENGINEER CERTIFY THAT ALL OTHER EASEMENTS SHOWN COMPLY WITH THE SIZE REQUIRED BY EACH UTILITY PROVIDER OCCUPANCY AN EASEMENT.

11. AN OFF-STREET PARKING LOT SITE PLAN & DRAINAGE PLAN APPROVED BY THE HIDALGO COUNTY PLANNING DEPARTMENT AND THE OFFICE OF ENVIRONMENTAL COMPLIANCE SHALL BE REQUIRED FOR COMMERCIAL USE AT THE TIME OF APPLICATION FOR CONSTRUCTION PRIOR TO THE ISSUING OF A BUILDING AND/OR DEVELOPMENT PERMIT. NO WATER OR LIGHT CLEARANCE SHALL BE ISSUED UNTIL THE SITE PLAN, DRAINAGE PLAN AND OSSF PLAN ARE APPROVED AND PROPOSED IMPROVEMENTS ARE CONSTRUCTED IN ACCORDANCE WITH COUNTY AND STATE STANDARDS.

12 ON-SITE SEWAGE FACILITIES (OSSF) NOTE: THIS SUBDIVISION SHALL USE ON-SITE SEWAGE FACILITIES IN ACCORDANCE WITH TCEQ AND HIDALGO COUNTY REGULATIONS FOR SEWAGE DISPOSAL. THE SUBDIVIDER IS RESPONSIBLE FOR PROVIDING AN OSSF ON ALL LOTS.

A. OSSF SYSTEM IS BEING DESIGNED FOR DISPOSAL OF DOMESTIC SEWAGE ONLY. A SEPARATE DESIGN SHALL BE SUBMITTED FOR COMMERCIAL USE.
B. EACH LOT ON THIS PLAT COMPLIES WITH THE MINIMUM 21,780 SQUARE FEET LOT AREA WITH POTABLE WATER SUPPLY.
C. OSSF SYSTEM SHALL REQUIRE INSPECTION AND APPROVAL BY HIDALGO COUNTY AUTHORIZED DEPARTMENT

D. SOIL ANALYSIS HAS BEEN SUBMITTED TO THE AUTHORIZED HIDALGO COUNTY DEPARTMENT AND EXCERPTS MAY BE ALSO SEEN ON THE UTILITY LAYOUT FOR THIS SUBDIVISION AS SUBMITTED TO THE HIDALGO COUNTY PLANNING DEPARTMENT. THE ENGINEER HAS DETERMINED THAT THE SOIL IS SUITABLE FOR A STANDARD SEPTIC TANK AND ABSORPTIVE DRAIN FIELD SYSTEM.

13. THERE ARE NO WATER WELLS WITHIN 150 FEET FROM THE BOUNDARIES ON THIS SUBDIVISION
14. KYNDEL W. BENNETT, THE OWNER & SUBDIVIDER OF JULIWAY ESTATES SUBDIVISION, RETAINS A BLANKET EASEMENT UPON EACH LOT FOR THE PURPOSE OF INSTALLING AN APPROVED OSSF ON THE LOT AS DESCRIBED ON SHEET NO.2 OF THIS PLAT.

15. ALL CONSTRUCTION SHALL COMPLY WITH STORM WATER POLLUTION PREVENTION PLAN (SWPP) REQUIREMENTS.
16. NO ACCESS SHALL BE ALLOWED FROM FM 493 ROAD ONTO LOTS 33, 34, 54 AND 55. IF THE AFOREMENTIONED LOTS ARE UTILIZED FOR COMMERCIAL USE, ACCESS SHALL ONLY BE ALLOWED FROM JOANN AVE AND KENNY LANE SUBJECT TO THE HIDALGO COUNTY PLANNING DEPARTMENT SITE PLAN REVIEW AS PER PLAT NOTE No.11. THE LOT OWNER SHALL BE REQUIRED TO INSTALL A BUFFER FENCE ABUTTING ALL RESIDENTIAL LOTS.

17. REGIONAL DRAINAGE FACILITY (RDF) FOR THIS DEVELOPMENT SHALL BE DEDICATED TO HCCD No. 1 AS SHOWN ON THE PLAT. CONSTRUCTION SHALL BE IN ACCORDANCE WITH COUNTY AND HCCD No. 1 SPECIFICATION. HCCD No. 1 SHALL BE RESPONSIBLE FOR THE MAINTENANCE OF SAID RDF. NO FILL OR PERMANENT STRUCTURES SHALL BE ALLOWED WITHIN THE RDF EASEMENT.

HIDALGO COUNTY CERTIFICATE OF PLAT APPROVAL

I, THE UNDERSIGNED CERTIFY THAT THIS PLAT OF JULIWAY ESTATES SUBDIVISION WAS REVIEWED AND APPROVED BY THE HIDALGO COUNTY HEALTH DEPARTMENT ON _____

HIDALGO COUNTY ENVIRONMENTAL HEALTH DIVISION MANAGER DATE _____

STATE OF TEXAS COUNTY OF HIDALGO

WE, THE UNDERSIGNED CERTIFY THAT THIS PLAT OF THE JULIWAY ESTATES SUBDIVISION WAS REVIEWED AND APPROVED BY THE HIDALGO COUNTY COMMISSIONERS COURT ON _____

HIDALGO COUNTY JUDGE DATE _____

INSTRUMENT NUMBER _____

BY: _____ ATTEST: _____

DEPUTY HIDALGO COUNTY CLERK DATE _____

METES AND BOUNDS

A TRACT OF LAND CONTAINING 47.27 ACRES OF LAND, SITUATED IN HIDALGO COUNTY, TEXAS, BEING ALL OF LOT 4 & 7 AND A PART OR PORTION OF LOT 8, ENGLERMAN'S SUBDIVISION, MAP REFERENCE VOLUME 2, PAGE 56, M.R.H.C., AND A PART OR PORTION OUT OF LOT 163, LA BLANCA AGRICULTURAL COMPANY'S SUBDIVISION, MAP REFERENCE VOLUME 2, PAGE 42, M.R.H.C. AND SAID 47.27 ACRES OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING ON A SET 1/2 IRON ROD ON THE NORTHEAST CORNER OF SAID LOT 4, THE WEST LINE OF LOT 9 OF SAID ENGLERMAN'S SUBDIVISION AND THE SOUTH RIGHT-OF-WAY LINE OF DONNA IRRIGATION DISTRICT No. 1, FOR THE NORTHERN MOST NORTHEAST CORNER OF THIS TRACT AND THE POINT OF BEGINNING;

THENCE, S 00° 34' 39" E, ALONG THE EAST LINE OF SAID LOT 4, A DISTANCE OF 748.75 FEET TO A 1/2 IRON ROD SET ON THE SOUTHWEST CORNER OF LOT 8 OF SAID ENGLERMAN'S SUBDIVISION AND THE NORTHWEST CORNER OF SAID LOT 7, FOR AN INSIDE CORNER OF THIS TRACT;

THENCE, N 89° 25' 21" E, ALONG THE NORTH LINE OF SAID LOT 7, AT A DISTANCE OF 1250.00 FEET PASS A FOUND 1/2" IRON PIPE ON THE WEST RIGHT-OF-WAY LINE OF TEXAS F.M. 493, RECORDED IN VOLUME 938, PAGE 618, D.R.H.C., VOLUME 938, PAGE 620, D.R.H.C., CONTINUING A TOTAL DISTANCE OF 1290.00 FEET TO A 1/2" IRON PIPE SET ON THE COMMON EAST CORNER OF SAID LOT 7 AND LOT 8 IN THE RIGHT-OF-WAY OF SAID TEXAS F.M. 493, FOR THE SOUTHERN MOST NORTHEAST CORNER OF THIS TRACT;

THENCE, S 89° 25' 21" W, ALONG THE NORTH LINE OF SAID ADEL SUBDIVISION PHASE I, AT A DISTANCE OF 40.00 FEET TO A 1/2" IRON PIPE FOUND ON THE NORTHEAST CORNER OF SAID TEXAS F.M. 493, CONTINUING A TOTAL DISTANCE OF 1290.00 FEET TO A 1/2" IRON ROD FOUND ON AN INSIDE CORNER OF ADEL SUBDIVISION PHASE I, RECORDED IN VOLUME 30, PAGE 135, M.R.H.C., FOR THE SOUTHERN MOST SOUTHWEST CORNER OF THIS TRACT;

THENCE, N 00° 34' 39" W, ALONG THE EAST LINE OF SAID ADEL SUBDIVISION PHASE II, A DISTANCE OF 644.64 FEET TO A 1/2" IRON PIPE FOUND ON THE NORTHEAST CORNER OF SAID ADEL SUBDIVISION PHASE II, FOR AN INSIDE CORNER OF THIS TRACT;

THENCE, S 89° 25' 21" W, ALONG THE NORTH LINE OF SAID ADEL SUBDIVISION PHASE II, A DISTANCE OF 541.28 FEET TO A 1/2" IRON ROD FOUND ON THE NORTH LINE OF ANDERSON ACRES SUBDIVISION, RECORDED IN DOCUMENT NO. 2168561, M.R. H.C. AND THE COMMON SOUTH CORNER OF SAID LOT 4 AND LOT 5 OF SAID ENGLERMAN'S SUBDIVISION, FOR THE NORTHERN MOST SOUTHWEST CORNER OF THIS TRACT;

THENCE, N 00° 34' 39" W, ALONG THE COMMON LINE OF SAID LOT 4 AND LOT 5, A DISTANCE OF 1187.50 FEET TO A 1/2" IRON ROD SET ON THE COMMON NORTH CORNER OF SAID LOT 4 AND LOT 5 AND THE SOUTH RIGHT-OF-WAY LINE OF SAID DONNA IRRIGATION DISTRICT NO. 1, FOR THE NORTHEAST CORNER OF THIS TRACT;

THENCE, N 88° 31' 21" E, ALONG THE COMMON LINE OF SAID LOT 4 AND DONNA IRRIGATION DISTRICT NO. 1, A DISTANCE OF 244.24 FEET TO A 1/2" IRON ROD SET, FOR AN INSIDE CORNER OF THIS TRACT;

THENCE, N 00° 13' 21" E, A DISTANCE OF 108.59 FEET TO A 1/2" IRON ROD SET, FOR AN OUTSIDE CORNER OF THIS TRACT;

THENCE, N 89° 25' 21" E, A DISTANCE OF 50.00 FEET TO A 1/2" IRON ROD SET, FOR AN OUTSIDE CORNER OF THIS TRACT;

THENCE, S 00° 34' 39" E, A DISTANCE OF 107.81 FEET TO A 1/2" IRON ROD SET ON THE COMMON LINE OF SAID LOT 4 AND DONNA IRRIGATION DISTRICT NO. 1 CANAL R.O.W., FOR AN OUTSIDE CORNER OF THIS TRACT;

THENCE, N 88° 31' 21" E, ALONG THE COMMON LINE OF SAID LOT 4 AND DONNA IRRIGATION DISTRICT NO. 1 CANAL, ALONG A DISTANCE OF 245.58 FEET TO THE POINT OF BEGINNING, CONTAINING 47.27 ACRES OF LAND, MORE OF LESS.

RIGHT OF WAY EASEMENT

KNOW ALL MEN BY THESE PRESENTS, that the undersigned, owners of the property shown on this plat, their successors, assigns, and transferees (hereinafter called "Grantor" whether one or more persons are named), in consideration of one dollar (\$1.00) and other good and valuable consideration paid by North Aramo Water Supply Corporation, (hereinafter called "Grantee"), the receipt and sufficiency of which is hereby acknowledged, does hereby grant, bargain, sell, transfer, and convey to said Grantee, its successors, and assigns, an exclusive perpetual easement with the right to erect, construct, install and lay thereafter use, operate, inspect, repair, maintain, replace, and remove water distribution lines and appurtenances over and across the lands shown on this plat, together with the right of ingress and egress over Grantor's adjacent lands for the purpose for which the above mentioned rights are granted. The easement hereby granted shall not exceed 15' in width, and Grantee is hereby authorized to designate the course of the easement herein conveyed except that when the pipeline(s) is installed, the easement herein granted shall be limited to a strip of land 15' in width, the center line thereof being the pipeline installed.

In the event the easement hereby granted abuts on a public road and the city, county or state hereafter widens or relocates the public road so as to require the relocation of this water line as installed, Grantor further grants to Grantee an additional easement over and across the land shown on this plat for the purpose of laterally relocating said water line as may be necessary to clear the road improvements, which easement hereby granted shall be limited to a strip of land 15' in width, the center line thereof being the pipeline as relocated.


The consideration recited herein shall constitute payment in full for all damages sustained by Grantor by reason of the installation, maintenance, repair, replacement and relocation of the structures referred to herein. This agreement together with other provisions of this grant shall constitute an easement for the benefit of the Grantee, its successors, and assigns, and covenants that it is the owner of the above-described lands and that said lands are free and clear of all encumbrances and liens except the following:

The easement conveyed herein was obtained or improved through Federal financial assistance. This easement is subject to the provisions of Title VI of the Civil Rights Act of 1964 and the regulations issued pursuant thereto for so long as the easement continues to be used for the same or similar purpose for which financial assistance was extended or for so long as the Grantee owns it, whichever is longer.

IN WITNESS WHEREOF the said Grantor executed this instrument this ____ day of _____ 201__

KYNDEL W. BENNETT, PRESIDENT
P.O. BOX 365
LA BLANCA ROAD, TX 78558

CURVE	LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD LENGTH
A	24.67'	50.00'	28°15'59"	S 30°51'44" W	24.42'
B	133.41'	50.00'	152°52'47"	S 59°42'38" E	97.21'
C	51.73'	50.00'	59°16'51"	S 15°21'18" W	49.46'
D	41.09'	50.00'	47°05'10"	S 37°49'43" E	39.94'
E	40.17'	50.00'	46°01'41"	S 84°23'08" E	39.10'
F	25.09'	50.00'	53°43'16"	N 58°13'30" E	24.83'







K K Engineering Consultant
GENERAL PROFESSIONAL CIVIL ENGINEERING SERVICES
410 E. DOWE (FIRM REGISTRATION #F-1334)
P.O. BOX 3422 M-CALLEN, TEXAS 78502
(956) 630-2125


Principal Contacts:	Name	Address	City & Zip	Phone	Fax
OWNER:	KYNDEL W. BENNETT, BENNETT-FLORES INVESTMENTS, L.L.C.	P.O. BOX 365	LA BLANCA 78558	(956) 464-4431	(956) 464-2597
ENGINEER:	KAMBIZ S. KHADEMI, P.E.	410 E. DOWE AVE.	M-CALLEN 78504	(956) 630-2125	(956) 630-2219
SURVEYOR:	JOSE MARIO GONZALEZ, R.P.L.S.	24593 FM88	MONTE ALTO 78538	(956) 380-5154	(956) 380-5156

STATE OF TEXAS COUNTY OF HIDALGO
UNDER LOCAL GOVERNMENT CODE § 232.028(g)
WE, THE UNDERSIGNED CERTIFY THAT THIS PLAT OF THE JULIWAY ESTATES SUBDIVISION WAS REVIEWED AND APPROVED BY THE HIDALGO COUNTY COMMISSIONERS COURT ON _____
HIDALGO COUNTY JUDGE DATE _____
INSTRUMENT NUMBER _____
BY: _____ ATTEST: _____
DEPUTY HIDALGO COUNTY CLERK DATE _____



INDEX TO SHEETS OF JULIWAY ESTATES SUBDIVISION	DESCRIPTION
SHEET 1	HEADINGS; INDEX; LOCATION MAP; AND ETJ; PRINCIPAL CONTACTS; PLAT WITH LOT, STREETS, AND EASEMENT DESIGNATIONS; LEGAL DESCRIPTION (METES AND BOUNDS); SURVEYOR'S AND ENGINEER'S CERTIFICATION; PLAT NOTES AND RESTRICTIONS; OWNER'S DEDICATION, CERTIFICATION, AND ATTESTATION; COUNTY CLERK'S RECORDING CERTIFICATE; HIDALGO COUNTY JUDGE CERTIFICATE OF PLAT APPROVAL; DESCRIPTION OF LOCATION OF SUBDIVISION WITH RESPECT TO THE ETJ OF A MUNICIPALITY AND DESIGNATE THE PRECINCT THE PROJECT IS SITUATED; H.C.D.D. NO. 1 CERTIFICATION; DONNA IRRIGATION DISTRICT AND HCCD; REVISION NOTES.
SHEET 2	WATER DISTRIBUTION AND SANITARY SEWER MAP; TYPICAL WATER SERVICE CONNECTION; REVISION NOTES; ENGINEERING REPORT (ENGLISH AND SPANISH VERSION), INCLUDING DESCRIPTION OF WATER AND WASTE WATER AND ENGINEER'S CERTIFICATION (ENGLISH AND SPANISH VERSION); OWNER'S DEDICATION, CERTIFICATION, AND ATTESTATION; WATER DISTRIBUTION AND OSSF MAP; TYPICAL WATER SERVICE CONNECTION.
SHEET 3	DRAINAGE REPORT INCLUDING DESCRIPTION OF DRAINAGE AND HOW IT WILL SERVE THIS DEVELOPMENT; MAP OF TOPOGRAPHY, MAP OF DRAINAGE, AND ENGINEER'S CERTIFICATION; REVISION NOTES; & CONSTRUCTION DETAILS.




JULIWAY ESTATES SUBD. MINI DETENTION POND RIP-RAP AS WELL AS STANDARD DITCH RIP-RAP DETAIL



STORM TRENCH BEDDING AND BACKFILL DETAILS
NTS.



NOTE: MANHOLE COVER SHALL BE IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS.



THE REFERENCED SUBDIVISION IS A 47.27-AC. TRACT OF LAND LOCATED SOUTH OF M. 15 1/2 N. ROAD AND ALONG THE WEST SIDE OF F.M. 493 ROAD. THIS AREA APPEARS TO BE IN THE E.U. OF CITY OF DONNA.




THE PROPOSED USE IS MOSTLY FOR SINGLE-FAMILY RESIDENTIAL LOTS (74). THE NATURAL DRAINAGE IN THE GENERAL AREA IS TO THE NORTH AND EAST INTO THE EXISTING ROADSIDE DITCH RUNNING SOUTH INTO AN EXISTING 24" TxDOT CULVERT, OUT FALLING INTO THE EXISTING DRAINAGE DITCH (DONNA IRR. DIST.) ON THE EAST SIDE OF F.M. 493. THE EXISTING RUNOFF FROM THE SITE FOR A 10-YEAR STORM IS 19.95 CUBIC FEET PER SECOND. (SEE TABLES I, IA, AND II).

THE PROPOSED DEVELOPMENT (DUE TO LARGE LOTS & SMALL HOMES) WILL VERY SLIGHTLY INCREASE RUNOFF WITHOUT DETENTION TO 27.65 CUBIC FEET PER SECOND BASED ON A 10-YEAR STORM. BASED ON THE COUNTY'S POLICY THAT THERE BE NO ADDITIONAL RUNOFF FROM A 10-YEAR STORM, A 71.379 CUBIC FEET (1.64 ACRES-FEET) OF DETENTION IS REQUIRED. A DETENTION POND WILL BE PROVIDED, DEDICATED TO THE COUNTY & SHOWN ON THE PLAN.

ADDITIONAL DRAINAGE IMPROVEMENTS ARE PROVIDED VIA STREET/GUTTER POSITIVE FLOW WITH CURB INLETS AND 18"X24" R.C.P. AS WELL AS AN 18" R.C.P. RESTRICTED OUTFALL CONNECTING TO THE EXISTING HCCD#1 DRAINAGE DITCH TO THE WEST.

FLOOR ELEV. (SEE PLAT NOTE) WILL BE SET ABOVE THE 100 YR. FLOOD. THIS SUBD. IS IN THE FEMA FLOOD ZONE(S): "X" (SHADED), LOMA CASE NO. 00-06-1464A 8/9/2000; "X" (SHADED), C. P. N. 4803340450C 6/6/2000 REVISED TO REFLECT LOMR 5/30/2002; "B", C. P. N. 4803340425C 11/6/1982


CERTIFICATION:
BY MY SIGNATURE BELOW, I CERTIFY THAT THIS SUBDIVISION IS LOCATED IN ZONE "X" (SHADED) AND ZONE "B", AREAS OF 500-YEAR FLOOD; AREAS OF 100-YEAR FLOOD WITH AVERAGE DEPTHS OF LESS THAN 1 FOOT OR WITH DRAINAGE AREAS LESS THAN 1 SQUARE MILE; AND AREAS PROTECTED BY LEVEES FROM 100-YEAR FLOOD. FEMA FLOOD INSURANCE RATE MAPS COMMUNITY PANEL NO. 480334 0450 C REVISED JUNE 6, 2000 REVISED TO REFLECT LOMR 2002, AND COMMUNITY PANEL NO. 480334 0425 C REVISED NOVEMBER 6, 1982, AS WELL AS "X" (SHADED), LOMA CASE NO. 00-06-1464A, 08-09-2000.



DATE	BY	
REVISION		
DRAWING DATE: AUGUST, 2014	DESIGNED BY: K.K.	<p>THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY KHAMBIZ S. KHADEMI, P.E. 57767 AUGUST 2014 ALTERATION OF A SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE LAW</p>
RELEASE DATE:	DRAWN BY: F.D.	
DESIGNED BY: K.K.	CHECKED BY: K.K.	
DATE:	UPDATED DWG. BY:	
SCALE: 1" = 100'		
<p>JULIWAY ESTATES SUBDIVISION</p> <p>HIDALGO COUNTY</p> <p>Pct. 4</p>		
<p>EXISTING TOPO AND PROPOSED PAVING, STORM DRAINAGE AND DETENTION POND</p> <p>SOUTHERN VIBE ENTERPRISES, L.P.</p>		
<p>Copyright 2014 K.K. Engineering Consultant All Rights Reserved. File Name: PAVING & DRAINAGE</p>		
<p>SHEET 3 OF 3</p>		

EROSION GENERAL NOTES:

- IT IS THE INTENT OF THE INFORMATION PROVIDED ON THIS SHEET TO BE USED AS THE GENERAL GUIDELINES OF THE STORM WATER OF COMPLIANCE WITH FEDERAL REGULATIONS. THE CONTRACTOR SHALL PREPARE THE STORM WATER POLLUTION PREVENTION PLAN AND BE SOLELY RESPONSIBLE FOR ITS IMPLEMENTATION. THE STORM WATER POLLUTION PREVENTION PLAN SHALL MEET THE REQUIREMENTS SET FORTH BY THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY (TPDES)/GENERAL PERMIT NO. TXR15000 TO DISCHARGE WASTE FROM CONSTRUCTION SITES ISSUED AND EFFECTIVE MARCH 5, 2003.
- THE STORM WATER POLLUTION PLAN SHOULD ADDRESS THREE GOALS: A) DIVERSION OF UPSLOPE WATER AROUND DISTURBED AREAS OF THE SITE; B) LIMITS THE EXPOSURE OF DISTURBED AREAS TO THE SHORTEST DURATION POSSIBLE; AND C) REMOVAL OF SEDIMENT FROM STORM WATER BEFORE IT LEAVES THE SITE.
- THE CONTRACTOR SHALL MAKE THE STORM WATER POLLUTION PREVENTION PLAN AVAILABLE, UPON REQUEST, TO (EPA).
- THE CONTRACTOR MUST AMEND PLANS WHENEVER THERE IS A CHANGE IN DESIGN, CONSTRUCTION, OPERATION, OR MAINTENANCE OF THE PLAN, OR WHEN THE EFFECTIVE PLAN PROVES INEFFECTIVE. MODIFICATIONS INCLUDING DESIGN AND ALL ADDITIONAL MATERIALS AND WORK SHALL BE ACCOMPLISHED BY THE CONTRACTOR AT NO ADDITIONAL EXPENSE BY THE OWNER.
- STABILIZATION MEASURES ARE TO BE INSPECTED AT A MINIMUM OF ONCE EVERY 14 DAYS AND WITHIN 24 HOURS AFTER ANY STORM EVENT GREATER THAN 0.5 INCHES. REPAIRS AND INADEQUACIES REVEALED BY THE INSPECTION MUST BE IMPLEMENTED WITHIN 7 CALENDAR DAYS FOLLOWING THE INSPECTION.
- AN INSPECTION REPORT THAT SUMMARIZES INSPECTION ACTIVITIES AND IMPLEMENTATION OF THE STORM WATER POLLUTION PREVENTION PLAN SHALL BE RETAINED AND MADE PART OF THE PLAN.
- ALL CONTRACTORS AND SUBCONTRACTORS IDENTIFIED IN THE PLAN MUST CERTIFY AS TO AN UNDERSTANDING OF THE NPDES GENERAL PERMIT BEFORE CONDUCTING ANY ACTIVITY IDENTIFIED IN THE POLLUTION PREVENTION PLAN.
- THE CONTRACTOR SHALL ADOPT APPROPRIATE CONSTRUCTION SITE MANAGEMENT PRACTICES TO PREVENT THE DISCHARGE OF OILS, GREASE, PAINTS, GASOLINE AND OTHER POLLUTANTS TO STORM WATER. APPROPRIATE PRACTICES CAN INCLUDE: DESIGNATING AREAS FOR EQUIPMENT MAINTENANCE AND REPAIR; REGULAR COLLECTION OF WASTE; CONVENIENTLY LOCATED WASTE RECEPTACLES; AND DESIGNATING AND CONTROLLING EQUIPMENT WASHDOWN.
- THE CONTRACTOR SHALL AMEND OR MODIFY THIS PLAN AS REQUIRED BY CONSTRUCTION METHODS, MEASUREMENTS AND SEQUENCE. MODIFICATIONS SHALL NOT COMPROMISE THE INTENT OF REQUIREMENTS OF LAW AND THIS PLAN. MODIFICATIONS SHALL NOT BE BASIS FOR ADDITIONAL COST TO THE OWNER.
- AREAS OF CONSTRUCTION ELSEWHERE ON THE JOB SITE SHALL CONFORM TO THE DETAILS SHOWN ON THE PLANS.
- BORROW AREAS, IF EXCAVATED, SHALL BE PROTECTED AND STABILIZED UTILIZING THE PLAN DETAILS. ALL WORK SHALL CONFORM TO GOVERNMENTAL REQUIREMENTS AND BECOME PART OF THE STORM WATER POLLUTION PREVENTION PLAN (SWP3). THE WORK SHALL BE DONE BY THE CONTRACTOR AT NO ADDITIONAL EXPENSE TO THE OWNER.
- ALL NON-PAVED AREAS SHALL BE MULCHED AND SEEDING WITH EROSION PROTECTION IMMEDIATELY UPON COMPLETION OF FINAL GRADING. THIS INCLUDES ALL DITCHED AND EMBANKMENTS. THE CONTRACTOR SHALL MAINTAIN FINAL GRADING AND KEEP SEEDING AREAS WATERED UNTIL FULLY ESTABLISHED AND ACCEPTED BY THE OWNER.
- THE CONTRACTOR SHALL CONSTRUCT A STABILIZED CONSTRUCTION EXIT AT ALL TRAFFIC EXIT POINTS PRIOR TO EXITING ONTO ANY PAVED ROADWAY.




- NOTES:**
- STONE SHALL BE 3 TO 5 INCH DIA. CRUSHED ROCK OR ACCEPTABLE CRUSHED CEMENT CONCRETE.
 - WHEN NECESSARY, VEHICLES SHALL BE CLEANED TO REMOVE SEDIMENT PRIOR TO ENTRANCE ONTO A PUBLIC ROADWAY. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE WITH DRAINAGE FLOWING AWAY FROM BOTH THE STREET AND THE STABILIZED ENTRANCE. ALL SEDIMENT SHALL BE PREVENTED FROM ENTERING ANY STORM DRAIN, DITCH OR WATERCOURSE USING APPROVED METHODS.
 - THE ENTRANCE SHALL BE PROPERLY GRADED OR INCORPORATE DRAINAGE SWALE TO PREVENT RUNOFF FROM LEAVING THE CONSTRUCTION SITE.
 - THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PAVED SURFACES. THIS MAY REQUIRE PERIODIC TOP DRESSING WITH ADDITIONAL STONE AS CONDITIONS DEMAND. ALL SEDIMENT SPILLED, DROPPED, WASHED OR TRACKED ONTO PAVED SURFACES, MUST BE REMOVED IMMEDIATELY.

**STABILIZED CONSTRUCTION EXIT
(CONTRACTOR TO CHOOSE LOCATION)**


GENERAL NOTES:

- FILTER FABRIC CURB INLET PROTECTION TO BE REMOVED WHEN SITE IS FULLY STABILIZED.
- FILTER FABRIC TO BE CLEANED AFTER EACH RAIN EVENT.
- 2x4 LUMBER TO BE CUT AS REQUIRED TO FIT CONTOURS OF GUTTER LINE.
- ALL BAGS TO BE USED FOR INLET PROTECTION, TO BE U.V. RESISTANT.



FILTER FABRIC CURB INLET PROTECTION

2"x4" WIRE SCREEN & FILTER FABRIC SECURITY FASTENED ANCHOR 2"x4" AS REQ. EACH END.



TEMPORARY SEDIMENT CONTROL FENCE

CONNECT THE ENDS OF SUCCESSIVE REINFORCEMENT SHEETS OR ROLLS A MIN. OF 6 TIMES WITH HOG RINGS.

4' MIN STEEL OR WOOD POSTS SPACED AT 6' TO 8'. SOFTWOOD POSTS SHALL BE 3' MIN. DIA. OR NOMINAL 2"x4". HARD WOOD POSTS SHALL HAVE A MIN. CROSS SECTION OF 1.5"x1.5". FASTEN FABRIC TO TOP STRAND OF WELDED WIRE MESH (W.W.M.) BY HOG RINGS OR CORD AT A MAX. SPACING OF 15".

ATTACH THE W.W.M. AND FABRIC ON END POSTS USING 4 EVENLY SPACED STAPLES FOR WOODEN POSTS (OR 4 T-CRIPS OR SEWN VERTICAL POCKETS FOR STEEL POST).

PLACE 4" TO 6" OF FABRIC AGAINST THE TRENCH SIDE AND APPROX. 2" ACROSS TRENCH BOTTOM IN UPSTREAM DIRECTION. MINIMUM TRENCH SIZE SHALL BE 6" SQUARE. BACKFILL AND HAND TAMP.

GENERAL NOTES:

- STEEL POSTS WHICH SUPPORT THE SILT FENCE SHALL BE INSTALLED WITH A SLIGHT ANGLE TOWARD THE ANTICIPATED RUNOFF SOURCE. POST MUST BE EMBEDDED A MINIMUM OF 18".
- THE TOE OF THE SILT FENCE SHALL BE TRENCHED IN WITH A SPADE OR MECHANICAL TRENCHER, SO THAT THE DOWNSLOPE FACE OF THE TRENCH IS FLAT AND PERPENDICULAR TO THE LINE OF FLOW. WHERE FENCE CANNOT BE TRENCHED IN WEIGHT FABRIC FLAP WITH WASHED GRAVEL ON UPHILL SIDE, AS NECESSARY, TO PREVENT FLOW UNDER FENCE.
- THE TRENCH MUST BE A MINIMUM OF 6 INCHES DEEP AND 6 INCHES WIDE TO ALLOW FOR THE SILT FENCE FABRIC TO BE LAIN IN THE GROUND AND BACKFILLED.
- SILT FENCE SHOULD BE SECURELY FASTENED TO EACH STEEL SUPPORT POST OF TO BACKING SUPPORT, WITH IS IN TURN ATTACHED TO THE STEEL FENCE POST FABRIC SHALL OVERLAP AT ABUTTING ENDS A MINIMUM OF 5 FEET AND SHALL BE JOINED SUCH THAT NO BYPASS OR LEAKAGE OCCURS.
- INSPECTION SHALL BE MADE WEEKLY OR AFTER EACH RAINFALL. REPAIR OR REPLACEMENT SHALL BE MADE PROMPTLY AS NEEDED.
- SILT FENCE SHALL BE REMOVED WHEN THE SITE IS COMPLETELY STABILIZED SO AS NOT TO BLOCK OR IMPEDE STORM FLOW OR DRAINAGE.
- ACCUMULATED SILT SHALL BE REMOVED WHEN IT REACHES A DEPTH OF 6 INCHES. THE SILT SHALL BE DISPOSED OF IN AN APPROVED SITE AND IN SUCH A MANNER AS TO NOT CONTRIBUTE TO ADDITIONAL SILTATION.

SEDIMENT CONTROL FENCE USAGE GUIDELINES

A SEDIMENT CONTROL FENCE MAY BE CONSTRUCTED NEAR THE DOWNSTREAM PERIMETER OF A DISTURBED AREA ALONG A CONTOUR TO INTERCEPT SEDIMENT FROM OVERLAND RUNOFF. A 2-YEAR STORM FREQUENCY MAY BE USED TO CALCULATE THE FLOW RATE TO BE FILTERED.

SEDIMENT CONTROL FENCE SHOULD BE SIZED TO FILTER A MAX. FLOW THROUGH RATE OF 100 GPM/FT. SEDIMENT CONTROL FENCE IS NOT RECOMMENDED TO CONTROL EROSION FROM A DRAINAGE AREA LARGER THAN TWO ACRES.

K K Engineering Consultant
GENERAL PROFESSIONAL CONSULTING SERVICES
(FIRM REGISTRATION #1334)
(800) 635-6125
FAX (800) 635-2219
MCKENNA, TEXAS 75802
P.O. BOX 9422

STATE OF TEXAS
REGISTERED PROFESSIONAL ENGINEER
KAMBIZ S. KHADEMI
57767

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY KAMBIZ S. KHADEMI, P.E. 57767 AUGUST/2014 ALTERATION OF A SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE LAW

JULIWAY ESTATES SUBDIVISION
EROSION CONTROL PLAN FOR:
SOUTHERN VIBE ENTERPRISES, L.P.

DESIGNED BY: K.K.
DRAWN BY: F.D.
CHECKED BY: K.K.
UPDATED DWG. BY:
SCALE: 1" = 100'

DATE: _____
BY: _____

REVISION: _____

DRAWING DATE: AUGUST, 2014
RELEASE DATE: _____

File Name: EROSION
SHEET 1 OF 1