

1 2014 John Deere Backhoe Loader Pct 1

 United States (Change) | Dealer Locatc

Products | Parts | Services & S

310SK

BACKHOE LOADER

FEATURES & SPECS

Interim Tier 4-emission certified engine
Autoshift option
Smooth-shifting five-speed transmission
Convenient sealed-switch module

[See All Features](#)

Net Power	72 kW (96 hp) @ 2,000 rpm
Digging Depth	4.42 m (14 ft. 6 in.)
Loader Breakout Force	49.2 kN (11,051 lb.)
Loader Lifting Capacity	3335 kg (7,353 lb.)

[See All Specs](#)

Build Your Own



[Overview](#)

[Features](#)

[Specifications](#)

[Compare](#)

[Support](#)

[Videos](#)

Big productivity begins here.

Productivity is what the 310SK Backhoe is all about. The new standard five-speed transmission gets you moving faster with road speeds up to 40 km/h (25 mph). Fuel savings features are front and center with auto idle, auto shutdown and economy mode all available only on the 310SK. It also boasts the new single-lever loader control with integrated electrohydraulic, proportional auxiliary control, and comes standard with JDLink™ and Service ADVISOR™ Remote. The 310SK also includes productivity enhancements such as our smooth-shifting five-speed transmission with Autoshift option. More efficient HVAC system. Convenient sealed-switch module with keyless start and machine-security system. Redesigned easier-to-clean cooling package. The 310SK gives you more comfort, more convenience, and more efficiency.

1 2014 John Deere Backhoe Loader Pct 1



147,620*	x	108,267.00 +
27*	%	7,189.00 +
39,857.40	*	1,323.00 +
		13,230.00 +
107,762.60	-%	279.00 +
44,032.60	-	8,141.00 +
4,500.00	-	2,594.00 +
-48,532.60	*	1,728.00 +
		1,337.00 +
		3,266.00 +
		266.00 +
		011.....
		147,620.00 *
		147,620.00 +
		39,857.40 -
		44,032.60 -
		4,500.00 -
		-002.....
		59,230.00 *

9-22-15

Hidalgo County Pct # 1

Weslaco ,Tx

Attn: Raul Lozano

We are pleased to quote the following for your consideration:

- (1) 2014 John Deere 310SK Backhoe S/N # 260036 800 Hrs

Codes	Description	Price
02Q0T ✓	310SK Backhoe Loader	\$ 108,267.00
1095 ✓	John Deere IT4 Diesel Engine	\$ 7,189.00
1700 ✓	JD Link GPS	\$ In Base Price
2401 ✓	English Decals Operator & Safety	\$ In Base Price
3085 ✓	Mechanical Front Wheel Drive 4F/2R Transmission	\$ In Base Price
4891 ✓	Firestone 21L-24 12PR Rear Tire 12.5/80-18 12PR Front Tires	\$ 1,323.00
2085 ✓	Ultimate Cab with Dual Doors and Air Conditioning	\$ \$ 13,230.00
8675 ✓	Dual Batteries 300 Minutes Reserve Capacity	\$ 279.00
5075 ✓	Extendible Dipperstick Five Function Hydraulics	\$ 8,141.00
5285 ✓	Pilot Controls	\$ 2,594.00
5676 ✓	24" Wide Heavy Duty Capacity Bucket	\$ 1,728.00
5400 ✓	Less Coupler	\$ In Base Price
7025 ✓	Two-Function Loader Hydraulic , Single Level	\$ In Base Price
8475 ✓	1000 # Front CounterWeight	\$ 1,337.00
7645 ✓	1.3 Cu Yd Heavy Duty Bucket w/Bolt on Cutting Edge	\$ 3266.00
9140 ✓	Heavy Duty Backhoe Bucket Cylinder	\$ 266.00

Sales Price:	\$ 147,620.00	<i>*27% = 107,762.60</i>
Buyboard Discount: -27% BuyBoard Contract # 424-13	\$ - 39,857.40	
Doggett Discount:	\$ - 44,032.60	
Terex 860 Backhoe Trade in	\$ - 4,500.00	
Price	\$ 59,230.00	

Extended Warranty Until 3-28-2017 Powertrain & Hydraulics



DOGGETT

Thank you for the opportunity to quote John Deere Machinery.

Sincerely,



Andy Ramos
Territory Sales Manager
900 E Expressway 83
San Juan, Tx 78589
956-787-0001 Office
956-787-0055 Fax
956-227-0877 Cell



JOHN DEERE

Current Date 16Jan2014

310SK BACKHOE LOADER

310SK Standard Equipment

COOLING SYSTEM:

Engine Radiator
 Engine Coolant -34 Degrees
 F (-37C)
 Coolant Recovery Take with
 Low Level Indicator
 Oil-to-Water Engine Oil
 Cooler
 Fold-Out, Hinged Cooling
 System

High Ambient Temperature
 Engine Coolant

POWERTRAIN:

Powershift Transmission with
 Torque Converter
 Electronic Transmission
 controller with on-board
 diagnostics
 Single Electric transmission
 control lever (TCL) with
 integrated gear
 selection

Vertical Spin-on transmission
 Filter

Auto Shutdown

Planetary Final Drives

Differential Lock, Foot Switch
 Activated, Protection On/Off

Mechanical Limited Slip Front
 Wheel Drive

Hydrostatic Power Steering
 with Emergency Manual
 Mode

Power-Assisted Hydraulic
 Service Brakes Inboard, Wet
 Disc,

Self-Adjusting and Self-
 Equalizing (Conforms to ISO
 3450)

Parking/Emergency Brake:
 Independent of Service
 Brakes (Conforms to
 ISO 3450) Spring Applied,
 Hydraulically Released, Wet
 Multi-Disc

HYDRAULICS:

36 GPM (136 L/m) Tandem
 Gear Pump - Open Center
 Dedicated Hydraulic

ISO (Deere) 2 Lever
 Mechanical Backhoe Controls
 Reversible Pad Stabilizer
 Feet with integrated lock
 Stabilizer Two-Direction
 Anti-Drift Valves
 Less Bucket with Bucket Pins
 LOADER:

Return-To-Dig Feature
 Bucket Level Indicator
 Hydraulic Self-Leveling (anti-
 spill)

Single Lever Control with
 Electric Clutch Cut-off Switch
 Less Bucket with Bucket Pins
 Loader Boom Service Lock
 High-Visibility Loader Arms
 ELECTRICAL:

12 Volt System
 120 Amp Alternator
 (4) Front Drive/Work, (4)
 Rear Work and (2) side
 docking halogen
 lights (32,500 Candlepower
 Each) (2) Front and (2) Rear
 Turn

Signal/Flashing
 (2) Rear Stop and Tail

(2) Rear Reflectors

Single Battery with 190
 Minute reserve Capacity and
 950 CCA

Blade Type Multi-Fused
 Circuits

By-Pass Start Safety Cover
 on Starter

Positive Terminal Battery
 Cover

OPERATOR STATION:

Modular Design ROPS/FOPS
 Level 2 Canopy Isolation
 Mounted with Molded
 Roof (Conforms to SAE
 J1040)

Left and Right Side Access
 Molded Floor Mat and
 Headliner

Slip Resistant Steps and
 Ergonomically Located

Tilt Steering

Engine Coolant Temperature
 Gauge

Fuel Gauge

Transmission Oil

Temperature Gauge

Electric Monitor System with
 Audible and Visual Warning:

Air Cleaner restriction

Low Alternator Voltage

Engine Oil Pressure

Hydraulic Filter Restriction

Park Brake On-Off

Seat Belt

Engine Coolant Temperature

Transmission Oil

Temperature

Fuel

Electric Hourmeter/
 Tachometer / Voltmeter

Sealed Switch Module

Keyless Start

Machine Security

12 Volt Outlets (2)

Horn

Interior Rearview Mirror

Rotary Hand Trottle

Suspended Foot Throttle

Built-In Operator's Manual

Storage Compartment Built-

In Cup Holder,

Coat Hook

Lockable Right-Side Storage

OVERALL VEHICLE:

(2) Front and (2) Rear built-

In tie Downs

One Piece Unitized

Construction Mainframe

Extended Grille Frame

Dent Resistant Rear Fenders

Vandal Protection Locking

for:

Engine Hood

Monitor

Tool Box

Fuel Tank

Hydraulic Reservoir

41 Gal. (155L) Fuel Tank

Reverse Warning Alarm

1 2014 John Deere Backhoe Loader Pct 1

Reservoir	Handholds (Conforms to	19.5L - 24 In. 8 PR (R4)
6 Micron Vertical Spin-On	SAE J185)	Tubeless Rear and
Filter	Seat, Deluxe Deep Foam,	12.5/80 - 18 In. 12 PR
"O" Ring Face Seal	Vinyl Cover, High Back with	Traction Front Sure Grip Lug
Connectors	Adjustable:	Tires
Circuit Relief Valve	Suspension for	Ground Level Fueling
Protection	Weight/Height	Remote Grease Bank for
Economy Mode	Fore-Aft	Front Axle
Auto Idle	Lumbar Adjustments	Tilt Hood with (2) Service
BACKHOE:	Arm Rests	Positions
14 Ft. 6 In. (4.1 m) Digging	3 In. Seat Belt with	JDLink Ultimate in Approved
Depth	Retractor	Countries
Backhoe Transport Lock		
Lever		
Swing Locking Pin Stored in		
Op. Station		

Required - You must select one from each category
 BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description	Code	Price
310SK BACKHOE LOADER	02Q0T ✓	\$108,267.00 <

 ENGINE

Description	Code	Price
John Deere PowerTech Plus (PowerTech PWX) 4.5L (276 Cu.In.) Engine Meets IT4 and Stage IIIB Emissions (97 Net Peak hp)	1095 ✓	\$7,189.00 <

Required for the United States

Turbocharged
 Wet Sleeve Cylinder Liners
 Serpentine Belt with Automatic Belt Tensioner
 Enclosed Safety Fan Guard
 Vertical Spin-On Engine Oil Filter
 Spin-on Fuel filter with Water Separator
 Dual Safety Element Dry-Type Air Cleaner With Evacuator Valve
 Muffler, Underhood with Vertical Curved Exhaust Stack
 Self-cleaning exhaust aftertreatment system
 Glow plugs
 Electronically controlled, variable-speed cooling fan

 MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
	1700 ✓	In Base Price <

JDLink Ultimate Cellular for the Americas, excluding Costa Rica

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.

Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Satellite for the Americas, excluding Costa Rica	1701	\$1,807.00
--	------	------------

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.

Includes 3 year dual mode subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

▼ LANGUAGE DECALS

Description	Code	Price
English Decals with English Operator and Safety Manuals	2401	In Base Price

Includes English decals installed and English language operator's manual and parts book

English Decals with Spanish Decals and Manuals Separate	2403	In Base Price
---	------	---------------

Includes English decals installed with Spanish decal packet and English language operator's manual and parts book

English Decals with French Decals and Manuals Separate	2404	In Base Price
--	------	---------------

Includes English decals installed and French decal packet and English language operator's manual and parts book

▼ FRONT AXLE AND TRANSMISSION

Description	Code	Price
Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential and 5F/3R Powershift Transmission	3085	In Base Price

2 Wheel Drive with 5F/3R Powershift Transmission	3035	(\$9,872.00)
--	------	--------------

▼ TIRES AND WHEELS (FRONT AND REAR)

Description	Code	Price
FOR USE WITH MECHANICAL FRONT WHEEL DRIVE		

Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 4781 In Base Price
 12.5/80 - 18 In. 12 PR Traction Front Sure Grip Lug Tires

86 in. (2.18 m) overall width.
 Rear tire chains require wheel spacers

Goodyear 19.5L - 24 In. 10 PR (R4) Tubeless Rear and 4780 No Charge
 12.5/80 - 18 In. 14 PR Traction Front Sure Grip Lug Tires

86 in. (2.18 m) overall width.
 Rear tire chains require wheel spacers.

Michelin 500/70 R24 XMCL Radial Rear Tubeless Tires With 4782 \$2,969.00
 340/80 R18 XMCL Radial Front Tires

85 in. (2.16 m) overall width.
 Rear tire chains require wheel spacers.

Firestone 21L - 24 12PR (R4) Tubeless Rear and 12.5/80-18 4891 ✓ \$1,323.00 ✓
 12PR Traction Front Sure Grip Lug Tires

92 Inches (2.33 M) overall width
 Rear tire chains require wheel spacers.

FOR USE WITH 2 WHEEL DRIVE

Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear and 11L - 4768 (\$540.00)
 16 In. 12 PR (F3) Front Tires

86 Inches (2.18 M) overall width
 Rear tire chains require wheel spacers.

Goodyear 19.5L - 24 In. 10 PR (R4) Tubeless Rear and 11L 4260 (\$533.00)
 - 16 In. 12 PR (F3) Front Tires

86 Inches (2.18 M) overall width
 Rear tire chains require wheel spacers.



OPERATOR STATION

Description	Code	Price
Canopy with Floor Mat and Headliner (ROPS)/(FOPS)	2025	In Base Price

Includes:
 Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof
 Molded floor mats if ordered with Pilot Controls
 Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm
 Rests, Fully Adjustable
 3 In. Retractable Seat Belt
 Tilt Steering
 (2) front driving/working halogen lights - 32,500 Candlepower Each
 (2) rear working halogen lights - 32,500 Candlepower Each
 (6) additional roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

Cab with Dual Doors	2075	\$10,352.00
---------------------	------	-------------

Without Air Conditioning
 Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof

Tinted safety glass
 Deluxe interior trim
 Headliner
 Molded floor mats
 40,000 BTU heater/defroster/pressurizer (3-speed)
 Air Suspension, Fabric, Swivel Seat with:
 Fully Adjustable Lumbar Adjustment and Arm Rests
 3 in Seat Belt with retractor
 Sun Visor
 AM/FM/WB Radio
 Tilt Steering Wheel
 Front 2-speed wiper and rear 1-speed wiper and washers
 (2) front driving/working halogen lights - 32,500 Candlepower Each
 (2) rear working halogen lights - 32,500 Candlepower Each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

Ultimate Cab with Dual Doors and Air Conditioning

2085 ✓ \$13,230.00 ✗

Tinted safety glass
 Deluxe interior trim
 Headliner
 Molded floor mats
 26,000 BTU air conditioning (recommend ordering either H.D. bumper or counterweights)
 CFC free R134a refrigerant
 40,000 BTU heater/defroster/pressurizer (3-speed)
 Air Suspension, Fabric, Swivel Seat with:
 Fully Adjustable Lumbar Adjustment and Arm Rests
 3 in Seat Belt with retractor
 Sun Visor
 AM/FM/WB with CD Radio
 Tilt Steering Wheel
 Front 2-speed wiper and washer and rear 1-speed wiper
 (2) front driving/working halogen lights - 32,500 Candlepower Each
 (2) rear working halogen lights - 32,500 Candlepower Each
 (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
 (4) turn signal/flashing/rear stop/tail lights - 2 front and rear
 (2) rear reflectors

▼ BATTERY

Description

Code

Price

Single Battery, 150 Minute Reserve Capacity (950 CCA)

8625

In Base Price

Not for use with Code 9132.

Dual Batteries, 300 Minute Reserve Capacity (1900 CCA)

8675 ✓

\$279.00 ✗

Not for use with Code 9131

Recommended for temperatures below 32 degrees F (0 degrees C)

▼ BACKHOE DIG COMPONENTS

Description

Code

Price

Standard Dipperstick

5020

In Base Price

Four-function hydraulics

Standard stabilizers with cam-lock reversible pads

Standard Dipperstick and Auxiliary Hydraulics with Thumb Mounting Ears

5040

\$3,597.00

Six-function hydraulics

Includes two-way valve with right foot pedal

Selective flow control valve (9,13,16,18,22 or 25GPM) for one-way flow
 1000-3000 PSI adjustable
 Flow control auxiliary plumbing with foot switch
 Standard stabilizers with cam-lock reversible pads
 Thumb cylinder ears compatible with Deere thumbs only

Extendible Dipperstick 5090 \$7,444.00

Five-function hydraulics
 Standard stabilizers with cam-lock reversible pads

Extendible Dipperstick 5075 ✓ \$8,141.00 ←

Five-function hydraulics
 Extended stabilizers with pin-lock reversible pads

Extendible Dipperstick and Auxiliary Hydraulics 5085 \$10,749.00

Six-function hydraulics
 Selective flow control valve (9,13,16,18,22 or 25GPM) for one-way flow
 1000-3000 PSI adjustable
 Flow control auxiliary plumbing with foot switch
 Extended stabilizers with pin-lock reversible pads

Extendible Dipperstick, Seven-Function with Auxiliary Hydraulics and Thumb Mounting Ears 5095 \$11,713.00

Seven-function hydraulics
 Includes 6th Function with left foot pedal for cylinder-actuated attachments less plumbing
 Selective flow control valve (9,13,16,18,22 or 25GPM) for one-way flow
 1000-3000 PSI adjustable
 Flow control auxiliary plumbing with foot switch
 Extended stabilizers with pin-lock reversible pads
 Thumb cylinder ears compatible with Deere thumbs only

▼ BACKHOE CONTROLS

Description	Code	Price
Mechanical Controls, Two Lever, ISO (DEERE)	5225	In Base Price

Pilot Controls, Two Lever, with Pattern Selection	5285 ✓	\$2,594.00 ←
---	--------	--------------

▼ BACKHOE BUCKETS

For Deere buckets:
 All buckets include lift holes.
 Fangs teeth are standard on HD buckets.
 Fabricated teeth are standard on regular buckets.

Description	Code	Price
Less Backhoe Bucket with Bucket Pins	5600	In Base Price
12" (305 mm) Wide, Heavy-Duty, 3.3 Cu. Ft. (.09 Cu. M.) Capacity Bucket	5616	\$1,080.00
18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Bucket	5626	\$1,253.00
24" (610 mm) Wide, Heavy-Duty, 7.5 Cu. Ft. (0.21 Cu. M.) Capacity Bucket	5656	\$1,276.00
	5658	\$1,753.00

24" (610 mm) Wide, Severe-Duty, 7.5 Cu. Ft.(0.21 Cu. M.)
Capacity Bucket w/ TK Teeth

24" (610 mm) Wide, Heavy-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Bucket 5676 ✓ \$1,728.00 <

24" (610 mm) Wide, Severe-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Bucket w/ TK Teeth 5678 \$1,995.00

Top Hook 24" (610 mm) Wide, Heavy-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Coupler Bucket 5660 \$1,696.00

Requires Code 5430 Top Hook Coupler

Top Hook 18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Coupler Bucket 5630 \$1,276.00

Requires Code 5430 Top Hook Coupler

▼ BACKHOE QUICK COUPLERS

Description **Code** **Price**
Less Coupler 5400 ✓ In Base Price <

DEERE Standard Quick Coupler 5410 \$1,231.00

For use with 310SE, SG, SJ, SK, 410E, G,J, K backhoe buckets.
Not compatible with 310E, G, J, K Series Backhoe Buckets.

Multi-Brand Quick Coupler 5420 \$1,399.00

For use with DEERE C, D, SE, SG, SJ, SK Series buckets and with Case K-L-M and CAT C Series Buckets.
Not for use with 710 Buckets.

Spacers are recommended for CAT and Case buckets, contact DMAC.

Top Hook Quick Coupler 5430 \$1,122.00

For use with DEERE Top Hook Coupler bucket codes 5630 or 5660 and CP or Pre-XLS Wain Roy Top Hook Buckets

New Series Multi-Brand Quick Coupler 5440 \$1,444.00

For use with CAT D and E, Case K-L-M, and DEERE SE, SG, SJ and SK Series backhoe buckets except high-capacity buckets and 710 buckets.

Universal Coupler - Pin-grabber style coupler 5450 \$2,100.00

For use with DEERE C-D-SE-SG-SJ & SK Series buckets and with Case K-L-M and CAT C,D & E Series Buckets.
Not for High Capacity Buckets and 710 Buckets.
UNIVERSAL COUPLER will not work with most thumbs.

▼ LOADER HYDRAULICS

All selections come with Return to Dig feature.

Description **Code** **Price**
Two-Function Loader Hydraulics, Single Lever 7025 ✓ In Base Price <

Three-Function Loader Hydraulics, Single Lever	7075	\$3,150.00
--	------	------------

Single lever loader control with electro-hydraulic auxiliary control
 For multi-purpose bucket and front attachments.
 Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.

Loader Coupler, 2-Function Hydraulics, Single Lever	7035	\$6,646.00
---	------	------------

Includes Ride Control
 Cannot be used with Code 9110 Ride Control
 Will accept 310G, SG, SJ, SK & 410G, J, K loader coupler buckets

Loader Coupler, 3-Function Hydraulics, Single Lever	7085	\$9,707.00
---	------	------------

Includes Ride Control
 Not for use with Code 9110 Ride Control
 For multi-purpose coupler bucket and front attachments.
 Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.
 Will accept 310G, SG, SJ, SK & 410G, J, K loader coupler buckets

▼ FRONT COUNTERWEIGHTS (PICK 1)

310SK COUNTERWEIGHT SELECTION CHART

Select the Proper Counterweight for the Machine and Optional Equipment.
 Recommend ordering either the heavy-duty bumper or counterweights for use with cab with air conditioning.
 Add/subtract the option's front axle percent. Then select the counterweight that gives the desired weight distribution (between 27-32%, Target - 30%).

"Base configuration*** has 24.8% weight on front axle."

"To this percent weight, add/subtract the following option percents, according to configuration as ordered."

- Standard Dipper (+4.7%)
- Backhoe Coupler (-1.5%)
- Bkhe Attachment over 600 lbs (-2.0%)
- M-P Loader Bucket (+5.9%)
- Loader Coupler (+4.4%)
- Standard Front Axle (-1.3%)
- Canopy (+0.5%)

"Choose counterweight which results in the target front axle weight percent"

- Bumper 0%
- 450 lb. Cntwt (+2.5%)
- 750 lb. Cntwt (+4.0%)
- 1,000 lb. Cntwt (+5.1%)
- 1,250 lb. Cntwt (+6.3%)

*** Base calculated using an Extendable dipper, Cab, Mechanical Front Wheel Drive, Standard Loader bucket, and a Standard Backhoe bucket

=====

Description	Code	Price
Front Cover	8410	In Base Price
Requires Cab Code 2025 or 2075		
Recommended for: Extendible Backhoe w/ Multipurpose Bucket Standard Backhoe w/ or w/o coupler		
Heavy-Duty Bumper	8415	\$217.00

1 2014 John Deere Backhoe Loader Pct 1

Recommended for:
Standard Backhoe w/o Aux. Hyd.
Extendible Backhoe w/ Multipurpose Bucket

450 Lb. (204 kg) Front Counterweight	8425	\$599.00
750 Lb. (340 kg) Front Counterweight	8455	\$971.00

Recommended for:
Standard Backhoe w/ rear attachment and w/o Backhoe Coupler

1000 Lb. (454 kg) Front Counterweight	8475 ✓	\$1,337.00 ←
---------------------------------------	--------	--------------

Recommended for:
Standard Backhoe w/ rear attachment and w/ Backhoe Coupler
Standard Backhoe w/ aux. Hyd. w/o Backhoe Coupler
Extendible Backhoe w/ 1.13, 1.20, or 1.3 c.y. Loader Bucket and Backhoe Coupler

1250 Lb. (567 kg) Front Counterweight	8485	\$1,711.00
---------------------------------------	------	------------

Recommended for:
Standard Backhoe w/ Aux. Hyd. and Backhoe Coupler
Extendible Backhoe w/ 1.13, 1.20, 1.25 or 1.3 c.y. Loader Bucket and Backhoe Coupler

LOADER BUCKETS

Loader Buckets include Skid Plates and Lift Hooks unless stated otherwise.

Description	Code	Price
<u>PIN-ON LOADER BUCKETS (Not for use with Coupler)</u>		
Less Loader Bucket with Pins for Buckets or Front Attachments	7600	In Base Price
Old Style pins will be necessary with older buckets and attachments		
1.0 Cu. Yd. (.76 Cu. M.) Heavy-Duty 86 in. (2.18 m) wide Bucket with Bolt-On Cutting Edge and Skid Plates	7635	\$3,177.00
Bucket Capacity is without Cutting Edge.		
1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m) Wide Long Lip Bucket no Auxiliary Cutting Edge, with Factory Skid Plates and no Additional Skid Shoes	7640	\$3,027.00
1.3 Cu. Yd. (1.0 Cu. M.) 92 in. (2.34 m) wide Heavy Duty Long Lip Bucket with Bolt on Cutting Edge and Skid Plates	7645 ✓	\$3,266.00 ←
1.32 Cu. Yd. (1.0 Cu. M.), 92 in. (2.34 m) Wide Multipurpose Bucket	7685	\$6,910.00
Requires Code 7075, Aux. Loader Hydraulic Includes reversible bolt-on cutting edge and skid plates. Pre-drilled for eight teeth - Order teeth from parts. Includes two lift holes.		
<u>COUPLER LOADER BUCKETS</u>		
Requires codes 7035 or 7085 Loader Coupler		
Less Coupler Bucket	7605	No Charge

1 2014 John Deere Backhoe Loader Pct 1

1.3 Cu. Yd. (1.0 Cu. M.) 92 in. (2.34 m) wide Heavy-Duty Long-Lip Coupler Bucket with Cutting Edges and Skid Plates.	7650	\$3,428.00
--	------	------------

1.32 Cu. Yd.(1.0 Cu. M.), 92 in.(234 mm) wide Multipurpose Coupler Bucket	7690	\$7,097.00
---	------	------------

Requires Code 7085, Aux. Loader Coupler Hydraulics
 Cannot be used with code 8485 or 8495 Counterweight.
 Includes reversible bolt-on cutting edge and skid plates.
 Pre-drilled for eight teeth - Order teeth from parts.
 Includes two lift holes.

Optional - Select as desired

OPTIONAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
<u>POWERTRAIN AND COOLING</u>		
Chrome Exhaust Extension	9045	\$173.00
110 Volt Engine Coolant Heater (1000 Watts)	9080	\$167.00
Not necessary with the Cold Start Package code 9100.		
Cold Start Package	9100	\$383.00
Includes ether starting aid and 110V engine block heater. Requires Dual Batteries code 8675. Not for use with engine code 1095, which uses glow plug cold start. For electric engine coolant heater for Engine Code 1095 see Code 9080.		
Single Battery Disconnect	9131	\$153.00
Dual Battery Disconnect	9132	\$170.00
Full MFWD Guard	9505	\$417.00
AutoShift - Automatic Transmission	9941	\$3,644.00
<u>OPERATOR STATION</u>		
Front View Mirror	9060	\$80.00
Ride Control	9110	\$1,935.00
Not for use with loader hydraulic codes 7035 and 7085		
Left Side Console Storage with Cup Holders	9210	\$79.00
(2) External Rear View Mirrors	9920	\$334.00
Hydraulic 4-Tine (Standard Dipperstick) Backhoe Thumb	9020	\$6,583.00
Requires code 5040 Hydraulics. Includes plumbing from valve to thumb. Requires backhoe bucket code 5656 or 5658. Not for use with backhoe coupler Codes 5430, 5450		
Hydraulic 4-Tine (Extendible Dipperstick) Backhoe Thumb	9025	\$6,407.00

1 2014 John Deere Backhoe Loader Pct 1

Requires code 5095
Includes plumbing from valve to thumb.
Requires backhoe bucket code 5656 or 5658.
Not for use with backhoe coupler Codes 5430, 5450

Heavy-Duty Backhoe Bucket Cylinder	9140 ✓	\$266.00 <
------------------------------------	--------	------------

Increases backhoe bucket breakout force by 27%.

Diagnostic Oil Sampling Ports	9515	\$201.00
-------------------------------	------	----------

Requires code engine code 1085 or 1086 or 1095.
Includes 4 ports:
Engine oil
Engine coolant
Transmission oil
Hydraulic oil

Non-Export Rust Preventive Coating	9909	\$167.00
------------------------------------	------	----------

Coating protects exposed unpainted surfaces from road salt during shipment.

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeereotechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts.

Exception to above note is FRONTIER Dealer Installed Kits.

Description	Code	Price
<u>Attachments and Accessories:</u>		

Pins and Bushings for 310SG/SJ/SK, 315K, 325K, 410G/J/K, K Series TMC Backhoes Less Backhoe Coupler, or with Deere Standard or Multi-Brand Coupler	AT352853	\$281.00
--	----------	----------

Required for use in addition to code 9804 Interface Adapter or AT371338 Interface Adapter.

For Hammer quick connect to the machine, one will need quick connector couplings.

Not for use with Top Hook Coupler.

Backhoe:

Backhoe New Series Multi-Brand Quick Coupler	AT393558	\$1,448.00
--	----------	------------

For use with DEERE C-D-SE-SG-SJ-SK Series buckets and with Case K-L-M and Cat D and E Series Buckets Buckets, High Capacity Buckets and 710J Buckets.

Spacers are recommended for CAT and Case buckets, contact DMAC.

Coupler, Deere Backhoe Bucket	AT336316	\$1,404.00
-------------------------------	----------	------------

Fits 310SE, 310SG, 310SJ, 410E, 410G, 410J, 410TJ backhoes.
For use with 310SE, 310SG, 310SJ, 410E, 410G, 410J, 410TJ backhoe buckets
Proper counterweighing is required. See Counterweight Selection Chart.
Recommend Backhoe Boom Bolt-on Protection Plate.

Coupler, Multi-Brand Universal Backhoe Bucket	AT336315	\$1,575.00
---	----------	------------

For use with CAT B & C Series, Case K-L-M and DEERE SE, SG & SJ Series backhoe buckets except High Capacity Buckets and 710 Buckets.
 Recommend AT179130 high-strength pin for 300D-510D and 210C-610C 18-36 Inch Buckets
 Proper counterweighting is required. See Counterweight Selection Chart.
 Recommend Backhoe Boom Bolt-on Protection Plate.
 UNIVERSAL COUPLER will not work with most thumbs
 Spacers are recommended for CAT and Case buckets, contact DMAC.

Coupler, Top Hook Backhoe Bucket	AT324292	\$1,058.00
<p>Fits on 410G, 410J, 410TJ, 310SG, 310SJ, 310TJ Backhoes. For use with Top Hook backhoe bucket from Deere, CP, and Pre-XLS Wain Roy Recommend Backhoe Boom Bolt-on Protection Plate. Proper counterweighting is required. See 310SJ or 410J Counterweight Selection Chart.</p>		
Coupler, Universal - Pin-grabber style	AT343629	\$3,646.00
<p>Fits John Deere 310SE, 310SG, 310SJ, 310TJ, 410E, 410G, 410J, 410TJ backhoes For use with DEERE C-D-E-G-J Series buckets and with Case K-L-M and CAT C-D-E Series Buckets. Not for High Capacity Buckets and 710 Buckets. JOHN DEERE UNIVERSAL COUPLER will not work with most thumbs. Proper counterweighting is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate.</p>		
Heavy Duty Stabilizer Pads	AT376410	\$450.00
Hydraulic 2-Tine Thumb Kit	AT358432	\$5,179.00
<p>Recommended for use with 18 & 30 in. Backhoe Buckets. Requires plumbing kit.</p>		
Hydraulic 4-Tine Thumb Kit	AT358433	\$5,179.00
<p>Recommended for use with 24 in. Backhoe Buckets. Requires Plumbing Kit.</p>		
Protection Plate, Backhoe Boom	AT333753	\$966.00
<p>Bolt on or weld to underside of backhoe boom. Recommended for rental, lease, thumbs/clamps, swingers, jaw buckets, and non-Deere attachments on couplers.</p>		
Standard Stabilizer Street Pads	AT376409	\$226.00
<u>Buckets:</u>		
BKH Pin-On Bucket 24 In. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT192015	\$1,426.00
BKH Pin-On Bucket 24 In. (610 mm) Standard-Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT192014	\$1,365.00
BKH Pin-on Bucket 12 In. (305 mm) Heavy-Duty 3.3 Cu. Ft. (0.09 Cu. M.)	AT192011	\$1,054.00
BKH Pin-on Bucket 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT192012	\$1,216.00
	AT192017	\$1,689.00

BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.)		
BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT192019	\$1,799.00
BKH Pin-on Bucket 30 In. (762 mm) Severe-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT192020	\$1,926.00
BKH Pin-on Bucket 36 In. (914 mm) Ditching; 12.5 Cu. Ft. (0.35 Cu. M.)	AT192022	\$1,536.00
BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty; 12.5 Cu. Ft. (0.35 Cu. M.)	AT192021	\$1,792.00
BKH Top Hook Coupler Bucket 12 in. (305 mm) Heavy Duty 3.3 Cu. Ft. (.09 Cu. M.)	AT324448	\$1,059.00
BKH Top Hook Coupler Bucket 18 in. (457 mm) Heavy Duty - 5.1 Cu. Ft. (0.14 Cu. M.)	AT324447	\$1,223.00
BKH Top Hook Coupler Bucket 24 in. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT316706	\$1,433.00
LDR Coupler Bucket 1.0 Cu. Yd. (.76 Cu. M.) Heavy Duty 86 in. (2.18 m) wide with Reversible Bolt On Cutting Edge with Skid Plates	AT308991	\$2,852.00
LDR Coupler Bucket 1.13 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip with Reversible Bolt On Cutting Edge and Skid Plates	AT308970	\$3,041.00
LDR Coupler Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip without Bolt-On Cutting Edges or Skid Plates	AT308968	\$2,838.00
LDR Coupler Bucket 1.32 cu. yd. (1.0 cu. m) Heavy Duty 92 in. (2.34 m) Long Lip with Reversible Bolt On Cutting Edge and Skid Plates	AT308966	\$3,511.00
LDR Coupler Multi-Purpose Bucket 1.32 cu. yd. (1.0 cu. m) 92 in. (2.34 m) with Reversible Bolt On Cutting Edges and Skid Plates	AT363772	\$7,023.00
<p>Pre-drilled for eight teeth. Includes two built-in lift loops. Proper counterweighting is required. See Counterweight Selection Chart.</p>		
LDR Coupler Multipurpose Bucket 1.25 cu. yd. (.96 cu. m) 86 in. (2.18 m) wide with Reversible Bolt On Cutting Edges and Skid Plates	AT363771	\$6,735.00
<p>Requires Aux. Loader Coupler Hydraulics. 86 in. (2.18 m) bucket width. Includes reversible bolt-on cutting edge and skid plates. Pre-drilled for seven teeth. Order teeth from parts. Includes two built-in lift loops.</p>		
LDR Pin-On Bucket 1.32 Cu. Yd. (1.0 Cu. M.) Heavy Duty Long Lip Bucket	AT308080	\$3,161.00

1 2014 John Deere Backhoe Loader Pct 1

92 in. (2.34 m) wide.
Includes reversible bolt-on cutting edge with skid plates.
* Includes two lift holes.

LDR Pin-on Bucket 1.13 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide with Reversible Bolt On Cutting Edge and Skid Plates	AT308071	\$3,053.00
LDR Pin-on Bucket 1.2 Cu.Yd. (.90 Cu. M.) Narrow 82 in. (2.08 m) Heavy-Duty Long Lip Narrow and Skid Plates	AT308188	\$2,540.00
LDR Pin-on Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) Long Lip and Skid Plates	AT308076	\$2,809.00
LDR Pin-on Multi-Purpose Bucket 1.32 Cu. Yd. (1.0 Cu. M.), 92 in. (2.34 m) wide with Reversible Bolt On Cutting Edges and Skid Plates	AT308193	\$6,601.00
Requires Code 7075, or Third Function Loader Hydraulics. 92 in. (2.3 m) bucket width Includes reversible bolt-on cutting edge with skid plates. Pre-drilled for eight teeth. Order teeth from parts. Includes two lift holes. Proper counterweight is required. See Counterweight Selection Chart.		
LDR Pin-on Multipurpose Bucket 1.00 Cu. Yd. (.76 Cu. M.) 82 in. (2.08 m) with Reversible Bolt On Cutting Edges and Skid Plates	AT308042	\$5,640.00
LDR Pin-on Multipurpose Bucket 1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m) with Reversible Bolt On Cutting Edge and Skid Plates	AT308191	\$6,520.00
Loader Coupler Attachment Adapter Hook Plates (2) Standard	AT336927	\$1,757.00
Pin-on Bucket w/ TK Teeth, 18 In. (457 mm) Severe-Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT422764	\$1,609.00
Pin-on Bucket w/ TK Teeth, 24 In. (610 mm) Severe-Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT422767	\$1,753.00
Pin-on Bucket w/ TK Teeth, 24 In. (610 mm) Severe-Duty 8.8 Cu. Ft. (0.25 Cu. M.)	AT422769	\$1,995.00
Pin-on Bucket w/ TK Teeth, 30 In. (762 mm) Severe-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT422770	\$2,080.00
Frame Attachment:		
Counterweight, Front, 1,000 lbs (454 kg)	AT409587	\$1,306.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 1,250 lbs (567 kg)	AT409588	\$1,624.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 250 lbs (113 kg)	AT409592	\$361.00

1 2014 John Deere Backhoe Loader Pct 1

If adding to the 450 lb. (204 KG) counterweight, order (4) T151797, (2) 19M9088,
AND (2) 14M7587.
For 750 lb. (340 KG), 1000 lb. (454 KG) and 1250 lb. (567 KG) counterweights,
order (2) T151797 and (2) 19M8976

Counterweight, Front, 450 lbs (204 kg)	AT409585	\$627.00
Use with (4) T119912 AND (4) 19M9124.		
Counterweight, Front, 750 lbs (340 kg)	AT409586	\$998.00
Use with (4) T119912 AND (4) 19M9124.		
<u>Front Attachments:</u>		
Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fork Carriage	AT308139	\$3,565.00
Forks, Pallet (2) 48 in.(1.22m) with 60 in. (1.52m) Coupler Fork Carriage	AT308138	\$3,394.00
<u>Guards:</u>		
MFWD Wheel Fender Kit for 18 in. tires only	AT371257	\$697.00
Requires MFWD and 12.5/80-18 or 340/80R-18 front tires.		
<u>Hydraulics:</u>		
Accu-Swing Kit for Backhoe	AT312949	\$451.00
Auxiliary Hydraulic Selective Flow Control Kit	AT408680	\$1,214.00
Selective Flow Control Valve (9,13,16,18,22 or 25GPM) - One Way Flow Includes control pedal and circuit relief 1000-3000 PSI Adjustable K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Auxiliary Backhoe Hydraulic Plumbing Kit for Thumb, Clamp, Swinger or Jaw Bucket	AT194368	\$232.00
Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps and hardware. For Low Flow intermittent usage. Requires Dealer to make eight hoses per installation instructions. Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions and foot pedal to activate.		
Auxiliary Backhoe Hydraulics for Auger, Extendible Dipperstick	AT335445	\$250.00
Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.		
Auxiliary Backhoe Hydraulics for Auger, Standard Dipperstick	AT335762	\$443.00
Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward		

1 2014 John Deere Backhoe Loader Pct 1

and reverse. No additional controls are required.
Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.

Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	AT409909	\$3,884.00
---	----------	------------

K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.

Auxiliary Piping for Selective Flow and Extendible Dipperstick	AT325071	\$662.00
---	----------	----------

Installation instructions T208488.
Average installation, 2 hours.
Requires Extendible Dipperstick.
Requires Five Function Plus Selective Flow OR Selective Flow.
Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick.
Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick.

Auxiliary Piping for Selective Flow and Standard Dipperstick	AT325070	\$588.00
---	----------	----------

Installation instructions T208487.
Average installation, 2 hours.
Requires Standard Dipperstick.
Requires Five Function Plus Selective Flow OR Selective Flow.
Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick.
Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick.

Controlled Lowering Device for Backhoe Boom Cylinder	AT336393	\$2,429.00
--	----------	------------

Controlled Lowering Device for Backhoe Crowd (Dipper) Cylinder	AT336390	\$2,931.00
---	----------	------------

Fifth Function Control Valve Section (Without Circuit Reliefs)for Manual Controls	AT192189	\$931.00
--	----------	----------

* Installation instructions T186326.
* Average installation, 4 hours.
* Requires Right Pedal (Deere or Cat Controls)
from service parts.

Hand-Held Hydraulic Tool Kit	AT403096	\$447.00
------------------------------	----------	----------

Average installation, 4 hours.
Includes two circuit reliefs, fittings, clamps and hardware.
Requires Selective Flow Valve.
Installed in Battery Box.

Loader Coupler, Hydraulic	AT403006	\$5,485.00
---------------------------	----------	------------

K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.

Plumbing for Extendible Dipperstick	AT335537	\$478.00
-------------------------------------	----------	----------

Sixth Function Control Valve Section (Without Circuit Reliefs) for Manual Controls	AT192239	\$1,314.00
---	----------	------------

	AT307664	\$1,348.00
--	----------	------------

1 2014 John Deere Backhoe Loader Pct 1

Sixth Function Control Valve Section (Without Circuit Reliefs) for Pilot Controls

Installation instructions T206123.

Average installation, 4 hours.

Can use with Code 5110, Four Function Control Valve, Code 5120, Five Function Control Valve, or Code 5130, Five Function Control Valve Plus Selective Flow Valve.

Requires Left Pedal, (Deere, Cat or Ford Controls).

Cannot be used with Case Controls.

Requires Attachment Hydraulic Plumbing Kit, for cylinder operated attachments.

Requires longer tie bolts. (T159263 (2) & T159264 (1) when used with Five Function Control Valve Plus Selective Flow Valve.

Operator Environment:

AM / FM / WB Radio	AT348557	\$730.00
Requires Code 2075 or 2085, Cab.		
AM/FM/WB/CD Stereo with Digital Clock for Cab	AT326271	\$978.00
Requires Code 2075 or 2085, Cab.		
Case Three Lever Controls 5th Function Lever Kit	AT309740	\$191.00
Adds lever to Case 3 lever backhoe controls to operate auxiliary valve on Standard Dipperstick or operates Extendable Dipperstick..		
Case Three Lever Controls with Foot Swing	AT309739	\$875.00
For units with code 5225.		
Ford Four Lever Controls for Standard and Extendible Dipperstick	AT185628	\$2,975.00
Ford Four Lever Controls for Standard and Extendible Dipperstick. For units with code 5225.		
ISO (Deere) Two Lever Mechanical Controls	AT185624	\$493.00
Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher	AT408903	\$96.00
Kit Does not Include Fire Extinguisher.		
Operator Manual Tether Cables for ROPS or Cab	AT192032	\$27.00
Ride Control	AT403002	\$1,444.00
K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Right Pedal for Fifth Function Backhoe Valve	AT185625	\$316.00
SAE Excavator Style Two Lever Controls	AT301434	\$250.00
Sixth Function Pedal for Lever Controls	AT185629	\$373.00
Sixth Function Pedal for Pilot Controls	AT301485	\$308.00
Storage Console	AT416297	\$146.00

1 2014 John Deere Backhoe Loader Pct 1

Sun Visor	AT186307	\$92.00
Washer Kit, Windshield	AT407078	\$96.00
K-Series backhoes except the 310K and 310K EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
<u>Overall Vehicle:</u>		
(2) External Rear View Mirrors	AT186155	\$282.00
Beacon/Strobe Ready Wiring Kit	AT313589	\$34.00
Kit for aftermarket Beacon or Strobe light Kit does not include Beacon		
Environmental Drain Kit	AT393180	\$573.00
Fluid Sampling Ports	AT375684	\$446.00
Not for use on Stage II (Tier 2) engines. May be used on Stage IIIa (Tier 3) engines.		
Jump Start Booster Kit	AT411249	\$128.00
License Plate Bracket and Light	AT187707	\$218.00
Master Electrical Disconnect Switch	AT404487	\$213.00
Rear Wheel Spacers for Rear Tire Chains	AT347522	\$953.00
Rotating Beacon Kit	AT313592	\$257.00
Rubber Bumper for Grill Frame	AT406999	\$80.00
Slow Moving Vehicle Emblem	AT186288	\$111.00
Stabilizer Cylinder Guards (Set of Two)	AT305073	\$303.00
Strobe Light Kit	AT313583	\$342.00
Magnet mounted.		
<u>Powertrain:</u>		
Autoshift Software	AT417183	\$3,432.69
Order through JDPoint		
Engine Air Intake Pre-Cleaner	AT419494	\$417.00
Full MFWD Driveshaft Guard	AT325678	\$417.00
Severe-Duty Fuel Filter	AT396921	\$903.00
For T3 engines only.		



REFERRAL ATTACHMENTS

Description**Code****Price**

1 2014 John Deere Backhoe Loader Pct 1

G.R. Mfg.:

G.R. Manufacturing, Inc.

* Kits listed below must be ordered through John Deere.

* F.O.B. Trussville, Alabama

* All kits include installation instructions

* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

Guard, Transmission Bottom "J" Model	AT338274	\$1,579.00
--------------------------------------	----------	------------

Not for use with Low Noise Package or MFWD driveshaft guard.

1 2014 John Deere Backhoe Loader Pct 1

Zimbra

sandy.suarez@co.hidalgo.tx.us

RE: Quote from Doggett 310SK- 2014 Backhoe

From : Connie Burkett <Connie.Burkett@tasb.org>

Tue, Sep 29

Subject : RE: Quote from Doggett 310SK- 2014 Backhoe**To :** 'Sandy Suarez' <sandy.suarez@co.hidalgo.tx.us>**Cc :** Maria Gomez <elena.gomez@co.hidalgo.tx.us>

Sandy,

The quote is in compliance with the vendor's award under BuyBoard Contract 424-13.
The backhoe/loader price list provided for 2014 is attached. Pricing for the 310SK begins on page

Respectfully,

Connie W. Burkett, CTPM
Contract Administrator
BuyBoard / TASB
12007 Research Blvd
Austin TX 78759
Phone: 800-695-2919, ext 7152
Fax: 800-211-5454



From: Sandy Suarez [mailto:sandy.suarez@co.hidalgo.tx.us]**Sent:** Monday, September 28, 2015 2:44 PM**To:** Connie Burkett**Cc:** Maria Gomez**Subject:** Re: Quote from Dogget 310SK- 2014 Backhoe**Importance:** High

Ms. Burkett,

I apologize for the delay, please find the attached Quote.

Thank you.

1 2014 John Deere Backhoe Loader Pct 1

From: "Connie Burkett" <Connie.Burkett@tasb.org>
To: "Sandy Suarez" <sandy.suarez@co.hidalgo.tx.us>
Cc: "Maria Gomez" <elena.gomez@co.hidalgo.tx.us>
Sent: Monday, September 28, 2015 1:43:40 PM
Subject: RE: Pricelist for a 2014 Backhoe

We only upload the most recent pricing provided by the vendors, which is Jan 2015 in this case.

Pricing for 2014 models is no longer available. If you need me to verify a quote for a 2014 unit, please send a copy of the quote and I will research the information in our archives.

Respectfully,

Connie W. Burkett, CTPM
Contract Administrator
BuyBoard / TASB
12007 Research Blvd
Austin TX 78759
Phone: 800-695-2919, ext 7152
Fax: 800-211-5454



From: Sandy Suarez [<mailto:sandy.suarez@co.hidalgo.tx.us>]
Sent: Monday, September 28, 2015 1:36 PM
To: Connie Burkett
Cc: Maria Gomez
Subject: Re: Pricelist for a 2014 Backhoe
Importance: High

Ms. Burkett,

We have already tried obtaining information there. This is a 2014 Backhoe 3:2015 310L models are listed.
Please advice.
Thank you.

From: "Connie Burkett" <Connie.Burkett@tasb.org>